

The Genus *Hosta*
List of
Registered Cultivars
Supplement I

Registrations 1992 – 1998
with Complete Index

January 2000



Prepared by
the International Registration Authority
for the Genus *Hosta*

The American Hosta Society
and
The University of Minnesota Landscape Arboretum



Publication Funded by
The American Hosta Society

Copyright © 2000

By The American Hosta Society

All Rights Reserved

Reproduction of the contents, either as a whole or in part, storage in a retrieval system, or transmittal, in any form, or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the President, The American Hosta Society, is strictly prohibited.

Descriptions and index compiled by
The International Registrar for the Genus *Hosta*

Introduction

This supplemental list of registered cultivars was prepared by the International Registrar for the Genus *Hosta* under the advocacy of the International Registration Authority for the Genus *Hosta*. This list comprises all cultivars registered from 1992 through 1998. It is intended to be a companion volume to *The Genus Hosta List of Registered Cultivars*, published by The American Hosta Society in 1993. Funding, support and distribution are provided by The American Hosta Society.

The description provided with each cultivar contains essentially the same information as was originally published in *The Hosta Journal* Vol. 24 No. 1 through Vol. 30 No. 1. No attempt was made to verify the accuracy of descriptive information that was originally submitted. The description format is the same as that used in the *The Genus Hosta List of Registered Cultivars*, with some additional descriptive categories added. Registration submitted between 1992 and 1998 included six different versions of registration forms. Thus the amount and type of descriptive information can vary significantly. The amount of detail found in any particular description is typically reflective of the form submitted.

A Brief Key to Descriptions

ONIR: O=originator, N=nominant (namer), I=introducer, R=registrant.

Flowers: Bloom periods are given in either start – peak – finish format or a more general period format. The general periods are very early period: before June 1, average period: June 1 to July 15, summer period: July 15 to August 15, late period: August 15 to October 1, very late period: after October 1.

Bloom Period Codes: Ties the flowering of the cultivar to a “species scale.” The registrant has provided the number code from the scale below for the start - peak - finish of the flowering period. These appear in parenthesis after the traditional bloom times.

1	2	3	4	5	6	7	8	9
----- ----- ----- ----- ----- ----- ----- ----- -----	H. sieboldiana	H. ventricosa	H. plantaginea	H. ‘Tardiflora’				

Some Cautionary Notes

Age: The age of the hosta clump described can be found listed under “Clump History.” The ages of plants described for registration can vary from 1 year to 15 years or more. The age (maturity) of the plant being described can affect the accuracy and reliability of the descriptive information when it is considered in the context of a more mature plant. In other words, cultivars can change significantly when they mature, but become more predictable as well. Although maturity can vary considerably from cultivar to cultivar, information gathered on a very young plant should be considered with some degree skepticism.

Seed and Fertility: Although the registration forms have varied over the years, at least two questions have always remained consistent. “Set seed?” and “Seed viable?” However, how the answers to these questions have been translated in the published descriptions have not been consistent or wholly accurate.

While one can confidently say that a hosta cultivar is fertile if it produces viable seed, the lack of viable seed does not necessarily indicate an infertile plant. Unfortunately, past registration descriptions have included such fallacious judgements. Descriptions in this publication have been modified to include a category for seed. Under this category can be found information which was submitted on seed viability. No judgements on fertility are included.

A

<i>Hosta</i> 'Abba Dabba Do' T. Avent (ONIR)	1998
Plant: 70 in. (178 cm.) diameter, 24 in. (61 cm.) high.	
Rhizomatous with a moderate growth rate.	
Leaf: 12 in. (30.5 cm.) long, 6 in. (15.2 cm.) wide. Veins prominent. Medium green with a 0.5 in. (1.27 cm.) wide, slightly rippled, golden yellow margin. Dull on top and underneath; lightly wavy, ovate with a rounded base.	
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular.	
Seed: viable.	
[<i>H. 'Sun Power</i> ' sport]	
<i>H. 'Academy Fire</i> S. Chamberlain (ONIR)	1997
Plant: 36 in. (91.4 cm.) diameter, 16 in. (40.6 cm.) high.	
Mound-like and fast growing.	
Leaf: 8 in. (20.3 cm.) long, 5 in. (12.7 cm.) wide. 9 pairs of prominent veins. Light green with a 0.06 in. (0.15 cm.) wide, flat, creamy white margin. Dull on top and underneath; ovate with a flat base; petiole with purple dots at the base.	
Scape: 15.5 in. (39.4 cm.) high, ranging from 15-16 in. (38.1-40.6 cm.).	
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Manlius NY: 7/23 - 8/18 - 8/25 (5 - 5 - 5).	
Seed: none set.	
Clump History: the original tissue culture sport, 4 years old, growing in Manlius NY.	
Notable Characteristics: fast growing with a white margin and a green center.	
[<i>H. 'Francee</i> ' sport]	
<i>H. 'Academy Muse</i> H. Chamberlain (ON), S. Chamberlain (NIR)	1997
Plant: 32 in. (81.3 cm.) diameter, 15 in. (38.1 cm.) high.	
Mound-like with a moderate growth rate.	
Leaf: 8.5 in. (21.6 cm.) long, 6.75 in. (17.1 cm.) wide. 10 pairs of prominent veins. Ranging medium green to gold with a 1 in. (2.54 cm.) wide, flat, dark green margin. Dull on top and underneath; lightly cupped, lightly corrugated, ovate with a cordate base.	
Scape: 18 in. (45.7 cm.) high, ranging from 16-19 in. (40.6-48.3 cm.).	
Flower: 2 in. (5.1 cm.) long, near white with lavender striping, tubular; pod is dark green; Manlius NY: 7/6 - 7/29 - 8/6 (4 - 4 - 4).	
Seed: viability unknown.	
Clump History: the original seedling, 5 years old, growing in Manlius NY.	
Notable Characteristics: green gold center with dark green margin.	
[Parentage unknown]	
<i>H. 'Academy Redundant</i> S. Chamberlain (ONIR)	1998
Plant: 43 in. (109 cm.) diameter, 16 in. (40.6 cm.) high.	
Mound-like and fast growing.	
Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 10 pairs of veins. Medium green with a 0.19 in. (0.48 cm.) wide, flat, pure white margin. Slightly shiny on top and	

underneath; lightly cupped, broadly ovate with a cordate base.	
Scape: ranging from 21-30 in. (53.3-76.2 cm.) in length; inflorescence leaves.	
Flower: 1.75 in. (4.4 cm.) long, medium lavender, striped, tubular; Manlius NY: 7/3 - 7/16 - 8/1 (5 - 5 - 5).	
Seed: viable; pod is medium green.	
Notable Characteristics: large leaf size and vigorous.	
Clump History: the original sport, 3 years old, growing in Manlius NY.	
Note: this cultivar was formerly known under the name "Academy White Edge".	
[<i>H. 'Fortunei Aureomarginata</i> ' sport]	
<i>H. 'Ace of Spades</i> E. Lunsford (OR)	1993
Plant: 36 in. (91.4 cm.) wide, 16 in. (40.6 cm.) high.	
Leaf: 7.5 in. (19.1 cm.) long, 5.25 in. (13.3 cm.) wide, 8 pairs of prominent veins; dark green; broadly ovate with a flat base folded under; dull above and underneath; rippled; corrugated.	
Scape: 18 in. (45.7 cm.) long; medium green.	
Flower: pale lavender, tubular; Georgia: late May.	
Seed: viable.	
[<i>H. 'Blue Wedgwood</i> ' hybrid]	
<i>H. 'Achy Breaky Heart</i> J. Schwarz (ONIR)	1996
Plant: 14 in. (35.6 cm.) diameter, 12 in. (30.5 cm.) high.	
Mound-like with a moderate growth rate.	
Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide. 5 pairs of insignificant veins. Dark green with a 0.5 in., flat, white margin. Slightly shiny on top and underneath; lightly twisted; ovate with a rounded base.	
Scape: 18 in. (45.7 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); green.	
Flower: 1 in. (2.5 cm.) long, lavender, tubular; Dubuque IA: 7/5 - 7/15 - 7/25 (3 - 4 - 5).	
Seed: viable; pod is green.	
Clump History: the original seedling, 5 years old, growing in Dubuque IA.	
[Parentage unknown]	
<i>H. 'Aestival Festival</i> U. Syre-Herz (ONIR)	1996
Plant: 30 in. (76.2 cm.) diameter, 15 in. (38.1 cm.) high.	
Mound-like.	
Leaf: 12 in. (30.5 cm.) long, 6 in. (15.2 cm.) wide. 8-9 pairs of prominent veins. Light yellow with green veins and petioles. Margin heavily rippled. Slightly shiny on top and underneath; broadly ovate with a cordate base.	
Scape: 36 in. (91.4 cm.) high; inflorescence leaves.	
Flower: pale lavender, tubular; Myrtle Beach SC: 6/15 - 7/10.	
Seed: viable.	
Clump History: 6 years old.	
[Parentage unknown]	
<i>H. 'Aladdin's Lamp</i> D. & J. Ward (ONIR)	1996
Plant: 48 in. (122 cm.) diameter, 21 in. (53.3 cm.) high.	
Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 15 pairs of prominent veins. Medium gold with a slightly rippled margin. Dull on top and underneath; deeply cupped, moderately corrugated; broadly ovate with a cordate base.	
Scape: 27 in. (68.6 cm.) high, ranging from 25-29 in. (63.5-73.7 cm.); green.	

<p>Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Columbus OH: 7/1 - 7/15 - 7/25 (4 - 4 - 4). Seed: viable; pod is green. Clump History: the original seedling, 6 years old, growing in Columbus OH. Notable Characteristics: muted gold, deeply cupped and corrugated leaf. [Parentage unknown]</p>	<p>Leaf: 6.5 in. (16.5 cm.) long, 6.5 in. (16.5 cm.) wide. 13 pairs of prominent veins. Medium blue-green with a heavily rippled margin. Very shiny on top, slightly shiny underneath; lightly corrugated, nearly round with a cordate base.</p>
<p>H. 'Alaskan Halo' P. Ruh (ONIR) 1997 Plant: 59 in. (150 cm.) diameter, 21 in. (53.3 cm.) high. Mound-like with a moderate growth rate. Leaf: 11 in. (27.9 cm.) long, 6.5 in. (16.5 cm.) wide. 9 pairs of prominent veins. Dark green with lighter green next to the margin. A 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; lightly wavy, lightly corrugated, ovate with a rounded base. Scape: 31 in. (78.7 cm.) high, ranging from 28-31 in. (71.1-78.7 cm.). Flower: 1 in. (2.5 cm.) long, lavender, tubular; Chesterland OH: 7/14 - 7/27 - 8/8 (1 - 2 - 3). Seed: none set. Clump History: the original sport, 13 years old, growing in Chesterland OH. Notable Characteristics: vigorous; deep green with a creamy margin. [H. 'Fortunei Hyacinthina' sport]</p>	<p>Scape: 36 in. (91.4 cm.) high, ranging from 33-36 in. (83.8-91.4 cm.). Flower: 1 in. (2.5 cm.) long, pale lavender, striped, bell-shaped; Tucker GA: 6/1 - 6/20 - 6/24. Seed: viable; pod is green. Clump History: the original seedling, 5 years old, growing in Tucker GA. [H. 'Pearl Lake' x H. 'Tucker Pucker']</p>
<p>H. 'Alice Gladden' D. & J. Ward (ONIR) 1998 Plant: 39 in. (99.1 cm.) diameter, 19 in. (48.3 cm.) high. Mound-like with a moderate growth rate. Leaf: 11 in. (27.9 cm.) long, 7 in. (17.8 cm.) wide. 14 pairs of prominent veins. Yellow gold with a flat margin. Slightly shiny on top, dull underneath; moderately wavy, ovate with a cordate base. Scape: 25 in. (63.5 cm.) high, ranging from 23-26 in. (58.4-66 cm.). Flower: 0.75 in. (1.9 cm.) long, near white, bell-shaped; Columbus OH: 7/10 - 7/20 - 8/1 (4 - 4 - 5). Seed: viable; pod is green. Clump History: the original seedling, 5 years old, growing in Columbus OH. [H. 'White Vision' x H. montana macrophylla ([incorrect] as 'Praeflorens')]</p>	<p>H. 'Am I Blue' D. & J. Ward (ONIR) 1998 Plant: 44 in. (112 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate. Leaf: 13 in. (33.0 cm.) long, 12 in. (30.5 cm.) wide. 19 pairs of prominent veins. Intensely blue-green with a flat margin. Slightly shiny on top, dull underneath; corrugated, nearly round with a cordate base. Scape: 30 in. (76.2 cm.) high, ranging from 27-31 in. (68.6-78.7 cm.). Flower: 0.5 in. (1.3 cm.) long, pale lavender, bell-shaped; Columbus OH: 6/10 - 6/20 - 6/25 (2 - 2 - 2). Seed: viable; pod is green. Clump History: the original seedling, 7 years old, growing in Columbus OH. [H. 'Reginald Kaye' hybrid]</p>
<p>H. 'Alma' G. Krossa (O), P. Ruh (R) 1995 Plant: 18 in. (45.7 cm.) diameter, 8.5 in. (21.6 cm.) high. A compact, rhizomatous habit. Leaf: 4.75 in. (12.0 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of moderately prominent veins. Yellow gold with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly folded; lightly corrugated; good substance; elliptic with a rounded base. Scape: 18 in. (45.7 cm.) high. Flower: pale purple, striped, tubular; Ohio: July. Remarks: named after Alma Krossa. Seed: viable. Clump History: 15 years old. [Parentage unknown]</p>	<p>H. 'Amber Tiara' Walters Gardens, Inc. (ONIR) 1998 Plant: 20 in. (50.8 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing. Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide. 7-8 pairs veins. Yellow becoming greenish yellow. Dull on top and underneath; broadly ovate with a flat base. Scape: ranging from 14-18 in. (35.6-45.7 cm.) in length. Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular. Clump History: the original tissue culture sport, 4 years old, growing in Zeeland MI. Notable Characteristics: heavy substance; frequently has small sectoral chimeras of white or green. [H. 'Grand Tiara' sport]</p>
<p>H. 'Alston Glenn' R. Stephens (ONIR) 1998 Plant: 36 in. (91.4 cm.) diameter, 33 in. (83.8 cm.) high. Mound-like with a moderate growth rate.</p>	<p>H. 'Amethyst Blue' C. Seaver (ONIR) 1996 Plant: 30 in. (76.2 cm.) diameter, 16 in. (40.6 cm.) high. Upright and slow growing. Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 16 pairs of prominent veins. Medium blue-green with flat margin. Glaucous bloom on top and underneath; moderately cupped, lightly folded, moderately corrugated; broadly ovate with a cordate base. Petiole has glaucous bloom. Scape: 16 in. (40.6 cm.) high, ranging from 14-20 in. (35.6-50.8 cm.); glaucous bloom. Flower: 2 in. (5.1 cm.) long, deep purple, bell shaped, white striped; Wilmington DE: 6/21 - 7/1 - 7/10 (2 - 3 - 4). Seed: viable; pod is blue with glaucous bloom. Clump History: the original seedling, 7 years old, growing in Wilmington DE. Notable Characteristics: "Love Pat like" appearance with "ventricosa type blooms". [H. 'Sea Lotus Leaf' hybrid]</p>

H. 'Amethyst Jewel' P. Banyai (OR)	1992
Plant: 21 in. (53.3 cm) wide, 15 in. (38.1 cm) high.	
Leaf: 8.5 in. (21.6 cm) long, 5.5 in. (14 cm) wide, 7 pairs of veins; medium green; ovate with a rounded base; margin slightly rippled; twisted, particularly at the tip; heavy substance; slightly shiny above and underneath.	
Scape: 35 in. (88.9 cm) long, inflorescence leaves; brown-maroon dots	
Flower: purple outside, white and purple striped inside, flaring; Michigan: Sept.	
Seed: viable.	
[<i>H. rupifraga</i> hybrid]	
H. 'Andy Taylor' T. Avent (OR)	1993
Plant: 24 in. (61 cm.) wide, 12 in. (30.5 cm.) high.	
Leaf: 7 in. (17.8 cm.) long, 3 in. (7.6 cm.) wide, 8 pairs of veins; dark green; ovate with a tapered base; satin sheen.	
Scape: 24 in. (61 cm.) long.	
Flower: near-white, tubular; N. Carolina: July.	
[<i>H. 'August Moon' x H. tardiflora</i> (<i>H. 'Tardiflora'</i>)]	
H. 'Angel Wings' J. & B. Diesen (ONIR)	1998
Plant: 65 in. (165 cm.) diameter, 34 in. (86.4 cm.) high. Upright with a moderate growth rate.	
Leaf: 13 in. (33.0 cm.) long, 9.5 in. (24.1 cm.) wide. 11 pairs of veins. Medium green with a slightly rippled margin. Slightly shiny on top and underneath; lightly folded, lightly wavy, broadly ovate with a cordate base.	
Scape: ranging from 48-52 in. (121.9-132.1 cm.) high; inflorescence leaves.	
Flower: pure white, tubular; Plattsburgh NE: June (3 - 3 - 3).	
Seed: viable; pod is green.	
[parentage unknown]	
H. 'Apple Court' P. Scolnik (ONIR)	1998
Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high. Upright with a moderate growth rate.	
Leaf: 8 in. (20.3 cm.) long, 1.5 in. (3.8 cm.) wide. pairs of veins. Pure white with a 1 in. (2.54 cm.) wide, medium green margin.	
Flower: pale lavender.	
Clump History: a tissue culture sport, 2 years old, growing in Wilmington DE.	
[<i>H. 'Geisha'</i> sport]	
H. 'Arctic Rim' R. Lydell (OR)	1993
Plant: 30 in. (76.2 cm.) wide, 18 in. (45.7 cm.) high.	
Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide, 8 pairs of moderately prominent veins; medium green with a 0.75 in. white margin (uneven); ovate with a rounded base; satin sheen.	
Scape: 24 in. (61 cm.) long.	
Flower: lavender, striped; tubular; New York: August.	
[<i>H. 'Fortunei Hyacinthina'</i> sport]	
H. 'Aristocrat' ^{PPAF} Walters Gardens, Inc. (ONIR)	1997
Plant: 16 in. (40.6 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 7.5 in. (19.1 cm.) long, 5.5 in. (14 cm.) wide. 11-13 pairs of insignificant veins. Intensely blue-green with a 0.63 in. (1.59 cm.) wide, flat, creamy white margin. Glaucous bloom on top and underneath; lightly corrugated, broadly ovate with a cordate base.	

Scape: 16 in. (40.6 cm.) high, ranging from 14-18 in. (35.6-45.7 cm.).	
Flower: 1.75 in. (4.4 cm.) long, pale lavender, white edged, tubular; Zeeland MI: 7/25 - 8/1 - 8/15 (4 - 4 - 5).	
Seed: pod is blue-green	
Clump History: the original sport, 3 years old, growing in Zeeland MI.	
Notable Characteristics: blue with a creamy yellow margin. [<i>H. 'Hadspen Blue'</i> sport]	
H. 'August Moon' R. Langfelder (O),	1996
A. Summers (NI), P. Ruh (R)	
Plant: 38 in. (96.5 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like with a moderate to fast growth rate.	
Leaf: 7 in. (17.8 cm.) long, 6.75 in. (17.1 cm.) wide. 10 pairs of prominent veins. Yellow gold with a slightly rippled margin. Dull on top and underneath; lightly wavy, moderately corrugated; nearly round with a rounded base. Petiole stout and cupped.	
Scape: 24 in. (61 cm.) high, ranging from 20-26 in. (50.8-66 cm.); inflorescence leaves.	
Flower: 1 in. (2.5 cm.) long, lavender, tubular; Chesterland OH: 7/14 - 7/25 - 8/6.	
Seed: viable; pod is greenish yellow.	
Clump History: a division of the original, 6 years old, growing in Chesterland OH.	
[Parentage unknown]	
H. 'Austin Dickinson' W. & E. Lachman (OR)	1992
Plant: 21 in. (53.3 cm) wide, 16 in. (40.6 cm) high	
Leaf: 8 in. (20.3 cm) long, 6 in. (15.2 cm) wide, 8-9 pairs of veins; medium green with a pure white, 1 inch margin; ovate with a cordate base; lightly corrugated; slightly shiny; dull texture underneath.	
Scape: 29 in. (73.7 cm) long; light green	
Flower: pale purple, flaring, striped; Massachusetts: July [<i>H. 'Resonance' x H. plantaginea</i>]	
H. 'Avocado' J. & B. Diesen (ONIR)	1998
Plant: 28 in. (71.1 cm.) diameter, 16 in. (40.6 cm.) high. Upright and fast growing.	
Leaf: 9 in. (22.9 cm.) long, 6.5 in. (16.5 cm.) wide. 11 pairs of veins. Greenish yellow with a 2 in. (5.08 cm.) wide, flat, dark green margin. Very shiny on top and underneath; moderately folded, broadly ovate with a rounded base.	
Scape: ranging from 30-34 in. (76.2-86.4 cm.) high; inflorescence leaves.	
Flower: 3.5 in. (8.9 cm.) long, pure white, tubular, fragrant; Plattsburgh NE: 7 - 7 - 7 (5 - 5 - 5), significant fragrance.	
Seed: viability unknown; pod is green.	
Clump History: a tissue cultured plant, 3 years old, growing in Plattsburgh NE.	
Notable Characteristics: a wide dark green margin with medium green veins. [<i>H. 'Guacamole'</i> sport]	
H. 'Azure Chalice' U. Syre-Herz (ONIR)	1996
Plant: 42 in. (107 cm.) diameter, 10 in. (25.4 cm.) high. Upright.	
Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 17 pairs of prominent veins. Dark blue-green. Glaucous bloom on	

top and underneath; cupped, rippled, corrugated; nearly round with a cordate base.
 Scape: 13 in. (33 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.).
 Flower: pale lavender, funnel shaped; Myrtle Beach SC: June.
 Clump History: 9 years old.
 [Parentage unknown]

B

H. 'Balloons' Belle Gardens (OR) 1994
 Plant: 30 in. (76.2 cm.) diameter, 11 in. (27.9 cm.) high, with an open mound-like habit.
 Leaf: 2 in. (5.1 cm.) wide, 7 in. (17.8 cm.) long; 6 pairs of flat veins; medium green; slightly rippled margin; dull above and underneath; moderately wavy; average substance; lance-shaped with a rounded base.
 Scape: 28 in. (71.1 cm.) high, ranging from 22-32 in. (55.8-81.3 cm.); deep maroon.
 Flower: 1.75 in. (4.5 cm.) long, deep purple, closed; Mich: August-mid Sept.
 Seed: viable.
 Clump History: 4 years old.
 [H. 'Anne Arett' hybrid]

H. 'Banana Muffins' J. Schwarz (ONIR) 1996
 Plant: 24 in. (61 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 4.5 in. (11.4 cm.) long, 4.5 in. (11.4 cm.) wide. 6 pairs of prominent veins. Light green to medium gold, with a slightly rippled margin. Dull on top and underneath; moderately cupped, intensely corrugated; nearly round with a cordate base.
 Scape: 30 in. (76.2 cm.) high, ranging from 26-33 in. (66-83.8 cm.).
 Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Dubuque IA: 7/1 - 7/15 - 8/1 (4 - 5 - 6).
 Seed: viable; pod is green.
 Clump History: the original seedling, 5 years old, growing in Dubuque IA.
 Notable Characteristics: corrugated yellow leaf.
 [Parentage unknown]

H. 'Barney Fife' T. Avent (OR) 1993
 Plant: 24 in. (61 cm.) wide, 12 in. (30.5 cm.) high.
 Leaf: 7 in. (17.8 cm.) long, 3 in. (7.6 cm.) wide, 7 pairs of veins; dark green; ovate with a rounded base; satin sheen.
 Scape: 24 in. (61 cm.) long.
 Flower: pinkish lavender, tubular; N. Carolina: July.
 Seed: viable.
 [H. 'August Moon' × H. *tardiflora* (H. 'Tardiflora')]

H. 'Belle of the Ball' H. Sugita (O), P. Ruh (ONIR) 1998
 Plant: 51 in. (13 cm.) diameter, 23 in. (58.4 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 10 in. (25.4 cm.) long, 6.75 in. (17.1 cm.) wide 11 pairs of prominent veins. Medium green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; moderately twisted, moderately folded,

lightly wavy, moderately corrugated, broadly ovate with a rounded base; petiole lavender in the spring.
 Scape: 23 in. (58.4 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.) in length; inflorescence leaves.
 Flower: 2 in. (5.1 cm.) long, lavender, striped, tubular; Chesterland OH: 7/29 - 8/14 - 8/30.
 Seed: viable; pod is green.
 Clump History: the original seedling, 12 years old, growing in Chesterland OH.
 Notable Characteristics: leaf has a lavender petiole and white back.
 [H. *kiyosumiensis* × H. *pycnophylla*]

H. 'Bells of Edinborough' R. Savory (OR) 1993

Plant: 14 in. (35.6 cm.) high.
 Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide, 7 pairs of veins; medium green; ovate with a rounded base; satin sheen; lightly puckered.
 Scape: 21 in. (53.3 cm.) long.
 Flower: violet, striped; tubular.
 [H. 'Rim Rock' hybrid]

H. 'Benedict Arnold' B. Arnold (ONIR) 1996

Plant: 26 in. (66 cm.) diameter, 12 in. (30.5 cm.) high. Semi-upright and slow growing.
 Leaf: 8.5 in. (21.6 cm.) long, 7 in. (17.8 cm.) wide. 11-13 prominent veins. Medium blue-green with 1 in. slightly rippled, greenish white margin. Glaucous bloom on top and underneath; moderately corrugated; broadly ovate with a cordate base.
 Scape: 20 in. (50.8 cm.) high.
 Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Peoria IL: mid-June - early July.
 Seed: viability unknown.
 Clump History: 5 years old.
 [H. 'Dorothy Benedict' hybrid]

H. 'Big Dipper' B. Kuk (OR) 1995

Plant: 48 in. (121.9 cm.) diameter, 31 in. (78.7 cm.) high. Moderately growing, moderately dense, semi-upright habit.
 Leaf: 11 in. (28.0 cm.) long, 10.5 in. (27.0 cm.) wide. 15-17 pairs of prominent veins. Medium gold with a slightly rippled margin. Glaucous bloom on top and underneath; moderately cupped, moderately wavy, moderately corrugated; heavy substance; broadly ovate with a cordate base.
 Scape: 39 in. (99.1 cm.) high, ranging from 34-39 in. (86.4-99.1 cm.); light green.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ohio: July.
 Seed: viable.
 Clump History: 7 years old.
 [H. 'Gold Regal' hybrid]

H. 'Big Shot' E. Minks (OIR), A. Arnett (N) 1992

Plant: 40 in. (101.6 cm) wide, 36 in. (91.4 cm) high.
 Leaf: 14 in. (35.6 cm) long, 9 in. (22.9 cm) wide, 10 pairs of veins; light green; rippled margins.
 Flower: lavender, fade to white, flaring; Minnesota: July.
 [Parentage unknown]

H. 'Bigfoot' R. Duback (ONIR) 1998

Plant: 68 in. (173 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 19 in. (48.3 cm.) long, 12 in. (30.5 cm.) wide. 18 pairs veins. Medium blue-green with a slightly rippled margin. Glaucous bloom on top and underneath; broadly ovate with a cordate base.
 Flower: near-white, tubular.
 Seed: viable.
 Clump History: 8 years old, growing in Vancouver WA.
 [parentage unknown]

H. 'Bilben Little Atlantis' W. Bennett (ONIR) 1998
 Plant: 9.5 in. (24.1 cm.) diameter, 4 in. (10.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 3 in. (7.6 cm.) long, 1.5 in. (3.8 cm.) wide. 7-8 pairs veins. Golden yellow streaked with medium green. Margin flat. Slightly shiny on top and underneath; moderately folded, ovate with a tapered base.
 Scape: ranging from 6-7 in. (15.2-17.8 cm.) in length.
 Flower: 0.75 in. (1.9 cm.) long, medium lavender, striped, tubular; Riner VA: 7/15 - 8/1 - 8/15 (7 - 8 - 8).
 Seed: none set.
 Clump History: the original sport, 6 years old, growing in Riner VA.
 [H. 'Gold Edger' sport]

H. 'Bingo' Belle Gardens (OR) 1993
 Plant: 31 in. (78.7 cm.) wide, 17 in. (43.2 cm.) high.
 Leaf: 8.5 in. (21.6 cm.) long, 6 in. (15.2 cm.) wide, 11 pairs of prominent veins; medium green with a 1.5 in. medium gold margin, turning to cream; broadly ovate with a cordate base; margin slightly rippled; slightly shiny above and dull underneath; lightly corrugated.
 Scape: 28 in. (71.1 cm.) long; small inflorescence leaves.
 Flower: medium lavender, tubular; Michigan: late June.
 Seed: viable.
 [H. 'Tokudama Aureonebulosa' hybrid]

H. 'Blackfoot' M. Plater-Zyberk (O), R. Solberg (R) 1994
 Plant: 16 in. (40.6 cm.) diameter, 10 in. (25.4 cm.) high, with a moderately dense, rhizomatous habit.
 Leaf: 4 in. (10.2 cm.) wide, 6 in. (15.2 cm.) long; 6 pairs of moderately prominent veins; yellow gold; smooth margin; dull above, slightly shiny underneath; average substance; elliptic with a rounded base.
 Scape: 16 in. (40.6 cm.) high; purple.
 Flower: pale lavender with purple veins, tubular; North Carolina: mid-July to mid-August.
 [H. 'Kabitan' hybrid]

H. 'Blast Off' H. & D. Benedict (OR) 1995
 Plant: 72 in. (182.9 cm.) diameter, 30 in. (76.2 cm.) high. Fast growing, compact, mound-like habit.
 Leaf: 16 in. (41.0 cm.) long, 13 in. (33.0 cm.) wide. 15 pairs of prominent veins. Green gold with a slightly rippled margin. Very shiny on top and underneath; moderately corrugated, moderately rippled; heavy substance; broadly ovate with a cordate base.
 Scape: 36 in. (91.4 cm.) high, ranging from 35-40 in. (88.9-101.6 cm.).
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Mich: late June to late July.
 Seed: viable.
 Clump History: 4 years old.

[H. 'Mikado' x H. 'Dorothy Benedict']

H. 'Blue Chip' H. Benedict (ONIR), B. Olson (R) 1997
 Plant: 15 in. (38.1 cm.) diameter, 9 in. (22.9 cm.) high. Mound-like and slow growing.
 Leaf: 2.75 in. (7 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of veins. Intensely blue-green with a flat margin. Dull on top and underneath; deeply cupped, nearly round with a rounded base; petiole stout and semi-circular.
 Scape: 5 in. (12.7 cm.) high, ranging from 4-6 in. (10.2- 15.2 cm.).
 Flower: 0.86 in. (2.2 cm.) long, near white with a lavender center, bell-shaped; St. Louis Park MN: early August - mid Aug. - late Aug. (5 - 5 - 5).
 Seed: viable; pod is blue-green
 Clump History: a division of the original, 6 years old, growing in St. Louis Park MN.
 [H. 'Dorset Blue' x H. 'Dorset Blue']

H. 'Blue Clown' H. & D. Benedict (O), J. & E. Stratton (R) 1996
 Plant: 21 in. (53.3 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like and slow growing.
 Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 7 pairs of moderately prominent veins. Intensely blue-green. Glaucous bloom on top and underneath; moderately corrugated; ovate with a rounded base.
 Scape: 12 in. (30.5 cm.) high; light green.
 Flower: 1.25 in. (3.2 cm.) long, pure white, tubular, lavender striped inside; Iowa City IA: 8/1 - 8/7 - 8/24.
 Seed: viable.
 Clump History: 4 years old.
 [H. 'Dorset Blue' selfed]

H. 'Blue Delight' E. Moore (OR) 1993
 Plant: 56 in. (142.2 cm.) wide, 22 in. (55.9 cm.) high.
 Leaf: 14.5 in. (36.8 cm.) long, 10.5 in. (26.7 cm.) wide, 19 pairs of prominent veins; medium blue-green; ovate with a cordate base; margin heavily rippled; slightly shiny above and underneath; corrugated.
 Scape: 28 in. (71.1 cm.) long.
 Flower: near-white, bell-shaped; Georgia: June.
 Seed: viable.
 [H. 'Blue Mammoth' sport]

H. 'Blue Eyes' R. Herman (ONIR) 1996
 Plant: 12 in. (30.5 cm.) diameter, 5 in. (12.7 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 2.75 in. (7 cm.) long, 2.25 in. (5.7 cm.) wide. 6-8 pairs of moderately prominent veins. Medium blue-green. Glaucous bloom on top and underneath; lightly cupped; ovate with a flat base.
 Scape: 21 in. (53.3 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.); inflorescence leaves; medium blue-green.
 Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Winsted CT: 7/10 - 7/20 - 7/29.
 Seed: none set.
 Clump History: 3 years old.
 [H. *venusta* hybrid]

H. 'Blue Gown' W. & E. Lachman (OR) 1992
 Plant: 46 in. (116.8 cm) wide, 18 in. (45.7 cm) high.
 Leaf: 9.25 in. (23.5 cm) long, 8.75 in. (22.2 cm) wide, 14 pairs of veins; intensely blue-green; ovate with a heart shaped base;

<p>deeply corrugated; heavy substance; prominent veins; glaucous bloom above and underneath.</p> <p>Scape: 18 in (45.7 cm) long; green.</p> <p>Flower: pure white, tubular; Massachusetts: June.</p> <p>Seed: viable.</p> <p>[Parentage unknown]</p> <p>H. 'Blue Lady' E. Fisher (ONI), P. Ruh (R) 1998</p> <p>Plant: 37 in. (94 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 6 in. (15.2 cm.) long, 4.75 in. (12.1 cm.) wide. 9 pairs of prominent veins. Intensely blue-green with a slightly rippled margin. Glaucous bloom on top, dull underneath; lightly folded, lightly wavy, ovate with a cordate base.</p> <p>Scape: 24 in. (61 cm.) high, ranging from 22-24 in. (55.9-61 cm.) in length; inflorescence leaves.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pale lavender, striped, bell-shaped; Chesterland OH: 6/13 - 6/30 - 7/17.</p> <p>Seed: viability unknown; pod is blue-green.</p> <p>Clump History: obtained from the originator, 18 years old, growing in Chesterland OH.</p> <p>[parentage unknown]</p> <p>H. 'Blue Max' M. Zilis (O), Walters Gardens, Inc. (ONI), P. Ruh (R) 1998</p> <p>Plant: 28 in. (71.1 cm.) diameter, 13 in. (33 cm.) high. Mound-like and slow growing.</p> <p>Leaf: 11 in. (27.9 cm.) long, 7.5 in. (19.1 cm.) wide. 14 pairs prominent veins. Blue-green with a slightly rippled margin. Dull on top and underneath; lightly folded, moderately wavy, broadly ovate with a cordate base; petiole blue-green at the top.</p> <p>Scape: 17 in. (43.2 cm.) high; inflorescence leaves.</p> <p>Flower: 1.75 in. (4.4 cm.) long, near-white, tubular; Chesterland OH: 6/15 - 6/30 - 7/14.</p> <p>Seed: viable; pod is light green.</p> <p>Clump History: obtained from the originator, 11 years old, growing in Chesterland OH.</p> <p>[<i>H. 'Helen Doriot' hybrid</i>]</p> <p>H. 'Blue Monday' R. Solberg (ONIR) 1998</p> <p>Plant: small.</p> <p>Leaf: 4 in. (10.2 cm.) long, 3.5 in. (8.9 cm.) wide. Medium blue-green.</p> <p>Flower: medium lavender; Chapel Hill NC: average period.</p> <p>Clump History: the original seedling, 3 years old, growing in Chapel Hill NC.</p> <p>Notable Characteristics: small round leaves with good substance; symmetrical flower cluster.</p> <p>[<i>H. 'Peedee Gray Mulkin' x H. 'Popo'</i>]</p> <p>H. 'Blue Pearl' Hillier Nursery (O) 1994</p> <p>G. Krossa (I), A. Summers (IN), P. Ruh (R)</p> <p>Plant: 11.5 in. (29.2 cm.) diameter, 23 in. (58.4 cm.) high, with a moderately dense, mound-like habit.</p> <p>Leaf: 6.25 in. (15.9 cm.) wide, 8 in. (20.3 cm.) long; 15 pairs of moderately prominent veins; intensely blue-green; slightly rippled margin; glaucous bloom above, dull underneath; moderately wavy; heavy substance; ovate with a rounded base.</p> <p>Scape: 16 in. (40.6 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.); blue.</p>	<p>Flower: 2.5 in. (6.4 cm.) long, pure white, tubular; Ohio: mid-June to mid-July.</p> <p>Seed: viable.</p> <p>Clump History: 16+ years old.</p> <p>[Parentage unknown]</p> <p>H. 'Blue River' D. Reath (O), R. Klehm (NIR) 1998</p> <p>Plant: 30 in. (76.2 cm.) diameter, 12 in. (30.5 cm.) high. Upright.</p> <p>Leaf: 9 in. (22.9 cm.) long, 7.5 in. (19.1 cm.) wide. 13-15 veins. Medium blue-green with a 1 in. (2.54 cm.) wide, flat, yellow margin. Slightly shiny on top, dull underneath; lightly wavy, broadly ovate with a cordate base.</p> <p>Scape: ranging from 18-20 in. (45.7-50.8 cm.) in length.</p> <p>Flower: 1 in. (2.5 cm.) long, white.</p> <p>Seed: viable; pod is green.</p> <p>Clump History: the original sport, 4 years old, growing in South Barrington IL.</p> <p>[<i>H. 'True Blue' sport</i>]</p> <p>H. 'Blue Star' J. Brennan (ONIR) 1998</p> <p>Plant: 30 in. (76.2 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 8-10 pairs insignificant veins. Intensely blue-green with a slightly rippled margin. Glaucous bloom on top and underneath; ovate with a rounded base.</p> <p>Scape: 14 in. (35.6 cm.) high, ranging from 12-16 in. (30.5-40.6 cm.) in length.</p> <p>Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Malvern PA: 7/14 - 7/20 - 7/26 (3 - 3 - 4).</p> <p>Seed: none set.</p> <p>Clump History: 11 years old, growing in Malvern PA.</p> <p>Notable Characteristics: intensely blue with "star-shaped" flowers.</p> <p>[parentage unknown]</p> <p>H. 'Bob Olson' H. & D. Benedict (OR) 1995</p> <p>Plant: 12 in. (30.5 cm.) diameter, 5 in. (12.7 cm.) high. Fast growing, moderately dense, semi-upright habit.</p> <p>Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 4-5 pairs of moderately prominent veins. Dark green with a 0.5 in. (1.3 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and underneath; moderately wavy, moderately folded; good substance; ovate with a rounded base.</p> <p>Scape: 16 in. (40.6 cm.) high, ranging from 15-18 in. (38.1-45.7 cm.); green with purple flecks.</p> <p>Flower: 1 in. (2.5 cm.) long, medium lavender, bell shaped; Mich: August.</p> <p>Seed: viability unknown.</p> <p>Clump History: 5 years old.</p> <p>[<i>H. 'Yellow Splash' selfed</i>]</p> <p>H. 'Bob Sanders' B. Sanders (O), E. Elslager (NIR) 1998</p> <p>Plant: 26 in. (66 cm.) diameter, 21 in. (53.3 cm.) high. Upright with a moderate growth rate.</p> <p>Leaf: 7.25 in. (18.4 cm.) long, 5.25 in. (13.3 cm.) wide. 10 pairs prominent veins. Dark green streaked with medium green, yellow and creamy white. Margin flat. Slightly shiny on top and waxy underneath; moderately</p>
---	--

<p>corrugated, ovate with a rounded base; petiole glaucous green with white streaks.</p> <p>Scape: 44 in. (112 cm.) high, ranging from 41-47 in. (104-119 cm.) in length; inflorescence leaves.</p> <p>Flower: 2 in. (5.1 cm.) long, pale lavender, purple striping, tubular; Ann Arbor MI: 7/12 - 7/20 - 8/13 (5 - 5 - 6).</p> <p>Seed: viable; pod is streaked with yellow.</p> <p>Clump History: the original sport, 5 years old, growing in Ann Arbor MI.</p> <p>Notable Characteristics: streaked dark green leaves and a white back.</p> <p>[<i>H. 'Gold Standard'</i> sport]</p>	<p><i>H. 'Border Bandit'</i> W. & E. Lachman (OR) 1992</p> <p>Plant: 10 in. (25.4 cm) wide, 9 in. (22.9 cm) high.</p> <p>Leaf: 5.5 in. (14 cm) long, 3.75 in. (9.5 cm) wide, 6-7 pairs of veins; medium blue-green with a creamy white, streaked, 1 inch (2.5 cm) margin; margin slightly rippled; ovate with a rounded base; lightly twisted; heavy substance; very shiny; dull texture underneath.</p> <p>Scape: 15 in. (38.1 cm), dark green.</p> <p>Flower: medium lavender, tubular; Mass.: August.</p> <p>[<i>H. '81-8'</i> × <i>H. 'Halcyon'</i>]</p>
<p><i>H. 'Bobbie Sue'</i> C. Owens (OR) 1994</p> <p>Plant: 46 in. (116.8 cm.) diameter, 16 in. (40.6 cm.) high, with a compact, mound-like habit.</p> <p>Leaf: 9.5 in. (24.1 cm.) wide, 12.5 in. (31.8 cm.) long; 12-14 pairs of prominent veins; dark green with a 1.5 in. (3.8 cm.) wide, pure white, slightly rippled margin; very shiny above and underneath; moderately corrugated; heavy substance; broadly ovate with a rounded base.</p> <p>Scape: 32 in. (81.3 cm.) high.</p> <p>Flower: 2 in. (5.1 cm.) long, pale lavender with inner striping, tubular; Mich: July.</p> <p>Seed: viable.</p> <p>Clump History: 5 years old.</p> <p>[<i>H. 'Marbled White'</i> sport]</p>	<p><i>H. 'Brandywine'</i> R. Herold (OR) 1993</p> <p>Plant: 15 in. (38.1 cm.) wide, 6 in. (15.2 cm.) high.</p> <p>Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide, 6 pairs of moderately prominent veins; medium green; ovate with a flat base; margin slightly rippled; slightly shiny above, with a glaucous bloom underneath; lightly twisted; moderately wavy.</p> <p>Scape: 12 in. (30.5 cm.) long; reddish brown over green.</p> <p>Flower: light pinkish lavender, bell-shaped; Mass: early August.</p> <p>Seed: viable.</p> <p>[(<i>H. montana</i> 'Aureomarginata' × <i>H. venusta</i>) × <i>H. longipes</i> f. <i>hypoglaucia</i>]</p>
<p><i>H. 'Bonanza'</i> E. Nesmith (ONI), P. Ruh (R) 1997</p> <p>Plant: 41 in. (104 cm.) diameter, 23 in. (58.4 cm.) high. Mound-like and fast growing.</p> <p>Leaf: 12 in. (30.5 cm.) long, 9 in. (22.9 cm.) wide. 14 pairs of prominent veins. Dark green with a heavily rippled margin. Dull on top and underneath; lightly cupped, folded, wavy, lightly corrugated, ovate with a rounded base; heavy petiole.</p> <p>Scape: 38 in. (96.5 cm.) high, ranging from 34-39 in. (86.4-99.1 cm.); inflorescence leaves.</p> <p>Flower: 1.25 in. (3.2 cm.) long, pale lavender, striped, tubular; Chesterland OH: 6/26 - 7/11 - 7/23 (1 - 2 - 2).</p> <p>Seed: viable; pod is green and purple.</p> <p>Clump History: a division of the original, 12 years old, growing in Chesterland OH.</p> <p>[Parentage unknown]</p>	<p><i>H. 'Brave Amherst'</i> W. & E. Lachman (OR) 1993</p> <p>Plant: 25 in. (63.5 cm.) wide, 18 in. (45.7 cm.) high.</p> <p>Leaf: 9 in. (22.9 cm.) long, 6.5 in. (16.5 cm.) wide, 11 pairs of moderately prominent veins; dark green with a 0.5-1 in. creamy white margin; broadly ovate with a cordate base; margin slightly rippled; slightly shiny above with glaucous bloom underneath; moderately wavy.</p> <p>Scape: 25 in. (63.5 cm.) long; green.</p> <p>Flower: near white, tubular; Mass: June.</p> <p>Seed: viable.</p> <p>[<i>H. 'Christmas Tree'</i> × <i>H. 'Reversed'</i>]</p>
<p><i>H. 'Boogie Woogie'</i> C. Helsley (ONIR) 1998</p> <p>Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. A moderate growth rate.</p> <p>Leaf: 6 in. (15.2 cm.) long, 1 in. (2.5 cm.) wide. 2-3 pairs veins. Medium green streaked creamy white. A 0.06 in. (0.16 cm.) wide, heavily rippled, creamy white margin. Dull on top and underneath; intensely wavy, lance-shaped with a tapered base; petiole streaked.</p> <p>Scape: ranging from 10-12 in. (25.4-30.5 cm.) high.</p> <p>Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; Mansfield MO: 8/5 - 8/10 - 8/30 (5 - 6 - 7).</p> <p>Seed: viable; pod is green.</p> <p>Clump History: the original sport, 3 years old, growing in Mansfield MO.</p> <p>Notable Characteristics: streaked, lanced shaped leaves.</p> <p>[<i>H. 'Stiletto'</i> sport]</p>	<p><i>H. 'Brenda's Beauty'</i> R. Keller (OR) 1992</p> <p>Plant: 26 in. (66 cm) wide, 15 in. (38.1 cm) wide.</p> <p>Leaf: 8 in. (20.3 cm) long, 5 in. (12.7 cm) wide, 8 pairs of veins; light yellow with a variable, medium green, streaked margin; ovate with a rounded base; twisted; folded; dull texture.</p> <p>Scape: 24 in. (61 cm) long, inflorescence leaves.</p> <p>Flower: pale lavender, tubular; Illinois: July.</p> <p>[<i>H. 'Gold Standard'</i> sport]</p> <p><i>H. 'Bright Eagle'</i> R. Lydell (ONIR) 1998</p> <p>Plant: 48 in. (122 cm.) diameter, 20 in. (50.8 cm.) high. A mound-like habit.</p> <p>Leaf: 10 in. (25.4 cm.) long, 8 in. (20.3 cm.) wide. 11-12 veins. Pale yellow with a slightly rippled margin. Dull on top, glaucous bloom underneath; lightly wavy, broadly ovate with a cordate base.</p> <p>Scape: ranging from 32-36 in. (81.3-91.4 cm.) high.</p> <p>Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Dunkirk NY: 6/1 - 6/20 - 7/10 (2 - 3 - 4).</p> <p>Seed: viable; pod is green.</p> <p>Clump History: the original seedling, 10 years old, growing in Dunkirk NY.</p> <p>Notable Characteristics: heavy substance and impressed veins.</p> <p>[Parentage unknown]</p>
<p><i>H. 'Broad Ripple'</i> C. Crockett (OR) 1995</p>	

<p>Plant: 14 in. (35.6 cm.) diameter, 10 in. (25.4 cm.) high. Moderately growing, moderately dense, semi-upright habit.</p> <p>Leaf: 6 in. (15.0 cm.) long, 2.5 in. (6.4 cm.) wide. 5-7 pairs of moderately prominent veins. Light green with a 0.5 in. (1.3 cm.) wide, heavily rippled, yellow gold margin. Dull on top and underneath; moderately twisted, intensely rippled; good substance; lance-shaped with a rounded base.</p> <p>Scape: 7 in. (17.8 cm.) high, ranging from 6-9 in. (15.2-22.9 cm.).</p> <p>Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Indiana: mid-June to mid-July.</p> <p>Seed: viable.</p> <p>Clump History: 3 years old.</p> <p>[Parentage unknown]</p>	<p>Flower: 1 in. (2.5 cm.) long, pale lavender, bell-shaped; June.</p> <p>Seed: none set.</p> <p>[<i>H. 'Sum and Substance'</i> hybrid]</p>
<p><i>H. 'Broadway Frances'</i> C. Crockett (ONIR) 1997</p> <p>Plant: 36 in. (91.4 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 14 in. (35.6 cm.) long, 12 in. (30.5 cm.) wide. 16 pairs of insignificant veins. Intensely blue-green with a 2.5 in. (6.35 cm.) wide, heavily rippled, yellow margin. Slightly shiny on top, dull underneath; moderately wavy, moderately corrugated, broadly ovate with a cordate base.</p> <p>Scape: 18 in. (45.7 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.).</p> <p>Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Indianapolis IN.; 7/1 - 7/15 - 7/25 (2 - 3 - 4).</p> <p>Seed: viable; pod is green.</p> <p>Clump History: the original sport, 16 years old, growing in Indianapolis IN.</p> <p>Notable Characteristics: very blue center and a wide margin. [<i>H. 'Frances Williams'</i> sport]</p>	<p><i>H. 'Buckeye Blue'</i> H. Hatfield (ONI), J & D Ward (R) 1997</p> <p>Plant: 60 in. (152 cm.) diameter, 22 in. (55.9 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 10 in. (25.4 cm.) long, 8 in. (20.3 cm.) wide. 10-12 pairs of prominent veins. Intensely blue-green with a slightly rippled margin. Dull on top and underneath; intensely corrugated, broadly ovate with a cordate base.</p> <p>Scape: 26 in. (66 cm.) high, ranging from 25-27 in. (63.5-68.6 cm.).</p> <p>Flower: 0.75 in. (1.9 cm.) long, near white, tubular; Columbus OH: 6/5 - 6/10 - 6/15 (2 - 2 - 2).</p> <p>Seed: viable; pod is green.</p> <p>Clump History: a division of the original, 10 years old, growing in Columbus OH.</p> <p>[Parentage unknown]</p>
<p>C</p>	
<p><i>H. 'Brother Stefan'</i> O. Petryszyn (ONIR) 1998</p> <p>Plant: 35 in. (88.9 cm.) diameter, 22 in. (55.9 cm.) high. Moderate growth rate.</p> <p>Leaf: 11 in. (27.9 cm.) long, 10 in. (25.4 cm.) wide. 13 pairs veins. Yellow with a slightly rippled, medium green margin. Margin varies from 0.5 in. (1.27 cm.) to 3 in. (7.62 cm.) wide. Dull on top, glaucous bloom underneath; lightly cupped, deeply corrugated, nearly round with a cordate base.</p> <p>Scape: ranging from 24-26 in. (61-66 cm.) in length; inflorescence leaves.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pure white, bell-shaped; Chesterton IN.; 6/10 - 6/20 - 7/10.</p> <p>Seed: viable; pod is green and white.</p> <p>Clump History: the original seedling, 6 years old, growing in Chesterton IN.</p> <p>Notable Characteristics: "Maple leaf" variegation pattern and heavy corrugation. [<i>H. 'King Tut' x H. "Mildred Seaver Seedling"</i>]</p>	<p><i>H. 'Cadillac'</i> E. Skrocki (ON), T. Avent (IR) 1998</p> <p>Plant: 20 in. (50.8 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like and slow growing.</p> <p>Leaf: 6 in. (15.2 cm.) long, 4.5 in. (11.4 cm.) wide. Golden yellow with a 1 in. (2.54 cm.) wide, flat, medium green margin. Dull on top and underneath; lightly cupped, moderately corrugated, nearly round with a cordate base.</p> <p>Scape: 16 in. (40.6 cm.) high.</p> <p>Flower: 1 in. (2.5 cm.) long, near-white, tubular.</p> <p>Seed: viable.</p> <p>[parentage unknown]</p>
<p><i>H. 'Canadian Shield'</i> K. Knechtel (OR) 1993</p> <p>Plant: 24 in. (61 cm.) wide, 12 in. (30.5 cm.) high.</p> <p>Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 7-9 pairs of moderately prominent veins. Green. Ovate with a rounded base; shiny above; cupped.</p> <p>Scape: 18 in. (45.7 cm.) long.</p> <p>Flower: lavender, tubular; British Columbia: July. [<i>H. 'Halcyon'</i> sport]</p>	<p><i>H. 'Candy Cane'</i> P. Banyai (O), E. Elslager (R) 1995</p> <p>Plant: 14 in. (35.6 cm.) diameter, 7 in. (17.8 cm.) high. Fast growing, moderately dense, rhizomatous habit.</p> <p>Leaf: 6 in. (15.0 cm.) long, 2.75 in. (7.0 cm.) wide. 5-6 pairs of prominent veins. Dark green with a 0.63 in. (1.6 cm.) wide, slightly rippled, yellow gold margin. Slightly shiny on top and underneath; rippled, moderately corrugated; good substance; ovate with a tapered base.</p> <p>Scape: 14 in. (35.6 cm.) high, ranging from 13-16 in. (33-40.6 cm.); dark green.</p> <p>Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular; Mich: late July to late August.</p> <p>Seed: viability unknown.</p> <p>Clump History: 5 years old.</p> <p>[Parentage unknown]</p>
<p><i>H. 'Bubba'</i> T. Avent (ONIR) 1998</p> <p>Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 6 in. (15.2 cm.) long, 4.5 in. (11.4 cm.) wide. Medium green with a flat margin. Very shiny on top, slightly shiny underneath; lightly corrugated, broadly ovate with a rounded base.</p> <p>Scape: 20 in. (50.8 cm.) high.</p>	<p><i>H. 'Candy Hearts'</i> E. Fisher (ONI), P. Ruh (R) 1998</p>

<p>Plant: 31 in. (78.7 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 6.25 in. (15.9 cm.) long, 5.75 in. (14.6 cm.) wide. 10 pairs prominent veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; cupped, lightly wavy, broadly ovate with a cordate base.</p> <p>Scape: 18.5 in. (47 cm.) high, ranging from 16-19 in. (40.6-48.3 cm.) in length.</p> <p>Flower: 2 in. (5.1 cm.) long, light lavender, striped, tubular; Chesterland OH: 6/14 - 7/1 - 7/17.</p> <p>Seed: none set.</p> <p>Clump History: obtained for the originator, 15 years old, growing in Chesterland OH.</p> <p>[<i>H. nakaiana</i> hybrid]</p>	<p>Scape: 27 in. (68.6 cm.) high, ranging from 25-28 in. (63.5-71.1 cm.); green.</p> <p>Flower: 2.5 in. (6.4 cm.) long, pale lavender, tubular; Mass: mid-June to late July.</p> <p>Seed: viable.</p> <p>Clump History: 10 years old.</p> <p>[<i>H. "Beatrice F6" x H. "Francis Williams"</i>]</p>
<p><i>H. "Carolina Moon"</i> A. Breiwick (ONIR) 1997</p> <p>Plant: 27 in. (68.6 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 7 in. (17.8 cm.) long, 6.5 in. (16.5 cm.) wide. 10-12 pairs of insignificant veins. Medium green with a 2 in. (5.08 cm.) wide, slightly rippled, light green margin. Slightly shiny on top, dull underneath; lightly wavy, moderately corrugated, nearly round with a cordate base; margin color extends down the petiole.</p> <p>Scape: 14 in. (35.6 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.).</p> <p>Flower: 1 in. (2.5 cm.) long, near white, bell-shaped; Anoka MN: 7/15 - 7/30 - 8/10 (4 - 5 - 5).</p> <p>Seed: viable; pod is pale green</p> <p>Clump History: the original sport, 5 years old, growing in Anoka MN.</p> <p>[<i>H. "August Moon"</i> sport]</p>	<p>Plant: 72 in. (183 cm.) diameter, 38 in. (96.5 cm.) high. Upright with a moderate growth rate.</p> <p>Leaf: 14 in. (35.6 cm.) long, 12 in. (30.5 cm.) wide. 16 pairs of prominent veins. Slightly blue-green changing to dark green. Margin slightly rippled. Dull on top and underneath; lightly wavy; ovate with a cordate base.</p> <p>Scape: 42 in. (107 cm.) high, ranging from 40-43 in. (101.6-109.2 cm.); green.</p> <p>Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/15 - 7/12 - 7/152 (2 - 2 - 2).</p> <p>Seed: viable; pod is green.</p> <p>Clump History: the original seedling, 5 years old, growing in Columbus OH.</p> <p>[Parentage unknown]</p>
<p><i>H. "Cascades"</i> W. & E. Lachman (OR) 1993</p> <p>Plant: 26 in. (66 cm.) wide, 15 in. (38.1 cm.) high.</p> <p>Leaf: 11 in. (27.9 cm.) long, 4.5 in. (11.4 cm.) wide, 8 pairs of prominent veins; white with a 0.75-1 in. medium green margin; lance-shaped with a rounded base; margin slightly rippled; slightly shiny above and underneath; moderately wavy.</p> <p>Scape: 34 in. (86.4 cm.) long; small inflorescence leaves; white.</p> <p>Flower: white, tubular; Mass: early July.</p> <p>Seed: viable.</p> <p>[<i>H. "Banana Sundae" x H. "Frances Williams"</i>]</p>	<p>Plant: 46 in. (116.8 cm.) diameter, 24 in. (61 cm.) high, with a moderately dense, mound-like habit.</p> <p>Leaf: 9 in. (22.9 cm.) wide, 10 in. (25.4 cm.) long; 13 pairs of prominent veins; yellow gold; slightly rippled margin; slightly shiny above and underneath; moderately folded, rippled, intensely corrugated; good substance; ovate with a cordate base.</p> <p>Scape: 18 in. (45.7 cm.) high, ranging from 17-18 in. (43.2-45.7 cm.); green.</p> <p>Flower: near white, tubular; Indiana: avg. period.</p> <p>Clump History: 5 years old.</p> <p>[Parentage unknown]</p>
<p><i>H. "Cat's Meow"</i> C. Falstad (ONIR) 1998</p> <p>Plant: medium sized.</p> <p>Leaf: 5 in. (12.7 cm.) long, 3.5 in. (8.9 cm.) wide. Light green with a golden yellow margin.</p> <p>Flower: near-white, tubular; average period.</p> <p>Clump History: 1 year old, growing in Zeeland MI.</p> <p>[<i>H. "Tokudama Flavocircinalis"</i> sport]</p>	<p>Plant: 10 in. (25.4 cm.) diameter, 8 in. (30.3 cm.) high, with a moderately dense, mound-like habit.</p> <p>Leaf: 2.5 in. (6.4 cm.) wide, 5 in. (12.7 cm.) long; 5 pairs of moderately prominent veins; light green to yellow with a 0.25 in. (0.64 cm.) wide, dark green, slightly rippled margin; dull above, slightly shiny underneath; lightly corrugated; average substance; lance-shaped with a rounded base.</p> <p>Scape: 16 in. (40.6 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.); green with a red base.</p> <p>Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Minn: July.</p> <p>Seed: viable.</p> <p>Clump History: 5 years old.</p> <p>[<i>H. "Ogon Koba"</i> hybrid]</p>
<p><i>H. "Celebrity"</i> W. & E. Lachman (OR) 1995</p> <p>Plant: 44 in. (111.8 cm.) diameter, 26 in. (66.0 cm.) high. Moderately growing, moderately dense, semi-upright habit.</p> <p>Leaf: 10 in. (25.0 cm.) long, 9.5 in. (24.0 cm.) wide. 10-11 pairs of prominent veins. Dark green with a 1.5 in. (3.8 cm.) wide, smooth, medium gold margin. Dull on top, slightly shiny underneath; lightly wavy; good substance; broadly ovate with a cordate base.</p>	<p>Plant: 20 in. (50.8 cm.) diameter, 11 in. (27.9 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 6.5 in. (16.5 cm.) long, 3.5 in. (8.9 cm.) wide. 9 pairs of prominent veins. Greenish-yellow with a slightly rippled margin. Slightly shiny on top and underneath; lightly folded, lightly wavy, ovate with a rounded base.</p> <p>Scape: 19 in. (48.3 cm.) high.</p>

Flower: 1.5 in. (3.8 cm.) long, lavender, striped, tubular; Chesterland OH: 6/14 - 6/22 - 7/5.	1995	Flower: 1.75 in. (4.4 cm.) long, pale lavender, bell shaped, lavender striped; Fairfax Station VA: late July - late August.	1995
Seed: none set.		Clump History: 5 years old. [<i>H. 'Rosanne'</i> × <i>H. 'Little White Lines'</i>]	
Clump History: 16 years old, growing in Chesterland OH. [parentage unknown]			
<i>H. 'Cheatin Heart'</i> W. Zumbar (OR) 1995		<i>H. 'City Slicker'</i> J. Dishon (ONIR) 1996	
Plant: 6 in. (15.2 cm.) diameter, 2 in. (5.1 cm.) high. Moderately growing, compact, mound-like habit.		Plant: 28 in. (71.1 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like and fast growing.	
Leaf: 2.5 in. (6.4 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of moderately prominent veins. Deep gold with a slightly rippled margin. Dull on top and underneath; deeply folded, moderately rippled; average substance; ovate with a cordate base.		Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide. 7 pairs of insignificant veins. Dark green with a 0.25 in. slightly rippled, gold margin (changing to cream). Very shiny on top and underneath; moderately wavy; elliptic with a round base. Petiole red spotted.	
Scape: 7 in. (17.8 cm.) high, ranging from 7-10 in. (17.8-25.4 cm.); yellow.		Scape: 21 in. (53.3 cm.) high; red to purple.	
Flower: 1.25 in. (3.2 cm.) long, light purple, tubular; Ohio: July.		Flower: 1.75 in. (4.4 cm.) long, deep purple, spider shaped, white striped; Jackson MI: 8/15 - 9/5 (5 - 6).	
Seed: viable.		Seed: viable; pod is light purple	
Clump History: 4 years old.		Clump History: the original seedling, 6 years old, growing in Jackson MI.	
Remarks: leaf color intensifies to orange-gold in the sun. In the shade it is chartreuse streaked or mottled.		Notable Characteristics: shiny, leathery leaves and "yingeri-like" stamens.	
[<i>H. "Subcrocea</i> cross F2] × <i>H. 'Birchwood Gem'</i>]		[<i>H. 'Yellow Splash'</i> × <i>H. yingeri</i>]	
<i>H. 'Chesterland Gold'</i> M. Zilis (O), P. Ruh (ONIR) 1997		<i>H. 'Clarence'</i> L. Simpers (O), M. Soules (NIR) 1996	
Plant: 20 in. (50.8 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.		Plant: 36 in. (91.4 cm.) diameter, 17 in. (43.2 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 6.5 in. (16.5 cm.) long, 4 in. (10.2 cm.) wide. 8 pairs of prominent veins. Emerging bright gold changing to light green and gold with a slightly rippled margin. Slightly shiny on top, dull underneath; wavy, ovate with a rounded base; petiole green.		Leaf: 10.25 in. (26 cm.) long, 8.5 in. (21.6 cm.) wide. 17 pairs of prominent veins. Intensely blue-green with a slightly rippled, translucent margin. Glaucous bloom on top and underneath; intensely corrugated; broadly ovate with a cordate base.	
Scape: 28 in. (71.1 cm.) high, ranging from 28-30 in. (71.1-76.2 cm.).		Scape: 20 in. (50.8 cm.) high.	
Flower: 1.25 in. (3.2 cm.) long, lavender, striped, tubular; Chesterland OH: 8/1 - 8/11 - 8/24 (2 - 4 - 4).		Flower: 1.5 in. (3.8 cm.) long, near white, funnel shaped; Indianapolis IN.; 7/1 - 7/12 - 7/25.	
Seed: viable; pod is green.		Clump History: 6 years old.	
Clump History: a division of the original tissue culture sport, 5 years old, growing in Chesterland OH.		[<i>H. sieboldiana</i> hybrid]	
[<i>H. 'Paul's Glory'</i> sport]			
<i>H. 'Chinese Sunrise'</i> R. Schaeffer (O) 1992		<i>H. 'Cody'</i> R. Solberg (ONIR) 1996	
A. Summers (NI), P. Ruh (R)		Plant: 10 in. (25.4 cm.) diameter, 5 in. (12.7 cm.) high. Mound-like with a moderate growth rate.	
Plant: 18 in. (45.7 cm) wide, 10.5 in. (26.7 cm) high.		Leaf: 3 in. (7.6 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of moderately prominent veins. Dark green. Very shiny on top and underneath; lightly folded; ovate with a rounded base.	
Leaf: 5.5 in. (14 cm) long, 2.25 in. (5.7 cm) wide, 5-6 pairs of veins; medium yellow with a variable, 0.25 in. (.64 cm), dark green margin, changes to all green; lance-shaped, twisted; slightly rippled.		Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.); green	
Scape: 19 in. (48.3 cm), inflorescence leaves.		Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular, white striped; Chapel Hill NC: mid-June - mid-July.	
Flower: lavender, flaring; Ohio: Sept.		Seed: viable.	
[Parentage unknown]		Clump History: 2 years old.	
[<i>H. 'Shining Tot'</i> × <i>H. venusta</i>]			
<i>H. 'Circle of Light'</i> K. Walek (ONIR) 1996		<i>H. 'Concordia Petite'</i> U. Syre-Herz (ONIR) 1996	
Plant: 18 in. (45.7 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate.		Plant: 14 in. (35.6 cm.) diameter, 5 in. (12.7 cm.) high. Mound-like.	
Leaf: 4.5 in. (11.4 cm.) long, 2.5 in. (6.4 cm.) wide. 5-7 pairs of moderately prominent veins. Medium green with a 0.25 in., slightly rippled, pure white margin. Slightly shiny on top, glaucous bloom underneath; lightly twisted, lightly wavy; ovate with a rounded base.		Leaf: 2 in. (5.1 cm.) long, 1.25 in. (3.2 cm.) wide. 3 pairs of prominent veins. Dark green. Dull on top and underneath; ovate with a rounded base.	
Scape: 25 in. (63.5 cm.) high, ranging from 24-30 in. (61-76.2 cm.).		Scape: 15 in. (38.1 cm.) high; inflorescence leaves.	
Flower: medium lavender, funnel shaped, striped; Myrtle Beach NC: 7/20 - 9/15.		Flower: medium lavender, funnel shaped, striped; Myrtle Beach NC: 7/20 - 9/15.	
Seed: viable.			

Clump History: 10 years old. [<i>H. venusta</i> × <i>H. 'Golden Tiara'</i>]	Seed: viability unknown; pod is green. Clump History: the original seedling, 5 years old, growing in Indianapolis IN. Notable Characteristics: large, smooth, very dark leaves. [parentage unknown]
<i>H. 'Cool Change'</i> B. Kuk (OR) 1995 Plant: 54 in. (137.2 cm.) diameter, 32 in. (81.3 cm.) high. Moderately growing, moderately dense, semi-upright habit. Leaf: 12 in. (30.0 cm.) long, 10 in. (25.0 cm.) wide. 16-18 pairs of prominent veins. Intensely blue-green with a heavily rippled margin. Glaucous bloom on top and underneath; lightly cupped, moderately wavy, lightly rippled, intensely corrugated; heavy substance; broadly ovate with a cordate base. Scape: 32 in. (81.3 cm.) high, ranging from 26-32 in. (66-81.3 cm.); light green. Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Ohio: July. Seed: viable. Clump History: 10 years old. [<i>H. sieboldiana</i> hybrid]	Notable Characteristics: large, smooth, very dark leaves. [parentage unknown]
<i>H. 'Corona'</i> G. Braun-Nauerz (ON), 1996 P. Th. Warmerdam (NIR) Plant: 61 in. (155 cm.) diameter, 31 in. (78.7 cm.) high. Mound-like and fast growing. Leaf: 18 in. (45.7 cm.) long, 16 in. (40.6 cm.) wide. 14 pairs of prominent veins. Light green with a 1.5 in. slightly rippled, deep gold margin. Slightly shiny on top, glaucous bloom underneath; lightly cupped, lightly corrugated; broadly ovate with a cordate base. Scape: 37 in. (94 cm.) high, ranging from 35-40 in. (88.9-101.6 cm.); green with a brown base. Flower: medium lavender, bell shaped; pod is dark green. Noordwijk Neth: 7/10 - 7/20 - 8/15 (2 - 3 - 5). Seed: viability unknown. Clump History: the original sport, 6 years old, growing in Noordwijk Neth. [<i>H. 'Sum and Substance'</i> sport]	<i>H. 'Craig Harlequin Bells'</i> J. Craig (ON), 1998 A. Summers (I), P. Ruh (R) Plant: 15 in. (38.1 cm.) diameter, 12.5 in. (31.8 cm.) high. Mound-like with a moderate growth rate. Leaf: 4.25 in. (10.8 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of insignificant veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; lightly wavy, ovate with a flat base. Scape: 23 in. (58.4 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.) in length; inflorescence leaves. Flower: 1.5 in. (3.8 cm.) long, purple, white edged and striped, bell-shaped; Chesterland OH: 6/19 - 6/30 - 7/14. Note: This cultivar name was previously listed as <i>H. 'Harlequin Bells'</i> it has been changed at the request of the registrant. [parentage unknown]
<i>H. 'Cotillion'</i> W. Zumbar (OR) 1995 Plant: 8 in. (20.3 cm.) diameter, 5 in. (12.7 cm.) high. Fast growing, compact, mound-like habit. Leaf: 2.5 in. (6.4 cm.) long, 1.13 in. (2.9 cm.) wide. 3 pairs of prominent veins. Dark green with a 0.25 in. (0.6 cm.) wide, smooth, creamy white margin. Dull on top, very shiny underneath; lightly wavy; good substance; ovate with a rounded base. Scape: 10 in. (25.4 cm.) high; green. Flower: 1.5 in. (3.8 cm.) long, light purple, striped, tubular; Ohio: July. Seed: viable. Clump History: 3 years old. [<i>H. "Breeder's Choice F1"</i> × (<i>H. nakaiana</i> × <i>H. 'Kii Hime'</i>)]	<i>H. 'Crater Lake'</i> R. Snyder (ONIR) 1996 Plant: 54 in. (137 cm.) diameter, 34 in. (86.4 cm.) high. Stoloniferous with a moderate growth rate. Leaf: 12 in. (30.5 cm.) long, 10 in. (25.4 cm.) wide. 15 pairs of prominent veins. Intensely blue-green. Glaucous bloom on top and underneath; deeply cupped, intensely corrugated; nearly round with a cordate base. Scape: 37 in. (94 cm.) high, ranging from 32-39 in. (81.3-99.1 cm.); green. Flower: 2 in. (5.1 cm.) long, pale lavender, tubular, pod is green. Willmar MN: mid-June - mid-July (2 - 3 - 4) Clump History: the original sport, 12 years old, growing in Willmar MN. Notable Characteristics: deeply cupped and corrugated leaves. [<i>H. 'Elegans'</i> hybrid]
<i>H. 'Count Dracula'</i> C. Crockett (ONIR) 1997 Plant: 28 in. (71.1 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like and fast growing. Leaf: 7.5 in. (19.1 cm.) long, 5.5 in. (14 cm.) wide. 9 pairs of prominent veins. Dark green with a flat margin. Very shiny on top, dull underneath; ovate with a rounded base. Scape: 28 in. (71.1 cm.) high, ranging from 24-30 in. (61-76.2 cm.). Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Indianapolis IN.; mid August - late Aug. - early Sept. (7 - 8 - 8).	<i>H. 'Cross Stitch'</i> W. Zumbar (O), P. Ruh (R) 1992 Plant: 37 in. (94 cm) diameter, 17 in. (43.2 cm) high. Leaf: 14 in. (35.6 cm) long, 10.25 in. (26 cm) wide, 10 pairs of veins; light green with a satin sheen; cupped, slightly folded, slightly rippled, puckering ("cross-stitching") along veins; glossy underneath; cordate. Scape: 34 in. (86.4 cm) long, inflorescence leaves. Flower: lavender, flaring; Ohio: mid-August. Seed: Viable. [<i>H. 'T4401'</i> × <i>H. "T4402"</i>]
	<i>H. 'Crow's Nest'</i> C. Seaver (OR) 1995 Plant: 20 in. (50.8 cm.) diameter, 9 in. (22.9 cm.) high. Fast growing, compact, mound-like habit. Leaf: 5 in. (13.0 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of moderately prominent veins. Dark green with a 0.5 in. (1.3 cm.) wide, slightly rippled, cream margin which extends down the petiole. Slightly shiny on top and underneath; lightly folded; average substance; elliptic with a tapered base. Scape: 44 in. (111.8 cm.) high, ranging from 43-45 in. (109.2-114.3 cm.); green and light red. Flower: 2 in. (5.1 cm.) long, dark purple, tubular; Delaware: mid-August. Remarks: petiole is winged.

Seed: viable.		
Clump History: 4 years old.		
[<i>H. 'Don Stevens'</i> × <i>H. 'Sea Angel'</i>]		
<i>H. 'Crumples'</i> D. Grenfell (ONIR) 1996		
Plant: 24 in. (61 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like with a moderate growth rate.		
Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 6 pairs of prominent veins. Medium green with a heavily rippled margin. Dull on top and underneath; intensely corrugated; broadly ovate with a cordate base. Petiole glaucous green.		
Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); branched; inflorescence leaves; grayish green.		
Flower: 1 in. (2.5 cm.) long, pale lavender, bell shaped; Lymington Hants UK: June - July (2 - 4 - 5).		
Seed: pod is dark grayish brown.		
Clump History: the original seedling, 6 years old, growing in Lymington Hants UK.		
Notable Characteristics: intense corrugation and puckering. [<i>H. sieboldiana</i> hybrid]		
<i>H. 'Crystal Tiara'</i> Walters Gardens, Inc. (ONIR) 1998		
Plant: small.		
Leaf: 3.5 in. (8.9 cm.) long, 3 in. (7.6 cm.) wide. Creamy white with a, pale yellow margin. Dull on top and underneath; broadly ovate with a rounded base.		
Flower: 2.5 in. (6.4 cm.) long, deep purple, tubular; Zeeland MI: summer period.		
Notable Characteristics: heavy substance and a wide margin.		
Clump History: the original tissue culture sport, 2 years old, growing in Zeeland MI.		
[<i>H. 'Grand Tiara'</i> sport]		
<i>H. 'Cupid's Dart'</i> Walters Gardens, Inc. (ONIR) 1997		
Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate.		
Leaf: 6 in. (15.2 cm.) long, 1.75 in. (4.4 cm.) wide. 5-7 pairs of insignificant veins. Medium green with a 0.19 in. (0.48 cm.) wide, flat, pure white margin. Dull on top, slightly shiny underneath; lance-shaped with a tapered base.		
Scape: 10 in. (25.4 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.).		
Flower: 1 in. (2.5 cm.) long, medium lavender with lighter edges, tubular; Zeeland MI: 6/28 - 7/2 - 7/28 (3 - 3 - 4).		
Seed: none set.		
Notable Characteristics: lance-shaped leaves with a narrow margin; flowers with recurved petals.		
[<i>H. 'Heartsong'</i> sport]		
<i>H. 'Curtain Call'</i> J. Wilkins (ONIR) 1998		
Plant: medium in size.		
Leaf: 12 in. (30.5 cm.) long, 6 in. (15.2 cm.) wide. Medium blue-green.		
Flower: pale lavender; Chapel Hill NC: summer period.		
Clump History: a tissue culture sport, 3 years old, growing in Chapel Hill NC.		
Notable Characteristics: a fast grower with arching leaves. [<i>H. 'Wolverine'</i> sport]		
D		
<i>H. 'Dale's Blue Gray'</i> L. Maroushek (ONI), R. Snyder (R) 1998		
Plant: 56 in. (142 cm.) diameter, 22 in. (55.9 cm.) high. Upright with a moderate growth rate.		
Leaf: 11 in. (27.9 cm.) long, 8 in. (20.3 cm.) wide. 12 pairs veins. Medium blue-green with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly corrugated, broadly ovate with a cordate base.		
Scape: ranging from 18-24 in. (45.7-61 cm.) in length.		
Flower: 2.25 in. (5.7 cm.) long, pale lavender, tubular; Willmar MN: 6/10 - 6/20 - 7/1 (1 - 2 - 3).		
Seed: viability unknown; pod is green.		
Clump History: 10 years old, growing in Willmar MN. [parentage unknown]		
<i>H. 'Dark Tower'</i> D. & J. Ward (ONIR) 1996		
Plant: 80 in. (203 cm.) diameter, 35 in. (88.9 cm.) high. Mound-like with a moderate growth rate.		
Leaf: 13 in. (33 cm.) long, 11 in. (27.9 cm.) wide. 14 pairs of prominent veins. Dark green with a slightly rippled margin. Dull on top and underneath; moderately twisted; broadly ovate with a cordate base.		
Scape: 44 in. (112 cm.) high, ranging from 42-45 in. (106.7-114.3 cm.); green.		
Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/20 - 7/4 - 7/15 (3 - 3 - 3).		
Seed: viable; pod is dark green.		
Clump History: the original seedling, 7 years old, growing in Columbus OH. [<i>H. 'Sagae'</i> hybrid]		
<i>H. 'David Reath'</i> D. Reath (ON), R. Klehm (IR) 1998		
Plant: 42 in. (107 cm.) diameter, 28 in. (71.1 cm.) high. Upright.		
Leaf: 12 in. (30.5 cm.) long, 8 in. (20.3 cm.) wide. 11-12 veins. Dark green with a flat, golden yellow margin. Slightly shiny on top, glaucous bloom underneath; lightly cupped, lightly corrugated, broadly ovate with a cordate base.		
Scape: ranging from 26-30 in. (66-76.2 cm.) in length.		
Flower: pale lavender; South Barrington IL: summer period.		
Seed: viable; pod is green.		
Clump History: a second generation division, 4 years old, growing in South Barrington IL.		
Notable Characteristics: the margin extends into the center of the leaf. [<i>H. 'Gold Regal'</i> sport]		
<i>H. 'Dawn's Early Light'</i> O. Petryszyn (ONIR) 1998		
Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Moderate growth rate.		
Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 12 pairs veins. Pale yellow with a heavily rippled margin. Dull on top and underneath; deeply corrugated, nearly round with a cordate base.		
Scape: ranging from 29-31 in. (73.7-78.7 cm.) in length.		
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Chesterton IN.; 7/15 - 7/20 - 7/28 (? - ? - 4).		
Seed: none set.		
Notable Characteristics: a symmetrical mound, ruffled and puckered.		

<p>Clump History: the original seedling, 8 years old, growing in Chesterton IN. [<i>H. 'Sea Fire'</i> hybrid]</p>	<p>Clump History: 4 years old. [<i>H. 'Golden Prayers'</i> sport]</p>
<p><i>H. 'Day Dream'</i> G. Trucks (ONIR) 1998 Plant: 32 in. (81.3 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate. Leaf: 8 in. (20.3 cm.) long, 5 in. (12.7 cm.) wide. 7-9 pairs of prominent veins. Yellow gold with a slightly rippled margin. Slightly shiny on top and underneath; lightly corrugated, broadly ovate with a rounded base; petiole has red spots on the base. Scape: 31 in. (78.7 cm.) high, ranging from 28-35 in. (71.1-88.9 cm.). Flower: 3 in. (7.6 cm.) long, medium lavender, tubular; Benton Harbor MI: 7/1 - 7/5 - 7/11 (3 - 4 - 5). Seed: viability unknown; pod is greenish-yellow with purple striping. Clump History: the original sport, 4 years old, growing in Benton Harbor MI. Notable Characteristics: colors early and holds it. [<i>H. 'Sea Dream'</i> sport]</p>	<p><i>H. 'Diana Remembered'</i> J. Kulpa (ONIR) 1997 Plant: 24 in. (61 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like and fast growing. Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 9 pairs of prominent veins. Slightly blue-green with a 1.5 in. (3.81 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; moderately corrugated, broadly ovate with a cordate base; margin extends down the petiole. Scape: 22 in. (55.9 cm.) high, ranging from 20-25 in. (50.8-63.5 cm.), inflorescence leaves. Flower: 3 in (7.6 cm.) long, near white, tubular, significant fragrance; Warren MI: 7/25 - 8/15 - 8/25 (5 - 6 - 6). Seed: viable; pod is green. Clump History: the original tissue culture sport, 3 years old, growing in Warren MI. Notable Characteristics: large, near white, fragrant flowers. [<i>H. 'Seventh Heaven'</i> sport]</p>
<p><i>H. 'Dee's Golden Jewel'</i> K. Walek (ONIR) 1996 Plant: 18 in. (45.7 cm.) diameter, 24 in. (61 cm.) high. Stoloniferous and slow growing. Leaf: 6.5 in. (16.5 cm.) long, 8 in. (20.3 cm.) wide. 12-14 moderately prominent veins. Yellow gold. Dull on top, glaucous bloom underneath; lightly cupped, lightly corrugated; broadly ovate with a cordate base. Scape: 30 in. (76.2 cm.) high, ranging from 26-33 in. (66-83.8 cm.); inflorescence leaves; chartreuse. Flower: 2 in. (5.1 cm.) long, near-white, tubular; Fairfax Station VA: early June - mid-July. Seed: viable (poor). Clump History: 5 years old. [<i>H. 'Royal Standard' x H. 'Galaxy'</i>]</p>	<p><i>H. 'Dick's Delight'</i> R. Rossing (ONIR) 1998 Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like and fast growing. Leaf: 3.5 in. (8.9 cm.) long, 2.25 in. (5.7 cm.) wide. 7 pairs of moderately prominent veins. Light green with a slightly rippled, pure white margin. Slightly shiny on top and underneath; cupped, ovate with a rounded base. Scape: 17 in. (43.2 cm.) high. Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Chanhassen MN: 7/1 - 7/15 - 7/20. Seed: none set. [<i>H. nakaiana</i> hybrid]</p>
<p><i>H. 'Deep Blue Sea'</i> C. Seaver (OR) 1994 Plant: 34 in. (86.4 cm.) diameter, 15 in. (38.1 cm.) high, with an open mound-like habit. Leaf: 7 in. (17.8 cm.) wide, 8 in. (20.3 cm.) long; 12 pairs of prominent veins; dark blue; glaucous bloom above; lightly cupped, deeply corrugated; nearly round with a cordate base; petiole has glaucous bloom. Scape: 14 in. (35.6 cm.) high. Flower: medium lavender, closed; Delaware: mid-July to mid-August. Clump History: 6 years old. [<i>H. 'Blue Moon'</i> hybrid]</p>	<p><i>H. 'Dim Sum'</i> Belle Gardens (OR) 1994 Plant: 8 in. (20.3 cm.) diameter, 3 in. (7.6 cm.) high, with a moderately dense, mound-like habit. Leaf: 0.875 in. (2.2 cm.) wide, 1.625 in. (4.1 cm.) long; 4 pairs of moderately prominent veins; greenish changing to yellow gold; slightly rippled margin; dull above, slightly shiny underneath; lightly wavy; average substance; ovate with a rounded base. Scape: 5 in. (12.7 cm.) high, ranging from 4-6 in. (10.2-15.2 cm.). Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Mich: August. Seed: viable. Clump History: 4 years old. [<i>H. longipes latifolia</i> hybrid]</p>
<p><i>H. 'Delia'</i> R. & M. Ford (OR) 1995 Plant: 18 in. (45.7 cm.) diameter, 6 in. (15.2 cm.) high. Slow growing, compact, mound-like habit. Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 8 pairs of moderately prominent veins. Light yellow with a 0.5 in. (1.3 cm.) wide, medium green margin. Dull on top and underneath; moderately cupped; good substance; broadly ovate with a rounded base. Scape: 9 in. (22.9 cm.) high, ranging from 8-11 in. (20.3-27.9 cm.). Flower: 1 in. (2.5 cm.) long, near-white, bell shaped; England: late July to early Sept. Seed: viable.</p>	<p><i>H. 'Dimity'</i> T. Micheletti (ONIR) 1998 Plant: 7 in. (17.8 cm.) diameter, 3.5 in. (8.9 cm.) high. Mound-like and fast growing. Leaf: 1.5 in. (3.8 cm.) long, 0.5 in. (1.3 cm.) wide. 3 pairs of veins. Medium green with a slightly rippled margin. Dull on top, slightly shiny underneath; folded, wavy, ovate with a tapered base. Scape: ranging from 6-10 in. (15.2-25.4 cm.) in length. Flower: 1.25 in. (3.2 cm.) long, purple, white stripes, tubular; Barrington IL: 6/15 - 6/30 - 7/15 (2 - 2 - 2). Seed: viable. Clump History: the original seedling, 6 years old, growing in Barrington IL.</p>

[*H. 'Baby Kim'* hybrid]

H. 'Distinction' E. Fisher (ONI), P. Ruh (R) 1998
 Plant: 54 in. (137 cm.) diameter, 23 in. (58.4 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 13.75 in. (34.9 cm.) long, 10.25 in. (26 cm.) wide. 14 pairs veins. Dark green with a slightly rippled margin. Dull on top and underneath; wavy, broadly ovate with a cordate base.
 Scape: 30.5 in. (77.5 cm.) high.
 Flower: 2.5 in. (6.4 cm.) long, light lavender, striped, tubular; Chesterland OH: 6/15 - 7/1 - 7/18.
 Seed: viable; pod is blue-green.
 [parentage undetermined]

H. 'Doctor Fu Manchu' H. Sugita (O), P. Ruh (ONIR) 1998
 Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 8.5 in. (21.6 cm.) long, 3.75 in. (9.5 cm.) wide. 7 pairs of prominent veins. Dark green with a heavily rippled margin. Slightly shiny on top, dull underneath; lightly folded, ovate with a rounded base; petiole spotted red.
 Scape: 18.5 in. (47 cm.) high; inflorescence leaves.
 Flower: 2 in. (5.1 cm.) long, lavender, bell-shaped; Chesterland OH: 8/3 - 8/14 - 8/28.
 Seed: viable; pod is dark green.
 Clump History: the original seedling, 12 years old, growing in Chesterland OH.
 [*H. longipes* × *H. pycnophylla*]

H. 'Doctor Reath' D. Reath (O), P. Ruh (NIR) 1997
 Plant: 52 in. (132 cm.) diameter, 29 in. (73.7 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 11 in. (27.9 cm.) long, 8.5 in. (21.6 cm.) wide. 16 pairs of prominent veins. Blue-green mottled with yellow in the spring. Mottling changing to light green in June. Margin 0.5 in. (1.27 cm.) wide, slightly rippled, blue-green. Glaucous on top, dull underneath; twisted, folded, wavy, corrugated, ovate with a cordate base; petiole heavy.
 Scape: 31 in. (78.7 cm.) high, ranging from 30-34 in. (76.2-86.4 cm.); inflorescence leaves.
 Flower: 2 in. (5.1 cm.) long, near white, tubular; Chesterland OH: 6/27 - 7/13 - 7/27 (1 - 2 - 2).
 Seed: viable; pod is blue-green
 Clump History: a division of the original, 5 years old, growing in Chesterland OH.
 Notable Characteristics: yellow mottling in spring.
 [*H. sieboldiana* sport]

H. 'Domaine De Courson' I. Van Doorslaer (I), D. Grenfell (ONR) 1996
 Plant: 60 in. (152 cm.) diameter, 30 in. (76.2 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 18 in. (45.7 cm.) long, 10 in. (25.4 cm.) wide. 7-8 pairs of insignificant veins. Medium green with a flat margin. Slightly shiny on top, dull and waxy underneath; wavy, broadly ovate with a cordate base. Petiole nearly closed, red streaked towards the base.
 Scape: 38 in. (96.5 cm.) high, ranging from 35-40 in. (88.9-101.6 cm.); inflorescence leaves; grayish green.
 Flower: 1 in. (2.5 cm.) long, pale lavender to near-white, bell shaped; Lymington Hants UK: July to Sept. (4 - 5 - 8), repeating.

Seed: viable; pod is grayish brown.

Clump History: the original sport, 5 years old, growing in Lymington Hants UK.

[*H. 'Sum and Substance'* sport]

H. 'Dragon Wings' W. Lefever (ONIR) 1996
 Plant: 60 in. (152 cm.) diameter, 24 in. (61 cm.) high. Semi-upright with a moderate growth rate.
 Leaf: 18 in. (45.7 cm.) long, 11 in. (27.9 cm.) wide. 9-11 pairs of prominent veins. Medium green with a heavily rippled margin. Slightly shiny on top and underneath; folded (tip is pinched), intensely wavy; ovate with a cordate base.
 Scape: 60 in. (152 cm.) high, ranging from 54-62 in. (137.2-157.5 cm.); green.
 Flower: 2.5 in. (6.4 cm.) long, pale lavender, tubular; Kernersville NC: 7/10 - 7/25 - 8/10.
 Seed: viable.
 Clump History: 4 years old.
 Notable Characteristics: leaf tip is pinched (folded) downwards.
 [*H. montana* × *H. 'Fortunei'*]

H. 'Dragon's Blood' H. Sugita(O), P. Ruh (ONIR) 1998
 Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 8 in. (20.3 cm.) long, 6.25 in. (15.9 cm.) wide. 9 pairs of prominent veins. Medium green with a heavily rippled margin. Slightly shiny on top, glaucous bloom underneath; moderately twisted, moderately folded, moderately wavy, broadly ovate with a cordate base; petiole reddish at the base.
 Scape: 32 in. (81.3 cm.) high; inflorescence leaves.
 Flower: 2 in. (5.1 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 8/5 - 8/14 - 8/30.
 Seed: viable; pod is dark green.
 Clump History: the original seedling, 12 years old, growing in Chesterland OH.
 [*H. longipes* × *H. pycnophylla*]

H. 'Drawn Butter' Belle Gardens (OR) 1994
 Plant: 25 in. (63.5 cm.) diameter, 17 in. (43.2 cm.) high, with a open, semi-upright habit.
 Leaf: 2.75 in. (7 cm.) wide, 5.375 in. (13.7 cm.) long; 6 pairs of moderately prominent veins; greenish gold changing to deep gold; slightly rippled margin; slightly shiny above, very shiny underneath; lightly wavy; good substance; lance-shaped with a rounded base.
 Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); dark maroon.
 Flower: 2 in. (5.1 cm.) long, pale purple, tubular; Mich: mid-July to mid-August.
 Seed: viable.
 Clump History: 4 years old.
 [*H. 'Whoopie'* hybrid]

H. 'Dream Weaver' B. Ruetenik (O), K. Walek (NIR) 1996
 Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 12-14 moderately prominent veins. Pure white with a 3 in., intensely blue-green margin. Dull on top, glaucous

bloom underneath; lightly cupped, lightly corrugated; nearly round with a cordate base.
 Scape: 30 in. (76.2 cm.) high, ranging from 25-36 in. (63.5-91.4 cm.); white streaked.

Flower: 2 in. (5.1 cm.) long, near white, bell shaped; Fairfax Station VA: 6/1 - 6/30 - 7/15.

Seed: viable (poor).

Clump History: 3 years old.

[*H. 'Great Expectations'* sport]

***H. 'Dress Blues'* W. Zumbar (OR) 1995**

Plant: 36 in. (91.4 cm.) diameter, 24 in. (61 cm.) high. Fast growing, open, upright habit.

Leaf: 7 in. (18.0 cm.) long, 3.5 in. (8.9 cm.) wide. 6 pairs of prominent veins. Intensely blue-green with a 0.5 in. (1.3 cm.) wide, smooth, yellow gold margin. Glaucous bloom on top and underneath; lightly wavy; heavy substance; ovate with a cordate base.

Scape: 34 in. (86.4 cm.) high, ranging from 28-38 in. (71.1-96.5 cm.); green with glaucous bloom.

Flower: 1.75 in. (4.5 cm.) long, pale lavender, tubular; Ohio: mid-July to late August.

Seed: viable.

Clump History: 5 years old.

[*H. 'Breeder's Choice F1'* × *H. 'Halcyon'*]

E

***H. 'Ebb Tide'* E. Elslager (ONIR) 1997**

Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Upright with a moderate growth rate.

Leaf: 11.75 in. (29.8 cm.) long, 4.75 in. (12.1 cm.) wide. 10 pairs of prominent veins. Dark green with a 0.63 in. (1.59 cm.) wide, heavily rippled, yellow gold margin. Slightly shiny on top, very shiny underneath; intensely corrugated, ovate with a rounded base.

Scape: 34 in. (86.4 cm.) high, ranging from 29-36 in. (73.7-91.4 cm.); inflorescence leaves.

Flower: 2.5 in. (6.4 cm.) long, near white with lavender stripes, tubular; Ann Arbor MI: 7/20 - 7/27 - 8/10 (5 - 5 - 5).

Seed: viability unknown; pod is green.

Clump History: the original sport from a tissue cultured plant, 7 years old, growing in Ann Arbor MI.

Notable Characteristics: a miniature sport of *H. montana 'Aureomarginata'*.

[*H. montana 'Aureomarginata'* sport]

***H. 'Edina Hornet'* D. Savory (ONIR) 1996**

Plant: 26 in. (66 cm.) diameter, 21 in. (53.3 cm.) high. Upright with a moderate growth rate.

Leaf: 10.8 in. (27.4 cm.) long, 7 in. (17.8 cm.) wide. 13-14 prominent veins. Medium green with a slightly rippled, medium gold margin. Dull on top, waxy underneath; lightly wavy, moderately corrugated; ovate with a cordate base.

Scape: 29 in. (73.7 cm.) high, ranging from 28-30 in. (71.1-76.2 cm.); inflorescence leaves; green.

Flower: 1.4 in. (3.6 cm.) long, near white, tubular; Edina MN: 7/1 - 7/10 - 7/20 (2 - 2 - 3).

Seed: viable; pod is green.

Clump History: the original sport, 5 years old, growing in Edina MN.

Notable Characteristics: muted color; corrugation and streaking.

[*H. 'Honey seedling'* sport]

***H. 'Eleanor Lachman'* W. & E. Lachman (OR) 1995**

Plant: 15 in. (38.1 cm.) diameter, 5.5 in. (14 cm.) high. Moderately growing, open, semi-upright habit.

Leaf: 3.75 in. (9.5 cm.) long, 2.8 in. (7.1 cm.) wide. 6 pairs of moderately prominent veins. Creamy white with a 1 in. (2.5 cm.) wide, smooth, dark green margin. Dull on top, glaucous bloom underneath; heavy substance; broadly ovate with a rounded base.

Scape: 10 in. (25.4 cm.) high, ranging from 8-11 in. (20.3-27.9 cm.); greenish white.

Flower: 1.4 in. (3.6 cm.) long, medium lavender, bell shaped; Mass: July.

Seed: viable.

Clump History: 1 year old.

[(*H. 'Neat Splash'* × *H. 'Flamboyant'*) × *H. 'Robert Frost'*]

***H. 'Electrifying'* E. Elslager (ONIR) 1998**

Plant: 28 in. (71.1 cm.) diameter, 22 in. (55.9 cm.) high. Upright with a moderate growth rate.

Leaf: 8.75 in. (22.2 cm.) long, 6.5 in. (16.5 cm.) wide. 11 pairs prominent veins. Dark green with a 1.38 in. (3.51 cm.) wide, slightly rippled, golden yellow margin. Slightly shiny on top and waxy underneath; moderately corrugated, broadly ovate with a cordate base; petiole has a yellow margin.

Scape: 41 in. (104 cm.) high, ranging from 35-45 in. (88.9-114 cm.) in length.

Flower: 2 in. (5.1 cm.) long, pale lavender, purple striping, tubular; Ann Arbor MI: 7/14 - 7/23 - 8/12 (5 - 5 - 6).

Seed: viable; pod is green.

Notable Characteristics: large dark green leaves with a yellow margin, vigorous.

Clump History: the original sport, 5 years old, growing in Ann Arbor MI.

[*H. 'Electra'* sport]

***H. 'Electrum Stater'* A. Malloy (ONIR) 1997**

Plant: 26 in. (66 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing.

Leaf: 7.5 in. (19.1 cm.) long, 6.5 in. (16.5 cm.) wide. 9 pairs of prominent veins. Medium gold with some streaking. Margin 1.5 in. (3.81 cm.) wide, slightly rippled, white. Slightly shiny on top and underneath; lightly twisted, lightly wavy, moderately corrugated, ovate with a cordate base.

Scape: 23 in. (58.4 cm.) high.

Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; South Salem NY: 6/20 -? - 7/10 (1 - ? - 2).

Seed: viable; pod is green.

Clump History: the original sport, 4 years old, growing in South Salem NY.

Notable Characteristics: heavy substance, gold with a white edge.

[*H. 'Abiqua Recluse'* sport]

***H. 'Elephant Burgers'* T. Avent (OR) 1993**

Plant: 30 in. (76.2 cm.) wide, 18 in. (45.7 cm.) high.

<p>Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide, 6 pairs of veins; dark green; ovate with a rounded base; rippled. Scape: 26 in. (66 cm.) long. Flower: pale purple, tubular; N. Carolina: early June. Seed: poor seed set, viable. [Parentage unknown]</p>	<p>lightly folded, moderately wavy, lance-shaped with a tapered base. Scape: 13 in. (33 cm.) high, ranging from 12-13 in. (30.5-33 cm.) in length; inflorescence leaves.</p>
<p>H. 'Ellerbroek' N. Hylander (O), 1996 P. Ellerbroek (NI), P. Ruh (R) Plant: 34 in. (86.4 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate. Leaf: 8 in. (20.3 cm.) long, 5.63 in. (14.3 cm.) wide. 9-10 pairs of prominent veins. Dark green with a 0.5 in. slightly rippled, yellow margin. Slightly shiny on top, dull underneath; lightly cupped, wavy; ovate with a rounded base. Scape: 38 in. (96.5 cm.) high, ranging from 24-38 in. (61-96.5 cm.); inflorescence leaves; light green. Flower: 1 in. (2.5 cm.) long, lavender, tubular; Chesterland OH: 7/1 - 8/11 - 8/22. Seed: viable; pale pod is green. Clump History: 5 years old, growing in Chesterland OH. [H. 'Fortunei Aureomarginata' form]</p>	<p>Seed: viable; pod is dark green. Clump History: obtained from the originator, 7 years old, growing in Chesterland OH. [parentage undetermined]</p>
<p>H. 'Ellie Bee' E. Brinkerhoff (ONI), P. Ruh (R), 1996 Plant: 9.5 in. (24.1 cm.) diameter, 4.5 in. (11.4 cm.) high. Mound-like and fast growing. Leaf: 4.5 in. (11.4 cm.) long, 2 in. (5.1 cm.) wide. 3 pairs of insignificant veins. Medium gold with a slightly rippled margin. Dull on top and underneath; wavy; lance-shaped with a flat base. Scape: 12 in. (30.5 cm.) high; inflorescence leaves; greenish. Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Chesterland OH: 7/18 - 7/31 - 8/12. Seed: viable (poor); pod is greenish yellow. Clump History: a division of the original, 3 years old, growing in Chesterland OH. Notable Characteristics: small size and yellow color. [H. 'Nakaimo' selfed]</p>	<p>H. 'Emerald City' D. & J. Ward (ONIR), 1996 Plant: 72 in. (183 cm.) diameter, 38 in. (96.5 cm.) high. Mound-like with a moderate growth rate. Leaf: 19 in. (48.3 cm.) long, 14 in. (35.6 cm.) wide. 20 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top and underneath; lightly corrugated; ovate with a cordate base. Scape: 38 in. (96.5 cm.) high, ranging from 37-39 in. (94-99.1 cm.); green.</p>
<p>H. 'Elvis Lives' T. Avent (OR), 1995 Plant: 48 in. (121.9 cm.) diameter, 25 in. (63.5 cm.) high. Moderately growing, moderately dense, mound-like habit. Leaf: 11 in. (28.0 cm.) long, 4.5 in. (11.0 cm.) wide. 8-10 pairs of prominent veins. Dusty blue with a slightly rippled margin. Blue fades in summer. Slightly shiny on top, glaucous bloom underneath; moderately rippled; good substance; lance-shaped with a rounded base. Scape: 22 in. (55.9 cm.) high, ranging from 18-23 in. (45.7-58.4 cm.). Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; N. Carolina: early June. Seed: viable. Clump History: 5 years old. [H. 'Peter Pan' x H. 'Green Fountain']</p>	<p>Flower: 1.75 in. (4.4 cm.) long, light lavender, striped, tubular; Chesterland OH: 7/26 - 8/5 - 8/16. Seed: viable; pod is dark green. Clump History: obtained from the originator, 7 years old, growing in Chesterland OH. [parentage undetermined]</p>
<p>H. 'Emerald Carpet' P. Banyai (ONI), P. Ruh (R), 1998 Plant: 18 in. (45.7 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like with a moderate growth rate. Leaf: 3.75 in. (9.5 cm.) long, 1.25 in. (3.2 cm.) wide. 3 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top, slightly shiny underneath;</p>	<p>H. 'Emerald Green' Walter's Gardens, Inc. (OI), P. Ruh (NIR), 1996 Plant: 18.5 in. (47 cm.) diameter, 32 in. (81.3 cm.) high. Upright and fast growing. Leaf: 11 in. (27.9 cm.) long, 6.5 in. (16.5 cm.) wide. 9 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; lightly twisted, lightly wavy, lightly corrugated; lance-shaped with a tapered base. Petiole slightly winged. Scape: 43 in. (109 cm.) high; branched; inflorescence leaves; deep green. Flower: 2.5 in. (6.4 cm.) long, deep purple, bell shaped, white striped; Chesterland OH: 8/9 - 8/23 - 9/4. Seed: viable; pod is green. Clump History: found in tissue culture of H. 'Opipara', 5 years old, growing in Chesterland OH. [H. 'Opipara' sport]</p> <p>H. 'Emerald Necklace' B. Kuk (OR), 1994 Plant: 16 in. (40.6 cm.) diameter, 13 in. (33 cm.) high, with a moderately dense, semi-upright habit. Leaf: 2.5 in. (6.4 cm.) wide, 5 in. (12.7 cm.) long; 5 pairs of moderately prominent veins; light green with a 0.38 in. (0.97 cm.) wide, dark green, slightly rippled margin; slightly shiny above, very shiny underneath; moderately twisted, lightly rippled; good substance; lance-shaped with a rounded base. Scape: 30 in. (76.2 cm.) high, ranging from 24-30 in. (61-76.2 cm.); dark green. Flower: 1 in. (2.5 cm.) long, pale purple, striped, tubular; Ohio: mid-July to mid-August. Seed: viable. Clump History: 5 years old. [H. "tardiflora seedling" sport]</p>

H. 'Emeralds and Rubies' J. Dishon (OR)	1994
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high, with a compact, rhizomatous habit.	
Leaf: 1 in. (2.5 cm.) wide, 3.5 in. (8.9 cm.) long; 3 pairs of moderately prominent veins; medium green; slightly rippled margin; dull above, very shiny underneath; lightly cupped; average substance; lance-shaped with a rounded base; bright red petiole.	
Scape: 20 in. (50.8 cm.) high; dark red.	
Flower: 1.25 in. (3.2 cm.) long, medium lavender with purple stripes inside, tubular; Mich: July.	
Seed: viable.	
Clump History: 5 years old.	
[<i>H. 'Emerald Carpet'</i> hybrid]	
H. 'Encore' J. Wilkins (ONI), J. & J. Wilkins (R)	1995
Plant: 17 in. (43.2 cm.) diameter, 13 in. (33.0 cm.) high. Fast growing, compact, mound-like habit.	
Leaf: 6 in. (15.0 cm.) long, 2.75 in. (7.0 cm.) wide. 5 pairs of moderately prominent veins. Medium gold with a smooth margin. Slightly shiny on top and underneath; lightly wavy; average substance; lance-shaped with a rounded base.	
Scape: 9 in. (22.9 cm.) high, ranging from 8-10 in. (20.3-25.4 cm.); deep purple.	
Flower: 1.75 in. (4.5 cm.) long, pale purple, tubular; Mich: July, repeating mid-Sept. to early August.	
Seed: none set.	
Clump History: 6 years old.	
[<i>H. tardiflora</i> (<i>H. 'Tardiflora'</i>) hybrid]	
H. 'Ersatz' P. Ruh (NIR)	1996
Plant: 55 in. (140 cm.) diameter, 24.5 in. (62.2 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 11.25 in. (28.6 cm.) long, 7.13 in. (18.1 cm.) wide. 10 pairs of prominent veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; lightly wavy; ovate with a rounded base.	
Scape: 66 in. (168 cm.) long, ranging from 65-69 in. (165.1-175.3 cm.); light green.	
Flower: 2 in. (5.1 cm.) long, white, tubular; Chesterland OH: 7/20 - 7/31 - 8/12.	
Seed: viable.	
Clump History: plant was purchased incorrectly identified as <i>H. nigrescens</i> 'Elatior', 12 years old, growing in Chesterland OH.	
Notable Characteristics: lazy scapes which lie down. [<i>H. nigrescens</i> 'Elatior' hybrid]	
H. 'Estrellita' W. Zumbar (OR)	1995
Plant: 6 in. (15.2 cm.) diameter, 2 in. (5.1 cm.) high. Fast growing, compact, mound-like habit.	
Leaf: 2 in. (5.1 cm.) long, 0.75 in. (1.9 cm.) wide. 2 pairs of prominent veins. Clear yellow with a smooth margin. Dull on top and underneath; lightly wavy; good substance; lance-shaped with a rounded base.	
Scape: plant has never produced a Scape.	
Clump History: 15 years old.	
[<i>H. "Emerald Ripple F1"</i> × <i>H. 'Subcrocea'</i>]	
H. 'Eternity' J. Wilkins (ONI), J. & J. Wilkins (R)	1995
Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high. Moderately growing, moderately dense, semi-upright habit.	

Leaf: 8 in. (20.0 cm.) long, 6.5 in. (17.0 cm.) wide. 9 pairs of prominent veins. Light green with a smooth margin. Very shiny on top, glaucous bloom underneath; lightly cupped; good substance; ovate with a cordate base.	
Scape: 23 in. (58.4 cm.) high, ranging from 20-24 in. (50.8-61 cm.); chartreuse.	
Flower: 1.75 in. (4.5 cm.) long, white, tubular; Mich: late July to mid-August.	
Seed: viability unknown.	
Clump History: 6 years old.	
[<i>H. 'William Lachman'</i> hybrid]	
H. 'Eventide' W. & E. Lachman (OR)	1992
Plant: 40 in. (101.6 cm) wide, 17 in. (43.2 cm) high.	
Leaf: 10 in. (25.4 cm) long, 7 in. (17.8 cm) wide, 7-9 pairs of veins; green with a .7 in. (1.8 cm), pure white margin; margin heavily rippled; ovate with a cordate base; moderately wavy; dull texture above and underneath.	
Scape: 34 in. (86.4 cm) long; green.	
Flower: pure white, flaring; Massachusetts: July.	
Seed: viable.	
[<i>H. "seedling"</i> × <i>H. 'Tokudama Aureonebulosa'</i>]	

H. 'Eye Catcher' G. R. Goodwin (ONIR)	1996
Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing.	
Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide. 4 pairs of prominent veins. Yellow gold, changing to light green, with a flat margin. Dull on top and underneath; deeply cupped, intensely corrugated; broadly ovate with a rounded base.	
Scape: 18 in. (45.7 cm.) high, ranging from 15-24 in. (38.1-61 cm.); light green.	
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Indianapolis IN.; 6/15 - 7/1 - 7/15 (2 - 2 - 3).	
Seed: viable; pod is light green.	
Clump History: a division of the original, 6 years old, growing in Indianapolis IN.	
Notable Characteristics: cupped and corrugated leaf, and seasonal color change ("spring gold").	
[Parentage unknown]	

F

H. 'Fair Dinkum' Belle Gardens (OR)	1993
Plant: 25 in. (63.5 cm.) wide, 11 in. (27.9 cm.) high.	
Leaf: 7 in. (17.8 cm.) long, 4.25 in. (10.8 cm.) wide, 8 pairs of moderately prominent veins; intensely blue-green; ovate with a cordate base; margin slightly rippled; glaucous bloom above changing to very shiny in July, glaucous bloom underneath; lightly rippled.	
Scape: 33 in. (83.8 cm.) long; small inflorescence leaves; glaucous bloom.	
Flower: medium lavender, tubular; Michigan: late July.	
Seed: viable.	
[<i>H. 'Lavender Lace'</i> hybrid]	
H. 'Fair Maiden' Walters Gardens, Inc. (O), C. Falstad (R)	1993
Plant: 18 in. (45.7 cm.) wide, 14 in. (35.6 cm.) high.	
Leaf: 6 in. (15.2 cm.) long, 5 in. (12.7 cm.) wide, 10-11 pairs of flat veins; medium green with a 0.5 in. creamy yellow	

margin, changing to creamy white; ovate with a rounded base; margin smooth; dull above and underneath.	Seed: viable; pod is light green. Clump History: the original seedling, 7 years old, growing in Columbus OH. Notable Characteristics: large, quilted, gold leaves. [<i>H. 'Amber Maiden'</i>]
<i>H. 'Fairy Frolic'</i> H. & J. Millhorn (ONR), 1997 Hoot Owl Hollow Nursery (I) Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like and slow growing. Leaf: 3.5 in. (8.9 cm.) long, 2.5 in. (6.4 cm.) wide. 5 pairs of prominent veins. Light green with a slightly rippled margin. Dull on top, slightly shiny underneath; ovate with a cordate base. Scape: 18 in. (45.7 cm.) high, ranging from 12-27 in. (30.5-68.6 cm.). Flower: 1.75 in. (4.4 cm.) long, medium purple with darker purple stripes and translucent margins, tubular; Athens OH: 7/1 - 7/14 - 7/30. Seed: pod is green. Clump History: a division of the original, 6 years old, growing in Athens OH. Notable Characteristics: light green color and thin delicate leaves. [Parentage unknown]	<i>H. 'Festival'</i> A. Malloy (ONIR) 1998 Plant: 41 in. (104 cm.) diameter, 17 in. (43.2 cm.) high. Mound-like with a moderate growth rate. Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 9 pairs of veins. Streaked light green, medium green, grayish green, greenish yellow and creamy white. Margin flat. Dull on top, slightly shiny underneath; broadly ovate with a cordate base; petiole green. Scape: ranging from 30-28 in. (76.2-71.1 cm.) in length; inflorescence leaves. Flower: 3 in. (7.6 cm.) long, medium lavender, tubular; South Salem NY : 7/10 - 7/25 - 8/7 (4 - 5 - 5). Seed: viability unknown; pod is green, cream and white. Clump History: the original sport, 4 years old, growing in South Salem NY. Notable Characteristics: streaked many colors. [<i>H. 'Carnival'</i> sport]
<i>H. 'Fall Emerald'</i> A. Summers (ONI), P. Ruh (R) 1997 Plant: 43 in. (109 cm.) diameter, 25 in. (63.5 cm.) high. Upright with a moderate growth rate. Leaf: 9.5 in. (24.1 cm.) long, 8.5 in. (21.6 cm.) wide. 13 pairs of prominent veins. Medium green with a slightly rippled margin. Slightly shiny on top, dull underneath; lightly cupped, folded, lightly wavy, lightly corrugated, broadly ovate with a cordate base. Scape: 35 in. (88.9 cm.) high, ranging from 32-37 in. (81.3-94 cm.); inflorescence leaves. Flower: 2.5 in. (6.4 cm.) long, lavender, striped, tubular; Chesterland OH: 6/27 - 7/11 - 7/27 (1 - 1 - 2). Notable Characteristics: holds its color into fall. [Parentage unknown]	<i>H. 'Finlandia'</i> A. Summers (N), A. Busse (NI), P. Ruh (R) 1997 Plant: 11.5 in. (29.2 cm.) diameter, 10 in. (25.4 cm.) high. Upright with a moderate growth rate. Leaf: 4.75 in. (12.1 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; twisted, folded, lance-shaped with a tapered base. Scape: 17.5 in. (44.5 cm.) high, ranging from 14-15 in. (35.6-38.1 cm.). Flower: 1 in. (2.5 cm.) long, near white with a violet base and striping, tubular; Chesterland OH: 8/1 - 8/14 - 8/22 (4 - 5 - 5). Seed: viable; pod is green. Clump History: a division of the original, 5 years old, growing in Chesterland OH. [<i>H. kikutii</i> hybrid]
<i>H. 'Fantasia'</i> R. Duback (ONIR) 1998 Plant: 18 in. (45.7 cm.) diameter, 26 in. (66 cm.) high. Upright and fast growing. Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 12 pairs veins. Light green overlaid with greenish yellow and golden yellow. Margin flat. Dull on top and underneath; broadly ovate with a cordate base. Flower: medium lavender; Vancouver WA: summer period. Clump History: 8 years old, growing in Vancouver WA. [parentage unknown]	<i>H. 'Fire Island'</i> W. Brincka (ONIR) 1998 Plant: 34 in. (86.4 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like and fast growing. Leaf: 6.5 in. (16.5 cm.) long, 4.5 in. (11.4 cm.) wide. 7-8 pairs veins. Greenish yellow with a flat margin. Slightly shiny on top, dull underneath; intensely wavy, broadly ovate with a base; petiole red throughout the season. Scape: ranging from 18-20 in. (45.7-50.8 cm.) in length; inflorescence leaves. Flower: 2.5 in. (6.4 cm.) long, medium lavender, tubular; Michigan City IN.; late period. Seed: pod is green. Notable Characteristics: persistent red petioles. Clump History: the original seedling, 7 years old, growing in Michigan City IN. [<i>H. longipes hypoglauca</i> x <i>H. 'Crested Surf'</i>]
<i>H. 'Fat Cat'</i> D. & J. Ward (ONIR) 1996 Plant: 60 in. (152 cm.) diameter, 29 in. (73.7 cm.) high. Upright with a moderate growth rate. Leaf: 12.5 in. (31.8 cm.) long, 11 in. (27.9 cm.) wide. 15 pairs of prominent veins. Yellow gold with a slightly rippled margin. Dull on top and underneath; corrugated; nearly round with a cordate base. Scape: 42 in. (107 cm.) high, ranging from 41-43 in. (104.1-109.2 cm.); light green. Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/2 - 6/30 - 7/15 (3 - 3 - 3).	<i>H. 'Firefly'</i> D. & J. Ward (ONIR) 1996 Plant: 16 in. (40.6 cm.) diameter, 7 in. (17.8 cm.) high. Upright with a moderate growth rate. Leaf: 6 in. (15.2 cm.) long, 2 in. (5.1 cm.) wide. 6 pairs of insignificant veins. Medium green with a 0.25 in. slightly rippled, creamy white margin. Slightly shiny on

top and underneath; lance-shaped with a rounded base. Leaf margin extends down the petiole.
 Scape: 17 in. (43.2 cm.) high, ranging from 16-18 in. (40.6-45.7 cm.); green.
 Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Columbus OH: 7/1 - 7/10 - 7/20 (4 - 4 - 4).
 Seed: viable; pod is brown.
 Clump History: the original seedling, 5 years old, growing in Columbus OH.
 Notable Characteristics: green Leaf with a cream edge and good substance.
 [H. 'Pin Stripe' hybrid]

H. 'Fisher Cream Edge' E. Fisher (O), P. Ruh (R) 1992
 Plant: 30 in. (76.2 cm) wide, 11 in. (27.9 cm) high.
 Leaf: 7.5 in. (19.1 cm) long, 4.75 in. (12.1 cm) wide, 8-10 pairs of veins; green with whitish-yellow, marbled, 0.5-0.75 in. (1.3-1.9 cm) margin; ovate with a flat to rounded base; slightly cupped, slightly rippled, puckered.
 Scape: 30 in. (76.2 cm) long, inflorescence leaves.
 Flower: lavender, flaring, striped; Ohio: mid-August.
 [H. 'Fortunei' sport]

H. 'Fisher's Green Magic' A. Fisher (ONIR) 1998
 Plant: 46 in. (117 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 11 in. (27.9 cm.) long, 7 in. (17.8 cm.) wide. 11 pairs prominent veins. Mottled light green, medium green, and creamy white. Margin slightly rippled. Dull on top, glaucous bloom underneath; corrugated, broadly ovate with a cordate base; petiole deeply ridged.
 Scape: 27 in. (68.6 cm.) high, ranging from 23-31 in. (58.4-78.7 cm.) in length.
 Flower: 2.5 in. (6.4 cm.) long, pale lavender, lavender striped inside, tubular; Roxby England: July – early Aug. (1 - 2 - 3).
 Seed: viable.
 Clump History: the original sport, 6+ years old, growing in Roxby England.
 Notable Characteristics: variegation.
 [H. sieboldiana sport]

H. 'Flat Clyde' C. Crockett (ONIR) 1997
 Plant: 10 in. (25.4 cm.) diameter, 4 in. (10.2 cm.) high. Mound-like and slow growing.
 Leaf: 2.25 in. (5.7 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of insignificant veins. Dark green with a flat margin. Very shiny on top, dull underneath; broadly ovate with a flat base.
 Scape: 9 in. (22.9 cm.) high, ranging from 8-9 in. (20.3-22.9 cm.).
 Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Falls Church VA: 7/15 - 7/20 - 8/9 (4 - 5 - 6).
 Seed: viability unknown; pod is green.
 Clump History: a division of the original, 6 years old, growing in Falls Church VA.
 Notable Characteristics: velvety leaf texture.
 [Parentage unknown]

H. 'Footlights' J. Wilkins (ONI), J. & J. Wilkins (R) 1995
 Plant: 13 in. (33.0 cm.) diameter, 3 in. (7.6 cm.) high. Fast growing, moderately dense, rhizomatous habit.
 Leaf: 3 in. (7.6 cm.) long, 1.25 in. (3.2 cm.) wide. 4 pairs of moderately prominent veins. Medium gold with a

smooth margin. Slightly shiny on top and underneath; lightly wavy; average substance; lance-shaped with a rounded base.

Scape: 7 in. (17.8 cm.) high, ranging from 7-10 in. (17.8-25.4 cm.); light green.
 Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Mich: August.
 Seed: viable.
 Clump History: 6 years old.
 [H. 'Golden Hawk' hybrid]

H. 'Forever Frances' U. Syre-Herz (ONIR) 1996
 Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like.
 Leaf: 8 in. (20.3 cm.) long, 7 in. (17.8 cm.) wide. 10-12 prominent veins. Green with a 2 in., deep gold margin. Glaucous bloom on top and underneath; rippled, corrugated; broadly ovate with a cordate base.
 Scape: 16 in. (40.6 cm.) high.
 Flower: white, funnel shaped; Myrtle Beach SC: June.
 Seed: viable.
 Clump History: 5 years old.
 Remarks: heavier substance and more compact than H. 'Frances Williams'.
 [H. 'Frances Williams' sport]

H. 'Forever Green' J. Dishon (OR) 1994
 Plant: 32 in. (81.3 cm.) diameter, 13 in. (33 cm.) high, with a moderately dense, semi-upright habit.
 Leaf: 7.5 in. (19.1 cm.) wide, 8.5 in. (21.6 cm.) long; 9 pairs of prominent veins; dark green; heavily rippled margin; very shiny above, glaucous bloom underneath; heavy substance; broadly ovate with a cordate base.
 Scape: 38 in. (96.5 cm.) high; dark green.
 Flower: 2.5 in. (6.4 cm.) long, pale lavender, inside white with a lavender stripe, bell-shaped; fragrant; Mich: mid-July through Sept.
 Seed: viable.
 Clump History: 4 years old.
 [H. rupifraga × H. plantaginea]

H. 'Fourth of July' J. C. Taylor (O), T. Avent (R) 1993
 Plant: 24 in. (61 cm.) wide, 10 in. (25.4 cm.) high.
 Leaf: 6 in. (15.2 cm.) long, 1 in. (2.5 cm.) wide, 5 pairs of prominent veins; dark green; lance-shaped with tapered base; margin rippled; shiny above.
 Scape: 48 in. (121.9 cm.) long.
 Flower: purple, tubular; N. Carolina: July.
 [Parentage unknown]

H. 'Foxy Doxy' Belle Gardens (OR) 1994
 Plant: 28 in. (71.1 cm.) diameter, 16 in. (40.6 cm.) high, with a moderately dense, semi-upright habit.
 Leaf: 5.5 in. (14 cm.) wide, 6 in. (15.2 cm.) long; 9 pairs of prominent veins; blue-green, streaked with yellow and white; smooth margin; glaucous bloom above and underneath; lightly folded; heavy substance; broadly ovate with a cordate base.
 Scape: 21 in. (53.3 cm.) high; blue.

Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Mich: July.
 Seed: viable.
 Clump History: 4 years old.
 [H. 'William Lachman' × H. 'Frances Williams']

H. 'Frank's Rocket' F. Kruse (O), W. Hoover (I), C. Kruse (NR)	1998
Plant: 42 in. (107 cm.) diameter, 42 in. (107 cm.) high. Upright with a moderate growth rate.	
Leaf: 14 in. (35.6 cm.) long, 11 in. (27.9 cm.) wide. 16 pairs prominent veins. Medium to intensely blue-green with a slightly rippled margin. Dull on top and underneath; deeply folded, broadly ovate with a cordate base.	
Scape: 36 in. (91.4 cm.) high, ranging from 24-36 in. (61-91.4 cm.) in length.	
Flower: 2 in. (5.1 cm.) long, pure white, tubular; Marshfield WI: 6/20 - 6/25 - 7/25 (2 - 2 - 2).	
Seed: viability unknown; pod is green.	
Clump History: the original sport, 9 years old, growing in Marshfield WI.	
Notable Characteristics: very upright with folded leaves. [parentage unknown]	
H. 'Fried Bananas' R. Solberg (OR)	1994
Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high, with a open semi-upright habit.	
Leaf: 6 in. (15.2 cm.) wide, 8 in. (20.3 cm.) long; 5-6 pairs of moderately prominent veins; yellow gold; smooth margin; very shiny above and underneath; moderately folded; average substance; ovate with a rounded base.	
Scape: 34 in. (86.4 cm.) high, ranging from 30-38 in. (76.2-96.5 cm.).	
Flower: 3.5 in. (8.9 cm.) long, near white, tubular, fragrant; North Carolina: mid-July to mid-August.	
Clump History: 2 years old. [<i>H. 'Guacamole'</i> sport]	
H. 'Fried Green Tomatoes' R. Solberg (OR)	1995
Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high. Moderately growing, open, semi-upright habit.	
Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 6-8 pairs of prominent veins. Medium green with a smooth margin. Very shiny on top and underneath; moderately folded; average substance; ovate with a rounded base.	
Scape: 34 in. (86.4 cm.) high, ranging from 30-38 in. (76.2- 96.5 cm.).	
Flower: 3.5 in. (8.9 cm.) long, nearly-white, tubular, fragrant; N. Carolina: late July to early August.	
Seed: viability unknown. Clump History: 2 years old. [<i>H. 'Guacamole'</i> sport]	
H. 'Front Forty' K. Squires (ONI), P. Ruh (R)	1996
Plant: 9.5 in. (24.1 cm.) diameter, 4.5 in. (11.4 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 4.25 in. (10.8 cm.) long, 1.13 in. (2.9 cm.) wide. 3 pairs of veins. Medium green with a slightly rippled margin. Dull on top, very shiny underneath; lightly wavy; lance- shaped with a flat base. Petiole winged at the base.	
Scape: 21.5 in. (54.6 cm.) high; inflorescence leaves; purple.	
Flower: 1.25 in. (3.2 cm.) long, lavender, tubular, striped; Chesterland OH: 8/1 - 8/14 - 8/26.	
Seed: viable. Clump History: a division of the original, 5 years old, growing in Chesterland OH. Notable Characteristics: small size and good Flowering. [Parentage unknown]	

H. 'Frosty Morn' W. & E. Lachman (OR)	1993
Plant: 21 in. (53.3 cm.) wide, 9 in. (22.9 cm.) high.	
Leaf: 6.5 in. (16.5 cm.) long, 6 in. (15.2 cm.) wide, 10 pairs of moderately prominent veins; medium gold; broadly ovate with a cordate base; margin slightly rippled; glaucous bloom above and underneath; wavy.	
Scape: 1 in. (2.5 cm.) long; gold.	
Flower: pale lavender, tubular; Mass: early August.	
Seed: viable. [<i>H. rupifraga</i> hybrid]	

G

H. 'G String' J. Mann Jr. (ONIR)	1996
Plant: 39 in. (99.1 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like and fast growing.	
Leaf: 8.5 in. (21.6 cm.) long, 5.5 in. (14 cm.) wide. 8-10 pairs of moderately prominent veins. Greenish yellow to yellow gold streaked, with a 2.25 in. slightly rippled, dark green margin. Slightly shiny on top and underneath; lightly wavy; ovate with a rounded base.	
Scape: 28 in. (71.1 cm.) high, ranging from 20-36 in. (50.8- 91.4 cm.); inflorescence leaves; grayish brown.	
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular, purple striped, translucent margins; Sanbornville NH: 7/28 - 8/5 - 8/26.	
Seed: none set. Clump History: 5 years old (potted). [<i>H. 'Gold Standard'</i> sport]	

H. 'Gaijin' M. Zilis (R), W. Zumbar (R)	1995
Plant: 4.5 in. (11.4 cm.) diameter, 4 in. (10.2 cm.) high. Moderately growing, open, semi-upright habit.	
Leaf: 1.63 in. (4.1 cm.) long, 0.63 in. (1.6 cm.) wide. 2 pairs of prominent veins. Light green with a 0.13 in. (0.3 cm.) wide, slightly rippled, yellow gold margin. Dull on top, slightly shiny underneath; lightly wavy; good substance; lance-shaped with a rounded base.	
Scape: 11 in. (27.9 cm.) high, ranging from 10-14 in. (25.4- 35.6 cm.); light green.	
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular, Ohio: variable and unpredictable, repeats in the late fall. Remarks: plant wild collected in Japan. Seed: viable. Clump History: 3 years old. [Parentage unknown]	

H. 'Garden Treasure' J. Schwarz (ONIR)	1997
Plant: 30 in. (76.2 cm.) diameter, 24 in. (61 cm.) high. Upright with a moderate growth rate.	
Leaf: 9.5 in. (24.1 cm.) long, 6.5 in. (16.5 cm.) wide. 11-12 pairs of prominent veins. Medium blue-green with a 1.5 in. (3.81 cm.) wide, slightly rippled, medium gold margin. Slightly shiny on top, dull underneath; lightly cupped, lightly corrugated, ovate with a cordate base.	
Scape: 24 in. (61 cm.) high, ranging from 20-30 in. (50.8-76.2 cm.); inflorescence leaves.	
Flower: 1.5 in. (3.8 cm.) long, near white, bell-shaped; Dubuque IA: 6/10 - 6/25 - 7/15 (2 - 3 - 4). Seed: viable; pod is green.	

Clump History: a division of the original, 5 years old, growing in Dubuque IA. [<i>H.</i> 'Treasure' sport]	Flower: 1.3 in. (3.3 cm.) long, pale lavender, bell shaped; Spokane WA: 8/15 - 8/25 - 9/5 (6 - 6 - 6). Seed: viable. Clump History: the original seedling, 5 years old, growing in Spokane WA. Notable Characteristics: heavy substance; distinct mound form, wavy leaves and waxy bloom. [<i>H. tardiflora</i> (<i>H.</i> 'Tardiflora') hybrid]
<i>H. 'Gay Nineties'</i> Belle Gardens (OR) 1994 Plant: 21 in. (53.3 cm.) diameter, 11 in. (27.9 cm.) high, with a moderately dense, mound-like habit. Leaf: 3.5 in. (8.9 cm.) wide, 4.5 in. (11.4 cm.) long; 10 pairs of moderately prominent veins; dark green with a 0.625 in. (1.6 cm.) wide, creamy white, slightly rippled margin; slightly shiny above, very shiny underneath; lightly wavy; heavy substance; ovate with a rounded base. Scape: 21.5 in. (54.6 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.); dark green. Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Mich: mid-July to mid-August. Seed: viable. Clump History: 4 years old. [<i>H.</i> 'William Lachman' × <i>H. montana</i>]	<i>H. 'Gilded Tiara'</i> Walters Gardens, Inc. (ONIR) 1998 Plant: small. Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide. 7-8 pairs veins. Greenish yellow with a yellow margin. Flower: 2.5 in. (6.4 cm.) long, deep purple, striped. Notable Characteristics: a thin gold margin on a chartreuse leaf. Clump History: the original tissue culture sport, 1 year old, growing in Zeeland MI. [<i>H.</i> 'Grand Tiara' sport]
<i>H. 'Gaynor Miller'</i> A & D Nursery & D. Smetana (OR) 1993 Plant: 40 in. (101.6 cm.) wide, 22 in. (55.9 cm.) high. Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide, 11 pairs of veins; light green; broadly ovate with a cordate base; corrugated. Scape: 28 in. (71.1 cm.) long. Flower: pale lavender, striped; tubular; Wash: July. Seed: viable. [<i>H.</i> 'Sea Gold Star' sport]	<i>H. 'Godzilla'</i> D. & J. Ward (ONIR) 1996 Plant: 64 in. (163 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate. Leaf: 13 in. (33 cm.) long, 11 in. (27.9 cm.) wide. 18 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top and underneath; moderately cupped, moderately twisted, moderately corrugated; broadly ovate with a cordate base. Scape: 38 in. (96.5 cm.) high, ranging from 36-39 in. (91.4-99.1 cm.); green. Flower: 1.75 in. (4.4 cm.) long, pale lavender, tubular; Columbus OH: 6/15 - 7/4 - 7/15 (2 - 2 - 2). Seed: viable. Clump History: the original seedling, 4 years old, growing in Columbus OH. Notable Characteristics: large green mound and corrugated leaves. [<i>H.</i> 'Big John' × <i>H. montana macrophylla</i> ([incorrect] as ' <i>Praeflorens</i> ')]
<i>H. 'Geneva Remembrance'</i> G. & D. Stark (N), D. Dean (OIR) 1996 Plant: 30 in. (76.2 cm.) diameter, 16 in. (40.6 cm.) high. Upright with a moderate growth rate. Leaf: 8.5 in. (21.6 cm.) long, 7 in. (17.8 cm.) wide. 13-14 prominent veins. Dark green to blue-green, with a slightly rippled margin. Dull on top, waxy underneath; deeply cupped, lightly wavy, intensely corrugated; nearly round with a cordate base. Petiole slightly glaucous. Scape: 14.5 in. (36.8 cm.) high, ranging from 14-15 in. (35.6-38.1 cm.); pale green and glaucous. Flower: 1.75 in. (4.4 cm.) long, pale lavender, tubular; Ramsey MN: 7/21 - 8/1 (3 - 3). Seed: viable; pod is green. Clump History: the original seedling, 5 years old, growing in Ramsey MN. Notable Characteristics: dark green to intense blue-green color and heavy puckering. Blooms hidden beneath the foliage. Remarks: named for Anna Geneva Stark. [<i>H.</i> 'Big Daddy' hybrid]	<i>H. 'Gold Dorothy of Richland'</i> S. & V. Wade (O), H. & D. Benedict (R) 1995 Plant: 36 in. (91.4 cm.) diameter, 15 in. (38.1 cm.) high. Moderately growing, moderately dense, mound-like habit. Leaf: 12 in. (30 cm.) long, 9 in. (23 cm.) wide. 11 pairs of moderately prominent veins. Yellow gold with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; moderately cupped; heavy substance; ovate with a cordate base. Scape: 36 in. (91.4 cm.) high, ranging from 36-38 in. (91.4-96.5 cm.). Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Mich: July. Remarks: flowers sit high above the clump; 24-30 per Scape. Seed: viable. Clump History: 5 years old. [<i>H.</i> 'Dorothy Benedict' hybrid]
<i>H. 'Gig Harbor'</i> A. Tower & Tower Perennial Gardens (ONIR) 1996 Plant: 36 in. (91.4 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate. Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide. 9 pairs of insignificant veins. Medium blue-green with slightly rippled margin. glaucous bloom on top, dull underneath; moderately wavy; ovate with a rounded base. Scape: 18 in. (45.7 cm.) high, ranging from 16-19 in. (40.6-48.3 cm.); blue-green.	<i>H. 'Gold Glory'</i> R. Lydell (OR) 1995 Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Moderately growing, open, mound-like habit. Leaf: 9 in. (23.0 cm.) long, 6 in. (15.0 cm.) wide. 11-12 pairs of prominent veins. Yellow gold with slightly rippled

margin. Slightly shiny on top, dull underneath; lightly cupped, lightly wavy, moderately corrugated; good substance; broadly ovate with a cordate base.	Leaf: 5 in. (12.7 cm.) long, 4.5 in. (11.4 cm.) wide. Mound-like and fast growing. 9 pairs of prominent veins. Greenish yellow with a slightly rippled margin. Veins green. Intensely cupped, lightly twisted, moderately wavy, lightly corrugated, broadly ovate with a cordate base; long petiole.
Scape: 24 in. (61 cm.) high, ranging from 20-30 in. (50.8-76.2 cm.); dark green.	Scape: 24 in. (61 cm.) high, ranging from 14-31 in. (35.6-78.7 cm.) in length.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; New York: mid-July to early August.	Flower: 1.5 in. (3.8 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 6/28 - 7/9 - 7/22.
Remarks: some leaves turn near white toward the end of the season.	Seed: viable; pod is green. [parentage unknown]
Seed: viable.	
Clump History: 5 years old.	
[<i>H. 'Paul's Glory'</i> hybrid]	
<i>H. 'Gold Wares'</i> L. Powell (OR) 1995	
Plant: 24 in. (61 cm.) diameter, 15 in. (38.1 cm.) high. Fast growing, compact, mound-like habit.	Plant: 27.5 in. (69.9 cm.) diameter, 19 in. (48.3 cm.) high.
Leaf: 5 in. (13.0 cm.) long, 3.5 in. (8.9 cm.) wide. 5 pairs of prominent veins. Yellow gold with a slightly rippled margin. Slightly shiny on top and underneath; moderately rippled; heavy substance; elliptic with a cordate base.	Leaf: 10.5 in. (26.7 cm.) long, 9 in. (22.9 cm.) wide. Mound-like, with a moderate growth rate. 15 pairs prominent veins. Blue-green with a 1.5 in. (3.81 cm.) wide, flat, golden yellow margin. Dull on top and underneath; lightly wavy, lightly corrugated, nearly round with a cordate base; petiole with a yellow margin.
Scape: 29 in. (73.6 cm.) high, ranging from 28-30 in. (71.1-76.2 cm.); light green.	Scape: 27.5 in. (69.9 cm.) high.
Flower: pale lavender, green striping, tubular; N. Carolina: July.	Flower: 2 in. (5.1 cm.) long, near-white, striped, bell-shaped; Chesterland OH: 6/5 - 6/16 - 6/30.
Seed: viable.	Seed: viable; pod is green. [<i>H. 'Frances Williams'</i> sport]
Clump History: 5 years old.	
[<i>H. 'Sun Power' x H. 'Gold Cover'</i>]	
<i>H. 'Golden Anniversary'</i> G. Holly (ONI), E. Fisher (I), P. Ruh (R) 1998	
Plant: 34 in. (86.4 cm.) diameter, 11 in. (27.9 cm.) high.	Plant: 48 in. (121.9 cm.) diameter, 27 in. (68.6 cm.) high, with a compact, mound-like habit.
Leaf: 8.5 in. (21.6 cm.) long, 5.75 in. (14.6 cm.) wide. Upright with a moderate growth rate. 8 pairs of prominent veins. Golden yellow with a slightly rippled margin. Viridescent. Slightly shiny on top and underneath; twisted, lightly folded, moderately wavy, lightly corrugated, ovate with a flat base; petiole green on top, yellow underneath.	Leaf: 9 in. (22.9 cm.) wide, 10 in. (25.4 cm.) long; 12-14 pairs of prominent veins; medium gold; smooth margin; dull above, glaucous bloom underneath; moderately cupped, intensely corrugated; heavy substance; broadly ovate with a cordate base.
Scape: 26 in. (66 cm.) high.	Scape: 20 in. (50.8 cm.) high, ranging from 20-24 in. (50.8-61 cm.); light gold.
Flower: 2 in. (5.1 cm.) long, pale lavender, striped, tubular; Chesterland OH: 6/23 - 7/5 - 7/18.	Flower: 1.5 in. (3.8 cm.) long, near white, bell-shaped; Ohio: mid-June to mid-July.
Seed: none set.	Seed: viable.
[parentage unknown]	Clump History: 8 years old. [<i>H. 'Wayside Blue'</i> hybrid]
<i>H. 'Golden Arrow'</i> R. Herman (ONIR) 1996	
Plant: 16 in. (40.6 cm.) diameter, 9 in. (22.9 cm.) high. Semi-upright and slow growing.	Plant: 34 in. (86.4 cm.) diameter, 26 in. (66 cm.) high. Mound-like and slow growing.
Leaf: 5.5 in. (14 cm.) long, 1.75 in. (4.4 cm.) wide. 4 pairs of moderately prominent veins. Yellow gold. Dull on top, slightly shiny underneath; lance-shaped with a rounded base.	Leaf: 8 in. (20.3 cm.) long, 7 in. (17.8 cm.) wide. 13-15 veins. Medium to intense blue-green with a 1.5 in. (3.81 cm.) wide, golden yellow margin. Variegation becomes more pronounced. Glaucous bloom on top and underneath; intensely wavy, nearly round with a cordate base.
Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.); inflorescence leaves; yellow gold with heavy red spotting.	Flower: pale lavender, tubular; Belleville OH: summer period.
Flower: 2 in. (5.1 cm.) long, deep purple, tubular; Winsted CT: 7/19 - 8/1 - 8/15.	Clump History: a first generation division of the original, 6 years old, growing in Belleville OH. [<i>H. 'Gold Regal'</i> hybrid]
Seed: viable.	
Clump History: 3 years old.	
[<i>H. clausa</i> hybrid]	
<i>H. 'Golden Ballerina'</i> H. Lantis (ON), K. Squires (I), P. Ruh (R) 1998	
Plant: 26 in. (66 cm.) diameter, 13 in. (33 cm.) high.	Leaf: 8 in. (20.3 cm.) wide, 12 in. (30.5 cm.) long; 14 pairs of prominent veins; medium yellow gold changing to a

richer gold; slightly rippled margin; very shiny above, dull underneath; lightly wavy, moderately corrugated; heavy substance; ovate with a cordate base.	
Scape: 44 in. (111.8 cm.) high, ranging from 40-45 in. (101.6-114.3 cm.); medium green.	
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Indiana: July to Sept.	
Seed: viable.	
Clump History: 5 years old.	
[<i>H. "nigrescens</i> seedling" × <i>H. "Blue Whirls"</i>]	
<i>H. "Golden Fountain"</i> J. Dishon (OR)	1993
Plant: 31 in. (78.7 cm.) wide, 14 in. (35.6 cm.) high.	
Leaf: 14 in. (35.6 cm.) long, 3.5 in. (8.9 cm.) wide, 7 pairs of moderately prominent veins; yellow-gold changing to light green (gold in full sun); lance-shaped with a rounded base; margin heavily rippled; dull above and very shiny underneath; moderately twisted.	
Scape: 36 in. (91.4 cm.) long; inflorescence leaves; light green.	
Flower: deep reddish-purple, purple stripe inside; tubular; Michigan: early Sept.	
Seed: viable.	
[<i>H. "Beatrice"</i> × <i>H. "Green Fountain"</i>]	
<i>H. "Golden Guernsey"</i> P. Ruh (OR)	1992
Plant: 21 in. (53.3 cm) diameter, 10 in. (25.4 cm) high.	
Leaf: 7 in. (17.8 cm) long, 5.5 in. (14 cm) wide, 10 pairs of veins; medium yellow with green veins; cordate; leathery; slightly cupped; slightly folded; dull texture underneath.	
Scape: 16.5 in. (42 cm) long; inflorescence leaves.	
Flower: pale lavender, flaring, striped; Ohio: Sept.	
[<i>H. "High Fat Cream"</i> sport]	
<i>H. "Golden Jubilee"</i> R. Savory (O), Savory's Gardens, Inc. (R)	1995
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Moderately growing, compact, mound-like habit.	
Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 6 pairs of moderately prominent veins. Medium gold with a slightly rippled margin. Glaucous bloom on top and underneath; lightly wavy; heavy substance; ovate with a rounded base.	
Scape: 16 in. (40.6 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.).	
Flower: 1.25 in. (3.2 cm.) long, pale lavender, tubular; Minn: July.	
Seed: viable.	
Clump History: 10 years old.	
[<i>H. "nakaiana</i> seedling" hybrid]	
<i>H. "Golden Picture"</i> H. & D. Benedict (OR)	1995
Plant: 35 in. (88.9 cm.) diameter, 20 in. (50.8 cm.) high. Moderately growing, compact, mound-like habit.	
Leaf: 9.5 in. (24.0 cm.) long, 9.5 in. (24.0 cm.) wide. 10 pairs of prominent veins. Yellow gold with a smooth margin. Slightly shiny on top and underneath; lightly folded, lightly corrugated; good substance; nearly round with a cordate base.	
Scape: 26 in. (66.0 cm.) high, ranging from 24-28 in. (61-71.1 cm.); green.	
Flower: 1.5 in. (3.8 cm.) long, light lavender, tubular; Mich: July.	
Seed: viable.	
[<i>H. "Fortunei Albopicta"</i> × <i>H. "Fortunei Albopicta"</i>]	

<i>H. "Golden Plum"</i> C. Lewis (O),	1997
A. Summers (NI), P. Ruh (R)	
Plant: 32 in. (81.3 cm.) diameter, 13 in. (33 cm.) high. Upright with a moderate growth rate.	
Leaf: 7.25 in. (18.4 cm.) long, 5.75 in. (14.6 cm.) wide. 9 pairs of insignificant veins. Yellow with a slightly rippled margin. Dull on top and underneath; wavy, broadly ovate with a cordate base.	
Scape: 25 in. (63.5 cm.) high, ranging from 24-26 in. (61-66 cm.); inflorescence leaves.	
Flower: 1.5 in. (3.8 cm.) long, light lavender with purple stripes, tubular; Chesterland OH: 7/30 - 8/12 - 8/23.	
[Parentage unknown]	
<i>H. "Goosebumps"</i> E. Elslager (ONIR)	1998
Plant: 58 in. (147 cm.) diameter, 22 in. (55.9 cm.) high. Upright and fast growing.	
Leaf: 10.25 in. (26 cm.) long, 8.25 in. (21 cm.) wide. 13 pairs prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; deeply corrugated, nearly round with a cordate base; petiole thick with a white stripe underneath.	
Scape: 28 in. (71.1 cm.) high, ranging from 26-33 in. (66-83.8 cm.) in length.	
Flower: 2 in. (5.1 cm.) long, near-white, purple striped, tubular; Ann Arbor MI: 7/7 - 7/23 - 7/31 (5 - 5 - 6).	
Seed: viability unknown; pod is green.	
Notable Characteristics: dark green and corrugated, with a white back and good substance.	
Clump History: the original sport, 7 years old, growing in Ann Arbor MI.	
[<i>H. "Fortunei Hyacinthina"</i> sport]	
<i>H. "Grace McClure"</i> D. & J. Ward (ONIR)	1998
Plant: 34 in. (86.4 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 11 pairs of prominent veins. Dark green with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; lightly cupped, ovate with a cordate base.	
Scape: 22 in. (55.9 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.).	
Flower: 0.75 in. (1.9 cm.) long, near white, bell-shaped; Columbus OH: 7/15 - 7/25 - 8/2 (5 - 5 - 6).	
Seed: viable; pod is green.	
Clump History: the original seedling, 5 years old, growing in Columbus OH.	
[<i>H. "Pin Stripe"</i> hybrid]	
<i>H. "Granada"</i> W. Zumbar (OR)	1995
Plant: 16 in. (40.6 cm.) diameter, 14 in. (35.6 cm.) high. Fast growing, compact, semi-upright habit.	
Leaf: 4.25 in. (11.0 cm.) long, 3.6 in. (9.0 cm.) wide. 7 pairs of veins. Streaked blue and green with a 0.6 in. (1.4 cm.) wide, slightly rippled, yellow gold, changing to creamy white, margin. Glaucous bloom on top and underneath; intensely wavy; good substance; ovate with a cordate base.	
Scape: 20 in. (50.8 cm.) high, ranging from 14-22 in. (35.6-55.9 cm.); green.	
Flower: 2 in. (5.1 cm.) long, dark lavender, tubular; Ohio: late June to late July.	

Seed: viable.	Seed: viable; pod is green.
Clump History: 3 years old.	Clump History: the original seedling, 11 years old, growing in Dunkirk NY.
[<i>H. 'Pearl Lake'</i> sport]	Notable Characteristics: heavy substance. [Parentage unknown]
<i>H. 'Grand Canyon'</i> O. Petryszyn (OR), B. Brincka (OR) 1995	<i>H. 'Great Plains'</i> O. Petryszyn (OR) 1994
Plant: 36 in. (91.4 cm.) diameter, 26 in. (66.0 cm.) high. Moderately growing, moderately dense, semi-upright habit.	Plant: 41 in. (104.1 cm.) diameter, 25 in. (63.5 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 11 in. (28.0 cm.) long, 7 in. (18.0 cm.) wide. 14 pairs of prominent veins. Light green, changing to golden, with a heavily rippled margin. Slightly shiny on top, dull underneath; moderately twisted, moderately folded, moderately wavy, lightly rippled; heavy substance; ovate with a tapered base.	Leaf: 12 in. (30.5 cm.) wide, 16 in. (40.6 cm.) long; 12-14 pairs of prominent veins; gray-blue changing to blue-green, then to dark green; smooth margin; slightly shiny above, pale dusty blue underneath; lightly wavy; heavy substance; broadly ovate with a cordate base.
Scape: 42 in. (106.7 cm.) high, ranging from 36-45 in. (91.4-114.3 cm.); light green, branched.	Scape: 41 in. (104.1 cm.) high, ranging from 39-42 in. (99.1-106.7 cm.); blue-green.
Flower: 1.5 in. (3.8 cm.) long, pure white, tubular, iridescent in late summer; Ind: early July to early August.	Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Indiana: June to mid-August.
Seed: viable.	Seed: viable.
Clump History: 8 years old.	Clump History: 6 years old.
[<i>H. 'Sum and Substance'</i> × <i>H. montana macrophylla</i> ([incorrect] as ' <i>Praeflorens</i> ')]	[<i>H. 'Sagae'</i> × <i>H. 'Tokudama Flavocircinalis'</i>]
<i>H. 'Grand Finale'</i> R. Benedict (O), J. & J. Wilkins (R) 1995	<i>H. 'Green Gables'</i> Walters Gardens, Inc. (ONIR) 1997
Plant: 30 in. (76.2 cm.) diameter, 13 in. (33.0 cm.) high. Moderately growing, moderately dense, semi-upright habit.	Plant: 60 in. (152 cm.) diameter, 36 in. (91.4 cm.) high. Mound-like and fast growing.
Leaf: 7 in. (18.0 cm.) long, 5.5 in. (14.0 cm.) wide. 9 pairs of moderately prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; moderately wavy; good substance; ovate with a cordate base.	Leaf: 15 in. (38.1 cm.) long, 12 in. (30.5 cm.) wide. 17-19 pairs of prominent veins. Medium green with a flat margin. Slightly shiny on top, dull underneath; broadly ovate with a flat base.
Scape: 18 in. (45.7 cm.) high, ranging from 16-19 in. (40.6-48.3 cm.); green.	Scape: 50 in. (127 cm.) high, ranging from 46-60 in. (116.8-152.4 cm.).
Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular; Mich: mid-Sept. to mid-Oct.	Flower: 2.5 in. (6.4 cm.) long, medium lavender, tubular; Zeeland MI: 7/6 - 7/15 - 8/15 (3 - 4 - 5).
Seed: viable.	Seed: viable; pod is green.
Clump History: 5 years old.	[<i>H. 'Sum and Substance'</i> sport]
[<i>H. 'Maruba Iwa'</i> hybrid]	
<i>H. 'Grand Prize'</i> Walters Gardens, Inc. (ONIR) 1998	<i>H. 'Green Lantern'</i> R. O'Harra (O), F. Riehl (R) 1993
Plant: small.	Plant: 30 in. (76.2 cm.) wide, 20 in. (50.8 cm.) high.
Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide. 7-8 pairs veins. Medium green with a flat, pale yellow margin. The margin becomes creamy white. Dull on top and underneath; broadly ovate with a base.	Leaf: 12 in. (30.5 cm.) long, 7.5 in. (19.1 cm.) wide, 10-14 pairs of prominent veins; dark green with a 2.5 in. light green margin; broadly ovate with a cordate base; margin heavily rippled; slightly shiny above and underneath; wavy; corrugated.
Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular; Zeeland MI: summer period.	Scape: 32 in. (81.3 cm.) long; green.
Clump History: the original tissue culture sport, 2 years old, growing in Zeeland MI.	Flower: pale lavender with white striping; tubular; Iowa: late June.
Notable Characteristics: heavy substance and a lighter margin than Grand Tiara.	Seed: rare seed set, viable.
[<i>H. 'Grand Tiara'</i> sport]	[Parentage unknown]
<i>H. 'Gray Fox'</i> R. Lydell (ONIR) 1998	<i>H. 'Green Platter'</i> E. Fisher (ONI), P. Ruh (R) 1997
Plant: 48 in. (122 cm.) diameter, 26 in. (66.0 cm.) high. Upright and slow growing.	Plant: 32 in. (81.3 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
Leaf: 11 in. (27.9 cm.) long, 9 in. (22.9 cm.) wide. 16 pairs of veins. Slightly blue-green with a flat margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy, ovate with a cordate base.	Leaf: 9.75 in. (24.8 cm.) long, 7.5 in. (19.1 cm.) wide. 11 pairs of prominent veins. Medium green with a slightly rippled margin. Very shiny on top and underneath; lightly wavy, ovate with a rounded base; petiole thin.
Scape: ranging from 28-30 in. (71.1-76.2 cm.) high.	Scape: 13 in. (33 cm.) high, ranging from 9-14 in. (22.9-35.6 cm.); inflorescence leaves.
Flower: 1.5 in. (3.8 cm.) long, pure white, bell-shaped; Dunkirk NY: 6/20 - 7/1 - 7/15 (2 - 3 - 4).	Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Chesterland OH: 7/1 - 7/12 - 7/23.
Seed: pod is light green.	Seed: pod is light green.
Clump History: a division of the original, 5 years old, growing in Chesterland OH.	

[Parentage unknown]	Clump History: 2 years old. [<i>H. 'Fragrant Bouquet'</i> sport]
<i>H. 'Green Spot'</i> E. Fisher (ONI), P. Ruh (R) 1998 Plant: 34 in. (86.4 cm.) diameter, 21 in. (53.3 cm.) high. Upright and slow growing. Leaf: 12 in. (30.5 cm.) long, 8 in. (20.3 cm.) wide. 13 pairs prominent veins. Medium green, mottled dark green and yellow. Margin heavily rippled. Very shiny on top and underneath; lightly twisted, intensely wavy, broadly ovate with a cordate base; petiole green and yellow. Scape: 24 in. (61 cm.) high, ranging from 22-24 in. (55.9-61 cm.) in length. Flower: 2 in. (5.1 cm.) long, light lavender, striped, tubular; Chesterland OH: 6/15 - 7/1 - 7/17. Seed: viable; pod is green. Clump History: obtained from the originator, 19 years old, growing in Chesterland OH. [<i>H. 'Starker Yellow Leaf'</i> sport]	<i>H. 'Guardian Angel'</i> C. & R. Thompson (OR) 1995 Plant: 36 in. (91.4 cm.) diameter, 24 in. (61 cm.) high. Moderately growing, moderately dense, mound-like habit. Leaf: 16 in. (41.0 cm.) long, 10 in. (25.0 cm.) wide. 12 pairs of moderately prominent veins. Light green with a 1 in. (2.5 cm.) wide, intensely blue-green margin. Dull on top, glaucous bloom underneath; moderately rippled; heavy substance; broadly ovate with a cordate base. Scape: 36 in. (91.4 cm.) high, ranging from 30-40 in. (76.2-101.6 cm.); blue-green. Flower: 2.5 in. (6.4 cm.) long, near-white, tubular, Virginia: July. Seed: viability unknown. Clump History: 3 years old. [<i>H. 'Blue Angel'</i> sport]
<i>H. 'Greenwood'</i> E. Fisher (ONI), P. Ruh (R) 1997 Plant: 24 in. (61 cm.) diameter, 19 in. (48.3 cm.) high. Upright with a moderate growth rate. Leaf: 4.75 in. (12.1 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; twisted, folded, ovate with a cordate base. Scape: 24 in. (61 cm.) high, ranging from 20-26 in. (50.8-66 cm.); inflorescence leaves. Flower: 2.5 in. (6.4 cm.) long, pale lavender, striped, tubular; Chesterland OH: 6/26 - 7/11 - 7/21 (1 - 1 - 1). Seed: viable; pod is green. Clump History: obtained from the originator, 12 years old, growing in Chesterland OH. Notable Characteristics: twisted leaf tip; dwarf. [Parentage unknown]	<i>H. 'Hadspen Samphire'</i> E. Smith (O), A. Eason (NI), P. Ruh (R) 1997 Plant: 34 in. (86.4 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate. Leaf: 7.5 in. (19.1 cm.) long, 2.75 in. (7 cm.) wide. 7 pairs of prominent veins. Yellow with a slightly rippled margin. Very shiny on top and underneath; twisted, wavy, lance-shaped with a rounded base. Scape: 20 in. (50.8 cm.) high; inflorescence leaves. Flower: 1.5 in. (3.8 cm.) long, lavender, striped, tubular; Chesterland OH: 8/9 - 8/23 - 9/3 (4 - 5 - 6). Seed: viable; pod is green. Clump History: a division of the original, 12 years old, growing in Chesterland OH. Notable Characteristics: a spring yellow. [Parentage unknown]
<i>H. 'Grey Poupon'</i> W. Zumbar (OR) 1995 Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Moderately growing, compact, mound-like habit. Leaf: 2.1 in. (5.3 cm.) long, 2 in. (5.1 cm.) wide. 7 pairs of prominent veins. Gray-green with a 0.02 in. (.05 cm.) wide, slightly rippled, deep gold margin. Glaucous bloom on top and underneath; lightly wavy; heavy substance; broadly ovate with a flat base. Scape: 20 in. (50.8 cm.) high, ranging from 16-22 in. (40.6-55.9 cm.); glaucous green. Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Ohio: early June to early July. Seed: viable. Clump History: 4 years old. [Parentage unknown]	<i>H. 'Hampshire County'</i> W. & E. Lachman (OR) 1993 Plant: 30 in. (76.2 cm.) wide, 24 in. (61 cm.) high. Leaf: 9.25 in. (23.5 cm.) long, 6 in. (15.2 cm.) wide, 10 pairs of prominent veins; medium blue-green with a 1.5 in. creamy white margin; ovate with a cordate base; margin smooth; dull above with glaucous bloom underneath; lightly wavy. Scape: 28 in. (71.1 cm.) long; dark green. Flower: near-white, tubular; Mass: June. Seed: viable. [(<i>H. 'Banana Sundae'</i> × <i>H. 'Sea Drift'</i>) × <i>H. 'Blue Shadows'</i>]
<i>H. 'Guacamole'</i> R. Solberg (OR) 1994 Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high, with an open, semi-upright habit. Leaf: 6 in. (15.2 cm.) wide, 8 in. (20.3 cm.) long; 5-6 pairs of moderately prominent veins; yellow gold with a 0.75 in. (1.9 cm.) wide, dark green, smooth margin; very shiny above and underneath; moderately folded; average substance; ovate with a rounded base. Scape: 34 in. (86.4 cm.) high, ranging from 30-38 in. (76.2-96.5 cm.). Flower: 3.5 in. (8.9 cm.) long, near-white, tubular; fragrant; North Carolina: mid-July to mid-August.	<i>H. 'Handy Hatfield'</i> D. & J. Ward (ONIR) 1996 Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate. Leaf: 10 in. (25.4 cm.) long, 6 in. (15.2 cm.) wide. 12 pairs of prominent veins. Medium green with a 1.5 in. slightly rippled, medium gold margin. Slightly shiny on top, dull underneath; lightly cupped, lightly wavy, moderately corrugated; broadly ovate with a rounded base. Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.).

H

<p>Flower: 0.75 in. (1.9 cm.) long, lavender, tubular; Columbus OH: 6/15 - 6/30 - 7/15 (2 - 2 - 2).</p> <p>Seed: viable; pod is brown</p> <p>Clump History: the original sport, 5 years old, growing in Columbus OH.</p> <p>[<i>H. 'Sun Glow'</i> sport]</p>	<p>Scape: 14.5 in. (36.8 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.).</p> <p>Flower: 1 in. (2.5 cm.) long, pale lavender with stripes, tubular; Chesterland OH: 8/31 - 9/13 - 9/23 (5 - 6 - 6).</p> <p>Seed: viable; pod is greenish purple</p> <p>Clump History: a division of the original, 4 years old, growing in Chesterland OH.</p> <p>[<i>H. sieboldii</i> 'Paxton's Original' hybrid]</p>
<p><i>H. 'Hannah Hanson'</i> E. Brodeur (ONI), P. Ruh (R) 1997</p> <p>Plant: 21 in. (53.3 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like and fast growing.</p> <p>Leaf: 5.5 in. (14.0 cm.) long, 3.5 in. (8.9 cm.) wide. 9 pairs of insignificant veins. Greenish yellow in the spring turning medium green by mid-summer. Margin slightly rippled. Slightly shiny on top and dull underneath; lightly cupped, wavy, ovate with a rounded base.</p> <p>Scape: 11.5 in. (29.2 cm.) high, ranging from 9-11 in. (22.9-27.9 cm.); inflorescence leaves.</p> <p>Flower: 1.5 in. (3.8 cm.) long, near white, bell-shaped; not Chesterland OH: 6/28 - 7/12 - 7/23 (1 - 1 - 2).</p> <p>Seed: none set.</p> <p>[Parentage unknown]</p>	<p><i>H. 'Harvest Delight'</i> A. Summers (ONI), P. Ruh (R) 1997</p> <p>Plant: 21 in. (53.3 cm.) diameter, 12.5 in. (31.8 cm.) high. Mound-like and slow growing.</p> <p>Leaf: 7.75 in. (19.7 cm.) long, 3 in. (7.6 cm.) wide. 7 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top, very shiny underneath; twisted, moderately folded, lightly wavy, lance-shaped with a rounded base.</p> <p>Scape: 19.5 in. (49.5 cm.) high, ranging from 17-19 in. (43.2-48.3 cm.).</p> <p>Flower: 2 in. (5.1 cm.) long, medium lavender, striped, bell-shaped; Chesterland OH: 9/26 - 10/12 - 10/22 (8 - 8 - 9).</p> <p>Seed: viable; pod is light green</p> <p>Clump History: a division of the original, 4 years old, growing in Chesterland OH.</p> <p>Notable Characteristics: late bloomer, good flower set.</p> <p>[<i>H. kikutii</i> hybrid]</p>
<p><i>H. 'Happy Valley'</i> W. & E. Lachman (OR) 1995</p> <p>Plant: 48 in. (121.9 cm.) diameter, 27 in. (68.6 cm.) high. Moderately growing, compact, semi-upright habit.</p> <p>Leaf: 10 in. (25.0 cm.) long, 6 in. (15.0 cm.) wide. 8-9 pairs of moderately prominent veins. Medium blue-green with a 1 in. (2.5 cm.) wide, slightly rippled, streaked, green and white margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy; good substance; ovate with a cordate base.</p> <p>Scape: 32 in. (81.3 cm.) high, ranging from 26-36 in. (66-91.4 cm.); green.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular; Mass: mid-August to early Sept.</p> <p>Seed: viable.</p> <p>Clump History: 6 years old.</p> <p>[<i>H. hypoleuca</i> hybrid]</p>	<p><i>H. 'Harvest Desire'</i> A. Summers (ONI), P. Ruh (R) 1997</p> <p>Plant: 19.5 in. (49.5 cm.) diameter, 13.5 in. (34.3 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 9 in. (22.9 cm.) long, 3 in. (7.6 cm.) wide. 8 pairs of prominent veins. Medium green with a slightly rippled margin. Very shiny on top and underneath; lightly cupped, twisted, moderately wavy, lightly corrugated, lance-shaped with a tapered base; petiole has a violet base.</p> <p>Scape: 17 in. (43.2 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.).</p> <p>Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Chesterland OH: 9/13 - 9/26 - 10/7 (8 - 8 - 9).</p> <p>Seed: viable; pod is mottled purple</p> <p>Clump History: a division of the original, 4 years old, growing in Chesterland OH.</p> <p>[<i>H. longipes</i> x <i>H. kikutii</i>]</p>
<p><i>H. 'Harvest Dandy'</i> A. Summers (ONI), P. Ruh (R) 1997</p> <p>Plant: 30 in. (76.2 cm.) diameter, 8.5 in. (21.6 cm.) high. Upright with a moderate growth rate.</p> <p>Leaf: 8.5 in. (21.6 cm.) long, 3.5 in. (8.9 cm.) wide. 7 pairs of prominent veins. Dark green with a heavily rippled margin. Slightly shiny on top and underneath; lightly folded, lightly wavy, lance-shaped with a tapered base; petiole spotted on the end.</p> <p>Scape: 17 in. (43.2 cm.) high; inflorescence leaves.</p> <p>Flower: 1.25 in. (3.2 cm.) long, lavender with violet stripes, tubular; Chesterland OH: 8/11 - 8/25 - 9/3 (5 - 5 - 6).</p> <p>Seed: viable; pod is dark colored.</p> <p>Clump History: a division of the original, 4 years old, growing in Chesterland OH.</p> <p>Notable Characteristics: split veins at leaf tip; scape foliated near flowers.</p> <p>[<i>H. longipes</i> hybrid]</p>	<p><i>H. 'Heart of Gold'</i> J. Dishon (ONIR) 1996</p> <p>Plant: 38 in. (96.5 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 8 in. (20.3 cm.) long, 7.5 in. (19.1 cm.) wide. 9 pairs of insignificant veins. Light green changing to yellow gold. Margin flat. Slightly shiny on top, glaucous bloom underneath; lightly wavy; nearly round with a cordate base. Petiole has scattered purple spotting.</p> <p>Scape: 29 in. (73.7 cm.) high; purple spotted.</p> <p>Flower: 2 in. (5.1 cm.) long, pale purple, tubular, white striped; Jackson MI: 8/15 - 9/15 (6 - 7).</p> <p>Seed: viable; pod is purplish green.</p> <p>Clump History: the original seedling, 6 years old, growing in Jackson MI.</p> <p>Notable Characteristics: white backed, gold topped leaf.</p> <p>[<i>H. 'Sea Prize'</i> x <i>H. pycnophylla</i>]</p>
<p><i>H. 'Harvest Dawn'</i> A. Summers (ONI), P. Ruh (R) 1997</p> <p>Plant: 17 in. (43.2 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 5 in. (12.7 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of insignificant veins. Dark green with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly wavy, lance-shaped with a tapered base.</p>	

H. 'Heavenly Green' J. Kulpa (ONIR)	1997
Plant: 24 in. (61 cm.) diameter, 17 in. (43.2 cm.) high.	
Mound-like and fast growing.	
Leaf: 8 in. (20.3 cm.) long, 7 in. (17.8 cm.) wide. 9 pairs of prominent veins. Slightly blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; rippled, moderately corrugated, broadly ovate with a cordate base.	
Scape: 25 in. (63.5 cm.) high, ranging from 22-26 in. (55.9-66 cm.); inflorescence leaves.	
Flower: 3 in. (7.6 cm.) long, near white, tubular, significant fragrance; Jackson MI: 7/25 - 8/15 - 8/25 (5 - 6 - 6).	
Seed: viable; pod is green.	
Notable Characteristics: large near white fragrant flowers. [<i>H. 'Seventh Heaven'</i> sport]	
H. 'Heavenly Tiara' Walters Gardens, Inc. (ONIR)	1998
Plant: small	
Leaf: 3.75 in. (9.5 cm.) long, 3 in. (7.6 cm.) wide. 7-8 pairs of veins. Yellow with a flat, creamy white margin. Dull on top and underneath; broadly ovate with a rounded base.	
Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular; Zeeland MI: average period.	
Clump History: the original tissue culture sport, 1 year old, growing in Zeeland MI.	
Notable Characteristics: heavy substance and a very wide margin. [<i>H. 'Grand Tiara'</i> sport]	
H. 'Heavy Metal' L. Simpers (O), J. Stallcop (R)	1993
Plant: 20 in. (50.8 cm.) wide, 18 in. (45.7 cm.) high.	
Leaf: 10 in. (25.4 cm.) long, 6.5 in. (16.5 cm.) wide, 12 pairs of prominent veins; medium blue-green; ovate with a cordate base; margin smooth; very shiny above and slightly shiny underneath; corrugated.	
Scape: 24 in. (61 cm.) long.	
Flower: near-white, tubular; Indiana: late July. [Parentage unknown]	
H. 'Henry Payne' U. Syre-Herz (ONIR)	1996
Plant: 32 in. (81.3 cm.) diameter, 12 in. (30.5 cm.) high.	
Mound-like.	
Leaf: 8.5 in. (21.6 cm.) long, 6 in. (15.2 cm.) wide. 10 pairs of prominent veins. Medium to dark green. Very shiny on top, glaucous bloom underneath; cupped, corrugated; broadly ovate with a cordate base.	
Scape: 12 in. (30.5 cm.) high; inflorescence leaves.	
Flower: white, funnel shaped; Myrtle Beach SC: 6/20 - 7/10.	
Clump History: 12 years old. [Parentage unknown]	
H. 'Herbert' H. Zager (OI), P. Ruh (NR)	1996
Plant: 58 in. (147 cm.) diameter, 32 in. (81.3 cm.) high.	
Mound-like with a moderate growth rate.	
Leaf: 14 in. (35.6 cm.) long, 10.5 in. (26.7 cm.) wide. 15 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top and underneath; wavy, corrugated; ovate with a rounded base.	
Scape: 37 in. (94 cm.) high, ranging from 34-37 in. (86.4-94 cm.); inflorescence leaves; whitish green.	
Flower: 1.5 in. (3.8 cm.) long, pure white, tubular; Chesterland OH: 7/2 - 7/13 - 7/22.	

Seed: viable; pod is green.	
Clump History: from Englerth Gardens, 11 years old, growing in Chesterland OH.	
Notable Characteristics: large stature. [<i>H. sieboldiana</i> hybrid]	
H. 'Herbie' H. & D. Benedict (OR)	1995
Plant: 5 in. (12.7 cm.) diameter, 2 in. (5.1 cm.) high. Fast growing, open, habit.	
Leaf: 2.5 in. (6.4 cm.) long, 0.75 in. (1.9 cm.) wide. 4 pairs of flat veins. Dark green with a 0.125 in. (0.32 cm.) wide, smooth, pure white margin. Very shiny on top and underneath; good substance; lance-shaped with a tapered base.	
Scape: 12 in. (30.5 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.); light green, ridged.	
Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; Mich: late July to mid-August.	
Seed: viable.	
Clump History: 6 years old. [<i>H. venusta</i> hybrid]	
H. 'Hi Ho Silver' Walters Gardens, Inc. (ONIR)	1997
Plant: 16 in. (40.6 cm.) diameter, 12 in. (30.5 cm.) high.	
Mound-like with a moderate growth rate.	
Leaf: 6 in. (15.2 cm.) long, 2.5 in. (6.4 cm.) wide. 6-7 pairs of insignificant veins. Medium green with a 0.63 in. (1.59 cm.) wide, slightly rippled, pure white margin. Dull on top, slightly shiny underneath; lightly wavy, lightly corrugated, lance-shaped with a tapered base.	
Scape: 18 in. (45.7 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.).	
Flower: 1.5 in. (3.8 cm.) long, deep purple with white stripes, tubular; Zeeland MI: 8/10 - 8/15 - 8/30 (4 - 5 - 5).	
Seed: viable; pod is green	
Clump History: the original sport, 5 years old, growing in Zeeland MI. [<i>H. 'Ginko Craig'</i> sport]	
H. 'Hidden Cove' G. Foster (O), A. Malloy (NIR)	1998
Plant: 10 in. (25.4 cm.) diameter, 4 in. (10.2 cm.) high.	
Mound-like with a moderate growth rate.	
Leaf: 3 in. (7.6 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of veins. Light green to yellow, with a 0.25 in. (0.64 cm.) wide, slightly rippled, green margin. Dull on top, slightly shiny underneath; lightly twisted, ovate with a rounded base; petiole light green.	
Clump History: a second generation division of the original, 4 years old, growing in South Salem NY.	
Notable Characteristics: a miniature with an evolving center and streaks. [parentage unknown]	
H. 'High Wire' R. Lydell (OR)	1995
Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high.	
Moderately growing, moderately dense, mound-like habit.	
Leaf: 6 in. (15.0 cm.) long, 2 in. (5.1 cm.) wide. 5-6 pairs of moderately prominent veins. Gray-green with a heavily rippled margin. Dull on top and underneath; moderately rippled, moderately wavy; good substance; lance-shaped with a rounded base.	
Scape: 15 in. (38.1 cm.) high, ranging from 12-20 in. (30.5-50.8 cm.); green.	

Flower: 1.5 in. (3.8 cm.) long, lavender, tubular, New York: August. Seed: viable. Remarks: flower buds are near white with a bright purple tip. Clump History: 7 years old. [Parentage unknown]	Leaf: 13 in. (33 cm.) long, 6 in. (15.2 cm.) wide. 11 pairs of prominent veins. Dark green with a slightly rippled margin. Dull on top, very shiny underneath; lightly twisted, folded, wavy, elliptic with a flat base; petiole a two-toned light green. Scape: 38 in. (96.5 cm.) high, ranging from 35-38 in. (88.9-96.5 cm.). Flower: 2.5 in. (6.4 cm.) long, deep lavender, striped, tubular, pod is green; Chesterland OH: 8/19 - 8/3 - 8/15 (3 - 4 - 4). Seed: viable. Clump History: a tissue cultured plant, 4 years old, growing in Chesterland OH. Notable Characteristics: long scapes. Remarks: this cultivar has previously been known under the names "Rudolph #1" and "Hirao T66-01". [Parentage unknown]
H. 'Hirao Elite' S. Hirao (OI), P. Ruh (NR) 1997 Plant: 19 in. (48.3 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like and slow growing. Leaf: 4.25 in. (10.8 cm.) long, 1.25 in. (3.2 cm.) wide. 4 pairs of veins. Medium green with a slightly rippled margin. Very shiny on top, slightly shiny underneath; folded, lightly wavy, lance-shaped with a tapered base. Scape: 17 in. (43.2 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.); inflorescence leaves. Flower: 1.25 in. (3.2 cm.) long, lavender with violet stripes, tubular, pod is greenish; Chesterland OH: 9/2 - 9/12 - 9/21 (5 - 6 - 7). Seed: viable. Remarks: this cultivar has previously been know under the names "Hirao Tetra", "Hirao Tet" and "Hirao Tet small". [Parentage unknown]	Leaf: 5.75 in. (14.6 cm.) long, 2.13 in. (5.4 cm.) wide. 5-6 pairs of prominent veins. Light green. Very shiny on top, slightly shiny underneath; lightly wavy, lance-shaped with a tapered base; petiole red spotted at the base. Scape: 21.5 in. (54.6 cm.) high, ranging from 17-21 in. (43.2-53.3 cm.). Flower: 1.5 in. (3.8 cm.) long, medium lavender, violet striped, tubular; Chesterland OH: 9/26 - 10/12 - 10/21 (8 - 8 - 9). Seed: none set. Clump History: a division of the original, 10 years old, growing in Chesterland OH. Notable Characteristics: flowers. Remarks: this cultivar has previously been known under the name "Hirao #59". [Parentage unknown]
H. 'Hirao Grande' S. Hirao (OI), R. Lydell (N), P. Ruh (NR) 1997 Plant: 33 in. (83.8 cm.) diameter, 14.5 in. (36.8 cm.) high. Upright and fast growing. Leaf: 10 in. (25.4 cm.) long, 3.5 in. (8.9 cm.) wide. 10 pairs of prominent veins. Medium green with a slightly rippled margin. Slightly shiny on top and underneath; deeply folded, wavy, lance-shaped with a rounded base. Scape: 23 in. (58.4 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.). Flower: 1.5 in. (3.8 cm.) long, pale lavender with faint striping, bell-shaped, pod is greenish purple; Chesterland OH: 9/13 - 7/29 - 10/8 (6 - 7 - 8). Seed: viable. Notable Characteristics: a quick multiplier. Remarks: this cultivar has previously been known under the name "Davidson #135". [<i>H. rectifolia</i> hybrid]	Leaf: 10.25 in. (26 cm.) long, 6.75 in. (17.1 cm.) wide. 11 pairs of prominent veins. Light green with a slightly rippled margin. Dull on top, very shiny underneath; lightly cupped, twisted, folded, wavy, lightly corrugated, ovate with a flat base; petiole a two-toned green. Scape: 33.5 in. (85.1 cm.) high, ranging from 28-34 in. (71.1-86.4 cm.); inflorescence leaves. Flower: 2.5 in. (6.4 cm.) long, lavender, striped, tubular; Chesterland OH: 7/21 - 8/3 - 8/14 (3 - 4 - 4). Seed: viable; pod is green. Clump History: a tissue cultured plant, 4 years old, growing in Chesterland OH. Notable Characteristics: vigorous, leaf color. Remarks: this cultivar has previously been known under the name "Rudolph #2" and "Hirao T66-02". [Parentage unknown]
H. 'Hirao Imperial' S. Hirao (O), P. Ruh (ONIR) 1998 Plant: 15.5 in. (39.4 cm.) diameter, 9.5 in. (24.1 cm.) high. Mound-like and slow growing. Leaf: 5.5 in. (14 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; lightly folded, lightly wavy, lance-shaped with a tapered base; petiole red spotted at base. Scape: 13 in. (33 cm.) high; inflorescence leaves. Flower: 1 in. (2.5 cm.) long, pale lavender, violet striped, tubular; Chesterland OH: 9/5 - 9/16 - 9/27. Seed: viable; pod is dark green. Notable Characteristics: a compact leafy mound. [parentage unknown]	Leaf: 13 in. (33 cm.) long, 6 in. (15.2 cm.) wide. 11 pairs of prominent veins. Dark green with a slightly rippled margin. Dull on top, very shiny underneath; lightly twisted, folded, wavy, elliptic with a flat base; petiole a two-toned light green. Scape: 38 in. (96.5 cm.) high, ranging from 35-38 in. (88.9-96.5 cm.). Flower: 2.5 in. (6.4 cm.) long, deep lavender, striped, tubular, pod is green; Chesterland OH: 8/19 - 8/3 - 8/15 (3 - 4 - 4). Seed: viable. Clump History: a tissue cultured plant, 4 years old, growing in Chesterland OH. Notable Characteristics: long scapes. Remarks: this cultivar has previously been known under the names "Rudolph #1" and "Hirao T66-01". [Parentage unknown]
H. 'Hirao Majesty' S. Hirao (OI), M. Zilis (N), P. Ruh (R) 1997 Plant: 39 in. (99.1 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.	H. 'Hirao Zeus' S. Hirao (O), P. Ruh (NIR) 1997

Plant: 47 in. (119 cm.) diameter, 28 in. (71.1 cm.) high. Upright with a moderate growth rate.

Leaf: 12.5 in. (31.8 cm.) long, 9.75 in. (24.8 cm.) wide. 15 pairs of prominent veins. Intensely blue-green with a slightly rippled margin. Dull on top and underneath; lightly wavy, corrugated, broadly ovate with a flat base.

Scape: 32 in. (81.3 cm.) high, ranging from 30-32 in. (76.2-81.3 cm.); inflorescence leaves.

Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Chesterland OH: 6/29 - 7/9 - 7/18.

Seed: viable; pod is pale blue-green.

Remarks: this cultivar has previously been known under the names "Tokudama Tetraploid" and "Hirao Tet large". [Parentage unknown]

H. 'Holly's Green and Gold' G. Holly (ON), E. Fisher (I), 1997
F. Williams (OI), P. Ruh (R)

Plant: 41 in. (104 cm.) diameter, 24 in. (61 cm.) high. Mound-like and slow growing.

Leaf: 11.5 in. (29.2 cm.) long, 9 in. (22.9 cm.) wide. 15 pairs of prominent veins. Blue-green mottled with a lighter green. Margin 2.5 in. (6.35 cm.) wide, slightly rippled, yellow gold. Dull on top and underneath; lightly folded, lightly wavy, moderately corrugated, ovate with a cordate base; petiole long and heavy.

Scape: 23 in. (58.4 cm.) high, ranging from 20-25 in. (50.8-63.5 cm.); inflorescence leaves.

Flower: 1.5 in. (3.8 cm.) long, white, tubular; Chesterland OH: 6/30 - 7/16 - 7/28 (1 - 2 - 2).

Seed: viable; pod is light green.

Clump History: 17 years old, growing in Chesterland OH.

Notable Characteristics: wide margin; vigorous growth.

[Parentage unknown]

H. 'Holly's Velvet Piecrust' H. & D. Benedict (OR) 1995

Plant: 18 in. (45.7 cm.) diameter, 14 in. (35.6 cm.) high. Fast growing, moderately dense, mound-like habit.

Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 9-10 pairs of moderately prominent veins. Dark green with a heavily rippled margin. Slightly shiny on top, glaucous bloom underneath; intensely rippled; average substance; broadly ovate with a cordate base.

Scape: 44 in. (111.8 cm.) high, ranging from 40-48 in. (101.6-121.9 cm.); dark green.

Flower: 1.5 in. (3.8 cm.) long, deep purple, tubular, Mich: August.

Seed: none set.

Clump History: 5 years old.

[*H. 'Holly's Honey'* selfed]

H. 'Homestead' M. Zilis (O), P. Ruh (NIR) 1997

Plant: 27 in. (68.6 cm.) diameter, 21 in. (53.3 cm.) high. Upright and slow growing.

Leaf: 10 in. (25.4 cm.) long, 7 in. (17.8 cm.) wide. 14 pairs of prominent veins. Blue-green streaked with yellow and light green. Margin 0.5 in. (1.27 cm.) wide, medium blue-green. Slightly shiny on top, dull underneath; folded, wavy, lightly corrugated, ovate with a cordate base; petiole blue green.

Scape: 17 in. (43.2 cm.) high.

Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Chesterland OH: 7/1 - 7/13 - 7/26 (1 - 2 - 2).

Seed: viable; pod is light green.

Clump History: the original tissue culture sport, 13 years old, growing in Chesterland OH.

Notable Characteristics: streaky and mottled with a blue cast. [*H. 'Elegans'* sport]

H. 'Honey Do' Belle Gardens (OR) 1994

Plant: 8 in. (20.3 cm.) diameter, 5.25 in. (13.3 cm.) high, with an upright habit.

Leaf: 0.938 in. (2.4 cm.) wide, 2.5 in. (6.4 cm.) long; 3 pairs veins; yellow gold changing to cream, with a 0.25 in. (6.4 cm.) wide, medium green, smooth margin; slightly shiny above and underneath; moderately folded; average substance; lance-shaped with a rounded base.

Scape: 10 in. (25.4 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.); cream.

Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Mich: August.

Seed: viable.

Clump History: 4 years old.

[*H. 'Little Jim'* x *H. 'Little Jim'*]

H. 'Hoosier Dome' O. Petryszyn (ONIR) 1998

Plant: 42 in. (107 cm.) diameter, 24 in. (61 cm.) high. Mound-like with a moderate growth rate.

Leaf: 28 in. (71.1 cm.) long, 24 in. (61 cm.) wide. 15 pairs veins. Medium green with a heavily rippled margin. Dull on top and underneath; domed (reverse cupped), moderately corrugated, nearly round with a cordate base.

Scape: ranging from 36-40 in. (91.4-102 cm.) in length.

Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Chesterton IN.; 6/15 - 6/20 - 7/15.

Seed: viable; pod is green.

Clump History: the original seedling, 6 years old, growing in Chesterton IN.

Notable Characteristics: domed leaf and ruffled margin.
[*H. 'Niagara Falls'* x (*H. 'Silver Bowl'* x '*Muriel Seaver Brown*')]

H. 'Hoosier Harmony' Indianapolis Hosta Society (R) 1995

Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Fast growing, open, semi-upright habit.

Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 6-8 pairs of moderately prominent veins. Yellow with a smooth, medium green margin. Very shiny on top and underneath; lightly wavy; average substance; ovate with a rounded base.

Scape: 32 in. (81.3 cm.) high, ranging from 30-36 in. (76.2-91.4 cm.); green.

Flower: 2 in. (5.1 cm.) long, pure white, tubular; N. Carolina: August.

Seed: rare seed set, viability unknown.

Clump History: 2 years old.

[*H. 'Royal Standard'* sport]

H. 'Hot Diggity Dog' E. Elslager (ONIR) 1998

Plant: 18 in. (45.7 cm.) diameter, 15 in. (38.1 cm.) high. Upright and slow growing.

Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 12 pairs prominent veins. Green to golden yellow with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Margin changes to golden yellow. Slightly shiny on top and underneath; moderately cupped, moderately

<p>corrugated, nearly round with a cordate base; petiole with creamy white margin.</p> <p>Scape: 19 in. (48.3 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.) in length; inflorescence leaves.</p> <p>Flower: 2.25 in. (5.7 cm.) long, pure white, tubular; Ann Arbor MI: 6/28 - 7/13 - 7/20 (5 - 5 - 5).</p> <p>Seed: viable; pod is green.</p> <p>Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.</p> <p>Notable Characteristics: intensely cupped and corrugated, Gold with a white edge.</p> <p>[<i>H. 'Sea Prize'</i> hybrid]</p>	<p>shiny on top and underneath; twisted; lance-shaped with a rounded base.</p> <p>Scape: 25 in. (63.5 cm.) high, ranging from 24-30 in. (61-76.2 cm.); green.</p> <p>Flower: 1.75 in. (4.4 cm.) long, near-white to pale lavender, funnel shaped, lavender striped; Fairfax Station VA: late July - mid-August.</p> <p>Seed: viable.</p> <p>Clump History: 5 years old.</p> <p>[<i>H. 'Rosanne'</i> × <i>H. 'Little White Lines'</i>]</p>
<p><i>H. 'Hot Lips'</i> H. Gowen (R), F. Riehl (R), R. Benedict (R) 1993</p> <p>Plant: 18 in. (45.7 cm.) wide, 14 in. (35.6 cm.) high.</p> <p>Leaf: 6 in. (15.2 cm.) long, 2 in. (5.1 cm.) wide, 4-5 pairs of moderately prominent veins; creamy white with a 0.5 in. medium green margin; plum colored petioles; lance-shaped with a rounded base; margin slightly rippled; dull above and underneath; wavy.</p> <p>Scape: 35 in. (88.9 cm.) long; cream & grey streaked.</p> <p>Flower: deep purple, streaked with lavender and white, tubular; Sept.</p> <p>[Parentage unknown]</p>	<p><i>H. 'Humor'</i> L. Davidson (NI), P. Ruh (R) 1998</p> <p>Plant: 9 in. (22.9 cm.) diameter, 3.5 in. (8.9 cm.) high. Mound-like and slow growing.</p> <p>Leaf: 2.25 in. (5.7 cm.) long, 0.75 in. (1.9 cm.) wide. 2 pairs of insignificant veins. Medium green with a slightly rippled margin. Slightly shiny on top, very shiny underneath; lightly twisted, moderately wavy, lance-shaped with a tapered base.</p> <p>Scape: 14.5 in. (36.8 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.) in length.</p> <p>Flower: 2 in. (5.1 cm.) long, lavender, striped, tubular; Chesterland OH: 7/21 - 7/29 - 8/6.</p> <p>Seed: viable; pod is green.</p> <p>[<i>H. 'Lancifolia'</i> hybrid]</p>
<p><i>H. 'Humdinger'</i> H. & D. Benedict (OR) 1995</p> <p>Plant: 8 in. (20.3 cm.) diameter, 3 in. (7.6 cm.) high. Slow growing, compact, habit.</p> <p>Leaf: 4 in. (10.0 cm.) long, 2.2 in. (5.7 cm.) wide. 7 pairs of moderately prominent veins. Yellow gold with a 0.38 in. (0.95 cm.) wide, smooth, dark green margin. very shiny on top and underneath; moderately twisted; average substance; ovate with a cordate base.</p> <p>Scape: 8 in. (20.3 cm.) high, ranging from 8-9 in. (20.3-22.9 cm.); white.</p> <p>Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; Mich: early August.</p> <p>Seed: viability unknown.</p> <p>Clump History: 8 years old.</p> <p>[<i>H. 'Yellow Splash'</i> selfed]</p>	<p><i>H. 'Hutch'</i> R. Stephens (OR) 1995</p> <p>Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high. Moderately growing, moderately dense, semi-upright habit.</p> <p>Leaf: 9.5 in. (24.0 cm.) long, 6 in. (15.0 cm.) wide. 15 pairs of prominent veins. Light green with a slightly rippled margin. Very shiny on top and underneath; moderately folded, lightly corrugated; heavy substance; ovate with a cordate base.</p> <p>Scape: 24 in. (61 cm.) high, ranging from 24-25 in. (61-63.5 cm.); pale green.</p> <p>Flower: 1 in. (2.5 cm.) long, near-white, tubular, Georgia: July.</p> <p>Seed: viable.</p> <p>Clump History: 4 years old.</p> <p>[<i>H. "Wolcott seedling"</i> × <i>H. 'Piedmont Gold'</i>]</p>
<p><i>H. 'Humility'</i> R. Snyder (ONIR) 1997</p> <p>Plant: 22 in. (55.9 cm.) diameter, 12 in. (30.5 cm.) high. Rhizomatous with a moderate growth rate.</p> <p>Leaf: 5.5 in. (14 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of prominent veins. Dark green with a flat margin. Slightly shiny on top, very shiny underneath; lightly wavy, ovate with a tapered base; petiole wide.</p> <p>Scape: 24 in. (61 cm.) high, ranging from 16-28 in. (40.6-71.1 cm.); inflorescence leaves.</p> <p>Flower: medium lavender with white stripes, tubular; Willmar MN: 7/15 - 7/25 - 8/8 (3 - 4 - 5).</p> <p>Seed: viability unknown; pod is green.</p> <p>Clump History: the original tissue culture sport, 5 years old, growing in Willmar MN.</p> <p>[<i>H. 'Hertha'</i> sport]</p>	<p><i>H. 'Hydon Gleam'</i> A. George (ONI), P. Ruh (R) 1998</p> <p>Plant: 16 in. (40.6 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 3 in. (7.6 cm.) long, 1.75 in. (4.4 cm.) wide. 4 pairs of prominent veins. Yellow with a slightly rippled margin. Dull on top, very shiny underneath; lightly cupped, wavy, ovate with a rounded base.</p> <p>Scape: 17 in. (43.2 cm.) high, ranging from 13-17 in. (33-43.2 cm.) in length; inflorescence leaves.</p> <p>Flower: 1.5 in. (3.8 cm.) long, lavender, striped, tubular; Chesterland OH: 8/3 - 8/22 - 9/7 (3 - 4 - 5).</p> <p>Seed: viability unknown; pod is light green.</p> <p>[<i>H. sieboldii</i> 'Paxton's Original' × <i>H. 'Ogon Koba'</i>]</p>
<p><i>H. 'Hummingbird Wings'</i> K. Walek (ONIR) 1996</p> <p>Plant: 18 in. (45.7 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like, compact and fast growing.</p> <p>Leaf: 5 in. (12.7 cm.) long, 1 in. (2.5 cm.) wide. 4-6 pairs of moderately prominent veins. Yellowish green changing to yellow gold, with a slightly rippled margin. Slightly</p>	<p>I</p>
<p><i>H. 'Ice Cream'</i> R. Rossing (ONIR) 1998</p>	

Plant: 12 in. (30.5 cm.) diameter, 9 in. (22.9 cm.) high.
Rhizomatous with a moderate growth rate.
Leaf: 3.25 in. (8.3 cm.) long, 3.25 in. (8.3 cm.) wide. 7 pairs of moderately prominent veins. Dark green with a slightly rippled, light green margin. Slightly shiny on top and underneath; cupped, broadly ovate with a cordate base.
Scape: 16 in. (40.6 cm.) high.
Flower: 1 in. (2.5 cm.) long, white, lavender striping, tubular; Chanhassen MN: 7/1 - 7/15 - 7/25.
Seed: none set.
[*H. 'Vanilla Cream'* sport]

H. 'Incredible Hunk' E. Elslager (ONIR) 1998
Plant: 57 in. (145 cm.) diameter, 65 in. (165 cm.) high.
Upright with a moderate growth rate.
Leaf: 16 in. (40.6 cm.) long, 14 in. (35.6 cm.) wide. 16 pairs of prominent veins. Medium blue-green with a heavily rippled margin. Slightly shiny on top and underneath; deeply corrugated, nearly round with a cordate base; petiole thick and glaucous green.
Scape: 38 in. (96.5 cm.) high, ranging from 34-36 in. (86.4-91.4 cm.) in length.
Flower: 2 in. (5.1 cm.) long, near-white, lavender stripes, tubular; Ann Arbor MI: 6/18 - 7/10 - 7/22 (4 - 5 - 5).
Seed: viable; pod is green.
Notable Characteristics: white backed leaves and good substance.
Clump History: the original seedling, 7 years old, growing in Ann Arbor MI.
[parentage unknown]

H. 'Independence Day' V. Wade (ONIR) 1998
Plant: 72 in. (183 cm.) diameter, 48 in. (122 cm.) high.
Upright and fast growing.
Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 15-16 veins. Medium green with a flat, golden yellow margin. Petiole grooved.
Flower: medium lavender; Belleville OH: average period.
Seed: viable.
Clump History: first generation division of a tissue culture sport, 8 years old, growing in Belleville OH.
Notable Characteristics: strong scapes and good substance.
[*H. 'Gold Regal'* sport]

H. 'Indian Feather' C. Owens (OR) 1992
Plant: 36 in. (91.4 cm) wide, 20 in. (50.8 cm) high.
Leaf: 5 in. (12.7 cm) long, 2 in. (5.1 cm) wide, 6 pairs of veins; dark green often with a white center streaking to the margins; elliptic; glossy.
Scape: 27 in. (68.6 cm) long, inflorescence leaves.
Flower: lavender and white striped, tubular; Michigan: July.
Seed: viable.
[*H. 'Yellow Splash'* selfed]

H. 'Indian Princess' G. Harshbarger (O), L. Stratton (N), P. Ruh (IR) 1998
Plant: 32 in. (81.3 cm.) diameter, 25 in. (63.5 cm.) high.
Upright and slow growing.
Leaf: 11 in. (27.9 cm.) long, 9.75 in. (24.8 cm.) wide. 17 pairs of prominent veins. Blue-green with a slightly rippled margin. Dull on top and underneath; lightly folded, lightly wavy, moderately corrugated; broadly ovate with a cordate base; petiole heavy and broad.

Scape: 29 in. (73.7 cm.) high.
Flower: 2 in. (5.1 cm.) long, near-white, tubular; Chesterland OH: 6/1 - 6/14 - 6/30.
Seed: viable; pod is blue-green.
[*H. sieboldiana* hybrid]

H. 'Indiana Moonshine' C. Harstad (ONIR) 1996
Plant: 30 in. (76.2 cm.) diameter, 24 in. (61 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 8-10 pairs of prominent veins. Medium gold with a 1 in. slightly rippled, light green margin appearing in summer. Slightly shiny on top and underneath; lightly corrugated; broadly ovate with a cordate base.
Scape: 20 in. (50.8 cm.) high, ranging from 18-24 in. (45.7-61 cm.); medium green
Flower: 2 in. (5.1 cm.) long, white to pale lavender, bell shaped; Indianapolis IN.; 7/1 - 7/30 - 8/10 (5 - 5 - 5).
Seed: viable; pod is medium green.
Clump History: a division of the original, 7 years old, growing in Indianapolis IN.
Notable Characteristics: spring all gold, then with margin intensifying all summer.
[*H. 'August Moon'* sport]

H. 'Inland Sea' H. Sugita (O) 1998
M. Zilis (N), P. Ruh (IR)
Plant: 45 in. (114 cm.) diameter, 17 in. (43.2 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 11.75 in. (29.8 cm.) long, 4.75 in. (12.1 cm.) wide. 10 pairs of prominent veins. Dark green with a flat margin. Very shiny on top and underneath; lightly twisted, moderately folded, lightly wavy, lance-shaped with a rounded base; petiole arching.
Scape: 23 in. (58.4 cm.) high, ranging from 21-23 in (53.3-58.4 cm.); inflorescence leaves.
Flower: 1.75 in. (4.4 cm.) long, light lavender, striped, bell-shaped; Chesterland OH: 8/1 - 8/19 - 9/5 (3 - 4 - 5).
Seed: viable; pod is green.
Clump History: the original seedling, 12 years old, growing in Chesterland OH.
Notable Characteristics: spreading leaves; pendulant and abundant flowers.
[*H. kiyosumiensis* x *H. pycnophylla*]

H. 'Inniswood' Inniswood Metro Gardens (OR) 1993
Plant: 48 in. (121.9 cm.) wide, 24 in. (61 cm.) high.
Leaf: 8.5 in. (21.6 cm.) long, 6.5 in. (16.5 cm.) wide, 13 pairs of veins; greenish gold with a 0.5 in. dark green margin; rounded with a cordate base; lightly cupped; margin lightly rippled; lightly puckered.
Scape: 31 in. (78.7 cm.) long.
Flower: pale lavender, tubular; Ohio: early June.
Seed: viable.
[*H. 'Sun Glow'* sport]

H. 'Innovation' E. Nesmith (O), P. Ruh (R) 1996
Plant: 37 in. (94 cm.) diameter, 18 in. (45.7 cm.) high.
Mound-like and slow growing.
Leaf: 12.75 in. (32.4 cm.) long, 7.25 in. (18.4 cm.) wide. 12 pairs of prominent veins. Dark green with a flat margin. Very shiny on top, dull underneath; moderately corrugated; ovate with a rounded base.
Scape: 28.5 in. (72.4 cm.) high, ranging from 26-29 in. (66-73.7 cm.); inflorescence leaves.

Flower: 1 in. (2.5 cm.) long, white, bell shaped; Chesterland OH: 7/2 - 7/13 - 7/24.	Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of insignificant veins. White with a 0.75 in. (1.91 cm.) wide, flat, green margin. Dull on top and underneath; ovate with a flat base; petiole pink.
Seed: pod is light green.	Scape: 17 in. (43.2 cm.) high.
Clump History: a division of the original, 16 years old, growing in Chesterland OH.	Flower: 1.5 in. (3.8 cm.) long, medium lavender with dark streaks, tubular; Farmingdale NY: 7/2 -? - 7/12 (3 - ? - 4).
Notable Characteristics: arched leaves and Flower Scapes. [Parentage unknown]	Seed: viable; pod is pink.
H. 'Irische See' H. Klose (NI), P. Ruh (R) 1998	Clump History: the original seedling, 7 years old, growing in Farmingdale NY.
Plant: 22 in. (55.9 cm.) diameter, 11 in. (27.9 cm.) high. Mound-like and slow growing.	Notable Characteristics: flowers streaked, pods all pink. [<i>H. 'Flamboyant'</i> hybrid]
Leaf: 6.25 in. (15.9 cm.) long, 4.25 in. (10.8 cm.) wide. 10 pairs prominent veins. Blue-green with a slightly rippled margin. Dull on top, glaucous bloom underneath; lightly cupped, lightly wavy, broadly ovate with a cordate base.	H. 'Ivory Tower' D. & J. Ward (ONIR) 1996
Scape: 19 in. (48.3 cm.) high.	Plant: 66 in. (168 cm.) diameter, 34 in. (86.4 cm.) high. Upright with a moderate growth rate.
Flower: 2 in. (5.1 cm.) long, white, striped, bell-shaped; Chesterland OH: 6/24 - 7/5 - 7/16.	Leaf: 12 in. (30.5 cm.) long, 11 in. (27.9 cm.) wide. 14 pairs of prominent veins. Yellow gold with a heavily rippled margin. Dull on top and underneath; moderately twisted, moderately corrugated; broadly ovate with a cordate base.
Seed: viable; pod is blue-green.	Scape: 43 in. (109 cm.) high, ranging from 42-44 in. (106.7 - 111.8 cm.); green.
[<i>H. tardiflora</i> (<i>H. 'Tardiflora'</i>) × <i>H. 'Elegans'</i>]	Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/12 - 6/29 - 7/14 (2 - 3 - 3).
H. 'Irish Hills' K. & L. Anderson (ONIR) 1996	Seed: viable.
Plant: 36 in. (91.4 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.	Clump History: the original seedling, 7 years old, growing in Columbus OH.
Leaf: 12 in. (30.5 cm.) long, 12 in. (30.5 cm.) wide. 12-14 insignificant veins. Dark green with a slightly rippled margin. Very shiny on top, slightly shiny underneath; lightly corrugated; nearly round with a cordate base.	[<i>H. 'Sagae'</i> hybrid]
Scape: 36 in. (91.4 cm.) high, ranging from 24-36 in. (61-91.4 cm.).	
Flower: pale lavender, bell shaped, striped; Farwell MN: 7/10 - 8/1 - ?.	J
Seed: viable; pod is dark green.	
Clump History: the original sport, 5 years old.	
[<i>H. 'Sum and Substance'</i> sport]	
H. 'Irish Mist' R. Savory (OR) 1994	H. 'Jackpot' D. & J. Ward (ONIR) 1996
Plant: 9 in. (22.9 cm.) diameter, 9 in. (22.9 cm.) high, with a moderately dense, mound-like habit.	Plant: 50 in. (127 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
Leaf: 3.5 in. (8.9 cm.) wide, 4.5 in. (11.4 cm.) long; 8-9 pairs of moderately prominent veins; creamy white with a dark green, slightly rippled margin; dull above, slightly shiny underneath; lightly wavy; heavy substance; ovate with a rounded base.	Leaf: 14 in. (35.6 cm.) long, 10 in. (25.4 cm.) wide. 16 pairs of prominent veins. Yellow gold with a slightly rippled margin. Dull on top and underneath; moderately wavy, lightly corrugated; broadly ovate with a cordate base.
Scape: 15 in. (38.1 cm.) high, ranging from 12-16 in. (30.5-40.6 cm.); green.	Scape: 37 in. (94 cm.) high, ranging from 35-38 in. (88.9-96.5 cm.); gold.
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Minn.: July.	Flower: near white, tubular; Columbus OH: 6/20 - 7/4 - 7/20 (3 - 3 - 3).
Clump History: 10 years old.	Seed: viable; pod is greenish gold.
[<i>H. 'Lancifolia'</i> hybrid]	Clump History: the original seedling, 5 years old, growing in Columbus OH.
H. 'Irish Ribbons' M. Kiehne (ON), K. Anderson (R) 1992	Notable Characteristics: large, wavy, bright gold leaves.
Plant: 13.5 in. (34.3 cm) wide, 11 in. (27.9 cm) high.	[<i>H. 'White Vision'</i> × <i>H. montana macrophylla</i> ([incorrect] as ' <i>Praeflorens</i> ')]
Leaf: 7 in. (17.8 cm) long, 1.25 in. (3.2 cm) wide, 4-5 pairs of veins; dark green with variable, green and white streaked margin; lance-shaped, cupped, rippled, puckered.	H. 'Janet Day' M. Soules (ONIR) 1996
Scape: 21 in. (53.3 cm) long, inflorescence leaves.	Plant: 32 in. (81.3 cm.) diameter, 18 in. (45.7 cm.) high. Semi-upright and fast growing.
Flower: lavender, tubular.	Leaf: 6.5 in. (16.5 cm.) long, 5 in. (12.7 cm.) wide. 9 pairs of insignificant veins. Ivory with a 0.38 in. heavily rippled, dark green margin. Dull on top and underneath; lightly corrugated, rippled; broadly ovate with a cordate base.
[Parentage unknown]	Scape: 21 in. (53.3 cm.) high, ranging from 16-21 in. (40.6 - 53.3 cm.).
H. 'Island Charm' G. Rasmussen (ONI), A. Malloy (R) 1997	
Plant: 12 in. (30.5 cm.) diameter, 8.5 in. (21.6 cm.) high. Mound-like with a moderate growth rate.	

Flower: 1.5 in. (3.8 cm.) long, pale lavender, bell shaped: 7/1 - 7/15 - 7/25.

Clump History: 6 years old.
[*H. 'Janet'* sport]

***H. 'Jay Jay'* J. J. Grullemann (O), P. Ruh (R) 1994**

Plant: 34 in. (86.4 cm.) diameter, 25 in. (63.5 cm.) high, with a moderately dense, mound-like habit.

Leaf: 11.5 in. (29.2 cm.) wide, 13 in. (33 cm.) long; 16 pairs of prominent veins; intensely blue-green; slightly rippled margin; glaucous bloom above and underneath; moderately cupped, lightly wavy; good substance; broadly ovate with a cordate base.

Scape: 35 in. (88.9 cm.) high, ranging from 30-38 in. (76.2-96.5 cm.); blue-green.

Flower: 1.5 in. (3.8 cm.) long, near-white, bell-shaped; Ohio: mid-June to mid-July.

Seed: viable.

Clump History: 10 years old.

[*H. sieboldiana* hybrid]

***H. 'Jim Matthews'* Mrs. J. W. Matthews (OI), Julian Matthews (N), B. Sligh (R) 1998**

Plant: 38 in. (96.5 cm.) diameter, 15.5 in. (39.4 cm.) high. Upright with a moderate growth rate.

Leaf: 10.75 in. (27.3 cm.) long, 7.75 in. (19.7 cm.) wide. 14 pairs prominent veins. White mottled with yellow and shades of white, with a 2 in. (5.08 cm.) wide, slightly rippled, blue-green margin. Dull on top and underneath; twisted, deeply folded, moderately wavy, moderately corrugated, broadly ovate with a cordate base; petiole blue-green and yellow underneath.

Scape: 17.5 in. (44.5 cm.) high, ranging from 15-18 in. (38.1-45.7 cm.) in length; inflorescence leaves.

Flower: 1.75 in. (4.4 cm.) long, white, tubular; Chesterland OH: 6/16 - 7/1 - 7/15.

Seed: viable; pod is green.

Clump History: 6 years old, growing in Chesterland OH.

Notable Characteristics: cream center transitioning to light green, then to a blue-green margin.

Note: this cultivar formerly known under the name "J. W. Matthews".

[*H. sieboldiana* x *H. sieboldiana*]

***H. 'Judy's Surprise'* K. Walek (ONIR) 1996**

Plant: 20 in. (50.8 cm.) diameter, 15 in. (38.1 cm.) high. Semi-upright and slow growing.

Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 5-7 pairs of moderately prominent veins. Medium gold with a slightly rippled margin. Slightly shiny on top, dull underneath; moderately twisted; broadly ovate with a cordate base.

Scape: 30 in. (76.2 cm.) high, ranging from 30-36 in. (76.2-91.4 cm.); inflorescence leaves; glaucous green.

Flower: 2.5 in. (6.4 cm.) long, pale lavender, funnel shaped, striping; Fairfax Station VA: early June - early July.

Clump History: 5 years old.

[*H. 'Rosanne'* x *H. 'Little White Lines'*]

***H. 'Julia'* P. White (OR) 1994**

Plant: 32 in. (81.3 cm.) diameter, 16 in. (40.6 cm.) high, with a moderately dense, semi-upright habit.

Leaf: 4.25 in. (10.8 cm.) wide, 4.375 in. (11.1 cm.) long; 7-9 pairs of moderately prominent veins; dark green, with a

0.375 in. (0.95 cm.) wide, creamy white, smooth margin; slightly shiny above, glaucous bloom underneath; moderately corrugated; good substance; ovate with a rounded base.

Scape: 32.5 in. (82.6 cm.) high, ranging from 24-36 in. (61-91.4 cm.); dark green.

Flower: 2.13 in. (5.4 cm.) long, pale lavender, striped, tubular; Ohio: August.

Clump History: 3 years old.

[*H. 'Fortunei Hyacinthina'* sport]

***H. 'Julia Gaede'* S. & C. Gaede (OR) 1994**

Plant: 35 in. (88.9 cm.) diameter, 24 in. (61 cm.) high, with a moderately dense, mound-like habit.

Leaf: 7 in. (17.8 cm.) wide, 10 in. (25.4 cm.) long; 9 pairs of moderately prominent veins; yellow green, streaked with gold, white and yellow; smooth margin; very shiny above, dull underneath; lightly rippled; average substance; broadly ovate with a cordate base.

Scape: 30 in. (76.2 cm.) high.

Flower: 5 in. (12.7 cm.) long, pure white, tubular; fragrant; Indiana: August-Sept.

Seed: viable.

Clump History: 5 years old.

[*H. plantaginea* sport]

***H. 'Julie Ann'* P. Banyai (O), D. Bachik (R) 1995**

Plant: 66 in. (167.6 cm.) diameter, 29 in. (73.7 cm.) high. Moderately growing, moderately dense, semi-upright habit.

Leaf: 16 in. (41.0 cm.) long, 12.5 in. (32.0 cm.) wide. 16 pairs of moderately prominent veins. Medium blue-green with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly wavy; heavy substance; broadly ovate with a cordate base.

Scape: 42 in. (106.7 cm.) high, ranging from 40-44 in. (101.6-111.8 cm.); green.

Flower: 3 in. (7.6 cm.) long, near-white, bell shaped; Mich: July.

Seed: viable.

Clump History: 8 years old.

[Parentage unknown]

***H. 'Jumbo'* A. Summers (NI), P. Ruh (R) 1997**

Plant: 28 in. (71.1 cm.) diameter, 17 in. (43.2 cm.) high. Mound-like with a moderate growth rate.

Leaf: 9 in. (22.9 cm.) long, 9.75 in. (24.8 cm.) wide. 12 pairs of prominent veins. Intensely blue-green with a slightly rippled margin. Dull on top and underneath; lightly corrugated, ovate with a cordate base; petiole heavy.

Scape: 22 in. (55.9 cm.) high, ranging from 21-23 in. (53.3-58.4 cm.); inflorescence leaves.

Flower: 2 in. (5.1 cm.) long, white, tubular; Chesterland OH: 6/29 - 7/11 - 7/23 (1 - 1 - 2).

Seed: viable; pod is pale green.

Clump History: 4 years old, growing in Chesterland OH.

Notable Characteristics: intense blue color; a large habit.

[*H. sieboldiana* hybrid]

K

H. 'Kaitlyn' D. & J. Ward (ONIR) 1998	H. 'Kevin Kelley' G. R. Goodwin (ONIR) 1996
Plant: 27 in. (68.6 cm.) diameter, 12 in. (30.5 cm.) high. Upright with a moderate growth rate.	Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide. 12 pairs of prominent veins. Medium green with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; ovate with a cordate base.	Leaf: 6 in. (15.2 cm.) long, 5 in. (12.7 cm.) wide. 8 pairs of prominent veins. Light greenish-yellow with a flat margin. Very shiny on top, slightly shiny underneath; moderately corrugated; broadly ovate with a cordate base.
Scape: 22 in. (55.9 cm.) high, ranging from 21-23 in. (53.3-58.4 cm.); inflorescence leaves.	Scape: 15 in. (38.1 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); light green.
Flower: 0.5 in. (1.3 cm.) long, pale lavender, bell-shaped; Columbus OH: 7/5 - 7/15 - 7/20 (4 - 4 - 5).	Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Indianapolis IN.; 7/25 - 8/15 - 8/30 (4 - 5 - 5).
Seed: viable; pod is green.	Seed: viable; pod is light green.
Clump History: the original seedling, 5 years old, growing in Columbus OH.	Clump History: the original seedling, 6 years old, growing in Indianapolis IN.
[<i>H. 'Pinstripe Sister'</i> hybrid]	Notable Characteristics: lime yellow Leaf color. [<i>H. 'Sum and Substance'</i> hybrid]
H. 'Kathy-O' D. O'Donnell Sr. (OR) 1994	H. 'King James' G. Krossa (O), 1992
Plant: 32 in. (81.2 cm.) diameter, 18 in. (45.7 cm.) high, with a compact, mound-like habit.	A. Summers (N), P. Ruh (R)
Leaf: 5 in. (12.7 cm.) wide, 7 in. (17.8 cm.) long; 7 pairs of prominent veins; streaked creamy white and green; slightly rippled margin; dull above, glaucous bloom underneath; lightly folded; good substance; ovate with a rounded base.	Plant: 59 in. (150 cm) diameter, 27 in. (68.6 cm) high.
Scape: 26 in. (66 cm.) high, ranging from 24-28 in. (61-71 cm.).	Leaf: 16.25 in. (41.3 cm) long, 11.25 in. (28.6 cm) wide, 17 pairs of veins; medium grey-green; cordate; folded; rippled; slightly puckered; heavily veined; leathery; dull texture; satin sheen underneath.
Flower: 3 in. (7.6 cm.) long, medium lavender, tubular; Minn: July.	Scape: 32 in. (81.3 cm) long.
Clump History: 7 years old.	Flower: pale lavender, flaring; Ohio: mid-June
[<i>H. 'Undulata Erromena'</i> sport]	[<i>H. montana</i> hybrid]
H. 'Katrina Jo' F. Nyikos (ONIR) 1998	H. 'King Michael' G. Krossa (O), 1992
Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Upright and fast growing.	A. Summers (N), P. Ruh (R)
Leaf: 8 in. (20.3 cm.) long, 3 in. (7.6 cm.) wide. 5-6 pairs veins. Light greenish yellow with a slightly rippled margin. Slightly shiny on top, very shiny underneath; lightly wavy, lance-shaped with a tapered base; petiole red speckled.	Plant: 47 in. (119.4 cm) wide, 33 in. (83.8 cm) high.
Scape: ranging from 32-40 in. (81.3-102 cm.) in length.	Leaf: 13 in. (33 cm) long, 8.75 in. (22.2 cm) wide, 15-18 pairs of veins; medium green; cordate; heavily veined; leathery; satin sheen; glossy underneath.
Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular; Unionville IN.; 8/1 - 8/11 - 8/30.	Scape: 74 in. (119.4 cm) long.
Seed: viable; pod is burgundy red.	Flower: white, flaring; Ohio: late-July.
Notable Characteristics: a red petiole and scape.	[<i>H. montana</i> form]
Clump History: the original seedling, 5 years old, growing in Unionville IN.	H. 'Kingwood Center' Kingwood Center (OR) 1993
[<i>H. 'Spritzer'</i> hybrid]	Plant: 33 in. (83.8 cm.) wide, 12 in. (30.5 cm.) high.
H. 'Kelsey' H. Kelsey (O), F. Williams (I), P. Ruh (R) 1996	Leaf: 8.5 in. (21.6 cm.) long, 7.25 in. (18.4 cm.) wide, 10-11 pairs of prominent veins; yellow-gold with 1.25 in. dark green margin; broadly ovate with cordate base; margin slightly rippled; dull above with glaucous bloom underneath; lightly cupped; moderately wavy; moderately corrugated.
Plant: 24 in. (61 cm.) diameter, 13 in. (33 cm.) high. Upright and fast growing.	Scape: 17 in. (43.2 cm.) long; medium green.
Leaf: 5.75 in. (14.6 cm.) long, 2.25 in. (5.7 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; wavy; lance-shaped with a rounded base.	Flower: pure white, tubular; Ohio: July.
Scape: 23 in. (58.4 cm.) high; inflorescence leaves; green.	[<i>H. "Frances Williams</i> seedling" sport]
Flower: 1.5 in. (3.8 cm.) long, lavender, tubular, striped; Chesterland OH: 8/23 - 9/7 - 9/18.	H. 'Kissing Cousin' E. Elslager (ONIR) 1998
Seed: few set; pod is green.	Plant: 32 in. (81.3 cm.) diameter, 16 in. (40.6 cm.) high. Upright with a moderate growth rate.
Clump History: a division of the original, 11 years old, growing in Chesterland OH.	Leaf: 6.25 in. (15.9 cm.) long, 4.25 in. (10.8 cm.) wide. 8 pairs of prominent veins. Dark green with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and waxy underneath; moderately wavy, ovate with a cordate base; petiole glaucous green with a white margin.
[Parentage unknown]	Scape: 21 in. (53.3 cm.) high, ranging from 18-23 in. (45.7-58.4 cm.) in length.

Flower: 1.5 in. (3.8 cm.) long, pale lavender, purple stripes, tubular; Ann Arbor MI: 7/21 - 8/10 - 8/27 (5 - 6 - 6).
 Seed: viability unknown; pod is green.
 Notable Characteristics: dark green with a creamy white margin, good substance.
 Clump History: the original sport, 5 years old, growing in Ann Arbor MI.
 [H. 'Wide Brim' sport]

H. 'Kit Kat' D. Smetana & A & D Nursery (OR) 1994
 Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high, with a compact, mound-like habit.
 Leaf: 6.88 in. (17.5 cm.) wide, 7.13 in. (18.1 cm.) long; 12 pairs of prominent veins; light green, with a wide, unevenly streaked, blue and green margin; cupped, corrugated; heavy substance; broadly ovate with a rounded base.
 Scape: 16 in. (40.6 cm.) high.
 Flower: pale lavender, striped, tubular; Wash: June to July.
 Seed: viable.
 Clump History: 4 years old.
 [H. 'Love Pat' sport]

H. 'Krossa Cream Edge' G. Krossa (ONI), P. Ruh (R) 1997
 Plant: 17 in. (43.2 cm.) diameter, 11 in. (27.9 cm.) high. Mound-like and slow growing.
 Leaf: 5.25 in. (13.3 cm.) long, 2.38 in. (6 cm.) wide. 5 pairs of insignificant veins. Light green with a 0.25 in. (0.64 cm.) wide, flat, creamy yellow margin. Dull on top, slightly shiny underneath; lightly corrugated, lance-shaped with a tapered base; petiole with a white margin to the base.
 Scape: 25.5 in. (64.8 cm.) high, ranging from 22-25 in. (55.9-63.5 cm.).
 Flower: 1 in. (2.5 cm.) long, near white with violet markings, tubular; pod is green; Chesterland OH: 8/1 - 8/23 - 8/31 (4 - 5 - 6).
 Clump History: a division of the original, 17 years old, growing in Chesterland OH.
 [Parentage unknown]

L

H. 'Lacy Belle' W. & E. Lachman (OR) 1992
 Plant: 21 in. (53.3 cm) wide, 12 in. (30.5 cm) high.
 Leaf: 6.75 in. (17.2 cm) long, 3.75 in. (9.5 cm) wide. 7-8 pairs of veins. Medium blue-green with a creamy white margin changing to white. Margin 0.5-1 in. (1.3-2.5 cm) wide and slightly rippled. Ovate with a flat base; moderately twisted; heavy substance; very shiny; dull texture underneath.
 Scape: 25 in. (63.5 cm) long, dark green.
 Flower: medium lavender, flaring; Massachusetts: late-July
 [H. "Neat Splash seedling" x H. 'Halcyon']

H. 'Lady Helen' G. Holly (ONI), P. Ruh (R) 1998
 Plant: 36 in. (91.4 cm.) diameter, 19 in. (48.3 cm.) high. Upright with a moderate growth rate.
 Leaf: 7 in. (17.8 cm.) long, 5.75 in. (14.6 cm.) wide. 11 pairs veins. Greenish yellow with a slightly rippled margin. Viridescent. Slightly shiny on top, dull underneath; lightly wavy, broadly ovate with a cordate base.

Scape: 33 in. (83.8 cm.) high, ranging from 31-35 in. (78.7-88.9 cm.) in length; inflorescence leaves.
 Flower: 2.5 in. (6.4 cm.) long, pale lavender, striped, bell-shaped; Chesterland OH: 6/18 - 6/30 - 7/15.
 Seed: none set.
 [parentage unknown]

H. 'Lady Isobel Barnett' D. Grenfell (ONIR) 1996
 Plant: 60 in. (152 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 18 in. (45.7 cm.) long, 10 in. (25.4 cm.) wide. 7-8 pairs of insignificant veins. Medium green with a 0.25 in. flat, cream to yellow margin. Slightly shiny on top, waxy underneath; lightly wavy; broadly ovate with a cordate base.
 Scape: 38 in. (96.5 cm.) high, ranging from 35-40 in. (88.9-101.6 cm.); petiole red streaked toward the base.
 Flower: 1 in. (2.5 cm.) long, pale lavender to near white, bell shaped; Lymington Hants UK: July to Sept. (4 - 5 - 8).
 Seed: viable; pod is grayish-brown.
 Clump History: the original sport, 5 years old, growing in Lymington Hants UK.
 Notable Characteristics: cream margin. Performs equally well in sun or shade.
 Remarks: named after a famous British hosta grower.
 [H. 'Sum and Substance' sport]

H. 'Ladybug' D. & J. Ward (ONIR) 1996
 Plant: 23 in. (58.4 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 3 in. (7.6 cm.) long, 3 in. (7.6 cm.) wide. 7 pairs of insignificant veins. Medium gold with a slightly rippled margin. Dull on top and underneath; intensely twisted; nearly round with a cordate base.
 Scape: 16 in. (40.6 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.); green.
 Flower: 1.25 in. (3.2 cm.) long, medium lavender, tubular; Columbus OH: 6/4 - 7/4 - 7/24 (4 - 4 - 4).
 Seed: none set.
 Clump History: the original seedling, 5 years old, growing in Columbus OH.
 Notable Characteristics: clump of twisted leaves and lavender flowers.
 [H. 'Vanilla Cream' hybrid]

H. 'Lake Chautauqua' H. Sugita (O), P. Ruh (ONIR) 1998
 Plant: 46 in. (117 cm.) diameter, 26.5 in. (67.3 cm.) high. Upright with a moderate growth rate.
 Leaf: 11 in. (27.9 cm.) long, 8.5 in. (21.6 cm.) wide. 14 pairs prominent veins. Medium blue-green with a heavily rippled margin. Dull on top and underneath; lightly twisted, deeply wavy, lightly corrugated, broadly ovate with a cordate base; long petiole.
 Scape: 35.5 in. (90.2 cm.) high, ranging from 32-35 in. (81.3-88.9 cm.) in length; inflorescence leaves.
 Flower: 2.75 in. (7 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 6/6 - 6/26 - 7/12.
 Seed: viable; pod is green.
 Clump History: the original seedling, 6 years old, growing in Chesterland OH.
 Notable Characteristics: upright habit and good texture.
 [parentage unknown]

H. 'Lake Erie' P. Ruh (ONIR) 1998

Plant: 62 in. (157 cm.) diameter, 30.5 in. (77.5 cm.) high. Mound-like with a moderate growth rate.	H. 'Lakeside Black Satin' M. Chastain (OR) 1993
Leaf: 14.5 in. (36.8 cm.) long, 10.5 in. (26.7 cm.) wide. 16 pairs prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top, dull underneath; wavy, lightly corrugated, broadly ovate with a cordate base; heavy petiole.	Plant: 22 in. (55.9 cm.) wide, 9 in. (22.9 cm.) high.
Scape: 24 in. (61 cm.) high, ranging from 23-24 in. (58.4-61 cm.) in length; inflorescence leaves.	Leaf: 7 in. (17.8 cm.) long, 7 in. (17.8 cm.) wide, 7 pairs of prominent veins; very dark green; broadly ovate with a cordate base; margin slightly rippled; slightly shiny above and dull underneath.
Flower: 2 in. (5.1 cm.) long, pure white, tubular; Chesterland OH: 6/8 - 6/18 - 7/1.	Scape: 26 in. (66 cm.) long.
Clump History: the original seedling, 9 years old, growing in Chesterland OH.	Flower: deep purple with white stripes; bell-shaped; Tenn: late June - early July.
[<i>H. ventricosa</i> hybrid]	[<i>H. ventricosa</i> hybrid]
H. 'Lake Ontario' R. Lydell (ONIR) 1998	H. 'Lakeside Blue Confusion' M. Chastain (ONIR) 1998
Plant: 24 in. (61.0 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and slow growing.	Plant: 30 in. (76.2 cm.) diameter, 11 in. (27.9 cm.) high. Mound-like with a moderate growth rate.
Leaf: 6 in. (15.2 cm.) long, 5 in. (12.7 cm.) wide. 12 pairs of veins. Medium green with a flat margin. Slightly shiny on top, dull underneath; lightly cupped, broadly ovate with a cordate base.	Leaf: 6 in. (15.2 cm.) long, 6 in. (15.2 cm.) wide. 16 pairs of veins. Intensely blue-green with a margin. Dull on top, glaucous bloom underneath; deeply cupped, deeply corrugated, nearly round with a cordate base.
Scape: ranging from 18-20 in. (45.7-50.8 cm.) high.	Scape: ranging from 14-16 in. (35.6-40.6 cm.) high.
Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Dunkirk NY: 6/20 - 7/1 - 7/15 (3 - 4 - 5).	Flower: 2 in. (5.1 cm.) long, pure white, tubular; Ooltewah TN: very early period.
Seed: viable; pod is green.	Clump History: a first generation division of the original, 4 years old, growing in Ooltewah TN.
Clump History: the original seedling, 10 years old, growing in Dunkirk NY.	[<i>H. 'Lakeside Sapphire Pleats' x H. "blue seedling"</i>]
Notable Characteristics: impressed veins, heavy substance and low profile.	
[Parentage unknown]	
H. 'Lakeside April Snow' M. Chastain (OR) 1994	H. 'Lakeside Blue Jeans' M. Chastain (OR) 1995
Plant: 36 in. (91.4 cm.) diameter, 26 in. (66 cm.) high, with a compact, mound-like habit.	Plant: 64 in. (162.6 cm.) diameter, 24 in. (61 cm.) high. Moderately growing, compact, semi-upright habit.
Leaf: 6 in. (15.2 cm.) wide, 8 in. (20.3 cm.) long; 11 pairs of moderately prominent veins; yellow to lime, with a 1 in. (2.5 cm.) wide, irregular, cream to white, smooth margin; dull above and underneath; lightly corrugated; good substance; broadly ovate with a cordate base.	Leaf: 13 in. (33.0 cm.) long, 9 in. (23.0 cm.) wide. 17 pairs of moderately prominent veins. Intensely blue-green with a smooth margin. Dull on top and underneath; lightly folded; heavy substance; ovate with a cordate base.
Scape: 27 in. (68.6 cm.) high, ranging from 24-29 in. (61-73.7 cm.); green.	Scape: 43 in. (109.2 cm.) high, ranging from 32-46 in. (81.3-116.8 cm.); blue-green.
Flower: 1.75 in. (4.5 cm.) long, near-white, tubular; Tenn: June.	Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Tenn: late May to late June.
Clump History: 5 years old.	Seed: viable.
[<i>H. 'Fascination' x H. 'Lakeside Symphony'</i>]	Clump History: 4 years old.
	[Parentage unknown]
H. 'Lakeside Baby Face' M. Chastain (ONIR) 1997	H. 'Lakeside Blushing Gold' M. Chastain (ONIR) 1996
Plant: 8 in. (20.3 cm.) diameter, 3.5 in. (8.9 cm.) high. Mound-like and fast growing.	Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate.
Leaf: 2 in. (5.1 cm.) long, 1.5 in. (3.8 cm.) wide. 5 pairs of insignificant veins. Dark green with a 0.38 in. (0.95 cm.) wide, flat, deep gold margin. Slightly shiny on top and underneath; lightly wavy, nearly round with a rounded base.	Leaf: 8 in. (20.3 cm.) long, 6.5 in. (16.5 cm.) wide. 9-11 pairs of prominent veins. Deep gold with a slightly rippled margin. Dull on top and underneath; intensely corrugated; ovate with a cordate base.
Scape: 8 in. (20.3 cm.) high, ranging from 6-10 in. (15.2-25.4 cm.).	Scape: 20 in. (50.8 cm.) high, ranging from 14-22 in. (35.6-55.9 cm.); light green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Ooltewah TN: 7/4 - 7/10 - 7/20 (4 - 4 - 4).	Flower: 1.75 in. (4.4 cm.) long, white, tubular; Ooltewah TN: 7/15 - 7/25 - 8/7 (4 - 4 - 5).
Seed: viable; pod is green.	Seed: viable; pod is light green.
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.	Clump History: the original seedling, 5 years old, growing in Ooltewah TN.
Notable Characteristics: small leaf size and clump size.	Notable Characteristics: deep gold color with a pink blush.
[<i>H. "Lakeside seedling" x H. 'Lakeside Little Gem'</i>]	[<i>H. "Lakeside seedling" x H. "Lakeside seedling"</i>]
	H. 'Lakeside Cha Cha' M. Chastain (OR) 1994
	Plant: 27 in. (68.6 cm.) diameter, 14 in. (35.6 cm.) high, with a moderately dense, semi-upright habit.
	Leaf: 6 in. (15.2 cm.) wide, 8 in. (20.3 cm.) long; 10 pairs of moderately prominent veins; light green, with a 0.25 in. (0.64 cm.) wide, creamy white, slightly rippled margin;

slightly shiny above, glaucous bloom underneath; moderately wavy, lightly corrugated; good substance; ovate with a cordate base.

Scape: 28 in. (71.1 cm.) high, ranging from 26-29 in. (66-73.7 cm.); gold.

Flower: 1.75 in. (4.5 cm.) long, pale lavender, tubular; Tenn: mid-June through July.

Clump History: 5 years old.

[*H. 'Fascination'* × *H. montana*]

***H. 'Lakeside Charm'* M. Chastain (OR) 1994**

Plant: 30 in. (76.2 cm.) diameter, 14 in. (35.6 cm.) high, with a moderately dense, mound-like habit.

Leaf: 7 in. (17.8 cm.) wide, 7 in. (17.8 cm.) long; 12 pairs of moderately prominent veins; lime green; smooth margin; slightly shiny above and underneath; deeply cupped; good substance; nearly round with a cordate base.

Scape: 18 in. (45.7 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); lime green.

Flower: 0.88 in. (2.2 cm.) long, pure white, tubular; Tenn: late May to mid-June.

Seed: viable.

Clump History: 5 years old.

[Parentage unknown]

***H. 'Lakeside Chatterbox'* M. Chastain (ONIR) 1998**

Plant: 18 in. (45.7 cm.) diameter, 7 in. (17.8 cm.) high. A mound-like habit.

Leaf: 5 in. (12.7 cm.) long, 4 in. (10.2 cm.) wide. 9 pairs of veins. Yellow with a heavily rippled margin. Dull on top, very shiny underneath; ovate with a cordate base.

Scape: ranging from 10-13 in. (25.4-33 cm.) high.

Flower: 2 in. (5.1 cm.) long, pure white, tubular; Ooltewah TN: 5/20 - ? - 7/10 (1 - ? - 5).

Seed: none set.

Clump History: a second generation division of the original, 7 years old, growing in Ooltewah TN.

Notable Characteristics: heavy substance and a small rippled leaf.

[*H. "seedling"* × *H. 'Lakeside Little Gem'*]

***H. 'Lakeside Coal Miner'* M. Chastain (ONIR) 1998**

Plant: 24 in. (61.0 cm.) diameter, 17 in. (43.2 cm.) high. and fast growing.

Leaf: 10 in. (25.4 cm.) long, 5.5 in. (14.0 cm.) wide. 8 pairs of veins. Dark green with a slightly rippled margin. Very shiny on top, dull underneath; wavy, ovate with a rounded base.

Scape: ranging from 22-28 in. (55.9-71.1 cm.) high.

Flower: 2.25 in. (5.7 cm.) long, deep purple, tubular; Ooltewah TN: 6/10 - ? - 7/20 (3 - ? - 5).

Clump History: a first generation division of the original, 3 years old, growing in Ooltewah TN.

Notable Characteristics: very dark green.

[*H. "seedling 10"* × *H. "seedling 10"*]

***H. 'Lakeside Cogwheel'* M. Chastain (OR) 1995**

Plant: 20 in. (50.8 cm.) diameter, 4 in. (10.2 cm.) high. Moderately growing, compact, mound-like habit.

Leaf: 6 in. (15.0 cm.) long, 4 in. (10.0 cm.) wide. 10 pairs of moderately prominent veins. Slightly blue-green with a 0.75 in. (1.9 cm.) wide, slightly rippled, yellow gold, changing to cream, margin. Dull on top and underneath; heavy substance; broadly ovate with a cordate base.

Scape: 10 in. (25.4 cm.) high, ranging from 8-13 in. (20.3-33 cm.); green.

Flower: 1.75 in. (4.5 cm.) long, near-white, tubular; Tenn: June.

Seed: viable.

Clump History: 1 year old.

[Parentage unknown]

***H. 'Lakeside Contender'* M. Chastain (ONIR) 1998**

Plant: 50 in. (127 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like with a moderate growth rate.

Leaf: 14 in. (35.6 cm.) long, 8 in. (20.3 cm.) wide. 11 pairs of veins. Yellow with a flat margin. Very shiny on top, glaucous bloom underneath; broadly ovate with a cordate base.

Scape: ranging from 18-24 in. (45.7-61 cm.) high.

Flower: 2.75 in. (7.0 cm.) long, near-white, tubular; Ooltewah TN: 6/6 - ? - 7/8 (1 - ? - 4).

Seed: viable; pod is light green.

Clump History: first generation division of the original, 5 years old, growing in Ooltewah TN.

[*H. 'Newberry Gold'* × *H. 'Sun Glow'*]

***H. 'Lakeside Cup Up'* M. Chastain (OR) 1993**

Plant: 28 in. (71.1 cm.) wide, 19 in. (48.3 cm.) high.

Leaf: 7 in. (17.8 cm.) long, 7 in. (17.8 cm.) wide, 10 pairs of moderately prominent veins; dark green; nearly round with a cordate base; margin smooth; dull above and underneath; cupped; corrugated.

Scape: 26 in. (66 cm.) long; dark green.

Flower: pure white, tubular; Tenn: June.

Seed: viable.

[*H. "seedling"* × *H. 'Black Beauty'*]

***H. 'Lakeside Cupcake'* M. Chastain (ONIR) 1998**

Plant: 12 in. (30.5 cm.) diameter, 5 in. (12.7 cm.) high. with a moderate growth rate.

Leaf: 4 in. (10.2 cm.) long, 4 in. (10.2 cm.) wide. 11 pairs of veins. Creamy white with a 1.5 in. (3.81 cm.) wide, flat, blue-green margin. Dull on top, glaucous bloom underneath; deeply cupped, nearly round with a cordate base.

Scape: ranging from 9-12 in. (22.9-30.5 cm.) high.

Flower: 2 in. (5.1 cm.) long, near-white, tubular; Ooltewah TN: summer period.

Seed: viability unknown.

Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.

Notable Characteristics: small stature with deep cupping.

[*H. "streaked seedling"* × *H. "blue seedling"*]

***H. 'Lakeside Cupid's Cup'* M. Chastain (ONIR) 1998**

Plant: 42 in. (107 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing.

Leaf: 6 in. (15.2 cm.) long, 6 in. (15.2 cm.) wide. 13 pairs of veins. Slightly blue-green with a 1.5 in. (3.81 cm.) wide, flat, creamy white margin. Slightly shiny on top and underneath; lightly cupped, nearly round with a cordate base.

Flower: pale lavender; Ooltewah TN: summer period.

Clump History: a first generation division of the original, 6 years old, growing in Ooltewah TN.

[*H. "Lakeside seedling"* × *H. 'Lakeside Roy El'*]

H. 'Lakeside Delight' M. Chastain (OR)	1994	Leaf: 4.5 in. (11.0 cm.) long, 1 in. (2.5 cm.) wide. 5 pairs of flat veins. Medium green with a 0.38 in. (1 cm.) wide, slightly rippled, pure white margin. Slightly shiny on top, dull underneath; average substance; lance-shaped with a rounded base. Scape: 12 in. (30.5 cm.) high, ranging from 9-14 in. (22.9-35.6 cm.); green. Flower: 1.25 in. (3.2 cm.) long, deep purple, tubular; Tenn: early July to early August. Seed: viable. Clump History: 2 years old. [Parentage unknown]
H. 'Lakeside Doodad' M. Chastain (OR)	1995	Plant: 36 in. (91.4 cm.) diameter, 15 in. (38.1 cm.) high. A mound-like habit. Leaf: 7.5 in. (19.1 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of veins. Medium green with a 1 in. (2.54 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and underneath; lightly wavy, ovate with a rounded base. Scape: ranging from 20-24 in. (50.8-61 cm.) high. Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Ooltewah TN: summer period. Seed: viable; pod is green. Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN. [H. "streaked seedling" x H. "seedling"]
H. 'Lakeside Dragonfly' M. Chastain (ONIR)	1997	Plant: 30 in. (76.2 cm.) diameter. Mound-like and fast growing. Leaf: 7 in. (17.8 cm.) long, 3.5 in. (8.9 cm.) wide. 7-8 pairs of insignificant veins. Medium blue-green with a 1 in. (2.54 cm.) wide, flat, white margin. Slightly shiny on top, dull underneath; lightly folded, lance-shaped with a tapered base. Scape: 28 in. (71.1 cm.) high, ranging from 24-36 in. (61-91.4 cm.). Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 7/28 - 8/2 - 8/14 (5 - 5 - 6). Seed: viable; pod is green. Clump History: a division of the original, 1 year old, growing in Ooltewah TN. Notable Characteristics: wide margin on this leaf shape. [Parentage unknown]
H. 'Lakeside Emerald Lights' M. Chastain (OR)	1993	Plant: 20 in. (50.8 cm.) wide, 4 in. (10.2 cm.) high. Leaf: 7.5 in. (19.1 cm.) long, 5 in. (12.7 cm.) wide, 8 pairs of prominent veins; dark green; ovate with a flat base; margin heavily rippled; very shiny above and slightly shiny underneath; moderately wavy. Scape: 14 in. (35.6 cm.) long; green. Flower: pale purple, bell-shaped; Tenn: late June. [<i>H. ventricosa</i> x <i>H. 'Invincible'</i>]
H. 'Lakeside Explosion' M. Chastain (OR)	1995	Plant: 11 in. (27.9 cm.) diameter, 4.5 in. (11.4 cm.) high. Fast growing, compact, mound-like habit.
H. 'Lakeside Feather Light' M. Chastain (ONIR)	1998	Plant: 36 in. (91.4 cm.) diameter, 15 in. (38.1 cm.) high. A mound-like habit. Leaf: 7.5 in. (19.1 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of veins. Medium green with a 1 in. (2.54 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and underneath; lightly wavy, ovate with a rounded base. Scape: ranging from 20-24 in. (50.8-61 cm.) high. Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Ooltewah TN: summer period. Seed: viable; pod is green. Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN. [H. "streaked seedling" x H. "seedling"]
H. 'Lakeside Frosted Mint' M. Chastain (ONIR)	1996	Plant: 48 in. (122 cm.) diameter, 21 in. (53.3 cm.) high. Mound-like with a moderate growth rate. Leaf: 11 in. (27.9 cm.) long, 9 in. (22.9 cm.) wide. 12-14 prominent veins. Light green with a slightly rippled margin. Glaucous bloom on top and underneath; lightly wavy; broadly ovate with a cordate base. Scape: 26 in. (66 cm.) high, ranging from 24-28 in. (61-71.1 cm.); light green. Flower: 1.75 in. (4.4 cm.) long, pure white, bell shaped; Ooltewah TN: 6/10 - 6/20 - 6/29 (2 - 2 - 3). Seed: viable; pod is light green. Clump History: the original seedling, 6 years old, growing in Ooltewah TN. Notable Characteristics: frosted appearance. Remarks: will lose frosting in heat. [Parentage unknown]
H. 'Lakeside Gold Point' M. Chastain (OR)	1995	Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Fast growing, moderately dense, semi-upright habit. Leaf: 6 in. (15.0 cm.) long, 2.1 in. (5.2 cm.) wide. 4 pairs of moderately prominent veins. Deep gold with a slightly rippled margin. Dull on top and underneath; moderately wavy; heavy substance; ovate with a rounded base. Scape: 18 in. (45.7 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.); green. Flower: 1.9 in. (4.8 cm.) long, lavender, tubular; Tenn: early July to early August. Seed: viable. Clump History: 2 years old. [Parentage unknown]
H. 'Lakeside Grandee' M. Chastain (OR)	1994	

Plant: 36 in. (91.4 cm.) diameter, 14 in. (35.6 cm.) high, with a moderately dense, mound-like habit.
 Leaf: 8 in. (20.3 cm.) wide, 13 in. (33 cm.) long; 14 pairs of prominent veins; dark green; heavily rippled margin; slightly shiny above, dull underneath; deeply rippled; heavy substance; ovate with a cordate base.
 Scape: 26 in. (66 cm.) high, ranging from 23-30 in. (58.4-68.6 cm.); dark green.
 Flower: 1.63 in. (4.1 cm.) long, pure white, tubular; Tenn: June.
 Seed: viable.
 Clump History: 4 years old.
 [Parentage unknown]

H. 'Lakeside Happy Talk' M. Chastain (ONIR) 1998
 Plant: 16 in. (40.6 cm.) diameter, 5.5 in. (14.0 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 4 in. (10.2 cm.) long, 2.5 in. (6.4 cm.) wide. 6 pairs of veins. Creamy white with a 0.75 in. (1.91 cm.) wide, flat, medium green margin. Slightly shiny on top and underneath; lightly folded, ovate with a rounded base.
 Flower: pale lavender; Ooltewah TN: summer period.
 Clump History: a second generation division of the original, 2 years old, growing in Ooltewah TN.
 [H. "seedling" × H. "seedling"]

H. 'Lakeside Kaleidoscope' M. Chastain (OR) 1994
 Plant: 15 in. (38.1 cm.) diameter, 8 in. (20.3 cm.) high, with a compact, mound-like habit.
 Leaf: 4 in. (10.2 cm.) wide, 6 in. (15.2 cm.) long; 7 pairs of moderately prominent veins; streaked blue-green, with a 1 in. (2.5 cm.) wide, uneven (runs into the Leaf), creamy white, smooth margin; slightly shiny above and underneath; lightly wavy; good substance; ovate with a flat base.
 Scape: 24 in. (61 cm.) high, ranging from 22-27 in. (55.9-68.6 cm.); streaked blue-green and cream.
 Flower: 1.75 in. (4.5 cm.) long, near-white, tubular; Tenn: mid-July to mid-August.
 Seed: viable.
 Clump History: 5 years old.
 [Parentage unknown]

H. 'Lakeside Knickknack' M. Chastain (OR) 1994
 Plant: 15 in. (38.1 cm.) diameter, 8 in. (20.3 cm.) high, with a compact, mound-like habit.
 Leaf: 2.5 in. (6.4 cm.) wide, 3.5 in. (8.9 cm.) long; 6 pairs flat veins; streaked medium green, light green and cream; margin varies from none to very wide, smooth; slightly shiny above, dull underneath; flat; average substance; ovate with a rounded base.
 Scape: 17 in. (43.2 cm.) high, ranging from 15-19 in. (38.1-48.3 cm.); streaked as leaf.
 Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Tenn: late June.
 Seed: viable.
 Clump History: 5 years old.
 [H. "seedling" × H. 'Hydon Sunset']

H. 'Lakeside Ladyfinger' M. Chastain (ONIR) 1997
 Plant: 16 in. (40.6 cm.) diameter, 3.5 in. (8.9 cm.) high.
 Mound-like and fast growing.
 Leaf: 4.5 in. (11.4 cm.) long, 1.5 in. (3.8 cm.) wide. 3 pairs of insignificant veins. Light green with a 0.5 in. (1.27 cm.) wide, heavily rippled, creamy white margin. Slightly

shiny on top and underneath; lance-shaped with a tapered base.
 Scape: 20 in. (50.8 cm.) high, ranging from 18-23 in. (45.7-58.4 cm.).
 Flower: 2.13 in. (5.4 cm.) long, deep purple, bell-shaped; Ooltewah TN: 7/28 - 8/1 - 8/10 (5 - 5 - 5).
 Seed: viable; pod is reddish purple.
 Clump History: a division of the original, 1 year old, growing in Ooltewah TN.
 Notable Characteristics: ruffled green leaves with red scapes and purple flowers.
 [H. "Lakeside seedling" × H. "Lakeside seedling"]

H. 'Lakeside Lagoon' M. Chastain (ONIR) 1998
 Plant: 49 in. (124 cm.) diameter, 20 in. (50.8 cm.) high.
 Mound-like and fast growing.
 Leaf: 16 in. (40.6 cm.) long, 9 in. (22.9 cm.) wide. 13 pairs of veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy, broadly ovate with a cordate base.
 Scape: ranging from 24-26 in. (61-66 cm.) high.
 Flower: 1.5 in. (3.8 cm.) long, near-white, bell-shaped; Ooltewah TN: 7/10 - ? - 8/12 (5 - ? - 6).
 Seed: viable; pod is green.
 Clump History: a first generation division of the original, 6 years old, growing in Ooltewah TN.
 [H. *hypoleuca* × H. "blue seedling"]

H. 'Lakeside Lime Time' M. Chastain (ONIR) 1998
 Plant: 18 in. (45.7 cm.) diameter, 5 in. (12.7 cm.) high.
 Mound-like and fast growing.
 Leaf: 3.5 in. (8.9 cm.) long, 2.5 in. (6.4 cm.) wide. 6 pairs of veins. Light green with a slightly rippled margin. Dull on top and underneath; lightly wavy, ovate with a flat base.
 Scape: ranging from 14-22 in. (35.6-55.9 cm.) high.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 5/18 - ? - 6/15 (1 - ? - 2).
 Seed: viable; pod is light green.
 Clump History: a second generation division of the original, 2 years old, growing in Ooltewah TN.
 [H. 'Lakeside Ninita' sport]

H. 'Lakeside Little Gem' M. Chastain (OR) 1993
 Plant: 8 in. (20.3 cm.) wide, 5 in. (12.7 cm.) high.
 Leaf: 2.5 in. (6.4 cm.) long, 1.5 in. (3.8 cm.) wide, 5 pairs of moderately prominent veins; medium green; ovate with a rounded base; margin slightly rippled; slightly shiny above and dull underneath; wavy.
 Scape: 18 in. (45.7 cm.) long.
 Flower: medium lavender, tubular; Tenn: June - early July.
 Seed: viable.
 [Parentage unknown]

H. 'Lakeside Little Tuft' M. Chastain (ONIR) 1997
 Plant: 10 in. (25.4 cm.) diameter, 4.5 in. (11.4 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 4 in. (10.2 cm.) long, 2 in. (5.1 cm.) wide. 7 pairs of insignificant veins. Yellow gold with a 0.75 in. (1.91 cm.) wide, slightly rippled, green margin. Very shiny on top and underneath; lightly folded, lance-shaped with a tapered base; petiole is very short.

Scape: 8 in. (20.3 cm.) high, ranging from 7-9 in. (17.8-22.9 cm.).	intensely rippled; good substance; ovate with a cordate base.
Flower: 1.75 in. (4.4 cm.) long, deep purple, tubular; Ooltewah TN: 7/1 - 7/15 - 7/28 (5 - 5 - 5).	Scape: 44 in. (111.8 cm.) high, ranging from 40-47 in. (101.6-119.4 cm.); green.
Seed: viability unknown; pod is green.	Flower: 1.9 in. (4.8 cm.) long, pure white, tubular; Tenn: early June to late July.
Clump History: a division of the original, 2 years old, growing in Ooltewah TN.	Seed: viable.
[<i>H. "Lakeside seedling" x H. "Lakeside seedling"</i>]	Clump History: 3 years old. [<i>H. 'Lakeside Ripples' x H. 'Mikado'</i>]
<i>H. 'Lakeside Lollipop'</i> M. Chastain (OR) 1993	<i>H. 'Lakeside Masterpiece'</i> M. Chastain (ONIR) 1998
Plant: 16 in. (40.6 cm.) wide, 8 in. (20.3 cm.) high.	Plant: 36 in. (91.4 cm.) diameter, 14 in. (35.6 cm.) high. A moderate growth rate.
Leaf: 3.25 in. (8.3 cm.) long, 3 in. (7.6 cm.) wide, 9 pairs of moderately prominent veins; dark green; nearly round with a rounded base; margin smooth; slightly shiny above and underneath; cupped.	Leaf: 12 in. (30.5 cm.) long, 8.5 in. (21.6 cm.) wide. Intensely blue-green with a 1.75 in. (4.45 cm.) wide, creamy white margin. Dull on top, slightly shiny underneath; lightly wavy, broadly ovate with a cordate base.
Scape: 16 in. (40.6 cm.) long; inflorescence leaves; dark green.	Scape: ranging from 14-18 in. (35.6-45.7 cm.) high.
Flower: pure white, tubular; Tenn: early July.	Flower: 1.5 in. (3.8 cm.) long, pure-white, tubular; Ooltewah TN: 6/15 - ? - 7/20 (2 - ? - 5).
Seed: viable.	Seed: viable; pod is green.
[Parentage unknown]	Clump History: a fourth generation division of the original, 6 years old, growing in Ooltewah TN. [<i>H. "BSR 3-21-2" x H. 'Big Daddy'</i>]
<i>H. 'Lakeside Looking Glass'</i> M. Chastain (ONIR) 1997	<i>H. 'Lakeside Meter Maid'</i> M. Chastain (ONIR) 1998
Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like and fast growing.	Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Fast growing.
Leaf: 8 in. (20.3 cm.) long, 5.5 in. (14 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; moderately wavy, elliptic with a rounded base; petiole blue-black.	Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 10 pairs of veins. Pure white with a 2 in. (5.08 cm.) wide, slightly rippled, dark green margin. Slightly shiny on top and underneath; lightly wavy, broadly ovate with a cordate base.
Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.).	Scape: ranging from 22-26 in. (55.9-66 cm.) high.
Flower: 1.5 in. (3.8 cm.) long, medium lavender, spider-shaped; Ooltewah TN: 8/6 - 8/15 - 8/30 (6 - 6 - 6).	Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 6/20 - ? - 7/25 (3 - ? - 4).
Seed: viable; pod is green.	Seed: viability unknown; pod is near white.
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.	Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.
Notable Characteristics: a blue-black sheen on the petiole with a lighter shade of green going into the leaf veins.	Notable Characteristics: tends to be larger than summer music. [<i>H. 'Summer Music' sport</i>]
[<i>H. yingeri</i> hybrid]	
<i>H. 'Lakeside Love Affaire'</i> M. Chastain (ONIR) 1997	<i>H. 'Lakeside Miss Muffett'</i> M. Chastain (ONIR) 1998
Plant: 30 in. (76.2 cm.) diameter, 16 in. (40.6 cm.) high. Upright with a moderate growth rate.	Plant: 21 in. (53.3 cm.) diameter, 6 in. (15.2 cm.) high. A mound-like habit.
Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 10-11 of insignificant veins. White with a 2 in. (5.08 cm.) wide, flat, dark green margin. A lighter green transition present between the margin and the center. Slightly shiny on top, dull underneath; ovate with a cordate base.	Leaf: 3.5 in. (8.9 cm.) long, 2.5 in. (6.4 cm.) wide. 6 pairs of veins. Medium green with a 0.75 in. (1.91 cm.) wide, slightly rippled, white margin. Slightly shiny on top and underneath; lightly wavy, ovate with a cordate base.
Scape: 22 in. (55.9 cm.) high, ranging from 18-30 in. (45.7-76.2 cm.).	Scape: ranging from 15-22 in. (38.1-55.9 cm.) high.
Flower: near white, tubular; Ooltewah TN: 6/10 - 7/4 - 8/10 (3 - 4 - 5).	Flower: 2 in. (5.1 cm.) long, pale lavender; Ooltewah TN: 5/2 - 6/7 - 6/20 (1 - 1 - 1).
Seed: viable; pod is green.	Seed: viable; pod is green.
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.	Clump History: a second generation division of the original, 2 years old, growing in Ooltewah TN. [<i>H. 'Lakeside Knickknack' sport</i>]
Notable Characteristics: tri-colored leaf, dark green margin color.	
[<i>H. "Lakeside seedling" x H. "Lakeside seedling"</i>]	
<i>H. 'Lakeside Maestro'</i> M. Chastain (OR) 1995	<i>H. 'Lakeside Ninita'</i> M. Chastain (OR) 1993
Plant: 55 in. (139.7 cm.) diameter, 24 in. (61 cm.) high. Fast growing, compact, semi-upright habit.	Plant: 12 in. (30.5 cm.) wide, 4 in. (10.2 cm.) high.
Leaf: 15 in. (38.0 cm.) long, 11 in. (28.0 cm.) wide. 15 pairs of prominent veins. Medium green with a heavily rippled margin. Very shiny on top, dull underneath;	Leaf: 3 in. (7.6 cm.) long, 2.5 in. (6.4 cm.) wide, 7 pairs of moderately prominent veins; light green (lime yellow) with a 0.5 in. creamy white margin; ovate with a flat base;

margin slightly rippled; slightly shiny above and dull underneath.	
Scape: 15 in. (38.1 cm.) long; light green.	
Flower: medium lavender, tubular; Tenn: late June.	
Seed: viable.	
[<i>H. "seedling" × H. "Hydon Sunset"</i>]	
<i>H. 'Lakeside Paddywack'</i> M. Chastain (ONIR) 1996	
Plant: 7 in. (17.8 cm.) diameter, 5.5 in. (14 cm.) high. Mound-like and fast growing.	
Leaf: 2.5 in. (6.4 cm.) long, 1.5 in. (3.8 cm.) wide. 5 pairs of insignificant veins. Pure white with a 0.5 in. flat, dark green margin. Slightly shiny on top, dull underneath; ovate with a cordate base. Petiole white.	
Scape: 10 in. (25.4 cm.) high, ranging from 9-12 in. (22.9-30.5 cm.); inflorescence leaves.	
Flower: 1.75 in. (4.4 cm.) long, pale lavender, tubular, striped; Ooltewah TN: 6/2 - 7/24 - 8/20 (1 - 5 - 6), repeats twice.	
Seed: viable; pod is light green.	
Clump History: a division of the original, 1 years old, growing in Ooltewah TN.	
Notable Characteristics: clean color separation with no melting.	
[<i>H. 'Lakeside Knickknack' sport (stable form)</i>]	
<i>H. 'Lakeside Party Dress'</i> M. Chastain (ONIR) 1997	
Plant: 30 in. (76.2 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like and fast growing.	
Leaf: 8 in. (20.3 cm.) long, 3.5 in. (8.9 cm.) wide. 6 pairs of prominent veins. Light green, changing to gold and back again, with a 0.5 in. (1.27 cm.) wide, heavily rippled, creamy white margin. Veins are the same color as the margin. Slightly shiny on top and underneath; deeply wavy, lance-shaped with a tapered base; petiole with a red base.	
Scape: 25 in. (63.5 cm.) high, ranging from 23-26 in. (58.4-66 cm.).	
Flower: 2.75 in. (7 cm.) long, medium lavender, tubular; Ooltewah TN: 8/7 - 8/15 - 8/30 (6 - 6 - 6).	
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.	
Notable Characteristics: vein color matches margin; red petioles.	
[<i>H. "Lakeside seedling" × H. 'Spritzer'</i>]	
<i>H. 'Lakeside Pebbles'</i> M. Chastain (OR) 1995	
Plant: 26 in. (66.0 cm.) diameter, 13 in. (33.0 cm.) high. Moderately growing, compact, mound-like habit.	
Leaf: 7 in. (18.0 cm.) long, 7 in. (18.0 cm.) wide. 14 pairs of moderately prominent veins. Dark green with a smooth margin. Slightly shiny on top, dull underneath; moderately cupped, intensely corrugated; heavy substance; nearly round with a cordate base.	
Scape: 18 in. (45.7 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.); dark green.	
Flower: 1.75 in. (4.5 cm.) long, pure white, tubular; Tenn: late May to late June.	
Seed: viable.	
Clump History: 4 years old.	
[Parentage unknown]	
<i>H. 'Lakeside Penny Pincher'</i> M. Chastain (ONIR) 1998	
Plant: 16 in. (40.6 cm.) diameter, 4 in. (10.2 cm.) high. Mound-like and fast growing.	

Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of veins. Dark green with a 0.38 in. (0.95 cm.) wide, slightly rippled, golden yellow margin. Very shiny on top and underneath; lightly wavy, ovate with a rounded base.	
Scape: ranging from 10-14 in. (25.4-35.6 cm.) high.	
Flower: 2 in. (5.1 cm.) long, tubular; Ooltewah TN: 7/20 - ? - 8/6 (5 - ? - 6).	
Seed: viability unknown; pod is green.	
Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.	
[Parentage unknown]	
<i>H. 'Lakeside Premier'</i> M. Chastain (OR) 1994	
Plant: 28 in. (71.1 cm.) diameter, 17 in. (43.2 cm.) high, with a moderately dense, mound-like habit.	
Leaf: 8.5 in. (21.6 cm.) wide, 10 in. (25.4 cm.) long; 11 pairs of moderately prominent veins; dark green with a 1.5 in. (3.8 cm.) wide, creamy white (lighter towards then end of the season), slightly rippled margin; slightly shiny above, dull underneath; lightly wavy; heavy substance; broadly ovate with a cordate base.	
Scape: 32 in. (81.3 cm.) high, ranging from 30-36 in. (76.2-91.4 cm.); green.	
Flower: 1 in. (2.5 cm.) long, near-white, tubular; Tenn: mid-June to mid-July.	
Seed: viable.	
Clump History: 5 years old.	
[Parentage unknown]	
<i>H. 'Lakeside Prissy Miss'</i> M. Chastain (ONIR) 1997	
Plant: 27 in. (68.6 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like and fast growing.	
Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 7-8 pairs veins. Yellow gold with a 0.75 in. (1.91 cm.) wide, heavily rippled, creamy white margin. Slightly shiny on top and dull underneath; moderately wavy, ovate with a cordate base.	
Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.).	
Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Ooltewah TN: 6/18 - 7/10 - 7/25 (3 - 4 - 4).	
Seed: viable; pod is green.	
Clump History: a division of the original, 2 years old, growing in Ooltewah TN.	
Notable Characteristics: a ruffled margin.	
[<i>H. "Lakeside seedling" × H. 'Lakeside Little Gem'</i>]	
<i>H. 'Lakeside Rhapsody'</i> M. Chastain (OR) 1995	
Plant: 34 in. (86.4 cm.) diameter, 14 in. (35.6 cm.) high. Moderately growing, moderately dense, semi-upright habit.	
Leaf: 8 in. (20.0 cm.) long, 7 in. (18.0 cm.) wide. 12 pairs of moderately prominent veins. Medium blue-green with a 2 in. (5.1 cm.) wide, smooth, creamy white margin. Slightly shiny on top, dull underneath; lightly wavy; good substance; broadly ovate with a cordate base.	
Scape: 27 in. (68.6 cm.) high, ranging from 22-29 in. (55.9-73.7 cm.); green.	
Flower: 1.38 in. (3.5 cm.) long, near-white, tubular; Tenn: June through early July.	
Seed: viable.	
Clump History: 2 years old.	
Remarks: leaf center gets greener, margin looses some yellow.	

[Parentage unknown]

H. 'Lakeside Ring Master' M. Chastain (ONIR) 1998

Plant: 27 in. (68.6 cm.) diameter, 36 in. (91.4 cm.) high. A moderate growth rate.

Leaf: 14 in. (35.6 cm.) long, 11 in. (27.9 cm.) wide. 13 pairs of veins. Medium green with a 1.5 in. (3.81 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; lightly wavy, broadly ovate with a cordate base; petiole is strong and upright.

Scape: ranging from 40-44 in. (101.6-111.8 cm.) high.

Flower: 2 in. (5.1 cm.) long, near-white, tubular; Ooltewah TN: 7/6 - ? - 8/4 (5 - ? - 6).

Seed: none set.

Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.

[*H.* "Lakeside Roy El streaked form" × *H.* 'Lakeside Ripples']

H. 'Lakeside Roy El' M. Chastain (OR) 1994

Plant: 34 in. (86.4 cm.) diameter, 24 in. (61 cm.) high, with a compact, semi-upright habit.

Leaf: 9 in. (22.9 cm.) wide, 10.5 in. (26.7 cm.) long; 12 pairs of prominent veins; medium green with a 1.5 in. (3.8 cm.) wide, medium gold, smooth margin; slightly shiny above, glaucous bloom underneath; deeply corrugated; good substance; broadly ovate with a cordate base.

Scape: 46 in. (116.8 cm.) high, ranging from 42-48 in. (106.7-121.9 cm.); green.

Flower: 1.38 in. (3.5 cm.) long, medium lavender, tubular; Tenn: mid-June to mid-July.

Seed: viable.

Clump History: 5 years old.

[Parentage unknown]

H. 'Lakeside San Kao' M. Chastain (OR) 1995

Plant: 46 in. (116.8 cm.) diameter, 8.5 in. (21.59 cm.) high. Moderately growing, moderately dense, mound-like habit.

Leaf: 11.5 in. (29.0 cm.) long, 8.5 in. (22.0 cm.) wide. 15 pairs of prominent, dark green veins. Greenish white with a slightly rippled margin. Slightly shiny on top and underneath; moderately folded, lightly rippled; heavy substance; broadly ovate with a cordate base.

Scape: 17.5 in. (44.5 cm.) high, ranging from 15-19 in. (38.1-48.3 cm.); green.

Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Tenn: June.

Seed: viable.

Clump History: 3 years old.

[*H.* "Lakeside seedling" × *H.* 'Piedmont Gold']

H. 'Lakeside Sapphire Pleats' M. Chastain (ONIR) 1996

Plant: 27 in. (68.6 cm.) diameter, 12 in. (30.5 cm.) high. Upright with a moderate growth rate.

Leaf: 6 in. (15.2 cm.) long, 8 in. (20.3 cm.) wide. 14 pairs of prominent veins. Intensely blue-green with flat margin. Dull on top and underneath; moderately cupped, intensely corrugated; broadly ovate with a cordate base.

Scape: 17 in. (43.2 cm.) high, ranging from 17-18 in. (43.2-45.7 cm.).

Flower: 1.5 in. (3.8 cm.) long, near white, bell shaped; Ooltewah TN: 6/4 - 6/15 - 6/23 (2 - 2 - 3).

Seed: viable; pod is blue-green.

Clump History: the original seedling, 7 years old, growing in Ooltewah TN.

Notable Characteristics: very wide light blue petiole which extends into a pleated leaf.

[Parentage unknown]

H. 'Lakeside Shore Master' M. Chastain (ONIR) 1998

Plant: 26 in. (66.0 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing.

Leaf: 10 in. (25.4 cm.) long, 8.5 in. (21.6 cm.) wide. 12 pairs of veins. Light green with a 2.5 in. (6.35 cm.) wide, flat, intensely blue-green margin. Dull on top, slightly shiny underneath; lightly cupped, broadly ovate with a cordate base.

Scape: ranging from 18-22 in. (45.7-55.9 cm.) high.

Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 6/9 - ? - 7/15 (2 - ? - 4).

Seed: viable; pod is dark green.

Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.

Notable Characteristics: heavy substance.

[Parentage unknown]

H. 'Lakeside Small Fry' M. Chastain (ONIR) 1998

Plant: 10 in. (25.4 cm.) diameter, 3 in. (7.6 cm.) high. Mound-like with a moderate growth rate.

Leaf: 3 in. (7.6 cm.) long, 1.5 in. (3.8 cm.) wide. 6 pairs of veins. Medium green with a 0.25 in. (0.64 cm.) wide, slightly rippled, white margin. Dull on top, glaucous bloom underneath; ovate with a rounded base.

Scape: ranging from 8-12 in. (20.3-30.5 cm.) high.

Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 8/2 - ? - 8/28 (5 - ? - 6).

Seed: viable; pod is green.

Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.

[*H.* "seedling" × *H.* "seedling"]

H. 'Lakeside Sophistication' M. Chastain (OR) 1995

Plant: 20 in. (50.8 cm.) diameter, 8 in. (20.3 cm.) high. Moderately growing, compact, mound-like habit.

Leaf: 7 in. (18.0 cm.) long, 4 in. (10.0 cm.) wide. 6 pairs of flat veins. Creamy white with a 1 in. (2.5 cm.) wide, smooth, medium green margin. Dull on top and underneath; lightly cupped; average substance; ovate with a rounded base.

Scape: 15 in. (38.1 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); green.

Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Tenn: late June through July.

Seed: viability unknown.

Clump History: 1 years old.

[Parentage unknown]

H. 'Lakeside Sparkle Plenty' M. Chastain (OR) 1995

Plant: 25 in. (63.5 cm.) diameter, 19 in. (48.3 cm.) high. Fast growing, compact, semi-upright habit.

Leaf: 5.5 in. (14 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of moderately prominent veins. Emerging green, turning yellow gold, with a 0.13 in. (0.32 cm.) wide, slightly rippled, medium green margin. Very shiny on top, slightly shiny underneath; lightly twisted; good substance; ovate with a cordate base.

Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); green.
 Flower: 1.75 in. (4.5 cm.) long, pale purple, tubular; Tenn: July.
 Seed: viable.
 Clump History: 2 years old.
 [Parentage unknown]

H. 'Lakeside Spellbinder' M. Chastain (ONIR) 1997
 Plant: 30 in. (76.2 cm.) diameter, 8 in. (20.3 cm.) high.
 Mound-like and fast growing.
 Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 11 pairs of insignificant veins. Creamy white with a 2 in. (5.08 cm.) wide, flat, dark green margin. Dull on top and underneath; broadly ovate with a cordate base.
 Scape: 60 in. (152 cm.) high, ranging from 50-66 in. (127-167.6 cm.).
 Flower: 1.86 in. (4.7 cm.) long, near white, tubular; Ooltewah TN: 7/10 - 7/30 - 8/11 (4 - 5 - 5).
 Seed: viable; pod is white.
 Clump History: a division of the original, 1 year old, growing in Ooltewah TN.
 Notable Characteristics: leaf coloration.
 [Parentage unknown]

H. 'Lakeside Spruce Goose' M. Chastain (ONIR) 1998
 Plant: 24 in. (61.0 cm.) diameter, 10 in. (25.4 cm.) high. A mound-like habit.
 Leaf: 6.5 in. (16.5 cm.) long, 4 in. (10.2 cm.) wide. 6-7 pairs of veins. Dark green with a 0.75 in. (1.91 cm.) wide, flat, white margin. Very shiny on top, slightly shiny underneath; ovate with a rounded base.
 Scape: ranging from 11-15 in. (27.9-38.1 cm.) high.
 Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Ooltewah TN 7/6 - ? - 7/30 (4 - ? - 5).
 Seed: viability unknown.
 Clump History: a second generation division of the original, 2 years old, growing in Ooltewah TN.
 [Parentage unknown]

H. 'Lakeside Surf Rider' M. Chastain (ONIR) 1997
 Plant: 72 in. (183 cm.) diameter, 38 in. (96.5 cm.) high.
 Upright and fast growing.
 Leaf: 13 in. (33 cm.) long, 11.5 in. (29.2 cm.) wide. 15 pairs of prominent veins. Slightly blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; moderately wavy, nearly round with a cordate base; petiole strong and straight.
 Scape: 54 in. (137 cm.) high, ranging from 48-60 in. (121.9-152.4 cm.).
 Flower: 2.25 in. (5.7 cm.) long, near white, tubular; Ooltewah TN: 6/20 - 6/30 - 7/18 (2 - 2 - 3).
 Seed: viable; pod is green.
 Clump History: the original seedling, 7 years old, growing in Ooltewah TN.
 [H. 'Lakeside Ripples' x H. 'Sagae']

H. 'Lakeside Twiddle Dee' M. Chastain (ONIR) 1996
 Plant: 11 in. (27.9 cm.) diameter, 8 in. (20.3 cm.) high.
 Upright and fast growing.
 Leaf: 4.5 in. (11.4 cm.) long, 1.25 in. (3.2 cm.) wide. 4 pairs of prominent veins. Medium green with a heavily rippled margin. Very shiny on top, slightly shiny underneath; twisted; lance-shaped with a tapered base.

Scape: 18 in. (45.7 cm.) high, ranging from 15-24 in. (38.1-61 cm.); bright green.
 Flower: 2 in. (5.1 cm.) long, purple, tubular; Ooltewah TN: 7/20 - 8/1 - 8/6 (5 - 5 - 5).
 Seed: viable; pod is bright green.
 Clump History: a division of the original, 2 years old, growing in Ooltewah TN.
 [H. 'Kabitan' x H. "seedling 9-14-7"]

H. 'Lakeside Waterfall' M. Chastain (ONIR) 1998
 Plant: 42 in. (107 cm.) diameter, 11 in. (27.9 cm.) high.
 Mound-like and fast growing.
 Leaf: 5.5 in. (14.0 cm.) long, 3.5 in. (8.9 cm.) wide. 8 pairs of veins. Golden yellow with a flat margin. Slightly shiny on top and underneath; ovate with a rounded base; a long petiole.
 Scape: ranging from 16-21 in. (40.6-53.3 cm.) high.
 Flower: 2.25 in. (5.7 cm.) long, medium lavender, tubular; Ooltewah TN: 7/15 - ? - 8/18 (5 - ? - 7).
 Seed: viable; pod is light green.
 Clump History: a first generation division of the original, 6 years old, growing in Ooltewah TN.
 Notable Characteristics: tall scapes.
 [Parentage unknown]

H. 'Lakeside Zinger' M. Chastain (ONIR) 1998
 Plant: 9 in. (22.9 cm.) diameter, 6.5 in. (16.5 cm.) high.
 Mound-like and fast growing.
 Leaf: 3 in. (7.6 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of veins. Medium green with a 0.38 in. (0.95 cm.) wide, flat, white margin. Slightly shiny on top and underneath; ovate with a rounded base.
 Scape: ranging from 11-18 in. (27.9-45.7 cm.) high.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 6/5 - ? - 7/14 (3 - ? - 5).
 Seed: viable; pod is green.
 Clump History: a first generation division of the original, growing in Ooltewah TN.
 Notable Characteristics: green dots in the leaf margin.
 [Parentage unknown]

H. 'Laura and Darrell' H. Hatfield ONI), D. & J. Ward (R) 1997
 Plant: 30 in. (76.2 cm.) diameter, 16 in. (40.6 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 14-15 pairs of prominent veins. Medium green with a 1 in. (2.54 cm.) wide, yellow gold margin. Slightly shiny on top, dull underneath; cupped, broadly ovate with a cordate base.
 Scape: 20 in. (50.8 cm.) high, ranging from 18-21 in. (45.7-53.3 cm.).
 Flower: 0.75 in. (1.9 cm.) long, tubular; 7/15 - 7/20 - 7/25 (4 - 4 - 4).
 Seed: viable; pod is green.
 [H. 'Zounds' sport]

H. 'Lavender Doll' H. Sugita (O), P. Ruh (ONIR) 1998
 Plant: 40 in. (102 cm.) diameter, 22 in. (55.9 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 11 in. (27.9 cm.) long, 5.5 in. (14 cm.) wide. 11 pairs prominent veins. Light green with a slightly rippled margin. Slightly shiny on top, glaucous bloom

<p>underneath; lightly twisted, moderately wavy, ovate with a rounded base; petiole has a lavender base.</p> <p>Scape: 30.5 in. (77.5 cm.) high, ranging from 28-30 in. (71.1-76.2 cm.) in length; inflorescence leaves.</p> <p>Flower: 2 in. (5.1 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 8/2 - 8/14 - 8/26.</p> <p>Seed: viable; pod is dark green.</p> <p>Clump History: the original seedling, 12 years old, growing in Chesterland OH.</p> <p>Notable Characteristics: white back. [<i>H. kiyosumiensis</i> × <i>H. pycnophylla</i>]</p>	<p>Plant: 48 in. (122 cm.) diameter, 40 in. (102 cm.) high. Upright with a moderate growth rate.</p> <p>Leaf: 10 in. (25.4 cm.) long, 6.5 in. (16.5 cm.) wide. 10 pairs veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; ovate with a cordate base.</p> <p>Scape: ranging from 30-36 in. (76.2-91.4 cm.) in length.</p> <p>Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Unionville IN.; 7/1 - 7/20 - 7/30.</p> <p>Seed: pod is green.</p> <p>Clump History: the original seedling, 7 years old, growing in Unionville IN. [<i>H. 'Yellow Splash Rim'</i> × <i>H. 'Blue Dimples'</i>]</p>
<p><i>H. 'Lavender Stocking'</i> H. Sugita (O), P. Ruh (ONIR) 1998</p> <p>Plant: 43 in. (109 cm.) diameter, 20 in. (50.8 cm.) high.</p> <p>Leaf: 13 in. (33 cm.) long, 7.5 in. (19.1 cm.) wide. 13 pairs prominent veins. Medium green with a slightly rippled margin. Very shiny on top, glaucous bloom underneath; moderately twisted, lightly folded, lightly wavy, broadly ovate with a rounded base.</p> <p>Scape: 31 in. (78.7 cm.) high; inflorescence leaves.</p> <p>Flower: 2 in. (5.1 cm.) long, pale lavender, striped, bell-shaped; Chesterland OH: 8/4 - 8/16 - 8/27.</p> <p>Seed: viable; pod is dark green.</p> <p>Clump History: the original seedling, 12 years old, growing in Chesterland OH.</p> <p>[<i>H. kiyosumiensis</i> × <i>H. pycnophylla</i>]</p>	<p><i>H. 'Leon'</i> L. Simpers (O), P. Ruh (NR) 1995</p> <p>Plant: 18 in. (45.7 cm.) diameter, 11 in. (27.9 cm.) high. A compact, mound-like habit. 7 year old division.</p> <p>Leaf: 5.25 in. (13.0 cm.) long, 3.25 in. (8.3 cm.) wide. 7 pairs of moderately prominent veins. Medium green. Slightly shiny on top, very shiny underneath; moderately wavy; ovate with a rounded base.</p> <p>Scape: 19 in. (48.3 cm.) high.</p> <p>Flower: medium lavender, tubular; Ohio: late July to early August.</p> <p>Seed: viable. [Parentage unknown]</p>
<p><i>H. 'Leading Lady'</i> J. Wilkins (ONI), J. & J. Wilkins (R) 1995</p> <p>Plant: 40 in. (101.6 cm.) diameter, 23 in. (58.4 cm.) high. Moderately growing, moderately dense, semi-upright habit.</p> <p>Leaf: 14 in. (36.0 cm.) long, 10 in. (25.0 cm.) wide. 12-13 pairs of prominent veins. Dark green with a 0.75 in. (1.91 cm.) wide, slightly rippled, gold, changing to creamy white, margin. Slightly shiny on top and underneath; moderately wavy; heavy substance; ovate with a cordate base.</p> <p>Scape: 39 in. (99.1 cm.) high, glaucous green.</p> <p>Flower: 2.5 in. (6.4 cm.) long, light lavender, tubular; Mich: mid-July to early August.</p> <p>Seed: viability unknown.</p> <p>Clump History: 7 years old. [<i>H. "William Lachman seedling"</i> sport]</p>	<p><i>H. 'Little Black Scape'</i> T. Avent (OR) 1995</p> <p>Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high. Moderately growing, compact, mound-like habit.</p> <p>Leaf: 5 in. (13 cm.) long, 4 in. (10.0 cm.) wide. 6 pairs of moderately prominent veins. Emerges green, turning to medium gold, with a smooth margin. Dull on top and underneath; lightly corrugated, good substance; ovate with a cordate base.</p> <p>Scape: 22 in. (55.9 cm.) high; near black.</p> <p>Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; N. Carolina: July.</p> <p>Seed: viable. Clump History: 6 years old. [<i>H. 'Sum and Substance'</i> hybrid]</p>
<p><i>H. 'Leather Coat'</i> R. Snyder (OR) 1995</p> <p>Plant: 22 in. (55.9 cm.) diameter, 12 in. (30.5 cm.) high. Slow growing, moderately dense, mound-like habit.</p> <p>Leaf: 7 in. (18 cm.) long, 6 in. (15 cm.) wide. 13 pairs of moderately prominent veins. Intensely blue-green with a smooth margin. Glaucous bloom on top and underneath; deeply folded, moderately cupped, lightly rippled; heavy substance; broadly ovate with a rounded base.</p> <p>Scape: 15 in. (38.1 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.); green.</p> <p>Flower: 1.25 in. (3.2 cm.) long, white, tubular; Minn: late June to late July.</p> <p>Seed: none set.</p> <p>Clump History: 5 years old. [<i>H. 'Ryan's Big One'</i> sport]</p>	<p><i>H. 'Little Cyn'</i> R. Duback (ONIR) 1998</p> <p>Plant: 36 in. (91.4 cm.) diameter, 22 in. (55.9 cm.) high. Mound-like and slow growing.</p> <p>Leaf: 12 in. (30.5 cm.) long, 8.5 in. (21.6 cm.) wide. 14 pairs veins. Mottled with light green, medium green, medium blue-green, greenish yellow, pale yellow and yellow. Margin heavily rippled. Glaucous bloom on top and underneath; moderately wavy, moderately corrugated, broadly ovate with a cordate base.</p> <p>Flower: pale lavender, bell-shaped.</p> <p>Seed: viable; pod is green.</p> <p>Clump History: 10 years old, growing in Vancouver WA.</p> <p>Notable Characteristics: leaf variegation and heavy substance. [parentage unknown]</p>
<p><i>H. 'Leatherneck'</i> F. Nyikos (ONIR) 1998</p>	<p><i>H. 'Little Darling'</i> C. Owens (OR) 1994</p> <p>Plant: 13 in. (33 cm.) diameter, 8 in. (20.3 cm.) high, with a moderately dense, mound-like habit.</p> <p>Leaf: 3.5 in. (8.9 cm.) wide, 4.5 in. (11.4 cm.) long; 6 pairs of prominent veins; dark green with a 0.75 in. (1.9 cm.) wide, creamy white, smooth margin; very shiny above</p>

and underneath; lightly corrugated; good substance; broadly ovate with a flat base.	
Scape: 10 in. (25.4 cm.) high.	
Flower: 1.25 in. (3.2 cm.) long, medium lavender, tubular; Mich: July.	
Seed: viable.	
Clump History: 8+ years old.	
Remarks: the stable form of <i>H. 'Betty Darling'</i> . [Parentage unknown]	
<i>H. 'Little Dart'</i> E. Fisher (O), R. Lydell (N), P. Ruh (R) 1995	
Plant: 13.5 in. (34.3 cm.) diameter, 8 in. (20.32 cm.) high. A loose, spreading habit. a 15 year old division.	
Leaf: 4.5 in. (11.0 cm.) long, 1.6 in. (4.1 cm.) wide. 4 pairs of moderately prominent veins. Dark green with a smooth margin. Dull on top, slightly shiny underneath; lightly rippled; good substance; lance-shaped with a tapered base.	
Scape: 20.5 in. (52.1 cm.) high.	
Flower: purple, tubular; Ohio: August.	
Seed: viable.	
Clump History: 15 years old.	
[<i>H. 'Lancifolia'</i> sport]	
<i>H. 'Little Lites'</i> J. Kulpa (O), P. Banyai (N), N. Krul (R) 1993	
Plant: 12 in. (30.1 cm.) wide, 6 in. (15.2 cm.) high.	
Leaf: 4 in. (10.2 cm.) long, 2 in. (5.1 cm.) wide, 7 pairs of moderately prominent veins; creamy white with 0.5 in. medium-dark green (3 colored) margin; ovate with a rounded base; margin smooth; slightly shiny above and dull underneath; lightly wavy.	
Scape: 10 in. (25.4 cm.) long; small inflorescence leaves; creamy white.	
Flower: pale lavender, tubular; Michigan: early July.	
[<i>H. 'Northern Lights'</i> sport]	
<i>H. 'Little Sunspot'</i> Briggs Nursery (ONIR) 1996	
Plant: 12 in. (30.5 cm.) diameter, 5 in. (12.7 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 13-15 insignificant veins. Medium gold with a 0.5 in. flat, medium green margin. Dull on top, waxy underneath; lightly cupped; ovate with a rounded base.	
Scape: 15 in. (38.1 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); medium green.	
Flower: 1.5 in. (3.8 cm.) long, white, tubular, lavender striped; pod is brown. Olympia WA: 8/1 - 8/10 - 9/1 (5 - 5 - 5).	
Clump History: a division of the original, 5 years old, growing in Olympia WA.	
[<i>H. 'Little Aurora'</i> sport]	
<i>H. 'Livonia'</i> G. Krossa (O), P. Ruh (NIR) 1997	
Plant: 20 in. (50.8 cm.) diameter, 17 in. (43.2 cm.) high. Upright and fast growing.	
Leaf: 9.75 in. (24.8 cm.) long, 3 in. (7.6 cm.) wide. 7 pairs of prominent veins. Light green with a slightly rippled margin. Dull on top and underneath; wavy, lance-shaped with a tapered base; petiole pink.	
Scape: 25.5 in. (64.8 cm.) high, ranging from 23-26 in. (58.4-66 cm.).	
Flower: 2.25 in. (5.7 cm.) long, deep purple, tubular; Chesterland OH: 7/6 - 7/21 - 8/1 (1 - 2 - 2).	
Seed: viable; pod is purplish.	

Notable Characteristics: pink petiole extends into leaf.
[Parentage unknown]

<i>H. 'Locomotion'</i> Belle Gardens (OR)	1993
Plant: 25 in. (63.5 cm.) wide, 13 in. (33 cm.) high.	
Leaf: 6.5 in. (16.5 cm.) long, 3 in. (7.6 cm.) wide, 6 pairs of moderately prominent veins; intensely blue-green; ovate with a rounded base; margin smooth; glaucous bloom above and underneath; moderately folded; moderately rippled.	
Scape: 31 in. (78.7 cm.) long; inflorescence leaves; glaucous burgundy.	
Flower: medium lavender, tubular.	
Seed: viable.	
[<i>H. 'Crested Surf'</i> x <i>H. 'Bold Ruffles'</i>]	
<i>H. 'Lollapalooza'</i> E. Elslager (ONIR)	1998
Plant: 32 in. (81.3 cm.) diameter, 21 in. (53.3 cm.) high. Upright and slow growing.	
Leaf: 8.5 in. (21.6 cm.) long, 7.5 in. (19.1 cm.) wide. 13 pairs prominent veins. Dark green streaked yellow, with a 1.25 in. (3.18 cm.) wide, slightly rippled, creamy white margin. Very shiny on top, slightly shiny underneath; lightly corrugated, nearly round with a cordate base; petiole with a cream margin and streaks.	
Scape: 31 in. (78.7 cm.) high, ranging from 29-34 in. (73.7-86.4 cm.) in length; inflorescence leaves.	
Flower: 2.25 in. (5.7 cm.) long, near-white, lavender stripes, tubular; Ann Arbor MI: 7/2 - 7/18 - 7/30 (4 - 5 - 6).	
Seed: viable; pod is green.	
Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.	
[<i>H. 'Galaxy'</i> hybrid]	
<i>H. 'Lonesome Pine'</i> W. & E. Lachman (OR)	1995
Plant: 50 in. (127.0 cm.) diameter, 26 in. (66.0 cm.) high. Moderately growing, moderately dense, semi-upright habit.	
Leaf: 11 in. (28.0 cm.) long, 8.25 in. (21 cm.) wide. 10 pairs of flat veins. Medium green with a 1 in. (2.5 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy; good substance; ovate with a cordate base.	
Scape: 36 in. (91.4 cm.) high, green.	
Flower: 1.25 in. (3.2 cm.) long, pale lavender, tubular; Mass: July.	
Seed: viable.	
Remarks: leaf has a "milky overlay".	
Clump History: 4 years old.	
[Parentage unknown]	
<i>H. 'Louie'</i> Missouri Botanical Garden (O)	1996
K. Squires (NI), P. Ruh (R)	
Plant: 8 in. (20.3 cm.) diameter, 3.5 in. (8.9 cm.) high. Mound-like and slow growing.	
Leaf: 1.75 in. (4.4 cm.) long, 0.5 in. (1.3 cm.) wide. 2 pairs of prominent veins. Medium green with a heavily rippled margin. Dull on top, slightly shiny underneath; wavy; lance-shaped with a flat base.	
Scape: 8 in. (20.3 cm.) high.	
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Chesterland OH: 8/26 - 9/9 - 9/21.	
Seed: viable; pod is light green.	

<p>Clump History: a division of the original, 5 years old, growing in Chesterland OH. [Parentage unknown]</p>	<p>Slightly shiny on top and underneath; ovate with a cordate base; petiole with creamy white margin.</p>
<p>H. 'Louise Ryan' Walters Gardens, Inc. (O), C. Falstad (R) 1993 Plant: 32 in. (81.3 cm.) wide, 26 in. (66 cm.) high. Leaf: 12 in. (30.1 cm.) long, 7.75 in. (19.7 cm.) wide, 15-17 pairs of moderately prominent veins; intensely blue green with a 2 in. medium green margin; broadly ovate with a cordate base; margin smooth; glaucous bloom above and underneath; moderately corrugated. Scape: 26 in. (66 cm.) long. Flower: near-white, tubular; Michigan: late June - early July. [H. 'Ryan's Big One' sport]</p>	<p>Scape: 37 in. (94 cm.) high, ranging from 33-38 in. (83.8-96.5 cm.) in length; inflorescence leaves. Flower: 2.25 in. (5.7 cm.) long, pale lavender, purple striped, tubular; Ann Arbor MI: 7/8 - 7/22 - 8/10 (5 - 5 - 6). Seed: viable; pod is reddish green. Clump History: the original seedling, 5 years old, growing in Ann Arbor MI. Notable Characteristics: good sun tolerance, tall scapes and good substance. [H. 'Sophistication' hybrid]</p>
<p>H. 'Love Burst' D. & D. Ballantyne (OR) 1994 Plant: 20 in. (50.8 cm.) diameter, 15 in. (38.1 cm.) high, with a open, semi-upright habit. Leaf: 8 in. (20.3 cm.) wide, 8 in. (20.3 cm.) long; 13 pairs of moderately prominent veins; medium yellow with a 2 in. (5.1 cm.) wide, dark blue margin; cupped; corrugated; nearly round with a cordate base. Scape: 26 in. (66 cm.) high. Flower: white, tubular; Oregon: June to July. Seed: viable. Clump History: 4 years old. [H. 'Love Pat' sport]</p>	<p>Plant: 20 in. (50.8 cm.) diameter, 24 in. (61 cm.) high. Slow growing, moderately dense, mound-like habit. Leaf: 10 in. (25.0 cm.) long, 8 in. (20.0 cm.) wide. 12 pairs of prominent veins. Creamy white with a 1 in. (2.5 cm.) wide, smooth, dark green margin. glaucous bloom on top; moderately corrugated; heavy substance; ovate with a cordate base. Scape: 36 in. (91.4 cm.) high, ranging from 30-38 in. (76.2-96.5 cm.). Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Mich: July. Seed: viable. Clump History: 7 years old. [H. 'Dorothy Benedict' x H. 'Nooner']</p>
<p>H. 'Love of Life' N. Krul (O), E. Elslager (NIR) 1998 Plant: 54 in. (137 cm.) diameter, 25 in. (63.5 cm.) high. Upright and fast growing. Leaf: 9.75 in. (24.8 cm.) long, 8.5 in. (21.6 cm.) wide. 11 pairs prominent veins. Dark green with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; moderately corrugated, broadly ovate with a cordate base; petiole with creamy white margin. Scape: 35 in. (88.9 cm.) high, ranging from 32-38 in. (81.3-96.5 cm.) in length; inflorescence leaves. Flower: 2.25 in. (5.7 cm.) long, pale lavender, purple striped, tubular; Ann Arbor MI: 7/13 - 7/24 - 8/11 (5 - 6 - 6). Seed: viable; pod is green. Clump History: the original seedling, 6 years old, growing in Ann Arbor MI. [H. 'Whoopee' hybrid]</p>	<p>H. 'Loyalist' G. Van Eijk-Bos (ONI), C. Falstad (R) 1998 Plant: medium sized. Leaf: 6.5 in. (16.5 cm.) long, 3.75 in. (9.5 cm.) wide. Creamy white with a, dark green margin. Flower: pale lavender, tubular; average period. Clump History: tissue cultured plant from the originator, 2 years old, growing in Zeeland MI. Notable Characteristics: heavy substance, clean center and wide margin. [H. 'Patriot' sport]</p>
<p>H. 'Lovelight' W & E. Lachman (OR) 1992 Plant: 27 in. (68.6 cm) wide, 14 in. (35.6 cm) high. Leaf: 9 in. (22.9 cm) long, 7 in. (17.8 cm) wide, 11 pairs of veins; light green with a light yellow-gold streaked, 1.5 inch (3.8 cm) margin; margin slightly rippled; ovate with a cordate based; wavy; glaucous bloom; dull texture underneath. Scape: 36 in. (91.4 cm) long, inflorescence leaves; light green. Flower: pure white, flaring; Massachusetts: June. Seed: viable. [H. 'Flamboyant' x H. 'Banana Sundae']</p>	<p>H. 'Lunar Magic' R. Lydell (OR) 1994 Plant: 36 in. (91.4 cm.) diameter, 16 in. (40.6 cm.) high, with a moderately dense, mound-like habit. Leaf: 8 in. (20.3 cm.) wide, 8 in. (20.3 cm.) long; 10 pairs of prominent veins; medium green changing to deep gold, with a 2.5 in. (6.4 cm.) wide, dark green, slightly rippled margin; slightly shiny above, dull underneath; lightly wavy, moderately corrugated; good substance; broadly ovate with a cordate base. Scape: 24 in. (61 cm.) high, ranging from 20-26 in. (50.8-66 cm.); green. Flower: 1.5 in. (3.8 cm.) long, lavender, tubular; New York: August. Seed: viable. Clump History: 4 years old. [H. 'Lunar Orbit' sport]</p>
<p>H. 'Lovely Lauren' E. Elslager (ONIR) 1998 Plant: 28 in. (71.1 cm.) diameter, 15 in. (38.1 cm.) high. Upright with a moderate growth rate. Leaf: 7 in. (17.8 cm.) long, 4.75 in. (12.1 cm.) wide. 8 pairs of prominent veins. Medium green with a 0.38 in. (0.97 cm.) wide, slightly rippled, creamy white margin.</p>	<p>H. 'Lunar Night' R. Lydell (ONIR) 1998 Plant: 32 in. (81.3 cm.) diameter, 24 in. (61.0 cm.) high. A moderate growth rate. Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 9-10 pairs of veins. Dark green with a flat margin. Dull on top and</p>

underneath; moderately wavy, lightly corrugated, broadly ovate with a cordate base.
 Scape: ranging from 28-30 in. (71.1-76.2 cm.) high.
 Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Dunkirk NY: 6/15 - 7/1 - 7/15 (3 - 4 - 5).
 Seed: viable; pod is green.
 Clump History: the original sport, 8 years old, growing in Dunkirk NY.
 Notable Characteristics: vigorous with heavy substance.
 [H. 'Lunar Magic' sport]

M

H. 'Mack the Knife' J. Dishon (ONIR) 1996
 Plant: 15 in. (38.1 cm.) diameter, 5 in. (12.7 cm.) high.
 Mound-like and slow growing.
 Leaf: 5 in. (12.7 cm.) long, 2.75 in. (7 cm.) wide. 7 pairs of insignificant veins. Dark green with a 0.5 in. slightly rippled, deep gold margin. Margin color fades to yellow gold. Slightly shiny on top, dull underneath; lightly twisted, moderately wavy; lance-shaped with a tapered base. Petiole very wide.
 Scape: 13 in. (33 cm.) high; green.
 Flower: 1.63 in. (4.1 cm.) long, pale lavender (white inside), tubular, lavender striped inside; Jackson MI: 7/15 - 7/30 (4 - 5).
 Seed: viability unknown; pod is green.
 Clump History: the original seedling, 7 years old, growing in Jackson MI.
 Notable Characteristics: unusual "orange" margin color and heavy substance.
 [H. 'Galaxy' x H. 'Hadspen Heron']

H. 'Magic Carpet' R. Duback (ONIR) 1998
 Plant: 14 in. (35.6 cm.) diameter, 8 in. (20.3 cm.) high.
 Upright.
 Leaf: 3.5 in. (8.9 cm.) long, 1 in. (2.5 cm.) wide. Fast growing. 3 pairs of veins. Dark green with a 0.25 in. (0.64 cm.) wide, slightly rippled, golden yellow margin. Dull on top and underneath; lightly wavy, lance-shaped with a tapered base.
 Flower: pale purple; Vancouver WA: summer period.
 Seed: viability unknown.
 Clump History: 4 years old, growing in Vancouver WA.
 [H. 'Emerald Carpet' sport]

H. 'Manhattan' O. Petryszyn (OR), B. Brincka (OR) 1994
 Plant: 32 in. (81.3 cm.) diameter, 14 in. (35.6 cm.) high, with a compact, mound-like habit.
 Leaf: 8 in. (20.3 cm.) wide, 11 in. (27.9 cm.) long; 12 pairs of prominent veins; light green turning darker green with blue hues; heavily rippled margin; slightly shiny above, dull underneath; intensely wavy, intensely rippled, deeply corrugated; heavy substance; broadly ovate with a cordate base.
 Scape: 36 in. (91.4 cm.) high, ranging from 32-38 in. (81.3-96.5 cm.); blue-green to purple.
 Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular; Indiana: July to Oct.
 Seed: viable.
 Clump History: 5 years old.

[H. 'Sea Frolic' hybrid]

H. 'Marge' L. Simpers (I), M. Soules (R) 1996
 Plant: 37 in. (94 cm.) diameter, 16 in. (40.6 cm.) high.
 Stoloniferous with a moderate growth rate.
 Leaf: 10.25 in. (26 cm.) long, 8 in. (20.3 cm.) wide. 13 pairs of prominent veins. Medium green with a slightly rippled, translucent margin. Slightly shiny on top, dull underneath; lightly wavy, corrugated; ovate with a rounded base.
 Scape: 17 in. (43.2 cm.) high, ranging from 16-18 in. (40.6-45.7 cm.).
 Flower: 1.5 in. (3.8 cm.) long, near-white, funnel shaped; Indianapolis IN.; 7/17 - 7/12 - 7/25.
 Seed: none set.
 Clump History: 6 years old.
 [H. sieboldiana hybrid]

H. 'Margey' P. Banyai (ON), C. Helsley (IR) 1998
 Plant: 5 in. (12.7 cm.) diameter, 3 in. (7.6 cm.) high.
 Rhizomatous with a moderate growth rate.
 Leaf: 1.5 in. (3.8 cm.) long, 0.75 in. (1.9 cm.) wide. 2 pairs of insignificant veins. Medium green with a flat margin. Dull on top, slightly shiny underneath; lightly wavy, ovate with a rounded base; petiole short.
 Scape: 8 in. (20.3 cm.) high, ranging from 6-10 in. (15.2-25.4 cm.).
 Flower: 1 in. (2.5 cm.) long, pale purple, tubular; Mansfield MO: 6/25 - 7/4 - 7/15 (3 - 3 - 3).
 Seed: viable; pod is dark green.
 Clump History: a division of the original, 3 years old, growing in Mansfield MO.
 Notable Characteristics: a plant of very small stature.
 [Parentage unknown]

H. 'Margin of Error' B. Kuk (OR) 1995
 Plant: 15 in. (38.1 cm.) diameter, 14 in. (35.6 cm.) high.
 Moderately growing, open, semi-upright habit.
 Leaf: 5.5 in. (14.0 cm.) long, 3.25 in. (8.3 cm.) wide. 6 pairs of flat veins. Medium green with a 0.25 in. (.64 cm.) wide (variable), smooth, creamy white margin. Glaucous bloom on top and underneath; good substance; lance-shaped with a rounded base.
 Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); green.
 Flower: 1.5 in. (3.8 cm.) long, pale lavender, striped inside, tubular; Ohio: August.
 Seed: viable.
 Clump History: 3 years old.
 [H. 'Artist's Palette' sport]

H. 'Marion Bachman' L. Bachman (OR) 1992
 Plant: 28 in. (20.3 cm) wide, 18 in. (45.7 cm) high.
 Leaf: 8 in. (20.3 cm) long, 5 in. (12.7 cm) wide, 9-10 pairs of veins; light yellow-green with a variable, streaked dark green margin; ovate with a rounded base; margin slightly rippled; moderately corrugated; prominent veins; heavy substance; slightly shiny; dull texture underneath.
 Scape: 24 in. (61 cm) long, inflorescence leaves.
 Flower: lavender, tubular; Minnesota: late-July-early August.
 [H. 'Fortunei' sport]

H. 'Maya' Meissner (ON), A. Summers (I), P. Ruh (R) 1996

<p>Plant: 11.5 in. (29.2 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like and fast growing.</p> <p>Leaf: 5.75 in. (14.6 cm.) long, 3 in. (7.6 cm.) wide. 7 pairs of prominent veins. Yellow center changing to green, with a 0.5 in. (1.27 cm.), green, slightly rippled margin. Dull on top and underneath; twisted, moderately wavy; lance-shaped with a rounded base.</p> <p>Scape: 21 in. (53.3 cm.) high; inflorescence leaves; bluish-green.</p> <p>Flower: 0.88 in. (2.2 cm.) long, lavender, bell shaped; Chesterland OH: 7/1 - 7/11 - 7/22.</p> <p>Clump History: a division of the original, 15 years old, growing in Chesterland OH.</p> <p>Notable Characteristics: dwarf stature and vigor. [<i>H. 'Fortunei Albopicta'</i> sport]</p>	<p>H. 'Midnight Express' D. & J. Ward (ONIR) 1996</p> <p>Plant: 72 in. (183 cm.) diameter, 28 in. (71.1 cm.) high. Upright with a moderate growth rate.</p> <p>Leaf: 13 in. (33 cm.) long, 10 in. (25.4 cm.) wide. 14 pairs of prominent veins. Slightly blue-green, changing to medium green, with a slightly rippled margin. Dull on top and underneath; moderately cupped; nearly round with a cordate base.</p> <p>Scape: 45 in. (114 cm.) high, ranging from 43-46 in. (109.2-116.8 cm.); green.</p> <p>Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/13 - 6/30 - 7/15 (3 - 3 - 3).</p> <p>Seed: viable; pod is brown.</p> <p>Clump History: the original seedling, 7 years old, growing in Columbus OH.</p> <p>Notable Characteristics: upright habit, cupped and corrugated leaves, and changing color. [<i>H. 'Sagae'</i> hybrid]</p>
<p>H. 'Mean Mama' H. & D. Benedict (OR) 1995</p> <p>Plant: 18 in. (45.7 cm.) diameter, 14 in. (35.6 cm.) high. Slow growing, moderately dense, mound-like habit.</p> <p>Leaf: 10 in. (25.0 cm.) long, 7 in. (18.0 cm.) wide. 13 pairs of moderately prominent veins. Yellow gold with a 1.5 in. (3.8 cm.) wide, slightly rippled, dark green margin. Glaucous bloom on top and underneath; moderately cupped; heavy substance; ovate with a cordate base.</p> <p>Scape: 16 in. (40.6 cm.) high, ranging from 15-22 in. (38.1-55.9 cm.).</p> <p>Flower: 1.5 in. (3.8 cm.) long, nearly-white, tubular; Mich: late June to mid-July.</p> <p>Seed: viable.</p> <p>Clump History: 4 years old. [<i>H. 'Dorothy Benedict'</i> sport]</p>	<p>H. 'Midnight Sun' D. & J. Ward (ONIR) 1996</p> <p>Plant: 60 in. (152 cm.) diameter, 28 in. (71.1 cm.) high. Upright with a moderate growth rate.</p> <p>Leaf: 16 in. (40.6 cm.) long, 12 in. (30.5 cm.) wide. 16 pairs of prominent veins. Yellow gold with a slightly rippled margin. Dull on top and underneath; moderately wavy; ovate with a cordate base.</p> <p>Scape: 38 in. (96.5 cm.) high, ranging from 36-39 in. (91.4-99.1 cm.); light green.</p> <p>Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Columbus OH: 6/5 - 6/20 - 7/6 (2 - 2 - 2).</p> <p>Seed: viable; pod is light green.</p> <p>Clump History: the original seedling, 5 years old, growing in Columbus OH.</p> <p>Notable Characteristics: bright color comes early, holds well. [<i>H. 'High Noon'</i> x <i>H. montana macrophylla</i> ([incorrect] as '<i>Praeflorens</i>')]</p>
<p>H. 'Medusa' R. Herold (OR) 1993</p> <p>Plant: 12 in. (30.5 cm.) wide, 6 in. (15.2 cm.) high.</p> <p>Leaf: 4 in. (10.2 cm.) long, 1 in. (2.5 cm.) wide, 4 pairs of moderately prominent veins; creamy white with a 0.25 in. medium green margin; lance shaped with a tapered base; margin slightly rippled; slightly shiny above and very shiny underneath; moderately wavy; moderately rippled.</p> <p>Scape: 15 in. (38.1 cm.) long; small inflorescence leaves.</p> <p>Flower: pale purple, tubular; Mass: August.</p> <p>Seed: viable. [<i>H. 'Neat Splash'</i> x <i>H. gracillima</i>]</p>	<p>H. 'Mikawa-no-Yuki' H. Sugita (ONI), P. Ruh (R) 1997</p> <p>Plant: 30 in. (76.2 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 8.5 in. (21.6 cm.) long, 3 in. (7.6 cm.) wide. 9-10 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top, white underneath; wavy, lance-shaped with a tapered base; petiole red spotted at the base.</p> <p>Scape: 14 in. (35.6 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.).</p> <p>Flower: 0.75 in. (1.9 cm.) long, pale lavender with faint striping, bell-shaped; Chesterland OH: 9/1 - 9/16 - 9/29 (7 - 8 - 8).</p> <p>Seed: viable; pod is green.</p> <p>Clump History: two clumps described, growing in Chesterland OH and Dunkirk NY.</p> <p>Notable Characteristics: white back of leaf. Remarks: formerly known as <i>H. 'Okazaki Special'</i>. The name was changed at the request of the originator. [<i>H. "kikutii white back"</i> x <i>H. "longipes white back"</i>]</p>
<p>H. 'Merry Sunshine' E. Elslager (ONIR) 1998</p> <p>Plant: 22 in. (55.9 cm.) diameter, 13 in. (33 cm.) high. Upright and slow growing.</p> <p>Leaf: 8 in. (20.3 cm.) long, 6.5 in. (16.5 cm.) wide. 11 pairs prominent veins. Medium green with a 1.75 in. (4.45 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and waxy underneath; corrugated, broadly ovate with a cordate base; petiole with a creamy white edge and streaks.</p> <p>Scape: 20 in. (50.8 cm.) high, ranging from 17-25 in. (43.2-63.5 cm.) in length; inflorescence leaves.</p> <p>Flower: 2 in. (5.1 cm.) long, pale lavender, purple striped, tubular; Ann Arbor MI: 6/23 - 7/5 - 7/22 (5 - 5 - 5).</p> <p>Seed: viability unknown; pod is green.</p> <p>Notable Characteristics: large with a white back and creamy white margins.</p> <p>Clump History: the original seedling, 5 years old, growing in Ann Arbor MI. [<i>H. 'Fascination'</i> x <i>H. hypoleuca</i>]</p>	<p>H. 'Millennium' J. Wilkins (ONI), J. & J. Wilkins (R) 1995</p> <p>Plant: 54 in. (137.2 cm.) diameter, 36 in. (91.4 cm.) high. Slow growing, moderately dense, semi-upright habit.</p> <p>Leaf: 17 in. (43.0 cm.) long, 14 in. (36.0 cm.) wide. 14 pairs of prominent veins. Intensely blue-green with a slightly</p>

ripled margin. Glaucous bloom on top and underneath; intensely corrugated; heavy substance; broadly ovate with a cordate base.	
Scape: 50 in. (127.0 cm.) high, ranging from 45-50 in. (114.3-127 cm.); green.	
Flower: 1.75 in. (4.5 cm.) long, pure white, tubular; Mich: July.	
Seed: viable.	
Clump History: 5 years old.	
[<i>H. 'Herb Benedict'</i> × <i>H. 'Sagae'</i>]	
<i>H. 'Minimoon'</i> W. & E. Lachman (OR)	1992
Plant: 5 in. (12.7 cm) wide, 4.5 in. (11.4 cm) high.	
Leaf: 2.25 in. (5.7 cm) long, 1.75 in. (4.5 cm) wide, 11 pairs of veins; medium blue-green; ovate with a rounded base; moderately cupped; heavy substance; very shiny; dull texture underneath.	
Scape: 4 in. (10.1 cm) long, green.	
Flower: near-white, tubular; Massachusetts: early August.	
Seed: viable.	
[<i>H. 'Blue Moon'</i> selfed]	
<i>H. 'Minna Blue'</i> J. Ruh (ONIR)	1997
Plant: 26 in. (66 cm.) diameter, 11.5 in. (29.2 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 5.75 in. (14.6 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of prominent veins. Medium blue-green with a slightly rippled margin. Dull on top and underneath; wavy, lance-shaped with a tapered base; petiole with a deep green margin.	
Scape: 21.5 in. (54.6 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.).	
Flower: 1 in. (2.5 cm.) long, pale lavender, striped, tubular; Chesterland OH: 8/3 - 8/15 - 8/23 (3 - 4 - 4).	
Seed: none set.	
Clump History: the original seedling, 5 years old, growing in Chesterland OH.	
Notable Characteristics: compact, vigorous.	
[Parentage unknown]	
<i>H. 'Minnesota Nice'</i> R. Snyder (ONIR)	1997
Plant: 20 in. (50.8 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like and fast growing.	
Leaf: 6.5 in. (16.5 cm.) long, 4.5 in. (11.4 cm.) wide. 6 pairs of prominent veins. Three flushes of different coloration. First flush is yellow and green with a dark green margin, and later turns all dark green. The second flush is green with white streaks. The third flush is yellow and green with a dark green margin, and later turns dark green and is stippled. Slightly shiny on top, very shiny underneath; wavy, ovate with a rounded base. The margin is slightly rippled.	
Scape: 30 in. (76.2 cm.) high, ranging from 24-32 in. (61-81.3 cm.).	
Flower: 2.5 in. (6.4 cm.) long, medium lavender with a white edge and dark purple stripes, bell-shaped; Willmar MN: 7/5 - 7/15 - 7/28 (3 - 4 - 5).	
Seed: viability unknown; pos is light green.	
Clump History: the original sport, 5 years old, growing in Willmar MN.	
Notable Characteristics: Three different colored leaf flushes.	
[<i>H. ventricosa</i> 'Aureomaculata' sport]	

<i>H. 'Minuteman'</i> J. Machen Jr. (OR)	1994
Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high, with a moderately dense, mound-like habit.	
Leaf: 4 in. (10.2 cm.) wide, 6 in. (15.2 cm.) long; 8-10 pairs of moderately prominent veins; dark green with a 0.75 in. (1.9 cm.) wide, creamy white, smooth margin; slightly shiny above, dull underneath; lightly wavy, lightly rippled; good substance; broadly ovate with a rounded base.	
Scape: 24 in. (61 cm.) high, ranging from 18-30 in. (45.7-76.2 cm.); green.	
Flower: 2 in. (5.1 cm.) long, pale lavender, striped, tubular; Virginia: mid-June to mid-July.	
Clump History: 3 years old.	
[<i>H. 'Francee'</i> sport]	
<i>H. 'Mischief'</i> R. Duback (ONIR)	1998
Plant: 48 in. (122 cm.) diameter, 34 in. (86.4 cm.) high. Upright with a moderate growth rate.	
Leaf: 14 in. (35.6 cm.) long, 11 in. (27.9 cm.) wide. 15 pairs veins. Intensely blue-green with a flat margin. Glaucous bloom on top and underneath; lightly cupped, moderately corrugated, broadly ovate with a cordate base.	
Flower: near-white; Vancouver WA: average period.	
Seed: viable.	
Clump History: 8 years old, growing in Vancouver WA. [parentage unknown]	
<i>H. 'Missie Mouse'</i> K. Squires (ONI), P. Ruh (R)	1996
Plant: 10 in. (25.4 cm.) diameter, 5 in. (12.7 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 3.5 in. (8.9 cm.) long, 1.38 in. (3.5 cm.) wide. 3 pairs of insignificant veins. Medium green with a slightly rippled margin. Dull on top, slightly underneath; lance-shaped with a tapered base. Petiole winged.	
Scape: 20 in. (50.8 cm.) high, ranging from 19-20 in. (48.3-50.8 cm.); branched; inflorescence leaves; greenish purple.	
Flower: 1.5 in. (3.8 cm.) long, light lavender, bell-shaped, striped; Chesterland OH: 8/2 - 8/14 - 8/27.	
Seed: viable.	
Clump History: 5 years old, growing in Chesterland OH.	
Notable Characteristics: compact growth, branched greenish purple scape.	
[Parentage unknown]	
<i>H. 'Mississippi Delta'</i> O. Petryszyn (ONIR)	1998
Plant: 56 in. (142 cm.) diameter, 32 in. (81.3 cm.) high. Upright with a moderate growth rate.	
Leaf: 13 in. (33 cm.) long, 12 in. (30.5 cm.) wide. 16-18 veins. Intensely blue-green with a slightly rippled margin. Glaucous bloom underneath; lightly wavy, lightly corrugated, nearly round with a cordate base.	
Scape: ranging from 40-42 in. (102-107 cm.) in length; inflorescence leaves.	
Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Chesterton IN.; 7/1 - 7/10 - 7/25.	
Seed: viable; pod is green.	
Notable Characteristics: good substance.	
Clump History: the original seedling, 7 years old, growing in Chesterton IN.	
[<i>H. 'Sea Gold'</i> × <i>H. 'Golden Torch'</i>]	

H. 'Missy' D. Heinz (OR)	1992	in., heavily rippled, dark green margin. Glaucous bloom on top and underneath; moderately corrugated; ovate with a rounded base. Scape: 39 in. (99.1 cm.) high, ranging from 33-44 in. (83.8-111.8 cm.); inflorescence leaves; glaucous green. Flower: 2.5 in. (6.4 cm.) long, medium lavender, tubular, dark stripes inside; Iowa City IA: 6/25 - 7/12 - 7/25. Seed: viable. Clump History: 2-5 years old. [<i>H. 'Saishu Jima</i> ' hybrid]
H. 'Mister Gee' M. Olson (OR)	1995	Plant: 8 in. (20.3 cm.) diameter, 7 in. (17.8 cm.) high. Slow growing, compact, semi-upright habit. Leaf: 3.5 in. (8.9 cm.) long, 1.5 in. (3.8 cm.) wide. 5 pairs of moderately prominent veins. Streaked green, blue and white, with a 0.75 in. (1.9 cm.) wide (variable), smooth, slightly blue-green margin. Glaucous bloom on top, dull underneath; moderately folded; good substance; ovate with a rounded base. Scape: 10 in. (25.4 cm.) high, green and white striped. Flower: 1 in. (2.5 cm.) long, medium lavender, tubular. Clump History: 2 years old. [<i>H. 'Crepe Suzette</i> ' x <i>H. 'Blue Moon'</i>]
H. 'Mistress Mabel' W. & E. Lachman (OR)	1995	Plant: 27 in. (68.6 cm.) diameter, 17 in. (43.2 cm.) high. Moderately growing, compact, mound-like habit. Leaf: 8.5 in. (22.0 cm.) long, 5.75 in. (15.0 cm.) wide. 8-9 pairs of moderately prominent veins. Medium green with a smooth, creamy white margin. Slightly shiny on top, very shiny underneath; average substance; ovate with a cordate base. Scape: 23 in. (58.4 cm.) high, ranging from 22-24 in. (55.9-61 cm.); green on brown and slightly curved. Flower: 2.75 in. (7 cm.) long, pale lavender, tubular, fragrant; Mass: August, repeating in early Sept. Seed: viable. Clump History: 2 years old. [(<i>H. "Beatrice F6</i>) x <i>H. 'Blue Moon'</i>] x <i>H. plantaginea</i>]
H. 'Misty Gold' J. Dishon (ONIR)	1996	Plant: 36 in. (91.4 cm.) diameter, 14 in. (35.6 cm.) high. Upright with a moderate growth rate. Leaf: 10 in. (25.4 cm.) long, 6 in. (15.2 cm.) wide. 10 pairs of prominent veins. Green speckling on light gold (changing to cream) with a heavily rippled margin. Variegation is not stable. Slightly shiny on top and underneath; moderately twisted, intensely corrugated; ovate with a cordate base. Scape: 30 in. (76.2 cm.) high; green. Flower: 2.25 in. (5.7 cm.) long, medium lavender, tubular, white striped inside; Jackson MI: 7/20 - 8/15 (5 - 6). Seed: viability unknown; pod is green. Clump History: the original seedling, 5 years old, growing in Jackson MI. Notable Characteristics: green spotting on the leaf. [<i>H. 'Gala</i> ' hybrid]
H. 'Misty Regal' J. & E. Stratton (ONIR)	1996	Plant: 41 in. (104 cm.) diameter, 21 in. (53.3 cm.) high. Semi-upright with a moderate growth rate. Leaf: 13 in. (33 cm.) long, 7.25 in. (18.4 cm.) wide. 16 pairs of moderately prominent veins. Yellow gold with a 2
H. 'Mohegan' S. Megos (O), A. Malloy (NIR)	1998	Plant: 42 in. (107 cm.) diameter, 21 in. (53.3 cm.) high. Mound-like with a moderate growth rate. Leaf: 11 in. (27.9 cm.) long, 11 in. (27.9 cm.) wide. 15 pairs veins. Medium blue-green. Dull on top and underneath; deeply cupped, deeply corrugated, nearly round with a cordate base; petiole twisted. Flower: 2 in. (5.1 cm.) long, pure white, tubular; Eastford CT: 7/4 - 7/15 - 7/25 (2 - 2 - 3). Seed: viability unknown; pod is green. Clump History: seventh generation division, 5 years old, growing in Eastford CT. Notable Characteristics: round leaf, cupped and corrugated. [parentage unknown]
H. 'Monopoly' A. Malloy (ONIR)	1998	Plant: 12 in. (30.5 cm.) diameter, 6.5 in. (16.5 cm.) high. Mound-like with a moderate growth rate. Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of veins. Medium green streaked light green and creamy white. Margin slightly rippled. Slightly shiny on top and underneath; lightly wavy, broadly ovate with a rounded base; petiole streaked green and white. Scape: ranging from 19-24 in. (48.3-61 cm.) in length. Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; South Salem NY : 7/5 - 7/16 - 8/2 (3 - 3 - 4). Seed: viable; pod is streaked green and cream. Clump History: the original sport, 3 years old, growing in South Salem NY. [<i>H. 'Pilgrim</i> ' sport]
H. 'Monument Circle' C. Crockett (OR)	1995	Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, moderately dense, mound-like habit. Leaf: 11 in. (28.0 cm.) long, 9 in. (23.0 cm.) wide. 10-11 pairs of moderately prominent veins. Center emerges cream, changing to light green and finally blue-green. The margin is 0.5 in. (1.3 cm.) wide, and light green; disappearing as the Leaf turns blue-green. Slightly shiny on top, dull underneath; moderately twisted, intensely rippled; good substance; broadly ovate with a cordate base. Scape: 18 in. (45.7 cm.) high, ranging from 12-24 in. (30.5-61 cm.); green. Flower: 2.25 in. (5.7 cm.) long, near-white, tubular; Indiana: mid-June to early July. Seed: viability unknown. Clump History: 4 years old. [<i>H. "sieboldiana</i> seedling" sport]
H. 'Mood Indigo' D. & J. Ward (ONIR)	1996	

Plant: 48 in. (122 cm.) diameter, 23 in. (58.4 cm.) high. Mound-like and slow growing.

Leaf: 10 in. (25.4 cm.) long, 8 in. (20.3 cm.) wide. 14 pairs of prominent veins. Intensely blue-green with slightly rippled margin. Glaucous bloom on top and underneath; moderately cupped, intensely corrugated; nearly round with a cordate base; petiole intensely blue-green.

Scape: 28 in. (71.1 cm.) high, ranging from 26-30 in. (66-76.2 cm.); blue-green.

Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Columbus OH: 6/10 - 6/30 - 7/10 (2 - 2 - 2).

Seed: viable; pod is green.

Clump History: the original seedling, 7 years old, growing in Columbus OH.

Notable Characteristics: intense blue color and profuse flowers.

[*H. 'Tokudama Flavocircinalis'* hybrid]

H. 'Moon Lily' G. Harshbarger (O), J. Trott (R) 1993

Plant: 40 in. (101.6 cm.) wide, 14 in. (35.6 cm.) high.

Leaf: 6 in. (15.2 cm.) long, 5.5 in. (14 cm.) wide, 13 pairs of moderately prominent veins; yellow-gold; broadly ovate with a cordate base; margin smooth; dull above with glaucous bloom underneath; moderately cupped; moderately corrugated.

Scape: 20 in (50.8 cm.) long; dark yellow-gold.

Flower: pale lavender, bell-shaped; Iowa: early July.

[Parentage unknown]

H. 'Moon Waves' M. Plater-Zyberk (O), R. Solberg (R) 1994

Plant: 24 in. (61 cm.) diameter, 16 in. (40.6 cm.) high, with a moderately dense, semi-upright habit.

Leaf: 5 in. (12.7 cm.) wide, 10 in. (25.4 cm.) long; 9-11 pairs of prominent veins; medium gold; heavily rippled margin; dull above and underneath; moderately wavy, intensely rippled; good substance; lance-shaped with a rounded base.

Scape: 30 in. (76.2 cm.) high; gold.

Flower: 2 in. (5.1 cm.) long, near-white, tubular; North Carolina: mid-July to mid-August.

[*H. 'August Moon'* sport]

H. 'Moongate Flying Saucer' C. Issacs (NI), R. Solberg (ONIR) 1996

Plant: 22 in. (55.9 cm.) diameter, 11 in. (27.9 cm.) high. Mound-like with a moderate growth rate.

Leaf: 5 in. (12.7 cm.) long, 3 in. (7.6 cm.) wide. 10-11 moderately prominent veins. Medium blue-green. Slightly shiny on top and underneath; lightly cupped; ovate with a flat base.

Scape: 22 in. (55.9 cm.) high, ranging from 18-24 in. (45.7-61 cm.); blue-green.

Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; 6/10 - 6/20 - 6/30.

Seed: viable.

Clump History: 3 years old.

[*H. 'Serendipity'* × *H. 'Blue Blazes'*]

H. 'Moongate Little Dipper' C. Issacs (NI), R. Solberg (ONIR) 1996

Plant: 18 in. (45.7 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.

Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide. 8-9 pairs of prominent veins. Medium green. Slightly shiny on

top and underneath; moderately cupped, moderately corrugated; broadly ovate with a cordate base.

Scape: 15 in. (35.6 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.); green.

Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; 6/10 - 6/20 - 6/30.

Seed: viable.

Clump History: 3 years old.

[*H. 'Serendipity'* × *H. 'Blue Blazes'*]

H. 'Mount Everest' J. Dishon (ONIR) 1996

Plant: 35 in. (88.9 cm.) diameter, 13 in. (33 cm.) high. Mound-like with a moderate growth rate.

Leaf: 11 in. (27.9 cm.) long, 9 in. (22.9 cm.) wide. 14 pairs of insignificant veins. Dark green with a 1.5 in. slightly rippled, pure white margin. Dull on top, glaucous bloom underneath; lightly wavy; broadly ovate with a cordate base.

Scape: 32 in. (81.3 cm.) high; green.

Flower: 2 in. (5.1 cm.) long, near white, tubular; Jackson MI: 7/1 - 8/1 (4 - 5).

Seed: viable; pod is green.

Clump History: the original seedling, 6 years old, growing in Jackson MI.

[*H. 'Sea Prize'* × *H. montana*]

H. 'Mount Hope' Janet Starnes Nursery (OR) 1992

Plant: 30 in. (76.2 cm) wide, 18 in. (45.72 cm) high.

Leaf: 8 in. (20.3 cm) long, 6 in. (15.2 cm) wide, 11 pairs of veins; medium green with a medium yellow, 2 inch (5.1 cm), streaked margin; occasionally streaked down the center; cordate; lightly cupped; lightly puckered; heavily veined; heavy glaucous bloom underneath.

Scape: 30 in. (76.2 cm) long; inflorescence leaves.

Flower: pale lavender, striped, flaring; Oregon: July.

Seed: viable.

[Parentage unknown]

H. 'Mount Tom' W. & E. Lachman (OR) 1995

Plant: 28 in. (71.1 cm.) diameter, 19 in. (48.3 cm.) high. Moderately growing, moderately dense, semi-upright habit.

Leaf: 10 in. (25.0 cm.) long, 10 in. (25.0 cm.) wide. 11 pairs of moderately prominent veins. Medium green with a 1.5 in. (3.8 cm.) wide, smooth creamy white margin. Dull on top, glaucous bloom underneath; moderately corrugated; heavy substance; nearly round with a rounded base.

Scape: 23 in. (58.4 cm.) high, ranging from 21-25 in. (53.3-63.5 cm.); green.

Flower: 1.15 in. (2.9 cm.) long, nearly-white, tubular; Mass: July.

Seed: viable.

Clump History: 3 years old.

[*H. 'Flamboyant'* × *H. 'Christmas Tree'*]

H. 'Mrs. Minky' P. Hall (OR) 1993

Plant: 22 in. (55.9 cm.) wide, 9 in. (22.9 cm.) high.

Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide, 7 pairs of veins; medium yellow; ovate with a round base; margin heavily rippled; lightly twisted.

Scape: 28 in. (71.1 cm.) long; inflorescence leaves.

Flower: pale lavender, tubular; Hampshire, England: early June.

[*H. minor* × *H. 'Piedmont Gold'*]

H. 'Muffie' G. R. Goodwin (ONIR)	1996
Plant: 12 in. (30.5 cm.) diameter, 10 in. (25.4 cm.) high.	
Mound-like with a moderate growth rate.	
Leaf: 2.5 in. (6.4 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs veins. Medium green with a 0.25 in. slightly rippled, cream to white margin. Slightly shiny on top and underneath; lightly folded, moderately wavy; ovate with a tapered base.	
Scape: 15 in. (38.1 cm.) high, ranging from 12-24 in. (30.5-61 cm.); medium green.	
Flower: 1.75 in. (4.4 cm.) long, white to lavender, tubular; Indianapolis IN.; 7/15 - 8/1 - 8/20 (5 - 5 - 5+).	
Seed: viable; pod is medium green.	
Clump History: the original seedling, 7 years old, growing in Indianapolis IN.	
[<i>H. 'Bravo'</i> hybrid]	
H. 'Muted Moon' P. Ruh (OR)	1995
Plant: 23 in. (58.4 cm.) diameter, 16 in. (40.6 cm.) high. A moderately dense, semi-upright habit.	
Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 10 pairs of prominent veins. Dark green with a 1 in. (2.5 cm.) wide, smooth, light green margin. Slightly shiny on top, dull underneath; slightly rippled; good substance; broadly ovate with a rounded base.	
Scape: 24 in. (61 cm.) high.	
Flower: pale lavender, tubular; Ohio: early August.	
Seed: viable.	
Clump History: 10 years old.	
Remarks: differs from <i>H. 'Abiqua Moonbeam'</i> in having a deeper green Leaf center.	
[<i>H. 'August Moon'</i> sport]	
H. 'My Blue Heaven' P. Banyai (O), E. Elslager (NIR)	1997
Plant: 46 in. (117 cm.) diameter, 21 in. (53.3 cm.) high.	
Mound-like with a moderate growth rate.	
Leaf: 6 in. (15.2 cm.) long, 5 in. (12.7 cm.) wide. 10 pairs of prominent veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; moderately cupped, broadly ovate with a cordate base.	
Scape: 27 in. (68.6 cm.) high, ranging from 21-28 in. (53.3-71.1 cm.); branched; inflorescence leaves.	
Flower: 1.5 in. (3.8 cm.) long, pale purple with purple stripes, tubular; Ann Arbor MI: 7/10 - 7/29 - 8/10 (4 - 4 - 4).	
Seed: none set.	
Clump History: the original seedling, 6 years old, growing in Ann Arbor MI.	
Notable Characteristics: large numbers of scapes.	
[Parentage unknown]	
H. 'My Child Insook' H. & D. Benedict (OR)	1995
Plant: 30 in. (76.2 cm.) diameter, 28 in. (71.1 cm.) high. Fast growing, compact, semi-upright habit.	
Leaf: 10 in. (25.0 cm.) long, 8 in. (20.0 cm.) wide. 11 pairs of prominent veins. Pure white with a 2 in. (5.1 cm.) wide, smooth, dark green margin. Slightly shiny on top and underneath; lightly folded, lightly corrugated; heavy substance; nearly round with a cordate base.	
Scape: 40 in. (101.6 cm.) high, ranging from 36-44 in. (91.4-111.8 cm.); light green.	
Flower: 2 in. (5.1 cm.) long, light lavender, tubular; Mich: late July to mid-August.	
Seed: none set.	

Remarks: petiole has a narrow green edge.

Clump History: 5 years old.
[*H. 'Outrageous'* sport]

H. 'My Fair Katie' E. Elslager (ONIR)	1998
Plant: 33 in. (83.8 cm.) diameter, 19 in. (48.3 cm.) high.	
Upright with a moderate growth rate.	
Leaf: 7.5 in. (19.1 cm.) long, 5.25 in. (13.3 cm.) wide. 10 pairs prominent veins. Greenish yellow with a slightly rippled margin. Slightly shiny on top, very shiny underneath; ovate with a cordate base; petiole green.	
Scape: 42 in. (107 cm.) high, ranging from 36-45 in. (91.4-114 cm.) in length; inflorescence leaves.	
Flower: 2.25 in. (5.7 cm.) long, pale lavender, striped, tubular; Ann Arbor MI: 7/7 - 7/24 - 8/11 (5 - 5 - 6).	
Seed: viable; pod is reddish green.	
Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.	
Notable Characteristics: the color holds; good substance and a tall scape.	
[<i>H. 'Sophistication'</i> hybrid]	

H. 'My Love Dorothy' H. & D. Benedict (OR)	1995
Plant: 26 in. (66.0 cm.) diameter, 10 in. (25.4 cm.) high. Slow growing, open, semi-upright habit.	
Leaf: 7.5 in. (19 cm.) long, 6 in. (15 cm.) wide. 11-12 pairs of moderately prominent veins. Pure white with a 1 in. (2.5 cm.) wide, smooth, medium blue-green margin. Slightly shiny on top and underneath; lightly folded, moderately corrugated; heavy substance; broadly ovate with a cordate base.	
Scape: 16 in. (40.6 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.); white.	
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Mich: July.	
Seed: viability unknown.	
Clump History: 6 years old.	
[<i>H. 'Dorothy Benedict'</i> selfed]	

N

H. 'Nesmith's Giant' E. Nesmith (O), P. Ruh (R)	1994
Plant: 32 in. (81.3 cm.) diameter, 26 in. (66 cm.) high, with a moderately dense, semi-upright habit.	
Leaf: 9.25 in. (23.5 cm.) wide, 11.25 in. (28.6 cm.) long; 13 pairs of prominent veins; dark green, smooth margin; dull above and underneath; wavy; good substance; broadly ovate with a cordate base.	
Scape: 41.5 in. (105.4 cm.) high, ranging from 40-42 in. (101.6-106.7 cm.); deep green.	
Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Ohio: July.	
Seed: viable.	
Clump History: 10+ year old.	
[<i>H. sieboldiana</i> × <i>H. 'Elegans'</i>]	

H. 'New Moon' R. Lydell (OR)	1995
Plant: 40 in. (101.6 cm.) diameter, 18 in. (45.7 cm.) high. Fast growing, moderately dense, mound-like habit.	
Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 8-10 pairs of moderately prominent veins. Yellow gold with a 3 in. (7.6 cm.) wide, smooth, dark green margin. Slightly	

shiny on top, glaucous bloom underneath; moderately corrugated; heavy substance; broadly ovate with a cordate base.
 Scape: 18 in. (45.7 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.); green with occasional yellow streaks.
 Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; New York: late July to mid-August.
 Clump History: 4 years old.
 [H. 'August Clouds' x H. 'Fortunei Hyacinthina']

H. 'Newberry Gold' Carter & Holmes (O),
N. Plemmons (R) 1996
 Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 14-16 moderately prominent veins. Yellow gold. Dull on top and underneath; intensely corrugated; nearly round with a cordate base.
 Scape: 20 in. (50.8 cm.) high, ranging from 19-21 in. (48.3-53.3 cm.); light green.
 Flower: 1.25 in. (3.2 cm.) long, near white, tubular; Spartanburg SC: 5/30 - 6/15 - 6/22.
 Seed: viable.
 Clump History: 5 years old.
 [H. 'Tokudama Aureonebulosa' hybrid]

H. 'Nicholas James' P. Banyai (O), E. Elslager (NIR) 1996
 Plant: 15 in. (38.1 cm.) diameter, 7 in. (17.8 cm.) high. Stoloniferous and slow growing.
 Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide. 8 pairs of prominent veins. Yellow gold with a heavily rippled margin. Very shiny on top and underneath; moderately rippled; ovate with a tapered base.
 Scape: 11 in. (27.9 cm.) high, ranging from 10-12 in. (25.4-30.5 cm.); inflorescence leaves; medium green.
 Flower: 2.25 in. (5.7 cm.) long, pure white, tubular; Ann Arbor MI: 7/2 - 7/17 - 7/23.
 Seed: viability unknown.
 Clump History: received as a seedling from the originator, 5 years old, growing in Ann Arbor MI.
 [Parentage unknown]

H. 'Nick Balash' C. Owens (OR) 1994
 Plant: 35 in. (88.9 cm.) diameter, 22 in. (55.9 cm.) high, with a compact, mound-like habit.
 Leaf: 4.5 in. (11.4 cm.) wide, 7.5 in. (19.1 cm.) long; 8 pairs of moderately prominent veins; dark green; smooth margin; very shiny above and underneath; deeply corrugated; heavy substance; ovate with a cordate base.
 Scape: 28 in. (71.2 cm.) high, ranging from 28-30 in. (71.2-76.2 cm.); green.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Mich: late July.
 Seed: viable.
 Clump History: 6 years old.
 [Parentage unknown]

H. 'Nickelodeon' T. Schmid (ONIR) 1998
 Plant: medium sized.
 Leaf: 14 in. (35.6 cm.) long, 6.5 in. (16.5 cm.) wide. 10 pairs veins. Medium green with a 2 in. (5.08 cm.) wide, slightly rippled, greenish yellow margin. Slightly shiny on top, dull underneath; cupped, nearly round with a cordate base.

Scape: ranging from 24-30 in. (61-76.2 cm.) in length.
 Flower: 1.5 in. (3.8 cm.) long, lavender, tubular; Jackson MI: late June-July (4 - 4 - 4).
 Clump History: the original sport, 5 years old, growing in Jackson MI.
 Notable Characteristics: bright color.
 [H. 'Summer Music' sport]

H. 'Night before Christmas' J. Machen Jr. (OR) 1994
 Plant: 30 in. (88.9 cm.) diameter, 18 in. (45.7 cm.) high, with a moderately dense, semi-upright habit.
 Leaf: 3 in. (7.6 cm.) wide, 8 in. (20.3 cm.) long; 6-8 pairs of moderately prominent veins; creamy white changing to pure white (some greening in late summer), with a 0.75 in. (1.9 cm.) wide, medium green, smooth margin; slightly shiny above, dull underneath; moderately twisted; average substance; lance-shaped with a rounded base.
 Scape: 30 in. (88.9 cm.) high, ranging from 29-36 in. (73.7-91.4 cm.); creamy white.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Virginia: mid-June to mid-July.
 Clump History: 3 years old.
 [H. 'White Christmas' sport]

H. 'Noah's Rainbow' R. Snyder (ONIR) 1997
 Plant: 19 in. (48.3 cm.) diameter, 9 in. (22.9 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 3.5 in. (8.9 cm.) wide. 8 pairs of insignificant veins. Streaked creamy white and green with a 0.13 in. (0.32 cm.) wide, slightly rippled, creamy white margin. Dull on top and underneath; moderately folded, ovate with a rounded base; petiole striped with green and white.
 Scape: 20 in. (50.8 cm.) high, ranging from 16-24 in. (40.6-61 cm.); inflorescence leaves.
 Flower: 2.5 in. (6.4 cm.) long, pale lavender with white stripes, tubular; Willmar MN: 7/25 - 8/1 - 8/12 (4 - 5 - 6).
 Seed: viability unknown; pod is green.
 Clump History: the original sport, 7 years old, growing in Willmar MN.
 Notable Characteristics: streaked with a cream edge.
 Remarks: the variegation is not stable.
 [H. 'Green Gold' sport]

H. 'Nonsuch' D. Grenfell (ONIR) 1996
 Plant: 60 in. (152 cm.) diameter, 31 in. (78.7 cm.) high. Upright with a moderate growth rate.
 Leaf: 20 in. (50.8 cm.) long, 8 in. (20.3 cm.) wide. 10-12 prominent veins. Medium blue-green with flat margin, waxy on top and underneath; moderately corrugated; elliptic with a cordate base. Petiole grayish white.
 Scape: 24 in. (61 cm.) high, ranging from 20-28 in. (50.8-71.1 cm.); inflorescence leaves; grayish white.
 Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Lymington Hants UK: June - July (2 - 5 - 6).
 Seed: viable; pod is grayish brown.
 Clump History: the original seedling from Wisley Garden, 5 years old, growing in Lymington Hants UK.
 Notable Characteristics: long Leaf blade and "drooping" Scape.
 [Parentage unknown]

H. 'Nordatlantik' E. Smith (O), 1997

<p>H. Klose (NI), P. Ruh (R)</p> <p>Plant: 30.5 in. (77.5 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like and slow growing.</p> <p>Leaf: 10 in. (25.4 cm.) long, 8.5 in. (21.6 cm.) wide. 16 pairs of prominent veins. Intensely blue-green with a flat margin. Dull on top and underneath; lightly cupped, lightly folded, lightly corrugated, broadly ovate with a cordate base; petiole short and heavy.</p> <p>Scape: 8 in. (20.3 cm.) high, ranging from 7-8 in. (17.8-20.3 cm.); inflorescence leaves.</p> <p>Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Chesterland OH: 7/10 - 7/24 - 8/5 (2 - 2 - 2).</p> <p>Seed: none set.</p> <p>Remarks: this cultivar is commonly listed <i>H. 'North Atlantic'</i>. [<i>H. 'Dorset Charm'</i> x <i>H. 'Dorset Flair'</i>]</p>	<p>H. 'Norwalk Chartreuse' N. Stark (OR) 1995</p> <p>Plant: 15 in. (38.1 cm.) diameter, 15 in. (38.1 cm.) high. Moderately growing, open, mound-like habit.</p> <p>Leaf: 6 in. (15.0 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of prominent veins. Greenish yellow. Very shiny on top, slightly shiny underneath; lightly folded, moderately corrugated; ovate with a rounded base.</p> <p>Scape: 15 in. (38.1 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.); green.</p> <p>Flower: purple, tubular; Iowa: July.</p> <p>Seed: viable.</p> <p>Clump History: 9 years old. [Parentage unknown]</p>
<p>H. 'North Point' R. Lydell (ONIR) 1998</p> <p>Plant: 24 in. (61.0 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 7-8 pairs of veins. Deeply blue-green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; deeply cupped, lightly twisted, lightly folded, moderately wavy, moderately corrugated, broadly ovate with a cordate base.</p> <p>Scape: ranging from 24-26 in. (61-66 cm.) high.</p> <p>Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Dunkirk NY: 6/20 - 6/30 - 7/10 (4 - 5 - 5).</p> <p>Seed: none set; pod is blue-green.</p> <p>Clump History: 10 years old, growing in Dunkirk NY.</p> <p>Notable Characteristics: unique leaf shape and heavy substance. [Parentage unknown]</p>	<p>H. 'Obsession' T. Avent (ONIR) 1998</p> <p>Plant: 18 in. (45.7 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 4 in. (10.2 cm.) long, 2 in. (5.1 cm.) wide. Medium green with a 0.5 in. (1.27 cm.) wide, flat, very dark green ("black") margin. "Black" streaking. Slightly shiny on top, dull underneath; moderately wavy, elliptic with a rounded base.</p> <p>Scape: 18 in. (45.7 cm.) high.</p> <p>Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; mid-July.</p> <p>Seed: none set. [<i>H. 'Sparkling Burgundy'</i> sport]</p>
<p>H. 'Northern Exposure' Walters Gardens, Inc. (ONIR) 1997</p> <p>Plant: 66 in. (168 cm.) diameter, 36 in. (91.4 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 13 in. (33 cm.) long, 11 in. (27.9 cm.) wide. 17-19 pairs of prominent veins. Medium blue-green with a 2 in. (5.08 cm.) wide, flat, creamy white margin. Glaucous bloom on top and underneath; intensely corrugated, broadly ovate with a cordate base.</p> <p>Scape: 32 in. (81.3 cm.) high, ranging from 28-36 in. (71.1-91.4 cm.).</p> <p>Flower: 2.5 in. (6.4 cm.) long, near white, tubular; Zeeland MI: 6/25 - 6/30 - 7/18 (1 - 2 - 2).</p> <p>Seed: viable; pod is green to blue-green.</p> <p>Clump History: the original sport, 6 years old, growing in Zeeland MI. [<i>H. 'Elegans'</i> sport]</p>	<p>H. 'Odd Ball' H. & D. Benedict (OR) 1995</p> <p>Plant: 11 in. (27.9 cm.) diameter, 11 in. (27.9 cm.) high. Slow growing, compact, mound-like habit.</p> <p>Leaf: 4 in. (10 cm.) long, 2.5 in. (6.4 cm.) wide. 11-12 pairs of prominent veins. Slightly blue-green with a smooth margin. Glaucous bloom on top and underneath; moderately corrugated, moderately cupped; heavy substance; broadly ovate with a cordate base.</p> <p>Scape: 18 in. (45.7 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.); green.</p> <p>Flower: 1 in. (2.5 cm.) long, near white, bell shaped; Mich: early July.</p> <p>Seed: none set. [<i>H. 'Northern Mist'</i> hybrid]</p>
<p>H. 'Northern Star' Walters Gardens (O), C. Falstad (R) 1993</p> <p>Plant: 46 in. (116.8 cm.) wide, 30 in. (76.2 cm.) high.</p> <p>Leaf: 11 in. (27.9 cm.) long, 10 in. (25.4 cm.) wide, 17-19 pairs of moderately prominent veins; medium blue-green with a chartreuse-gold margin; broadly ovate with a cordate base; margin smooth; glaucous bloom above and underneath; moderately corrugated.</p> <p>Scape: 30 in. (76.2 cm.) long; grey-green.</p> <p>Flower: near-white, tubular; Michigan: late June - early July.</p> <p>Seed: viable. [<i>H. 'Elegans'</i> sport]</p>	<p>H. 'Old Cadillac' J. & B. Diesen (ONIR) 1998</p> <p>Plant: 42 in. (107 cm.) diameter, 28 in. (71.1 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 12 in. (30.5 cm.) long, 9.5 in. (24.1 cm.) wide. 14 pairs of veins. Slightly blue-green. Very shiny on top, glaucous bloom underneath; moderately corrugated, nearly round with a cordate base.</p> <p>Scape: ranging from 32-36 in. (81.3-91.4 cm.) high.</p> <p>Flower: pure white with lavender striping, tubular; Plattsburgh NE: June (3 - 3 - 3).</p> <p>Seed: pod is green. Clump History: the original seedling, 7 years old, growing in Plattsburgh NE. Notable Characteristics: metallic green with heavy substance.</p>

O

[Parentage unknown]		Clump History: 6 years old, growing in Vancouver WA. [parentage unknown]
H. 'Olive Oil' J. Dishon (ONIR) 1996 Plant: 40 in. (102 cm.) diameter, 23 in. (58.4 cm.) high. Upright with a moderate growth rate. Leaf: 11 in. (27.9 cm.) long, 7 in. (17.8 cm.) wide. 10 pairs of prominent veins. Emerging light green changing to deep gold. A slightly rippled margin. Very shiny on top and underneath; moderately wavy; ovate with a rounded base. Scape: 36 in. (91.4 cm.) high; brown. Flower: 2 in. (5.1 cm.) long, pale lavender, tubular, white striped inside; Jackson MI: 7/1 - 8/1 (4 - 5). Seed: viable; pod is green. Clump History: the original seedling, 7 years old, growing in Jackson MI. Notable Characteristics: shiny olive gold color. [<i>H. 'Yellow Splash' x H. hypoleuca</i>]		H. 'Pale Gold' E. Fisher (ONI), P. Ruh (R) 1997 Plant: 31 in. (78.7 cm.) diameter, 20 in. (50.8 cm.) high. Upright with a moderate growth rate. Leaf: 10.5 in. (26.7 cm.) long, 8.75 in. (22.2 cm.) wide. 13 pairs of prominent veins. Pale yellow with a slightly rippled margin. Dull on top and underneath; cupped, wavy, corrugated, ovate with a cordate base. Scape: 23 in. (58.4 cm.) high, ranging from 21-23 in. (53.3-58.4 cm.); inflorescence leaves. Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Chesterland OH: 6/27 - 7/13 - 7/25 (1 - 1 - 2). Seed: none set. Notable Characteristics: spring yellow. [<i>H. 'Golden Anniversary' hybrid</i>]
H. 'Outhouse Delight' T. Avent (ONIR) 1998 Plant: 18 in. (45.7 cm.) diameter, 6 in. (15.2 cm.) high. Rhizomatous and fast growing. 4-5 pairs moderately prominent veins. Leaf: 5 in. (12.7 cm.) long, 1.5 in. (3.8 cm.) wide. White, speckled green, with a slightly rippled margin. Dull on top and underneath; moderately twisted, moderately wavy, intensely rippled, lance-shaped with a rounded base. Scape: 18 in. (45.7 cm.) high. Flower: 1 in. (2.5 cm.) long, medium lavender; July. Seed: viable. [<i>H. 'Undulata' hybrid</i>]		H. 'Pandora's Box' H. Hansen & Shady Oaks Nursery (OR) 1996 Plant: 5.5 in. (14 cm.) diameter, 1.75 in. (4.4 cm.) high. Mound-like with a moderate growth rate. Leaf: 2 in. (5.1 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of insignificant veins. Creamy white with a 0.75 in., slightly blue-green margin. Dull on top and underneath; folded; ovate with a flat base. Scape: 7.5 in. (19.1 cm.) high, ranging from 6-8 in. (15.2-20.3 cm.); white. Flower: 0.75 in. (1.9 cm.) long, purple with a white base, bell shaped; Waseca MN: mid-June - early July. Seed: viability unknown. Clump History: 2 years old. Notable Characteristics: green streaking appears between the bluish margin and white center. [<i>H. 'Baby Bunting' sport</i>]
H. 'Owen Online' R. Snyder (ONIR) 1998 Plant: 20 in. (50.8 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate. Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 8 pairs of veins. Golden yellow with a 1.75 in. (4.45 cm.) wide, slightly rippled, dark green margin. Slightly shiny on top, glaucous bloom underneath; corrugated, ovate with a rounded base; petiole green. Scape: ranging from 26-30 in. (66-76.2 cm.) in length; inflorescence leaves. Flower: 1.75 in. (4.4 cm.) long, pale lavender, striped, tubular; Willmar MN: 7/1 - 7/14 - 7/30 (3 - 4 - 5). Clump History: the original sport, 4 years old, growing in Willmar MN. Notable Characteristics: a narrow gold center. [<i>H. 'Fortunei Aureomarginata' sport</i>]		H. 'Parhelion' Walters Gardens, Inc. (ONIR) 1997 Plant: 60 in. (152 cm.) diameter, 36 in. (91.4 cm.) high. Mound-like and fast growing. Leaf: 15 in. (38.1 cm.) long, 12 in. (30.5 cm.) wide. 13 pairs of veins. Light green with a 0.25 in. (0.64 cm.) wide, flat, creamy white margin. Slightly shiny on top, dull underneath; broadly ovate with a flat base. Scape: 50 in. (127 cm.) high, ranging from 46-60 in. (116.8-152.4 cm.). Flower: 2.5 in. (6.4 cm.) long, medium lavender, striped, bell-shaped; Zeeland MI: 7/6 - 7/15 - 8/10 (3 - 4 - 5). Seed: viable; pod is light green. Clump History: original tissue culture sport, 4 years old, growing in Zeeland MI. Notable Characteristics: cream edge. [<i>H. 'Sum and Substance' sport</i>]
P		H. 'Pacific Sunlight' R. Duback (ONIR) 1998 Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like. Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 12 pairs veins. Yellow with a flat margin. Glaucous bloom on top and underneath; moderately corrugated, broadly ovate with a cordate base. Flower: pure white. Seed: viable.
		H. 'Party Time' H. & D. Benedict (OR) 1995 Plant: 18 in. (45.7 cm.) diameter, 14 in. (35.6 cm.) high. Fast growing, compact, mound-like habit. Leaf: 5 in. (13.0 cm.) long, 4 in. (10.0 cm.) wide. 7 pairs of moderately prominent veins. Dark green with a heavily rippled margin. Very shiny on top and underneath; moderately folded, intensely rippled; heavy substance; broadly ovate with a rounded base. Scape: 16 in. (40.6 cm.) high, ranging from 15-16 in. (38.1-40.6 cm.); red.

Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Mich: late July to mid-August. Seed: not viable. Clump History: 4 years old. [<i>H. 'Nooner' × H. 'Sparkling Burgundy'</i>]	[<i>H. 'City Lights' × H. 'Bold Ruffles'</i>]
<i>H. 'Pastures New'</i> A. Summers (OI), E. Smith (NI), P. Ruh (R) 1997 Plant: 13 in. (33 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate. Leaf: 3.75 in. (9.5 cm.) long, 2.75 in. (7 cm.) wide. 8 pairs of insignificant veins. Medium green with a flat margin. Dull on top and underneath; lightly corrugated, ovate with a flat base. Scape: 18 in. (45.7 cm.) high, ranging from 16-18 in. (40.6-45.7 cm.); inflorescence leaves. Flower: 1.5 in. (3.8 cm.) long, pale lavender with faint stripes, tubular; Chesterland OH: 7/2 - 7/17 - 7/29 (1 - 1 - 2). Seed: none set. Clump History: a division of the original, 4 years old, growing in Chesterland OH. [<i>H. nakaiana</i> hybrid]	<i>H. 'Peedee Granny Smith'</i> U. Syre-Herz (OR) 1992 Plant: 38 in. (96.5 cm) wide, 21 in. (53.3 cm) high. Leaf: 9 in. (22.9 cm) long, 7 in. (17.8 cm) wide, 13-14 pairs of veins; light blue changing to green; cordate; wavy; puckered; leathery; waxy; dull texture; glaucous bloom above and underneath. Scape: 24 in. (61 cm) long. Flower: white, flaring; S. Carolina: May. Seed: viable. [<i>H. 'Shade Fanfare' × H. 'Bold Ruffles'</i>]
<i>H. 'Patriot's Fire'</i> A. Summers (ON), K. Walek (ONIR) 1996 Plant: 32 in. (81.3 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate. Leaf: 7.5 in. (19.1 cm.) long, 3.75 in. (9.5 cm.) wide. 7-9 pairs of moderately prominent veins. Greenish-yellow changing to gold, with a 0.13 in. pure white margin. Blue-green areas between the center and margin. Slightly shiny on top and underneath; ovate with a rounded base. Scape: 33 in. (83.8 cm.) high, ranging from 30-36 in. (76.2-91.4 cm.); light green to yellow. Flower: 2 in. (5.1 cm.) long, medium lavender, funnel shaped; Fairfax Station VA: 6/1 - 6/15 - 6/30. Clump History: 4 years old. [<i>H. 'Patriot'</i> sport]	<i>H. 'Peedee Laughing River'</i> U. Syre-Herz (OR) 1992 Plant: 24 in. (61 cm) wide, 8 in. (20.3 cm) high. Leaf: 7 in. (17.8 cm) long, 3 in. (7.6 cm) wide, 6-7 pairs of veins; medium grey-green with pure white, streaked, .25-.5 inch (.64-1.3 cm) margin; margin rippled; twisted; deeply veined. Scape: 30 in. (76.2 cm) long, inflorescence leaves. Flower: violet, flaring; S. Carolina: late-July. Seed: viable. [<i>H. 'Neat Splash' × H. 'Iron Gate Glamour'</i>]
<i>H. 'Peedee Apollo'</i> U. Syre-Herz (ONIR) 1996 Plant: 28 in. (71.1 cm.) diameter, 13 in. (33 cm.) high. Mound-like. Leaf: 6 in. (15.2 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of prominent veins. Gold with a slightly rippled margin. Slightly shiny on top and underneath; lance-shaped with a tapered base. Scape: 45 in. (114 cm.) high, ranging from 40-50 in. (101.6-127 cm.); inflorescence leaves. Flower: purple, tubular, striped; Myrtle Beach SC: 8/10 - 8/31 - 9/10. Seed: viable. Clump History: 8 years old. [<i>H. 'Peedee Gold Flash' × H. 'Krossa Regal'</i>]	<i>H. 'Peedee Picotee'</i> U. Syre-Herz (OR) 1992 Plant: 23 in. (58.4 cm) wide, 10 in. (25.4 cm) high. Leaf: 5.5 in. (14 cm) long, 3.25 in. (8.3 cm) wide, 6-7 pairs of veins; yellow green turning yellow; cordate; margins wavy; tips twisted; leathery; dull texture; glaucous bloom underneath. Scape: inflorescence leaves Flower: lavender with white stripes, flaring; South Carolina: May. [<i>H. ventricosa</i> hybrid]
<i>H. 'People's Choice'</i> G. Kamp (ONIR) 1998 Plant: 48 in. (122 cm.) diameter, 30 in. (76.2 cm.) high. Upright and fast growing. Leaf: 14.5 in. (36.8 cm.) long, 13 in. (33 cm.) wide. 15 pairs prominent veins. Blue-green. Glaucous bloom on top, dull underneath; lightly wavy, moderately corrugated, nearly round with a cordate base. Scape: 34 in. (86.4 cm.) high. Flower: near-white, bell-shaped; Indianapolis IN.; 6/15 - 6/18 - 6/23 (3 - 3 - 4). Seed: viable; pod is green. Notable Characteristics: large blue-green leaves. Clump History: the original seedling, 5 years old, growing in Indianapolis IN. Note: formerly known under the name "Magna Cum Laude". [<i>H. 'Placemat'</i> hybrid]	<i>H. 'Peppermint Ice'</i> Belle Gardens (OR) 1994 Plant: 22 in. (55.9 cm.) diameter, 8 in. (20.3 cm.) high, with a moderately dense, semi-upright habit. Leaf: 3.38 in. (8.6 cm.) wide, 6 in. (15.2 cm.) long; 7 pairs of moderately prominent veins; creamy white changing to pure white, with a 1.5 in. (3.8 cm.) wide, irregular, slightly rippled margin of various shades of green; very shiny above, slightly shiny underneath; lightly folded; good substance; ovate with a rounded base. Scape: 21 in. (53.3 cm.) high; burgundy becoming burgundy blushed cream.

Flower: 2 in. (5.1 cm.) long, pale purple, tubular; Mich: mid-July to mid-August.	
Seed: viable.	
Clump History: 4 years old.	
[<i>H. 'William Lachman' x H. montana</i>]	
<i>H. 'Peridot'</i> R. Lydell (OR)	1995
Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high. A compact, mound-like habit.	
Leaf: 4 in. (10 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of prominent veins. Dark green. Slightly shiny on top; average substance; ovate with a rounded base.	
Scape: 12 in. (30.5 cm.) high	
Flower: near-white, tubular; New York: Sept.	
Seed: viable.	
Clump History: 4 years old.	
[<i>H. 'Halcyon'</i> sport]	
<i>H. 'Pete's Passion'</i> P. Ruh (ONIR)	1997
Plant: 41 in. (104 cm.) diameter, 24 in. (61 cm.) high. Mound-like and fast growing.	
Leaf: 11.75 in. (29.8 cm.) long, 8 in. (20.3 cm.) wide. 11 pairs of prominent veins. Yellow gold with streaks of blue-green. Margin 2 in. (5.08 cm.) wide, slightly rippled, blue-green. Dull on top and underneath; moderately wavy, corrugated, ovate with a cordate base; petiole green with a blue-green margin.	
Scape: 32 in. (81.3 cm.) high, ranging from 30-34 in. (76.2-86.4 cm.); inflorescence leaves.	
Flower: 2 in. (5.1 cm.) long, lavender, striped, tubular; Chesterland OH: 7/3 - 7/18 - 7/31 (1 - 2 - 3).	
Seed: viable; pod is green.	
Clump History: the original tissue culture sport, 4 years old, growing in Chesterland OH.	
Notable Characteristics: intense blue-green margin.	
[<i>H. 'Paul's Glory'</i> sport]	
<i>H. 'Pewter Frost'</i> J. Dishon (ONIR)	1996
Plant: 40 in. (102 cm.) diameter, 13 in. (33 cm.) high. Upright with a moderate growth rate.	
Leaf: 10 in. (25.4 cm.) long, 7 in. (17.8 cm.) wide. 9 pairs of prominent veins. Intensely blue-green with slightly rippled margin. Very shiny on top, glaucous bloom underneath; moderately wavy; ovate with a cordate base. Scattered purple spotting on the petiole.	
Scape: 33 in. (83.8 cm.) high; green with glaucous bloom.	
Flower: 2 in. (5.1 cm.) long, near white, tubular; Jackson MI: 7/15 - 8/15 (5 - 6).	
Seed: viable; pod is green	
Clump History: the original seedling, 6 years old, growing in Jackson MI.	
Notable Characteristics: unusual "gun metal" leaf color.	
[<i>H. pycnophylla x H. montana</i>]	
<i>H. 'Phantom'</i> R. Solberg (O), J. & J. Wilkins (OR)	1995
Plant: 33 in. (83.8 cm.) diameter, 18 in. (45.7 cm.) high. Moderately growing, moderately dense, mound-like habit.	
Leaf: 10 in. (25.0 cm.) long, 7.5 in. (19.0 cm.) wide. 9-10 pairs of prominent veins. Dark green with a heavily rippled margin. Glaucous bloom on top and underneath; lightly folded, moderately wavy; good substance; ovate with a cordate base.	

Scape: 33 in. (83.8 cm.) high, ranging from 30-35 in. (76.2-88.9 cm.); glaucous purple.	
Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; Mich: August.	
Seed: none set.	
Clump History: 5 years old.	
[<i>H. 'Riptide'</i> hybrid]	
<i>H. 'Picadello'</i> Belle Gardens (OR)	1995
Plant: 18 in. (45.7 cm.) diameter, 8 in. (20.3 cm.) high. Moderately growing, moderately dense, mound-like habit.	
Leaf: 5.4 in. (14.0 cm.) long, 3.6 in. (9.2 cm.) wide. 7 pairs of moderately prominent veins. Medium blue-green with a 0.5 in. (1.3 cm.) wide, slightly rippled, creamy white margin. Glaucous bloom on top and underneath; lightly wavy; good substance; ovate with a cordate base.	
Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.); dark green.	
Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Mich: late July to mid-August.	
Seed: viable.	
Clump History: 4 years old.	
Remarks: the stabilized form of <i>H. 'Shenanigans'</i> [Parentage unknown]	
<i>H. 'Pied Piper'</i> R. Lydell (ONIR)	1998
Plant: 20 in. (50.8 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing.	
Leaf: 4 in. (10.2 cm.) long, 2.5 in. (6.4 cm.) wide. 5-6 pairs of veins. Yellowish green with a 0.5 in. (1.27 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and underneath; twisted, ovate with a rounded base.	
Scape: ranging from 20-22 in. (50.8-55.9 cm.) high.	
Flower: 1 in. (2.5 cm.) long, medium lavender, striped, tubular; Dunkirk NY: 6/18 - 6/30 - 7/15 (3 - 4 - 5).	
Seed: viable; pod is green.	
Clump History: a first generation division; 9 years old, growing in Dunkirk NY.	
Notable Characteristics: wavy, twisted leaves and a wide margin.	
[Parentage unknown]	
<i>H. 'Pilgrim'</i> G. Rasmussen (O), A. Malloy (NIR)	1997
Plant: 21 in. (53.3 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide. 6 pairs of insignificant veins. Light green with a 1 in. (2.54 cm.) wide, slightly rippled, creamy white margin. Dull on top and underneath; lightly wavy, ovate with a cordate base.	
Scape: 21 in. (53.3 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.).	
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Farmingdale NY: 7/5 -? - 7/16 (4 - ? - 4).	
Seed: viable; pod is green.	
Clump History: a division of the original, 7 years old, growing in Farmingdale NY.	
Notable Characteristics: a wide cream margin and gray-green marking between the margin and center of the leaf.	
[<i>H. 'Flamboyant'</i> hybrid]	
<i>H. 'Pink Panther'</i> A. Malloy (ONIR)	1998
Plant: 18 in. (45.7 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate.	

<p>Leaf: 3 in. (7.6 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of veins. White with green streaking. A slightly rippled, green margin. Dull on top, slightly shiny underneath; broadly ovate with a rounded base; petiole pinkish white.</p> <p>Scape: ranging from 18-20 in. (45.7-50.8 cm.) in length.</p> <p>Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; South Salem NY : 7/1 - 7/15 - 8/5 (3 - 3 - 4).</p> <p>Seed: viable; pod is streaked green and pink.</p> <p>Clump History: the original sport, 3 years old, growing in South Salem NY.</p> <p>Notable Characteristics: pink petioles and streaked scapes and pods.</p> <p>[<i>H. 'Island Charm'</i> sport]</p>	<p>rounded base; margin smooth; dull above and underneath; folded.</p> <p>Scape: 10 in. (25.4 cm.) long; green.</p> <p>Flower: lavender, striped; tubular; Iowa: late June.</p> <p>Seed: viable.</p> <p>[Parentage unknown]</p>
<p><i>H. 'Pixie Vamp'</i> D. & J. Ward (ONIR) 1996</p> <p>Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 2.5 in. (6.4 cm.) long, 2 in. (5.1 cm.) wide. 7 pairs of insignificant veins. Medium green with a 0.38 in. slightly rippled, creamy white margin. Dull on top, slightly shiny underneath; moderately wavy; ovate with a rounded base. Margin color extends the length of the petiole.</p> <p>Scape: 13 in. (33 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.); brown.</p> <p>Flower: 0.75 in. (1.9 cm.) long, medium lavender, tubular; Columbus OH: 6/25 - 7/4 - 7/10 (3 - 3 - 3).</p> <p>Seed: not viable; pod is green.</p> <p>Clump History: the original seedling, 5 years old, growing in Columbus OH.</p> <p>[<i>H. 'Pinstripe'</i> hybrid]</p>	<p>Leaf: 12 in. (30.0 cm.) long, 7 in. (18.0 cm.) wide. 12-14 pairs of prominent veins. Medium blue-green with a smooth margin. Very shiny on top, glaucous bloom underneath; moderate inverted cupping; heavy substance; broadly ovate with a rounded base.</p> <p>Scape: 34 in. (86.3 cm.) high.</p> <p>Flower: 2 in. (5.1 cm.) long, medium lavender, "spider x bell" shaped; N. Carolina: July.</p> <p>Seed: viable.</p> <p>Clump History: 5 years old.</p> <p>[<i>H. yingeri</i> x <i>H. 'Blue Umbrellas'</i>]</p>
<p><i>H. 'Polished Jade'</i> R. Lydell (OR) 1993</p> <p>Plant: 24 in. (61 cm.) wide, 12 in. (30.5 cm.) high.</p> <p>Leaf: 7 in. (17.8 cm.) long, 4 in. (10.2 cm.) wide, 7 pairs of moderately prominent veins; medium green; ovate with a rounded base; margin rippled.</p> <p>Scape: 20 in. (50.8 cm.) long.</p> <p>Flower: pale lavender, tubular; New York: Sept.</p> <p>Seed: viable.</p> <p>[Parentage unknown]</p>	<p><i>H. 'Powder Blue'</i> H. Sugita (O), P. Ruh (ONIR) 1998</p> <p>Plant: 38 in. (96.5 cm.) diameter, 27 in. (68.6 cm.) high. Upright with a moderate growth rate.</p> <p>Leaf: 14 in. (35.6 cm.) long, 11 in. (27.9 cm.) wide. 14 pairs prominent veins. Blue-green with a heavily rippled margin. Dull on top, glaucous bloom underneath; lightly twisted, moderately folded, moderately wavy, intensely corrugated, broadly ovate with a cordate base; petiole heavy.</p> <p>Scape: 34 in. (86.4 cm.) high.</p> <p>Flower: 2.5 in. (6.4 cm.) long, light lavender, bell-shaped; Chesterland OH: 6/19 - 7/1 - 7/12.</p> <p>Seed: viable; pod is bluish.</p> <p>Clump History: the original seedling, 6 years old, growing in Chesterland OH.</p> <p>[parentage unknown]</p>
<p><i>H. 'Polychrome'</i> A. Malloy (ONIR) 1998</p> <p>Plant: 22 in. (55.9 cm.) diameter, 9 in. (22.9 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 5 in. (12.7 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of veins. Streaked dark green and creamy white. Margin flat. Slightly shiny on top, very shiny underneath; ovate with a rounded base; petiole purple.</p> <p>Scape: ranging from 13-16 in. (33-40.6 cm.) in length.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; South Salem NY : 7/15 - 7/30 - 8/17 (4 - 4 - 5).</p> <p>Clump History: the original sport, 4 years old, growing in South Salem NY.</p> <p>Notable Characteristics: purple petioles and streaked variegation.</p> <p>[<i>H. 'Emerald Crown'</i> sport]</p>	<p><i>H. 'Prairie Fire'</i> B. Kuk (OR) 1994</p> <p>Plant: 12 in. (30.5 cm.) diameter, 13 in. (33 cm.) high, with a moderately dense, semi-upright habit.</p> <p>Leaf: 3.5 in. (8.9 cm.) wide, 7 in. (17.8 cm.) long; 7-9 pairs of prominent veins; deep gold, intensifying; slightly rippled margin; dull above, glaucous bloom underneath; moderately twisted, intensely wavy; heavy substance; ovate with a rounded base.</p> <p>Scape: 20 in. (50.8 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.); light green.</p> <p>Flower: 1 in. (2.5 cm.) long, near-white, tubular; Ohio: July.</p> <p>Seed: viable.</p> <p>Clump History: 6 years old.</p> <p>[<i>H. 'Gold Regal'</i> x <i>H. "Tokudama gold seedling"</i>]</p>
<p><i>H. 'Popo'</i> R. O'Hara (O), F. Riehl (R) 1993</p> <p>Plant: 9 in. (22.9 cm.) wide, 5 in. (12.7 cm.) high.</p> <p>Leaf: 1.75 in. (4.5 cm.) long, 1.5 in. (3.8 cm.) wide, 5-6 pairs of flat veins; slightly blue-green; broadly ovate with a</p>	<p><i>H. 'Praying Hands'</i> G. Williams (ONIR) 1996</p> <p>Plant: 16 in. (40.6 cm.) diameter, 14 in. (35.6 cm.) high. Upright with a moderate growth rate.</p> <p>Leaf: 7 in. (17.8 cm.) long, 2.25 in. (5.7 cm.) wide. 7 pairs of prominent veins. Dark green with a 0.06 in. heavily rippled, yellow gold margin. Slightly shiny on top, very shiny underneath; deeply folded; lance-shaped with a tapered base.</p>

Scape: 16 in. (40.6 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); green.	
Flower: 2.38 in. (6 cm.) long, pale lavender, bell shaped; Lake Hubert MN: 8/1 - 8/10 - 8/23 (4 - 4 - 4).	
Seed: none set.	
Clump History: purchased as an unnamed plant from a nursery, 6 years old, growing in Lake Hubert MN.	
Notable Characteristics: tightly folded leaves. [Parentage unknown]	
<i>H. 'Prima Donna'</i> J. Wilkins (ONI), J. & J. Wilkins (R) 1995	
Plant: 56 in. (142.20 cm.) diameter, 21 in. (53.34 cm.) high. Fast growing, compact, mound-like habit.	
Leaf: 14 in. (36.0 cm.) long, 10 in. (25.0 cm.) wide. 9-10 pairs of prominent veins. Dark green with a 0.5 in. (1.27 cm.) wide, slightly rippled, yellow gold margin (changing to cream). Slightly shiny on top, glaucous bloom underneath; moderately wavy, moderately folded; good substance; ovate with a cordate base.	
Scape: 45 in. (114.3 cm.) high, ranging from 40-49 in. (101.6-124.5 cm.); glaucous green.	
Flower: 2.75 in. (7.0 cm.) long, light lavender, tubular; Mich: late July to mid-August.	
Seed: not viable.	
Remarks: flowers purple in bud; bracts colored green, cream and lavender	
Clump History: 7 years old. [<i>H. "William Lachman</i> seedling" sport]	
<i>H. 'Princess Anastasia'</i> G. Trucks (ONIR) 1998	
Plant: 30 in. (76.2 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 14-16 prominent veins. Yellow gold with a slightly rippled, intensely blue-green margin. Very shiny on top, slightly shiny underneath; moderately cupped, intensely corrugated, nearly round with a cordate base; petiole has light blue streaks.	
Scape: 16 in. (40.6 cm.) high, ranging from 14-18 in. (35.6-45.7 cm.).	
Flower: 2 in. (5.1 cm.) long, pure white with lavender striping, bell-shaped; Benton Harbor: 6/15 - 7/1 - 7/8 (1 - 2 - 3).	
Seed: viable; pod is chartreuse.	
Clump History: a division of the original, 8 years old, growing in Benton Harbor MI.	
Notable Characteristics: good color stability. [<i>H. "Ryan's Big One"</i> sport]	
<i>H. 'Princess Diana'</i> G. Trucks (ONIR) 1997	
Plant: 15 in. (38.1 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like and slow growing.	
Leaf: 7 in. (17.8 cm.) long, 4 in. (10.2 cm.) wide. 12 pairs of insignificant veins. Yellow gold with a 0.25 in. (0.64 cm.) wide, flat, medium blue-green margin streaking into the center. Very shiny on top, slightly shiny underneath; moderately corrugated, ovate with a rounded base.	
Scape: 10 in. (25.4 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.).	
Flower: 1 in. (2.5 cm.) long, pure white, bell-shaped; Benton Harbor: 6/1 - 6/30 - 7/15 (2 - 3 - 4).	
Seed: viability unknown; pod is chartreuse.	
Clump History: the original sport, 6 years old, growing in Benton Harbor MI.	

Notable Characteristics: yellow center with blue-green streaks. [<i>H. 'Tokudama Flavoplanata'</i> sport]	
<i>H. 'Purple Charmer'</i> C. Lantis (O), P. Ruh (R) 1993	
Plant: 18 in. (45.7 cm.) wide, 8 in. (20.3 cm.) high. Leaf: 5.5 in. (14 cm.) long, 2.5 in. (6.4 cm.) wide, 5 pairs of moderately prominent veins; medium green; lance-shaped with a rounded base; margin smooth; slightly shiny above and underneath; twisted.	
Scape: 24 in. (61 cm.) long; dark green. Flower: pale purple with violet stripes; tubular; Ohio: August. [<i>H. gracillima</i> x <i>H. 'Ogon Koba'</i>]	
R	
<i>H. 'Rain Forest'</i> G. R. Goodwin (ONIR) 1996	
Plant: 24 in. (61 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like and slow growing.	
Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of prominent veins. Medium green with a heavily rippled margin. Very shiny on top and underneath; moderately folded, intensely wavy; ovate with a tapered base.	
Scape: 15 in. (38.1 cm.) high, ranging from 12-20 in. (30.5-50.8 cm.); green.	
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular, striped; Indianapolis IN.; 8/20 - 9/6 - 9/25 (6 - 7 - 8).	
Seed: viable; pod is green.	
Clump History: a division of the original, 5 years old, growing in Indianapolis IN.	
Notable Characteristics: undulating glossy green leaves. [<i>H. rupifraga</i> hybrid]	
<i>H. 'Raspberry Parfait'</i> H. Sugita (O), P. Ruh (ONIR) 1998	
Plant: 35 in. (88.9 cm.) diameter, 17.5 in. (44.5 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 9.25 in. (23.5 cm.) long, 7 in. (17.8 cm.) wide. 11 pairs prominent veins. Medium green with a heavily rippled margin. Very shiny on top, glaucous bloom underneath; lightly twisted, moderately folded, moderately wavy, broadly ovate with a cordate base; petiole with a pink cast and red spots.	
Scape: 34 in. (86.4 cm.) high.	
Flower: 2 in. (5.1 cm.) long, pale lavender, purple margins, bell-shaped; Chesterland OH: 8/6 - 8/14 - 8/24.	
Seed: viable; pod is dark green with red stripes.	
Clump History: the original seedling, 12 years old, growing in Chesterland OH.	
Notable Characteristics: a wavy margin and red petiole. [<i>H. longipes</i> x <i>H. pycnophylla</i>]	
<i>H. 'Raven'</i> R. Savory (OR) 1993	
Plant: 18 in. (45.7 cm.) wide, 15 in. (38.1 cm.) high. Leaf: 6 in. (15.2 cm.) long, 5.5 in. (14 cm.) wide, 9 pairs of veins; dark green; ovate with a round base; folded; intensely corrugated.	
Scape: 20-30 in. (50.8-76.2 cm.) long.	
Flower: pale purple, striped; tubular. [<i>H. 'Fortunei Hyacinthina'</i> hybrid]	
<i>H. 'Red Neck Heaven'</i> T. Avent (ONIR) 1998	

<p>Plant: 36 in. (91.4 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 10 in. (25.4 cm.) long, 5 in. (12.7 cm.) wide. 7-8 pairs prominent veins. Medium green with a heavily rippled margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy, lance-shaped with a rounded base.</p> <p>Flower: near-white, tubular; August.</p> <p>Seed: viable.</p> <p>[<i>H. kikutii caput-avis</i> × <i>H. kikutii caput-avis</i>]</p>	<p>Leaf: 7 in. (17.8 cm.) wide, 12 in. (30.5 cm.) long; 10 pairs of moderately prominent veins; emerges blue green, changing to creamy white with a 0.5 in. (1.3 cm.) wide, medium blue-green, smooth margin; glaucous bloom above and underneath; moderately wavy; good substance; ovate with a rounded base.</p>
<p><i>H. 'Red Stepper'</i> G. R. Goodwin (ONIR) 1996</p> <p>Plant: 20 in. (50.8 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 5 in. (12.7 cm.) long, 3 in. (7.6 cm.) wide. 5-7 pairs of insignificant veins. Medium green with a slightly rippled margin. Very shiny on top and underneath; lightly wavy; ovate with a flat base. Petiole red spotted.</p> <p>Scape: 15 in. (38.1 cm.) high, ranging from 12-20 in. (30.5-50.8 cm.); red to green.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Indianapolis IN.; 8/15 - 8/25 - 9/10 (6 - 6 - 6).</p> <p>Seed: viable; pod is green.</p> <p>Clump History: a division of the original, 6 years old, growing in Indianapolis IN.</p> <p>Notable Characteristics: very shiny Leaf and intense red spotting on the bottom of the petiole.</p> <p>[<i>H. 'Invincible'</i> hybrid]</p>	<p>Scape: 40 in. (101.6 cm.) high, ranging from 40-48 in. (101.6-121.9 cm.); blue-green.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Minn: July.</p> <p>Clump History: 6 years old.</p> <p>Remarks: the stable form of <i>H. 'Regal Promenade'</i>.</p> <p>[<i>H. 'Krossa Regal'</i> sport]</p>
<p><i>H. 'Reefed Sails'</i> C. Seaver (OR) 1994</p> <p>Plant: 18 in. (45.7 cm.) diameter, 9 in. (22.9 cm.) high, with a semi-upright habit.</p> <p>Leaf: 2.5 in. (6.4 cm.) wide, 5 in. (12.7 cm.) long; 5 pairs of moderately prominent veins; dark green with a 0.5 in. (1.3 cm.) wide, creamy white, heavily rippled margin; very shiny above; lance-shaped with a tapered base; petiole has red stippling at the base and a creamy white edge.</p> <p>Scape: maroon.</p> <p>Flower: lavender, tubular, striped; Delaware: mid-July to mid-August.</p> <p>Seed: viable.</p> <p>Clump History: 4 years old.</p> <p>[<i>H. 'Don Stevens'</i> × <i>H. 'Sea Octopus'</i>]</p>	<p><i>H. 'Revelations'</i> E. Moore (OR) 1993</p> <p>Plant: 36 in. (91.4 cm.) wide, 22 in. (55.9 cm.) high.</p> <p>Leaf: 8 in. (20.3 cm.) long, 4.5 in. (11.4 cm.) wide, 8-9 pairs of prominent veins; light green with a medium green margin; ovate with a rounded base; margin smooth; slightly shiny above and underneath; moderately wavy.</p> <p>Scape: 32 in. (81.3 cm.) long.</p> <p>Flower: deep purple, tubular; Georgia: July.</p> <p>[<i>H. 'Fortunei Hyacinthina'</i> sport]</p>
<p><i>H. 'Regal Promenade'</i> R. Snyder (OR) 1994</p> <p>Plant: 30 in. (76.2 cm.) diameter, 30 in. (76.2 cm.) high, with a open, semi-upright habit.</p> <p>Leaf: 7 in. (17.8 cm.) wide, 12 in. (30.5 cm.) long; 10 pairs of moderately prominent veins; emerges blue-green, with cream streaking appearing after 2-3 weeks; smooth margin; glaucous bloom above and underneath; moderately wavy; good substance; ovate with a rounded base.</p> <p>Scape: 40 in. (101.6 cm.) high, ranging from 40-48 in. (101.6-121.9 cm.); blue-green.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Minn: July.</p> <p>Clump History: 6 years old.</p> <p>[<i>H. 'Krossa Regal'</i> sport]</p>	<p><i>H. 'Rhapsody in Blue'</i> R. Benedict (O), J. & J. Wilkins (R) 1995</p> <p>Plant: 30 in. (76.2 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, compact, mound-like habit.</p> <p>Leaf: 7.5 in. (19.0 cm.) long, 7 in. (18.0 cm.) wide. 9 pairs of moderately prominent veins. Intensely blue-green with a slightly rippled margin. Glaucous bloom on top and underneath; moderately folded, deeply wavy; heavy substance; broadly ovate with a cordate base.</p> <p>Scape: 23 in. (58.4 cm.) high, ranging from 20-24 in. (50.8-61 cm.); green.</p> <p>Flower: 1.75 in. (4.5 cm.) long, medium lavender, white stripes inside, tubular, fertile; Mich: mid-August to early Sept.</p> <p>Clump History: 5 years old.</p> <p>[<i>H. rupifraga</i> hybrid]</p>
<p><i>H. 'Regal Providence'</i> Ron Snyder (OR) 1994</p> <p>Plant: 30 in. (76.2 cm.) diameter, 30 in. (76.2 cm.) high, with an open, semi-upright habit.</p>	<p><i>H. 'Rippling Rhythm'</i> R. Savory (ONIR) 1998</p> <p>Plant: 54 in. (137 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 9 in. (22.9 cm.) long, 6.5 in. (16.5 cm.) wide. 9 pairs of veins. Medium green with a heavily rippled margin. Dull on top, glaucous bloom underneath; wavy, broadly ovate with a cordate base.</p> <p>Scape: ranging from 28-31 in. (71.1-78.7 cm.) in length.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular; Edina MN: 6/30 - 7/8 - 7/16 (2 - 4 - 4).</p> <p>Seed: viability unknown; pod is green.</p> <p>Clump History: the original seedling, 15 years old, growing in Edina MN.</p> <p>Notable Characteristics: deep veins and a piecrust margin.</p>

[<i>H. 'Bountiful'</i> hybrid]		
<i>H. 'Robert's Rapier</i> R. Keller & White Oak Nursery (ONIR)	1996	
Plant: 32 in. (81.3 cm.) diameter, 14 in. (35.6 cm.) high. Upright with a moderate growth rate.		
Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide. 6-7 pairs of prominent veins. Medium green with a narrow white band down the center of the leaf. Margin slightly rippled. Dull on top and underneath; lightly wavy; ovate with a rounded base. White center extends down the petiole.		
Scape: 19 in. (48.3 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.); light green.		
Flower: 2 in. (5.1 cm.) long, pale lavender, bell shaped; Peoria IL: 7/15 - 7/22 - 8/5 (5 - 5 - 5).		
Seed: viable; pod is green.		
Clump History: the original sport, 4 years old, growing in Peoria IL.		
Notable Characteristics: a narrow white band in middle of the leaf.		
[<i>H. 'White Christmas'</i> sport]		
<i>H. 'Rock Happy'</i> P. Ruh (OR)	1992	
Plant: 17 in. (43.2 cm) wide, 15 in. (38.1 cm) high.		
Leaf: 5.75 in. (14.6 cm) long, 3.75 in. (9.5 cm) wide, 9 pairs of veins; light green; triangular in shape; slightly rippled; semi-glossy underneath.		
Scape: 24 in. (61 cm), inflorescence leaves.		
Flower: lavender, flaring; Ohio: mid-August.		
Seed: viable.		
[<i>H. longipes</i> hybrid]		
<i>H. 'Rocknoll Blue Dwarf'</i> B. Saur (ONI), P. Ruh (R)	1996	
Plant: 9 in. (22.9 cm.) diameter, 3 in. (7.6 cm.) high. Mound-like with a moderate growth rate.		
Leaf: 3.5 in. (8.9 cm.) long, 0.88 in. (2.2 cm.) wide. 4 pairs of prominent veins. Medium blue-green with slightly rippled margin. Dull on top, very shiny underneath; twisted, wavy; lance-shaped with a flat base. Petiole winged.		
Scape: 14 in. (35.6 cm.) high, ranging from 11-22 in. (27.9-55.9 cm.); deep green.		
Flower: 1.5 in. (3.8 cm.) long, lavender, tubular, striped; Chesterland OH: 8/2 - 8/17 - 8/29.		
Seed: pod is green.		
Clump History: a division of the original, 10 years old, growing in Chesterland OH.		
[Parentage unknown]		
<i>H. 'Rosebud'</i> D. Savory (OR)	1992	
Plant: 32 in. (81.3 cm) wide, 26 in. (66 cm) high.		
Leaf: 12 in. (30.5 cm) long, 9 in. (22.9 cm) wide, 11 pairs of veins; medium green; cordate; moderately puckered; satin sheen.		
Scape: 36 in. (91.4 cm) long, inflorescence leaves.		
Flower: dark pink, tubular; Minnesota: July.		
Seed: viable.		
[Parentage unknown]		
<i>H. 'Rosie Posie'</i> Belle Gardens (OR)	1994	
Plant: 24 in. (61 cm.) diameter, 12.5 in. (31.8 cm.) high, with a moderately dense, semi-upright habit.		
Leaf: 3.37 in. (8.6 cm.) wide, 4.87 in. (12.4 cm.) long; 9 pairs of moderately prominent veins; dark green with 0.625 in. (1.6 cm.) wide, creamy white, slightly rippled margin; slightly shiny above and underneath; moderately wavy; heavy substance; ovate with a cordate base.		
Scape: 16 in. (40.6 cm.) high, ranging from 14-19 in. (35.6-48.3 cm.); reddish green.		
Flower: 2 in. (5.1 cm.) long, medium orchid, tubular; Mich: late August to mid-Sept.		
Seed: viable.		
Clump History: 4 years old.		
[<i>H. 'William Lachman</i> x <i>H. montana</i>]		
<i>H. 'Rossing's Pride'</i> R. Rossing (OR)	1993	
Plant: 26 in. (66 cm.) wide, 16 in. (40.6 cm.) high.		
Leaf: 8 in. (20.3 cm.) long, 4 in. (10.2 cm.) wide, 9 pairs of veins; light green with a medium green margin; ovate with a rounded base; margin slightly rippled; slightly shiny above and dull underneath; corrugated.		
Scape: 37 in. (94 cm.) long; inflorescence leaves.		
Flower: pale lavender, bell-shaped.		
Seed: viable.		
[<i>H. 'Fortunei Hyacinthina'</i> sport]		
<i>H. 'Roundhouse Blues'</i> T. Micheletti (ONIR)	1998	
Plant: 36 in. (91.4 cm.) diameter, 21 in. (53.3 cm.) high. Upright and slow growing.		
Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 15 pairs veins. Medium blue-green. Glaucous bloom on top and underneath; cupped, corrugated, nearly round with a cordate base.		
Scape: ranging from 21-24 in. (53.3-61 cm.) in length.		
Flower: 2 in. (5.1 cm.) long, pure white, tubular; Barrington IL: 6/15 - 6/30 - 7/10 (2 - 2 - 2).		
Seed: viable; pod is green.		
Clump History: the original seedling, 8 years old, growing in Barrington IL.		
Notable Characteristics: upright with round, cupped and corrugated leaves.		
[parentage unknown]		
<i>H. 'Rubber Ducky'</i> J. Schwarz (ONIR)	1996	
Plant: 15 in. (38.1 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like.		
Leaf: 4.75 in. (12.1 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of prominent veins. Light green with a flat margin. Very shiny on top and underneath; elliptic with a round base.		
Scape: 18 in. (45.7 cm.) high, ranging from 14-20 in. (35.6-50.8 cm.); burgundy.		
Flower: 2 in. (5.1 cm.) long, medium lavender, bell shaped, striped; Dubuque IA: 7/20 - 7/30 - 8/10 (4 - 5 - 6).		
Seed: viable; pod is burgundy.		
Clump History: the original seedling, 5 years old, growing in Dubuque IA.		
Notable Characteristics: small stature, heavy substance, shiny leaves.		
[parentage unknown]		
<i>H. 'Ruffled Petticoats'</i> J. & B. Diesen (ONIR)	1998	
Plant: 32 in. (81.3 cm.) diameter, 20 in. (50.8 cm.) high. Upright with a moderate growth rate.		
Leaf: 14 in. (35.6 cm.) long, 10 in. (25.4 cm.) wide. 15 pairs of veins. Medium green with a heavily rippled margin.		

Dull on top, very shiny underneath; moderately wavy, broadly ovate with a cordate base.	H. 'Sailors' Warning' C. Seaver (OR) 1995
Scape: ranging from 38-40 in. (96.5-101.6 cm.) high; inflorescence leaves.	Plant: 15 in. (38.1 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, compact, semi-upright habit.
Flower: pale lavender, tubular; Plattsmouth NE: June (3 - 3 - 3).	Leaf: 5 in. (13.0 cm.) long, 2 in. (5.1 cm.) wide. 6 pairs of moderately prominent veins. Dark green streaked yellow and cream, with a smooth margin. Slightly shiny on top and underneath; lightly folded; moderately corrugated; average substance; elliptic with a tapered base. Red back on winged streaked petiole
Seed: viable; pod is green.	Scape: 25 in. (63.5 cm.) high, ranging from 23-25 in. (58.4-63.5 cm.); green with red stripes.
Clump History: the original seedling, 5 years old, growing in Plattsmouth NE.	Flower: 2 in. (5.1 cm.) long, purple, bell shaped; Delaware: late August.
Notable Characteristics: wavy edged leaf.	Seed: viable.
[<i>H. 'Green Piecrust' hybrid</i>]	Clump History: 4 years old. [<i>H. 'Flamboyant' hybrid</i>]
H. 'Rumpelstiltskin' R. Savory (O), D. Savory (NIR) 1997	H. 'Sails Ho' R. Lydell (OR) 1995
Plant: 36 in. (91.4 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.	Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, moderately dense, mound-like habit.
Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 8-10 pairs of prominent veins. Dark green with a 0.25 in. (0.64 cm.) wide, heavily rippled, light green to yellow margin. Glaucous bloom on top and underneath; lightly wavy, ovate with a rounded base.	Leaf: 7 in. (18.0 cm.) long, 4.5 in. (11.0 cm.) wide. 8-9 pairs of moderately prominent veins. Creamy white with blue-green streaking to the midrib. The margin is 0.5 in. (1.3 cm.) wide, heavily rippled, and blue-green. Slightly shiny on top, glaucous bloom underneath; intensely twisted, moderately wavy, lightly rippled; heavy substance; ovate with a rounded base.
Scape: 33 in. (83.8 cm.) high, ranging from 31-35 in. (78.7-88.9 cm.).	Scape: 28 in. (71.1 cm.) high, ranging from 24-30 in. (61-76.2 cm.); blue-green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Edina MN: 7/15 - 7/25 - 8/10 (5 - 5 - 5).	Flower: 1.75 in. (4.5 cm.) long, bell shaped; New York: mid-July to mid-August.
Seed: viable; pod is green.	Seed: none set.
Clump History: the original seedling, 15 years old, growing in Edina MN.	Remarks: older leaves become somewhat frosted with green.
[<i>H. 'Vilmoriniana' hybrid</i>]	Clump History: 4 years old. [<i>H. 'Krossa Regal' sport</i>]
H. 'Rusty Bee' A. Malloy (ONIR) 1998	H. 'Saint Elmo's Fire' R. Solberg (OR) 1995
Plant: 22 in. (55.9 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.	Plant: 24 in. (61 cm.) diameter, 16 in. (40.6 cm.) high. Moderately growing, moderately dense, mound-like habit.
Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide. 5 pairs of veins. Light green with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly twisted, ovate with a rounded base; petiole purplish red running into the leaf.	Leaf: 4 in. (10 cm.) long, 7 in. (18 cm.) wide. 7-8 pairs of moderately prominent veins. Center emerges bright yellow, changing to light green. Margin is 0.5 in. (1.3 cm.) wide, smooth, and pure white. Slightly shiny on top and underneath; slightly cupped, slightly wavy; good substance; elliptic with a flared base.
Scape: ranging from 22-23 in. (55.9-58.4 cm.) in length.	Scape: 30 in. (76.2 cm.) high, ranging from 26-36 in. (66-91.4 cm.); green.
Flower: 2 in. (5.1 cm.) long, pale purple, tubular; South Salem NY : 8/20 - 8/28 - 9/10 (6 - 6 - 7).	Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; N. Carolina: July to early August.
Seed: viable; pod is green.	Seed: viable.
Clump History: the original seedling, 4 years old, growing in South Salem NY.	Remarks: a second flush of leaves also emerges with a bright yellow center, resulting in yellow and green centered leaves at the same time.
Notable Characteristics: red petioles and red specks in the leaf.	Clump History: 2 years old. [<i>H. 'Sea Fire' sport</i>]
[<i>H. 'Beatrice' hybrid</i>]	H. 'Sally and Bob' C. Owens (OR) 1994
S	Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high, with a moderately dense, mound-like habit.
H. 'Sagae' K. Watanabe (N) 1996	
Plant: 22-26 in. (55.9-66 cm.) diameter, 20 in. (50.8 cm.) high.	
Leaf: 12.5 in. (31.8 cm.) long, 9.5 in. (24.1 cm) wide, 12 pairs of veins; dull yellow green above, glaucous green below, with bright-pale yellow margin; irregular ripples.	
Scape: 34 in. (86.4 cm.) high; arching; inflorescence leaves.	
Flower: whitish.	
Remarks: this is the correct cultivar name for the hosta formerly called <i>H. fluctuans</i> 'Variegated'.	

Leaf: 10.5 in. (26.7 cm.) wide, 12 in. (30.5 cm.) long; 13 pairs of prominent veins; green with white streaks radiating from the center to the margin; smooth margin; very shiny above and underneath; moderately corrugated; average substance; broadly ovate with a cordate base.
 Scape: 23 in. (58.4 cm.) high.
 Flower: 2 in. (5.1 cm.) long, pinkish white, tubular; Mich: July.
 Clump History: 7 years old.
 [H. 'William Lachman' x H. 'Fascination']

H. 'Salute' H. & D. Benedict (OR) 1995
 Plant: 10 in. (25.4 cm.) diameter, 14 in. (35.6 cm.) high.
 Moderately growing, moderately dense, semi-upright habit.
 Leaf: 8 in. (20.0 cm.) long, 4 in. (10.0 cm.) wide. 9 pairs of moderately prominent veins. Intensely blue-green with a smooth margin. Glaucous bloom on top and underneath; moderately wavy; heavy substance; ovate with a cordate base.
 Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.); glaucous blue.
 Flower: 1.25 in. (3.2 cm.) long, nearly-white, tubular; Mich: late July to mid-August.
 Seed: viability unknown.
 Clump History: 8 years old.
 [H. "Dorset Blue F4" selfed]

H. 'Sam-Tina Gold' J. Orlando (ONIR) 1998
 Plant: 26 in. (66 cm.) diameter, 14 in. (35.6 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 9 pairs of prominent veins. Light green to white (albescens) with a flat margin. Gets progressively lighter. Slightly shiny on top, dull underneath; lightly cupped, lightly corrugated, ovate with a rounded base.
 Scape: 29 in. (73.7 cm.) high, ranging from 25-32 in. (63.5-81.3 cm.) in length.
 Flower: 2 in. (5.1 cm.) long, pale lavender, purple striped; Spenceport NY: mid-July-late-July-mid-Aug. (4 - 5 - 6).
 Seed: none set.
 Clump History: the original sport, 5 years old, growing in Spenceport NY.
 Notable Characteristics: a smaller mound with bright coloration in the shade.
 [H. 'Gold Standard' sport]

H. 'Sara' B. Kuk (OR) 1994
 Plant: 24 in. (61 cm.) diameter, 17 in. (43.2 cm.) high, with a moderately dense, semi-upright habit.
 Leaf: 7 in. (17.8 cm.) wide, 9 in. (22.9 cm.) long; 10-12 pairs of prominent veins; deep gold; slightly rippled margin; dull above, glaucous bloom underneath; moderately wavy, moderately corrugated; heavy substance; ovate with a rounded (slightly cordate) base.
 Scape: 25 in. (63.5 cm.) high, ranging from 23-26 in. (58.4-66 cm.); light green.
 Flower: 1.5 in. (3.8 cm.) long, pale lavender, bell-shaped; Ohio: mid-June to mid-July.
 Seed: viable.
 Clump History: 5 years old.
 [H. 'Rippling Waves' hybrid]

H. 'Sarah Jane' D & J Ward (ONIR) 1997

Plant: 72 in. (183 cm.) diameter, 18 in. (45.7 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 10-11 pairs of prominent veins. Medium green with a 0.75 in. (1.91 cm.) wide, slightly rippled, yellow gold margin.
 Slightly shiny on top, dull underneath; wavy, lightly corrugated, broadly ovate with a cordate base.
 Scape: 28 in. (71.1 cm.) high, ranging from 26-29 in. (66-73.7 cm.).

Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Columbus OH: 7/1 - 7/10 - 7/15 (5 - 5 - 5).
 Seed: not viable; the rare pod is green.
 Clump History: the original sport, 10 years old, growing in Columbus OH.
 [H. 'Gold Standard' sport]

H. 'Sara's Sensation' P. & L. Hofer (ONIR) 1998
 Plant: 46 in. (117 cm.) diameter, 20 in. (50.8 cm.) high.
 Mound-like and slow growing.
 Leaf: 11 in. (27.9 cm.) long, 9 in. (22.9 cm.) wide. 18 pairs prominent veins. Green with a 3 in. (7.62 cm.) wide, slightly rippled, yellow margin. Dull on top and underneath; deeply cupped, moderately corrugated, broadly ovate with a cordate base.
 Scape: 18 in. (45.7 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.) in length.
 Flower: 2 in. (5.1 cm.) long, pure white, tubular; Perry OH: 6/20 - 7/1 - 7/12 (2 - 2 - 2).
 Seed: viable; pod is green.
 Notable Characteristics: wide yellow margin.
 [H. 'Frances Williams' sport]

H. 'Sasquatch' H. Sugita (O), P. Ruh (ONIR) 1998
 Plant: 30.5 in. (77.5 cm.) diameter, 24 in. (61 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 13.75 in. (34.9 cm.) long, 11.25 in. (28.6 cm.) wide. 20 pairs prominent veins. Medium blue-green with a slightly rippled margin. Dull on top, glaucous bloom underneath; moderately twisted, moderately folded, moderately wavy, moderately corrugated; broadly ovate with a cordate base.
 Scape: 36 in. (91.4 cm.) high; inflorescence leaves.
 Flower: 2 in. (5.1 cm.) long, near-white, tubular; Chesterland OH: 6/15 - 6/27 - 7/12.
 Seed: viable; pod is green.
 [parentage unknown]

H. 'Saybrook Surprise' R. Lydell (ONIR) 1998
 Plant: 32 in. (81.3 cm.) diameter, 12 in. (30.5 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 9 in. (22.9 cm.) long, 7.5 in. (19.1 cm.) wide. 12-14 veins. Golden yellow with a 1.5 in. (3.81 cm.) wide, flat, slightly blue-green margin. Slightly shiny on top, glaucous bloom underneath; lightly cupped, lightly corrugated, broadly ovate with a cordate base.
 Scape: ranging from 20-22 in. (50.8-55.9 cm.) high.
 Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Dunkirk NY: 6/20 - 6/28 - 7/12 (3 - 4 - 5).
 Seed: viable; pod is green.
 Clump History: the original sport, 7 years old, growing in Dunkirk NY.
 Notable Characteristics: the low profile and heavy substance.
 [H. "Perry's True Blue seedling" sport]

H. 'Scarlet O'Hara' U. Syre-Herz (ONIR) 1996	Clump History: 2 years old. [<i>H. 'Kevin Vaughn' x H. plantaginea</i>]
Plant: 18 in. (45.7 cm.) diameter, 9 in. (22.9 cm.) high. Upright. Leaf: 4.5 in. (11.4 cm.) long, 3 in. (7.6 cm.) wide. 5 pairs of prominent veins. Yellow changing to light green. Margin slightly rippled. Slightly shiny on top and underneath; ovate with a rounded base. Scape: 14 in. (35.6 cm.) high, ranging from 12-16 in. (30.5-40.6 cm.), white inflorescence leaves, red. Flower: intense violet, funnel shaped; Myrtle Beach SC: July. Seed: viability unknown. Clump History: 6 years old. Notable Characteristics: emerging gold foliage contrasting with the red cover leaves. Scapes and pedicles are red and Scape leaves are white. [<i>H. 'Peedee Red Legs' x H. 'Peedee Gold Flash'</i>]	
H. 'September Surprise' Walters Gardens, Inc. (ONIR) 1997	
Plant: 42 in. (107 cm.) diameter, 24 in. (61 cm.) high. Mound-like and fast growing. Leaf: 8.5 in. (21.6 cm.) long, 7 in. (17.8 cm.) wide. 10-11 pairs of prominent veins. Yellow green with a 0.63 in. (1.59 cm.) wide, flat, medium green margin. Dull on top with glaucous bloom underneath; moderately corrugated, broadly ovate with a base. Scape: 28 in. (71.1 cm.) high, ranging from 26-30 in. (66-76.2 cm.). Flower: 2 in. (5.1 cm.) long, medium lavender with purple striping and translucent margins, tubular; Zeeland MI: 7/212 - 7/28 - 8/6 (3 - 4 - 4). Seed: viable; pod is green. Clump History: the original sport, 6 years old, growing in Zeeland MI. [<i>H. 'August Moon' sport</i>]	
H. 'Seven-Eleven' K. Squires (ONI), P. Ruh (R) 1996	
Plant: 10 in. (25.4 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like with a moderate growth rate. Leaf: 4.75 in. (12.1 cm.) long, 1.25 in. (3.2 cm.) wide. 4 pairs of prominent veins. Light green with a slightly rippled margin. Slightly shiny on top and underneath; twisted, wavy; lance-shaped with a flat base. Petiole winged. Scape: 12 in. (30.5 cm.) high; purple dotted at base. Flower: 1.5 in. (3.8 cm.) long, deep purple, bell shaped; Chesterland OH: 8/2 - 8/14 - 8/26. Seed: viable. Clump History: a division of the original, 5 years old, growing in Chesterland OH. [Parentage unknown]	
H. 'Seventh Heaven' J. Kulpa (OR) 1994	
Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high, with a compact, mound-like habit. Leaf: 6 in. (15.2 cm.) wide, 7 in. (17.8 cm.) long; 9 pairs of moderately prominent veins; medium to dark green with white streaking throughout; smooth margin; slightly shiny above, dull underneath; moderately corrugated; good substance; broadly ovate with a cordate base. Scape: 20 in. (50.8 cm.) high, ranging from 15-25 in. (38.1-63.5 cm.); striped green and cream. Flower: 3 in. (7.6 cm.) long, near-white, tubular; fragrant; Mich: late July to late August. Seed: viable.	
H. 'Shades of Mercy' R. Snyder (ONIR) 1998	
Plant: 14 in. (35.6 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate. Leaf: 4 in. (10.2 cm.) long, 2.25 in. (5.7 cm.) wide. 4 pairs of veins. Streaked dark green, pale yellow, greenish yellow and medium green. Margin 0.25 in. (0.64 cm.) wide, flat, and white. Dull on top, very shiny underneath; ovate with a rounded base; petiole streaked. Scape: ranging from 15-24 in. (38.1-61 cm.) in length; inflorescence leaves. Flower: 1.75 in. (4.4 cm.) long, purple, striped, bell-shaped; Willmar MN: 7/1 - 7/15 - 7/30 (4 - 5 - 6). Seed: viability unknown; pod is green. Clump History: the original sport, 5 years old, growing in Willmar MN. Notable Characteristics: streaked leaf with a white margin. [<i>H. 'Allan P. McConnell' sport</i>]	
H. 'Shadow Waltz' W. & E. Lachman (OR) 1995	
Plant: 30 in. (76.2 cm.) diameter, 15 in. (38.1 cm.) high. Moderately growing, moderately dense, mound-like habit. Leaf: 9 in. (23.0 cm.) long, 8 in. (20.0 cm.) wide. 9 pairs of prominent veins. Medium green with a 1 in. (2.5 cm.) wide, slightly rippled, light green (emerges gold) margin. Slightly shiny on top, glaucous bloom underneath; moderately rippled, intensely corrugated; good substance; broadly ovate with a rounded base Scape: 23 in. (58.4 cm.) high, ranging from 22-24 in. (55.9-61 cm.); green. Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; Mass: late June to mid-July. Seed: viable. Clump History: 4 years old. [<i>(H. 'Banana Sundae' x H. 'Sea Drift') x H. 'Blue Shadows'</i>]	
H. 'Shady Choice' J. & B. Diesen (ONIR) 1998	
Plant: 20 in. (50.8 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like and fast growing. Leaf: 7 in. (17.8 cm.) long, 3.5 in. (8.9 cm.) wide. 7 pairs of veins. Medium green. Dull on top, slightly shiny underneath; ovate with a rounded base; petiole has some red color. Scape: ranging from 26-28 in. (66-71.1 cm.) high. Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Plattsburgh NE: July (5 - 5 - 5). Clump History: a tissue cultured plant obtained from a nursery, 2 years old, growing in Plattsburgh NE. [<i>H. 'Torchlight' sport</i>]	
H. 'Sharp Shooter' Belle Gardens (OR) 1993	
Plant: 25.5 in. (64.8 cm.) wide, 12 in. (30.5 cm.) high. Leaf: 8.5 in. (21.6 cm.) long, 3.25 in. (8.3 cm.) wide, 5 pairs of prominent veins; medium green; ovate with a rounded base; margin slightly rippled; dull above and underneath; lightly folded. Scape: 42 in. (106.7 cm) long; dark burgundy. Flower: pale purple, tubular; Michigan: late August. [<i>H. 'Spartan Gem' hybrid</i>]	

H. 'Shere Khan' M. Zilis (R), W. Zumbar (R)	1995
Plant: 7 in. (17.8 cm.) diameter, 5 in. (12.7 cm.) high.	
Moderately growing, moderately dense, semi-upright habit.	
Leaf: 2 in. (5.1 cm.) long, 1.1 in. (2.9 cm.) wide. 4 pairs of prominent veins. Light green with a 0.19 in. (0.5 cm.) wide, slightly rippled, pure white margin. Dull on top, slightly shiny underneath; lightly wavy; good substance; ovate with a rounded base.	
Scape: 5.5 in. (14 cm.) high, ranging from 5.5-7 in. (14-17.8 cm.); light green.	
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Ohio: late June to mid-July.	
Seed: viable.	
Clump History: 3 years old.	
Remarks: leaf center turns to gold by mid-summer when grown in half a day of sun.	
[<i>H. 'Just So'</i> sport]	
H. 'Sherwood Forest' W. & E. Lachman (OR)	1993
Plant: 42 in. (106.68 cm.) wide, 20 in. (50.8 cm.) high.	
Leaf: 10 in. (25.4 cm.) long, 9.5 in. (24.1 cm.) wide, 10 pairs of moderately prominent veins; medium green; broadly ovate with a flat base; margin slightly rippled; very shiny above with glaucous bloom underneath; moderately wavy.	
Scape: 40 in. (101.6 cm.) long.	
Flower: medium lavender, tubular; Mass: July.	
Seed: none set.	
[<i>H. 'Carnival'</i> hybrid]	
H. 'Shimmering Silk' F. Davis (ONIR)	1996
Plant: 46 in. (117 cm.) diameter, 16 in. (40.6 cm.) high. Semi-upright with a moderate growth rate.	
Leaf: 10 in. (25.4 cm.) long, 8.5 in. (21.6 cm.) wide. 9 pairs of prominent veins. Dark green. Very shiny on top and underneath; moderately corrugated; ovate with a cordate base.	
Scape: 30 in. (76.2 cm.) high, ranging from 26-32 in. (66-81.3 cm.); green.	
Flower: 2.13 in. (5.4 cm.) long, deep purple, bell shaped; Palermo ME: 8/2 - 8/13 - 8/26.	
Seed: viable.	
Clump History: 3 years old.	
Notable Characteristics: very shiny, silky appearance.	
[Parentage unknown]	
H. 'Shiny Penny' R. Solberg (ONIR)	1997
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like and fast growing.	
Leaf: 3.5 in. (8.9 cm.) long, 2 in. (5.1 cm.) wide. 4 pairs of prominent veins. Gold with a slightly rippled margin. Very shiny on top and underneath; lightly wavy, ovate with a cordate base.	
Scape: 18 in. (45.7 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); yellowish green with purple specks.	
Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Chapel Hill NC: 7/10 - 8/1 - 8/10 (4 - 5 - 6).	
Seed: viable; pod is yellow-green.	
Clump History: the original seedling, 3 years old, growing in Chapel Hill NC.	
Notable Characteristics: shiny coppery leaves with good substance.	
[<i>H. 'Lemon Lime'</i> × <i>H. 'Shining Tot'</i>]	

H. 'Shirley' V. Wade (ONIR)	1998
Plant: 18 in. (45.7 cm.) diameter, 12 in. (30.5 cm.) high. Upright and slow growing.	
Leaf: 7 in. (17.8 cm.) long, 4.5 in. (11.4 cm.) wide. 7-9 pairs veins. Golden yellow with a 0.75 in. (1.91 cm.) wide, slightly rippled, medium green margin. Variegation becomes more pronounced. Dull on top, slightly shiny underneath; moderately wavy, ovate with a cordate base.	
Flower: pale lavender, bell-shaped; Belleville OH: summer period.	
Seed: pod is green.	
Clump History: first generation division of the original, 5 years old, growing in Belleville OH.	
[parentage unknown]	
H. 'Show Piece' G. Krossa (O),	1998
E. Fisher (NI), P. Ruh (R)	
Plant: 22.5 in. (57.2 cm.) diameter, 12 in. (3 cm.) high. Mound-like and slow growing.	
Leaf: 6.5 in. (16.5 cm.) long, 4.5 in. (11.4 cm.) wide. 7 pairs of prominent veins. Greenish yellow with a heavily rippled margin. Viridescent. Dull on top, slightly shiny underneath; twisted, intensely wavy, broadly ovate with a cordate base.	
Scape: 22 in. (55.9 cm.) high; inflorescence leaves.	
Flower: 2.5 in. (6.4 cm.) long, pale purple, striped, tubular; Chesterland OH: 6/5 - 6/19 - 7/1.	
Seed: viable; pod is green.	
Clump History: obtained from the originator, 5 years old, growing in Chesterland OH.	
[parentage undetermined]	
H. 'Showboat' W. & E. Lachman (OR)	1993
Plant: 28 in. (71.1 cm.) wide, 14 in. (35.6 cm.) high.	
Leaf: 9.5 in. (24.1 cm.) long, 7.5 in. (19.1 cm.) wide, 11 pairs of prominent veins; dark green with a 1.5 in. creamy white margin; ovate with a flat to tapered base; margin smooth; slightly shiny above and dull underneath; folded.	
Scape: 27 in. (68.6 cm.) long; green.	
Flower: pale lavender, tubular.	
Seed: viable.	
[<i>H. 'Christmas Tree'</i> × <i>H. "Seedling 81-9"</i>]	
H. 'Silent Witness' G. Rasmussen (O), A. Malloy (NIR)	1997
Plant: 23 in. (58.4 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 5 in. (12.7 cm.) long, 4.5 in. (11.4 cm.) wide. 7 pairs of insignificant veins. Medium green with a 1.5 in. (3.81 cm.) wide, flat, light green margin. Slightly shiny on top, very shiny underneath; moderately corrugated, ovate with a cordate base.	
Scape: 21 in. (53.3 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.).	
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Farmindale NY: 7/5 - ? - 7/15 (3 - ? - 4).	
Seed: viability unknown; pod is green.	
Clump History: a division of the original, 7 years old, growing in Farmindale NY.	
Notable Characteristics: small with a two-toned green corrugated leaf.	
[<i>H. 'Flamboyant'</i> hybrid]	
H. 'Silver and Gold' R. Lydell (OR)	1995

<p>Plant: 40 in. (101.6 cm.) diameter, 18 in. (45.7 cm.) high. Fast growing, compact, mound-like habit.</p> <p>Leaf: 7 in. (18.0 cm.) long, 5.5 in. (14.0 cm.) wide. 7-9 pairs of prominent veins. Medium gold with a 0.75 in. (1.9 cm.) wide, smooth, green and white margin. Slightly shiny on top, glaucous bloom underneath; average substance; ovate with a rounded base.</p> <p>Scape: 27 in. (68.6 cm.) high, ranging from 24-28 in. (61-71.1 cm.).</p> <p>Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; New York: July.</p> <p>Seed: none set.</p> <p>Clump History: 4 years old.</p> <p>[<i>H. 'Gold Standard'</i> sport]</p>	<p>H. 'Skookumchuck' R. Duback (ONIR) 1998</p> <p>Plant: 40 in. (102 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 14 pairs veins. Medium blue-green with a flat margin. Glaucous bloom on top and underneath; moderately cupped, intensely corrugated, nearly round with a cordate base.</p> <p>Flower: near-white; Vancouver WA: average period.</p> <p>Seed: viable.</p> <p>Clump History: 6 years old, growing in Vancouver WA. [parentage unknown]</p>
<p>H. 'Silver Creek Sunshine' D. Savory (ONIR) 1996</p> <p>Plant: 28 in. (71.1 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like.</p> <p>Leaf: 7 in. (17.8 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of prominent veins. Medium green with a heavily rippled margin. Dull on top, very shiny underneath; lightly wavy; lance-shaped with a tapered base.</p> <p>Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.); green.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Edina MN: 8/20 - 9/1 - 9/10 (7 - 7 - 7).</p> <p>Seed: viability unknown; pod is green.</p> <p>Clump History: the original seedling, 15 years old, growing in Edina MN.</p> <p>Notable Characteristics: low growing habit, rippled leaves and "spring gold" color.</p> <p>[<i>H. 'Halcyon'</i> hybrid]</p>	<p>H. 'Sleeping Beauty' Walters Gardens, Inc. (ONIR) 1997</p> <p>Plant: 20 in. (50.8 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 6.5 in. (16.5 cm.) long, 3.75 in. (9.5 cm.) wide. 10-12 pairs of insignificant veins. Intensely blue-green with a 0.38 in. (0.95 cm.) wide, flat, creamy white margin. Glaucous bloom on top and underneath; ovate with a cordate base.</p> <p>Scape: 20 in. (50.8 cm.) high, ranging from 18-24 in. (45.7-61 cm.).</p> <p>Flower: 3 in. (7.6 cm.) long, pale lavender with light lavender in the center of the petal, tubular; Zeeland MI: 7/28 - 8/2 - 8/18 (4 - 4 - 5).</p> <p>Seed: viable; pod is green.</p> <p>Clump History: the original sport, 4 years old, growing in Zeeland MI.</p> <p>Notable Characteristics: a <i>H. 'Halcyon'</i> sport with a creamy white margin.</p> <p>[<i>H. 'Halcyon'</i> sport]</p>
<p>H. 'Silver Dust' E. Fisher (ON), P. Ruh (R) 1995</p> <p>Plant: 21 in. (53.3 cm.) diameter, 9 in. (22.9 cm.) high. A compact, semi-upright habit.</p> <p>Leaf: 7.25 in. (18.0 cm.) long, 5.5 in. (14.0 cm.) wide. 12 pairs of moderately prominent veins. Medium blue-green with a smooth margin. Glaucous bloom on top, slightly shiny underneath; slightly rippled, lightly corrugated, lightly cupped; good substance; broadly ovate with a cordate base.</p> <p>Scape: 21 in. (53.340 cm.) high.</p> <p>Flower: pale lavender, tubular; Ohio: early July.</p> <p>Seed: viable.</p> <p>Clump History: 15 years old.</p> <p>[Parentage unknown]</p>	<p>H. 'Slick Willie' J. Hadrava (OR) 1996</p> <p>Plant: 24 in. (61 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 5 in. (12.7 cm.) long, 4.25 in. (10.8 cm.) wide. 6 pairs of moderately prominent veins. Dark green with a smooth margin. Very shiny on top and underneath; lightly cupped; broadly ovate with a cordate base.</p> <p>Scape: 28 in. (71.1 cm.) high, ranging from 20-28 in. (50.8-71.1 cm.); inflorescence leaves; green.</p> <p>Flower: 1 in. (2.5 cm.) long, pale lavender, tubular, striped; Cedar Rapids IA: 7/1 - 7/15 - 7/23.</p> <p>Seed: none set.</p> <p>Clump History: 5 years old.</p> <p>[<i>H. ventricosa</i> x <i>H. 'Invincible'</i>]</p>
<p>H. 'Silvery Slugproof' D. Grenfell (ONIR) 1996</p> <p>Plant: 40 in. (102 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like and fast growing.</p> <p>Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 5 pairs of insignificant veins. Slightly blue-green with flat margin. Waxy on top and underneath; broadly ovate with a cordate base. Petiole gray with red spots at the base.</p> <p>Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); branched; inflorescence leaves; gray.</p> <p>Flower: 1 in. (2.5 cm.) long, pale lavender, bell shaped; Lymington Hants UK: 6 - 7 - 7 (2 - 4 - 5).</p> <p>Seed: viable; pod is dark grayish brown.</p> <p>Clump History: a division of the original, 5 years old, growing in Lymington Hants UK.</p> <p>Notable Characteristics: slug resistance.</p> <p>[<i>H. sieboldiana</i> x <i>H. tardiflora</i>]</p>	<p>H. 'Small Sum' G. R. Goodwin (ONIR) 1996</p> <p>Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 8 pairs of prominent veins. Yellow gold with a slightly rippled margin. Very shiny on top and underneath; ovate with a flat base.</p> <p>Scape: 18 in. (45.7 cm.) high, ranging from 12-24 in. (30.5-61 cm.); light green.</p> <p>Flower: 2 in. (5.1 cm.) long, near white, bell shaped; Indianapolis IN.; 7/25 - 8/15 - 8/30 (5 - 5 - 5).</p> <p>Seed: viable; pod is light green.</p> <p>Clump History: the original seedling, 6 years old, growing in Indianapolis IN.</p> <p>Notable Characteristics: leaves bright yellow and waxy.</p>

[H. ‘Sum and Substance’ hybrid]	
H. ‘Smiling Sailor’ C. Seaver (ONIR)	1996
Plant: 6 in. (15.2 cm.) diameter, 3 in. (7.6 cm.) high. Stoloniferous with a moderate growth rate.	
Leaf: 2.5 in. (6.4 cm.) long, 1 in. (2.5 cm.) wide. 4 pairs of insignificant veins. Yellowish green to gold with a flat margin. Dull on top and underneath; lightly wavy; elliptic with a tapered base.	
Scape: 16 in. (40.6 cm.) high, ranging from 4-20 in. (10.2-50.8 cm.); chartreuse.	
Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular, striped; Wilmington DE: 6/20 - 8/15 - 10/31 (2 - 5 - 9).	
Seed: viable; pod is brown.	
Clump History: the original seedling, 5 years old, growing in Wilmington DE.	
[Parentage unknown]	
H. ‘Smokerise Frosted Vase’ E. Lunsford Jr. (OR)	1994
Plant: 38 in. (96.5 cm.) diameter, 23 in. (58.4 cm.) high, with a compact, semi-upright habit.	
Leaf: 8.75 in. (22.2 cm.) wide, 11.25 in. (28.6 cm.) long; 13 pairs of prominent veins; gray-green changing to green in fall; a very narrow white, smooth margin; dull above, slightly shiny underneath; lightly cupped, lightly rippled, lightly corrugated; good substance; ovate with a cordate base.	
Scape: 24 in. (61 cm.) high, ranging from 20-28 in. (50.8-71.1 cm.).	
Flower: 1 in. (2.5 cm.) long, near-white, tubular; Georgia: mid-July to mid-August.	
Seed: not viable.	
Clump History: 4 years old.	
[H. ‘Frances Williams’ x H. <i>nigrescens</i>]	
H. ‘Smokey Tokey’ E. Elslager (ONIR)	1998
Plant: 34 in. (86.4 cm.) diameter, 21 in. (53.3 cm.) high. Upright and slow growing.	
Leaf: 11.25 in. (28.6 cm.) long, 8.75 in. (22.2 cm.) wide. 16 pairs prominent veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; lightly cupped, moderately corrugated, with a cordate base. nearly round; petiole glaucous green.	
Scape: 19 in. (48.3 cm.) high, ranging from 17-22 in. (43.2-55.9 cm.) in length.	
Flower: 1.5 in. (3.8 cm.) long, near-white, violet striped, tubular; Ann Arbor MI: 6/18 - 7/1 - 7/13 (5 - 5 - 5).	
Seed: viability unknown; pod is green.	
Notable Characteristics: a larger “Tokudama” with good substance and a white back.	
Clump History: the original sport, 8 years old, growing in Ann Arbor MI.	
[H. ‘Tokudama’ sport]	
H. ‘Snow Mound’ Skylands Nursery (O), A. Summers (NI), P. Ruh (R)	1997
Plant: 20 in. (50.8 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 5.63 in. (14.3 cm.) long, 2.63 in. (6.7 cm.) wide. 6 pairs of prominent veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; wavy,	
lightly corrugated, lance-shaped with a flat base; petiole partly winged.	
Scape: 14 in. (35.6 cm.) high, ranging from 13-14 in. (33-35.6 cm.).	
Flower: 1.25 in. (3.2 cm.) long, white, tubular; Chesterland OH: 8/8 - 8/23 - 9/4.	
[Parentage unknown]	
H. ‘Soft Shoulders’ T. Avent (OR)	1995
Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high. Moderately growing, compact, mound-like habit.	
Leaf: 8 in. (20 cm.) long, 4 in. (10 cm.) wide. 6 pairs of moderately prominent veins. Dark green with a 0.25 in. (.64 cm.) wide, smooth, creamy white (emerges gold) margin. Slightly shiny on top and underneath; lightly wavy; good substance; lance-shaped with a rounded base.	
Scape: 24 in. (61 cm.) high, ranging from 22-25 in. (55.9-63.5 cm.).	
Flower: 1.5 in. (3.8 cm.) long, medium lavender, bell shaped; N. Carolina: August.	
Seed: viable.	
Clump History: 5 years old.	
[H. ‘Swoosh’ x H. <i>tardiflora</i>]	
H. ‘Southern Comfort’ P. Ruh (OR)	1992
Plant: 20 in. (50.8 cm) wide, 18 in. (45.7 cm) high.	
Leaf: 6.5 in. (16.5 cm) long, 4.5 in. (11.4 cm) wide, 7 pairs of veins; medium green; triangular in shape; slightly twisted; slightly rippled; dull texture; glossy underneath.	
Scape: 33.5 in. (85.1 cm) long, inflorescence leaves.	
Flower: lavender pink, flaring, striped; Ohio: mid-August.	
Seed: viable.	
[Parentage unknown]	
H. ‘Space Odyssey’ C. Soules (ONIR)	1997
Plant: 84 in. (213 cm.) diameter, 36 in. (91.4 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 16 in. (40.6 cm.) long, 12 in. (30.5 cm.) wide. 16 pairs of prominent veins. Intensely blue-green with a heavily rippled margin. Slightly shiny on top, dull underneath; moderately wavy, broadly ovate with a cordate base.	
Scape: 45 in. (114 cm.) high, ranging from 40-50 in. (101.6-127 cm.).	
Flower: near white, tubular; Indianapolis IN.; 6/10 - 6/24 - 7/1 (2 - 3 - 4).	
Seed: viable; pod is green.	
Clump History: the original seedling, 7 years old, growing in Indianapolis IN.	
[Parentage unknown]	
H. ‘Spartan Flash’ E. Elslager (ONIR)	1998
Plant: 28 in. (71.1 cm.) diameter, 17 in. (4.3 cm.) high. Upright and slow growing.	
Leaf: 6.75 in. (17.1 cm.) long, 4.5 in. (11.4 cm.) wide. 9 pairs of prominent veins. Streaked green, yellow and white. Margin flat. Slightly shiny on top, glaucous bloom underneath; broadly ovate with a cordate base; petiole green with a yellow stripe.	
Scape: 25 in. (63.5 cm.) high, ranging from 16-27 in. (40.6-68.6 cm.) in length.	
Flower: 2 in. (5.1 cm.) long, medium lavender, purple striped, tubular; Ann Arbor MI: 7/10 - 7/21 - 8/3 (5 - 5 - 6).	
Seed: viability unknown; pod is green.	

Clump History: the original sport, 5 years old, growing in Ann Arbor MI. [<i>H. 'Undulata Albomarginata'</i> sport]		Clump History: a division of the original, 3 years old, growing in Mansfield MO. Notable Characteristics: intensely rippled spring growth. [<i>H. 'Chartreuse Wiggles' x H. 'Starburst'</i>]
<i>H. 'Spinnaker'</i> C. Seaver (OR) 1994		<i>H. 'Squash Casserole'</i> T. Avent (OR) 1995
Plant: 40 in. (101.6 cm.) diameter, 28 in. (71.1 cm.) high, with a compact, semi-upright habit.		Plant: 46 in. (116.8 cm.) diameter, 20 in. (50.8 cm.) high. Moderately growing, moderately dense, mound-like habit.
Leaf: 12 in. (30.5 cm.) wide, 12 in. (30.5 cm.) long; 14 pairs of prominent veins; medium green; deeply cupped, lightly corrugated; nearly round with a cordate base.		Leaf: 11 in. (28.0 cm.) long, 6 in. (15.0 cm.) wide. 12-13 pairs of moderately prominent veins. Emerging green, turning medium gold, with a heavily rippled margin. Dull on top and underneath; moderately corrugated; moderately rippled; good substance; ovate with a cordate base.
Scape: 19 in. (48.3 cm.) high.		Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.).
Flower: pure white, tubular; Delaware: mid-June to mid-July.		Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; N. Carolina: June to July.
Seed: viable.		Seed: viable.
Clump History: 5 years old.		Clump History: 5 years old.
[<i>H. 'Sea Lotus Leaf</i> hybrid]		[<i>H. 'Hirao Elite' x H. 'August Moon'</i>]
<i>H. 'Splashed Leather'</i> G. R. Goodwin (ONIR) 1996		<i>H. 'Standard Deviation'</i> C. Helsley (ONIR) 1998
Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.		Plant: 24 in. (61.0 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
Leaf: 8 in. (20.3 cm.) long, 4 in. (10.2 cm.) wide. 8 pairs of prominent veins. Green streaked with white and a 0.25 in. slightly rippled, creamy white margin. Very shiny on top and underneath; lightly twisted, lightly folded, lightly wavy, lightly corrugated; ovate with a flat base.		Leaf: 5 in. (12.7 cm.) long, 3 in. (7.6 cm.) wide. 10 pairs insignificant veins. Light green streaked with lighter green, yellow-gold and creamy yellow. A 0.13 in. (0.32 cm.) wide, flat, dark green margin. Dull on top and underneath; lightly wavy, lightly corrugated, ovate with a rounded base.
Scape: 24 in. (61 cm.) high, ranging from 20-28 in. (50.8-71.1 cm.); branched; green and white.		Scape: 15 in. (38.1 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); inflorescence leaves.
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Indianapolis IN.; 8/10 - 8/25 - 9/15 (5 - 6 - 6).		Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Mansfield MO: 7/15 - 7/25 - 8/10 (5 - 5 - 5).
Seed: viable; pod is splashed.		Seed: none set.
Clump History: a division of the original, 7 years old, growing in Indianapolis IN.		Clump History: a division of the original, 3 years old, growing in Mansfield MO.
Notable Characteristics: waxy, thick, shiny Leaf blade.		Remarks: the variegation is not uniform or stable. [<i>H. 'Gold Standard'</i> sport]
[Parentage unknown]		
<i>H. 'Spotlight'</i> J. Wilkins (ONI), J. & J. Wilkins (R) 1995		<i>H. 'Star Struck'</i> J. Wilkins (ONI), J. & J. Wilkins (R) 1995
Plant: 50 in. (127.0 cm.) diameter, 20 in. (50.8 cm.) high. Moderately growing, compact, semi-upright habit.		Plant: 20 in. (50.8 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, moderately dense, mound-like habit.
Leaf: 15 in. (38.0 cm.) long, 9.5 in. (24.0 cm.) wide. 14 pairs of prominent veins. Medium gold with a smooth margin. Very shiny on top and underneath; lightly wavy; good substance; ovate with a cordate base.		Leaf: 5.5 in. (14.0 cm.) long, 6.5 in. (17.0 cm.) wide. 11 pairs of moderately prominent veins. Gold changing to white, with a 2 in. (5.1 cm.) wide, smooth, medium blue-green margin. Slightly shiny on top, glaucous bloom underneath; lightly folded, good substance; broadly ovate with a rounded base.
Scape: 38 in. (96.5 cm.) high, ranging from 36-42 in. (91.4-106.7 cm.); light green.		Scape: 18 in. (45.7 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); white.
Flower: 1.75 in. (4.5 cm.) long, light lavender, tubular; Mich: July.		Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; Mich: August.
Seed: not viable.		Seed: viability unknown.
Clump History: 5 years old.		Clump History: 7 years old.
[<i>H. 'Fort Knox' x H. nigrescens 'Elatior'</i>]		[<i>H. "William Lachman seedling"</i> sport]
<i>H. 'Spring Lace'</i> C. Helsley (ONIR) 1998		<i>H. 'Starboard Light'</i> C. Seaver (OR) 1994
Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high. Rhizomatous and fast growing.		Plant: 28 in. (71.1 cm.) diameter, 24 in. (61 cm.) high, with a open, semi-upright habit.
Leaf: 4 in. (10.2 cm.) long, 1.38 in. (3.5 cm.) wide. 3 pairs of insignificant veins. Light green with a 0.13 in. (0.32 cm.) wide, heavily rippled, medium green margin. Slightly shiny on top, very shiny underneath; deeply wavy, lance-shaped with a tapered base; petiole rippled at base.		
Scape: 18 in. (45.7 cm.) high, ranging from 12-20 in. (30.5-50.8 cm.); inflorescence leaves.		
Flower: 1.25 in. (3.2 cm.) long, pale purple, striped, tubular; Mansfield MO: 7/207 - 8/1 - 8/10 (5 - 5 - 5).		
Seed: viable; pod is mottled red.		

Leaf: 7 in. (12.8 cm.) wide, 11 in. (27.9 cm.) long; 14 pairs of prominent veins; dark yellow; folded; good substance; broadly ovate with a cordate base; veins green at base.
 Scape: 40 in. (101.6 cm.) high, crook-necked.
 Flower: near-white, tubular; Delaware: early July.
 Seed: viable.
 Clump History: 4 years old.
 [H. 'Komodo Dragon' hybrid]

H. 'Stardust' D. & J. Ward (ONIR) 1998
 Plant: 48 in. (122 cm.) diameter, 28 in. (71.1 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 13 in. (33.0 cm.) long, 9 in. (22.9 cm.) wide. Yellow gold with a slightly rippled margin. Slightly shiny on top, dull underneath; lightly wavy, ovate with a cordate base.
 Scape: 32 in. (81.3 cm.) high, ranging from 30-33 in. (76.2-83.8 cm.).
 Flower: 0.75 in. (1.9 cm.) long, near white, bell-shaped; Columbus: 7/15 - 7/22 - 7/30 (4 - 4 - 5).
 Seed: viable; pod is green.
 Clump History: the original seedling, 7 years old, growing in Columbus.
 [H. 'White Vision' × H. *montana macrophylla* ([incorrect] as 'Praeflorens')]

H. 'Stearn's Beauty' F. Williams (O), P. Ruh (NR) 1995
 Plant: 30 in. (76.2 cm.) diameter, 13.5 in. (34.3 cm.) high. A compact, mound-like habit. a 15 year old division.
 Leaf: 4.75 in. (12.0 cm.) long, 6.5 in. (17.0 cm.) wide. 12 pairs of prominent veins. Blue-green. Very shiny on top and underneath; moderately corrugated, lightly rippled; heavy substance; ovate with a rounded base.
 Scape: 25 in. (63.5 cm.) high.
 Flower: near white, tubular; Ohio: late June to early July.
 Seed: viable.
 Remarks: this cultivar has previously been known under the names "Glauca Stearn" and "Frances Williams (FRW) # 941A".
 [Parentage unknown]

H. 'Stefan Edward' V. Wade (O), E. Elslager (NIR) 1998
 Plant: 29 in. (73.7 cm.) diameter, 15 in. (38.1 cm.) high.
 Upright and slow growing.
 Leaf: 8 in. (20.3 cm.) long, 8.25 in. (21 cm.) wide. 15 pairs prominent veins. Intensely blue-green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; deeply cupped, corrugated, nearly round with a cordate base; petiole glaucous blue-green.
 Scape: 19 in. (48.3 cm.) high, ranging from 17-23 in. (43.2-58.4 cm.) in length.
 Flower: 2 in. (5.1 cm.) long, near-white, tubular; Ann Arbor MI: 7/20 - 7/30 - 8/9 (5 - 6 - 6).
 Seed: viability unknown; pod is green.
 Clump History: the original seedling, 6 years old, growing in Ann Arbor MI.
 Notable Characteristics: cupped and corrugated, blue-green with a white back.
 [parentage unknown]

H. 'Stetson' Walters Gardens, Inc. (ONIR) 1997
 Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high.
 Mound-like and fast growing.

Leaf: 7 in. (17.8 cm.) long, 4.5 in. (11.4 cm.) wide. 9-10 pairs of insignificant veins. Medium green with a 1 in. (2.54 cm.) wide, heavily rippled, yellow gold margin. Slightly shiny on top, dull underneath; deeply folded, moderately wavy, lightly corrugated, ovate with a flat base.

Scape: 24 in. (61 cm.) high, ranging from 22-27 in. (55.9-68.6 cm.).
 Flower: 2 in. (5.1 cm.) long, medium lavender with 3 prominent veins in the center, tubular; Zeeland MI: 7/26 - 7/30 - 8/15 (4 - 4 - 5).
 Clump History: the original tissue culture sport, 4 years old, growing in Zeeland MI.
 Notable Characteristics: the folded leaf and wavy margin.
 [H. 'Wide Brim' sport]

H. 'Straka Gold' C. Owens (OR) 1994
 Plant: 33 in. (83.8 cm.) diameter, 22 in. (55.9 cm.) high, with a compact, semi-upright habit.
 Leaf: 12 in. (30.5 cm.) wide, 14 in. (35.6 cm.) long; 14 pairs of prominent veins; deep gold; smooth margin; dull above and underneath; intensely corrugated; heavy substance; ovate with a rounded base.
 Scape: 24 in. (61 cm.) high, ranging from 22-24 in. (55.9-61 cm.).
 Flower: 2 in. (5.1 cm.) long, pure white, tubular; Mich: July.
 Seed: viable.
 Clump History: 9 years old.
 [H. 'Gold Regal' × H. *montana*]

H. 'Strawberry Delight' H. Sugita (O), P. Ruh (ONIR) 1998
 Plant: 27 in. (68.6 cm.) diameter, 15 in. (38.1 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 8.25 in. (21 cm.) long, 5.25 in. (13.3 cm.) wide. 9 pairs of prominent veins. Medium green with a heavily rippled margin. Very shiny on top, glaucous bloom underneath; twisted, moderately wavy, broadly ovate with a cordate base; petiole red spotted.
 Scape: 22 in. (55.9 cm.) high, ranging from 19-22 in. (48.3-55.9 cm.) in length.
 Flower: 1.5 in. (3.8 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 8/4 - 8/14 - 8/25.
 Seed: none set.
 Clump History: the original seedling, 12 years old, growing in Chesterland OH.
 Notable Characteristics: red spotted petiole.
 [H. *longipes* × H. *pycnophylla*]

H. 'Striped Canvas' C. Seaver (ONIR) 1996
 Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of insignificant veins. Medium green with white and yellow streaking. Margin heavily rippled. Dull on top and underneath; moderately wavy; ovate with a tapered base. Petiole has strong undulations and streaking.
 Scape: 28 in. (71.1 cm.) high, ranging from 23-30 in. (58.4-76.2 cm.); green with red spots on the base.
 Flower: 3 in. (7.6 cm.) long, deep purple, tubular, striped; Wilmington DE: 7/15 - 8/1 - 8/20 (4 - 5 - 6).
 Seed: viable; pod is green with white streaks.
 Clump History: the original seedling, 4 years old, growing in Wilmington DE.

Notable Characteristics: celedon streaking, undulating petioles. [<i>H. 'Designer Genes' x H. 'Sea Angel'</i>]		Flower: near-white, bell-shaped; S. Barrington IL: summer period. Seed: none set. Clump History: a first generation division, 5 years old, growing in South Barrington IL. [<i>H. 'Blue Moon' sport</i>]
<i>H. 'Sugar Babe'</i> R. Solberg (ONIR) 1996 Plant: 16 in. (40.6 cm.) diameter, 10 in. (25.4 cm.) high. Stoloniferous and fast growing. Leaf: 5 in. (12.7 cm.) long, 2 in. (5.1 cm.) wide. 4-5 pairs of moderately prominent veins. Medium green with a 0.38 in. slightly rippled, creamy white margin (emerges yellow). Very shiny on top and underneath; moderately wavy; lance-shaped with a rounded base. Scape: 28 in. (71.1 cm.) high, ranging from 24-30 in. (61-76.2 cm.); green. Flower: 3 in. (7.6 cm.) long, purple, funnel shaped, striped, fragrant. Chapel Hill SC: 8/15 - 9/1 - 9/15. Seed: viable. Clump History: 2 years old. Notable Characteristics: very strong sugary fragrance. [<i>H. 'Iron Gate Supreme' x H. 'Saishu Jima'</i>]		<i>H. 'Summer Music'</i> R. Klehm (ONIR) 1998 Plant: 21 in. (53.3 cm.) diameter, 14 in. (35.6 cm.) high. Upright with a moderate growth rate. Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 9-10 pairs veins. White with a 1.5 in. (3.81 cm.) wide, flat, dark green margin. Dull on top and underneath; lightly twisted, broadly ovate with a cordate base; petiole white with a green margin. Scape: ranging from 14-20 in. (35.6-50.8 cm.) in length. Flower: 1.75 in. (4.4 cm.) long, pale lavender, lavender striped, tubular; South Barrington IL: late period. Seed: none set. Clump History: a second generation division, 4 years old, growing in South Barrington IL. [<i>H. 'Shade Master' sport</i>]
<i>H. 'Sugar Pie'</i> R. Snyder (ONIR) 1998 Plant: 10 in. (25.4 cm.) diameter, 6 in. (15.2 cm.) high. with a moderate growth rate. Leaf: 3.5 in. (8.9 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of veins. Medium green with a 0.5 in. (1.27 cm.) wide, slightly rippled, pure white margin. Some streaking in the margin. Slightly shiny on top, very shiny underneath; moderately corrugated, elliptic with a tapered base; petiole white margined. Scape: ranging from 21-23 in. (53.3-58.4 cm.) in length. Flower: 1.75 in. (4.4 cm.) long, medium lavender, striped, tubular; Willmar MN: 8/1 - 8/5 - 9/1 (5 - 6 - 7). Seed: viability unknown; pod is green. Clump History: the original sport, 5 years old, growing in Willmar MN. [<i>H. 'Rohdeifolia' sport</i>]		<i>H. 'Summer Serenade'</i> R. Klehm (ONIR) 1998 Plant: 60 in. (152 cm.) diameter, 28 in. (71.1 cm.) high. Mound-like. Leaf: 8 in. (20.3 cm.) long, 6 in. (15.2 cm.) wide. 8-10 pairs veins. Greenish yellow with a 2 in. (5.08 cm.) wide, dark green margin. Dull on top and underneath; lightly wavy, broadly ovate with a cordate base. Scape: 25 in. (63.5 cm.) high. Flower: pale lavender. Seed: viable; pod is green. Clump History: a second generation division, 10 years old, growing in Champaign IL. Notable Characteristics: gold with a wide green margin. [<i>H. 'Piedmont Gold' sport</i>]
<i>H. 'Summer Gold'</i> S. Hamblin (O), F. Williams (NI), P. Ruh (R) 1998 Plant: 25.5 in. (64.8 cm.) diameter. Leaf: 6.25 in. (15.9 cm.) long, 3.5 in. (8.9 cm.) wide. 7 pairs of prominent veins. Greenish yellow with a slightly rippled margin. Dull on top, very shiny underneath; lightly twisted, moderately wavy, ovate with a rounded base. Scape: 26.5 in. (67.3 cm.) high, ranging from 24-26 in. (61-66 cm.) in length. Flower: 3 in. (7.6 cm.) long, light lavender, tubular; Chesterland OH: 7/7 - 7/24 - 8/14. Seed: none set. [parentage unknown]		<i>H. 'Sunny Isle'</i> P. Ruh (NIR) 1997 Plant: 23 in. (58.4 cm.) diameter, 9.5 in. (24.1 cm.) high. Mound-like with a moderate growth rate. Leaf: 6.75 in. (17.1 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of veins. Yellow to yellowish-green with a slightly rippled margin. Dull on top, slightly shiny underneath; moderately cupped, lightly wavy, lance-shaped with a tapered base; petiole has a purple base. Scape: 16 in. (40.6 cm.) high. Flower: 1 in. (2.5 cm.) long, lavender, striped; Chesterland OH: ? - 8/31 -? (4 - 5 - 6). Seed: none set. Clump History: a division of the original, 3 years old, growing in Chesterland OH. Notable Characteristics: a spring yellow with a low habit. [Parentage unknown]
<i>H. 'Summer Joy'</i> R. Klehm (ONIR) 1998 Plant: 20 in. (50.8 cm.) diameter, 10 in. (25.4 cm.) high. Upright. Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 12-14 veins. White with a 1 in. (2.54 cm.) wide, flat, margin. Margin blue-green streaked with medium green. Slightly shiny on top, dull underneath; wavy, broadly ovate with a cordate base. Scape: ranging from 10-12 in. (25.4-30.5 cm.) in length; inflorescence leaves.		<i>H. 'Supersonic'</i> K. & L. Anderson (ONIR) 1996 Plant: 36 in. (91.4 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate. Leaf: 12 in. (30.5 cm.) long, 12 in. (30.5 cm.) wide. 12-14 insignificant veins. Dark green with a 0.5-1.5 in. slightly rippled, medium gold margin. Very shiny on top, slightly shiny underneath; lightly corrugated; nearly round with a cordate base.

Scape: 36 in. (91.4 cm.) high, ranging from 24-36 in. (61-91.4 cm.); light green.	[<i>H. 'Sweet Susan' x H. 'Tokudama Aureonebulosa'</i>]
Flower: 2 in. (5.1 cm.) long, pale lavender, bell shaped, striped; pod is dark green; Farwell MN: 7/10 - 8/1 - ?.	<i>H. 'Sweet Tater Pie'</i> T. Avent (OR) 1995
Seed: viable.	Plant: 30 in. (76.2 cm.) diameter, 10 in. (25.4 cm.) high. Moderately growing, moderately dense, mound-like habit.
Clump History: the original sport, 5 years old, growing in Farwell MN.	Leaf: 7 in. (18.0 cm.) long, 3.5 in. (8.9 cm.) wide. 6-7 pairs of moderately prominent veins. Medium waxy gold with a smooth margin. Very shiny on top, slightly shiny underneath; moderately wavy; heavy substance; ovate with a rounded base.
[<i>H. 'Sum and Substance'</i> sport]	Scape: 28 in. (71.1 cm.) high
<i>H. 'Surprised by Joy'</i> A. Malloy (ONIR) 1998	Flower: 1 in. (2.5400 cm.) long, deep purple, spider shaped; N. Carolina: July.
Plant: 8 in. (20.3 cm.) diameter, 4 in. (10.2 cm.) high. Mound-like with a moderate growth rate.	Seed: viable.
Leaf: 2 in. (5.1 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of veins. White with a 0.25 in. (0.64 cm.) wide, slightly rippled margin. Margin is green with greenish yellow streaks. Dull on top, slightly shiny underneath; lightly twisted, broadly ovate with a rounded base; petiole white with a green margin.	Clump History: 5 years old.
Scape: ranging from 8-9 in. (20.3-22.9 cm.) in length.	[<i>H. 'Gold Scepter' x H. yingeri</i>]
Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; South Salem NY : 6/5 - 6/15 - 6/30 (1 - 1 - 2).	
Seed: pod is white.	
Clump History: the original seedling, 4 years old, growing in South Salem NY.	T
Notable Characteristics: a miniature with a white center and a "arrow-shaped" leaf.	
[<i>H. 'Flamboyant' x H. venusta</i>]	
<i>H. 'Swan Lake'</i> H. Sugita (O), P. Ruh (ONIR) 1998	<i>H. 'Tangerine'</i> E. Elslager (ONIR) 1998
Plant: 47 in. (119 cm.) diameter, 22 in. (55.9 cm.) high. Mound-like with a moderate growth rate.	Plant: 21 in. (53.3 cm.) diameter, 12 in. (30.5 cm.) high. Upright and slow growing.
Leaf: 11.5 in. (29.2 cm.) long, 7.5 in. (19.1 cm.) wide. 11 pairs prominent veins. Blue-green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; lightly twisted, lightly folded, lightly wavy, lightly corrugated, broadly ovate with a rounded base.	Leaf: 8.5 in. (21.6 cm.) long, 6.75 in. (17.1 cm.) wide. 11 pairs prominent veins. Deep golden yellow with a slightly rippled margin. Slightly shiny on top and underneath; lightly corrugated, nearly round with a cordate base; petiole glaucous.
Scape: 20 in. (50.8 cm.) high.	Scape: 16 in. (40.6 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.) in length.
Flower: 2.25 in. (5.7 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 8/3 - 8/16 - 8/28.	Flower: 2 in. (5.1 cm.) long, pale lavender, purple striped, tubular; Ann Arbor MI: 6/22 - 7/13 - 7/24 (5 - 5 - 5).
Seed: viable; pod is medium green.	Seed: viability unknown; pod is green.
Clump History: the original seedling, 12 years old, growing in Chesterland OH.	Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.
Notable Characteristics: plant has a lavender cast at the base; textured leaves with a white back.	Notable Characteristics: deep gold with good substance. Holds color.
[<i>H. kiyosumiensis x H. pycnophylla</i>]	[<i>H. 'Sea Sunrise'</i> hybrid]
<i>H. 'Sweet Sunshine'</i> R. Solberg (ONIR) 1997	<i>H. 'Tardiflora Hybrida'</i> G. Arends (ONI), P. Ruh (R) 1992
Plant: 24 in. (61 cm.) diameter, 14 in. (35.6 cm.) high. Upright with a moderate growth rate.	Plant: 11.5 in. (29.2 cm) wide, 7 in. (17.8 cm) high.
Leaf: 5 in. (12.7 cm.) long, 4.5 in. (11.4 cm.) wide. 9-10 pairs of prominent veins. Medium gold with a flat margin. Slightly shiny on top and underneath; moderately cupped, intensely corrugated, nearly round with a cordate base.	Leaf: 5.25 in. (13.3 cm) long, 2 in. (5.1 cm) wide, 4 pairs of veins; dark green; lance-shaped; satin sheen; arched; slightly rippled; glossy underneath.
Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.).	Scape: 18 in. (45.7 cm) long, inflorescence leaves.
Flower: 1.75 in. (4.4 cm.) long, pure white, tubular, significant fragrance; Chapel Hill NC: 6/20 - 7/10 - 8/10 (3 - 4 - 6).	Flower: lavender, flaring; Ohio: Sept.
Seed: viable; pod is light green.	Seed: viable.
Clump History: the original seedling, 3 years old, growing in Chapel Hill NC.	[<i>H. tardiflora x H. ventricosa</i>]
Notable Characteristics: gold cupped and corrugated leaves with fragrant white flowers.	

[<i>H. 'Sweet Susan' x H. 'Tokudama Aureonebulosa'</i>]	
<i>H. 'Sweet Tater Pie'</i> T. Avent (OR) 1995	
Plant: 30 in. (76.2 cm.) diameter, 10 in. (25.4 cm.) high. Moderately growing, moderately dense, mound-like habit.	
Leaf: 7 in. (18.0 cm.) long, 3.5 in. (8.9 cm.) wide. 6-7 pairs of moderately prominent veins. Medium waxy gold with a smooth margin. Very shiny on top, slightly shiny underneath; moderately wavy; heavy substance; ovate with a rounded base.	
Scape: 28 in. (71.1 cm.) high	
Flower: 1 in. (2.5400 cm.) long, deep purple, spider shaped; N. Carolina: July.	
Seed: viable.	
Clump History: 5 years old.	
[<i>H. 'Gold Scepter' x H. yingeri</i>]	
	T
<i>H. 'Tangerine'</i> E. Elslager (ONIR) 1998	
Plant: 21 in. (53.3 cm.) diameter, 12 in. (30.5 cm.) high. Upright and slow growing.	
Leaf: 8.5 in. (21.6 cm.) long, 6.75 in. (17.1 cm.) wide. 11 pairs prominent veins. Deep golden yellow with a slightly rippled margin. Slightly shiny on top and underneath; lightly corrugated, nearly round with a cordate base; petiole glaucous.	
Scape: 16 in. (40.6 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.) in length.	
Flower: 2 in. (5.1 cm.) long, pale lavender, purple striped, tubular; Ann Arbor MI: 6/22 - 7/13 - 7/24 (5 - 5 - 5).	
Seed: viability unknown; pod is green.	
Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.	
Notable Characteristics: deep gold with good substance. Holds color.	
[<i>H. 'Sea Sunrise'</i> hybrid]	
<i>H. 'Tardiflora Hybrida'</i> G. Arends (ONI), P. Ruh (R) 1992	
Plant: 11.5 in. (29.2 cm) wide, 7 in. (17.8 cm) high.	
Leaf: 5.25 in. (13.3 cm) long, 2 in. (5.1 cm) wide, 4 pairs of veins; dark green; lance-shaped; satin sheen; arched; slightly rippled; glossy underneath.	
Scape: 18 in. (45.7 cm) long, inflorescence leaves.	
Flower: lavender, flaring; Ohio: Sept.	
Seed: viable.	
[<i>H. tardiflora x H. ventricosa</i>]	
<i>H. 'Tattoo'</i> ^{PPAF} T. Avent (ONIR) 1998	
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like.	
Leaf: 2.5 in. (6.4 cm.) long, 2.5 in. (6.4 cm.) wide. pairs of veins. Golden yellow with a, light green margin. Dull on top and underneath; cupped, broadly ovate with a cordate base.	
Scape: 12 in. (30.5 cm.) high.	
Flower: 1.5 in. (3.8 cm.) long.,	
Seed: none set.	
[<i>H. 'Little Aurora'</i> sport]	

H. 'Teaspoon' F. Nyikos (ONIR)	1998	Plant: 21 in. (53.3 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like with a moderate growth rate. Leaf: 3.25 in. (8.3 cm.) long, 3 in. (7.6 cm.) wide. 11 pairs veins. Medium green with a margin. Dull on top, slightly shiny underneath; cupped, broadly ovate with a cordate base. Scape: 22 in. (55.9 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.) Flower: 1.75 in. (4.4 cm.) long, light pink with a white throat, tubular; Unionville IN.; summer period (2 - 3 - 3). Seed: viable. Clump History: the original seedling, 5 years old, growing in Unionville IN. Notable Characteristics: "Serrated" leaf margin. [<i>H. 'Birchwood Parky's Gold' x H. 'Golden Tiara'</i>]
H. 'Temple Bells' P. Banyai (OR)	1992	Plant: 18 in. (45.7 cm) wide, 12 in. (30.5 cm) high. Leaf: 6.5 in. (16.5 cm) long, 3.5 in. (8.9 cm) wide, 8 pairs of veins; medium green; elliptic; rippled margins; slightly shiny above and underneath. Scape: 13 in. (33 cm) long. Flower: deep purple, flaring; Michigan: August. Seed: viable. [<i>H. "Beatrice unvariegated seedling" hybrid</i>]
H. 'Tentacles' C. Seaver (ONIR)	1996	Plant: 25 in. (63.5 cm.) diameter, 9 in. (22.9 cm.) high. Stoloniferous (but clumping) and fast growing. Leaf: 5 in. (12.7 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of prominent veins. Dark green with a heavily rippled margin. Dull on top, slightly shiny underneath; intensely wavy; lance-shaped with a tapered base. Petioles of summer flush are red at base. Scape: 36 in. (91.4 cm.) high, ranging from 31-37 in. (78.7-94 cm.); green with red base. Flower: 3.5 in. (8.9 cm.) long, medium lavender, spider shaped, translucent margin; Wilmington DE: 8/5 - 8/20 - 9/1 (5 - 5 - 6). Seed: viable; pod is green with red spots. Clump History: the original seedling, 4 years old, growing in Wilmington DE. [<i>H. 'Don Stevens' x H. 'Sea Octopus'</i>]
H. 'The Godfather' D. & J. Ward (ONIR)	1998	Plant: 72 in. (183 cm.) diameter, 44 in. (112 cm.) high. Upright with a moderate growth rate. Leaf: 14 in. (35.6 cm.) long, 12 in. (30.5 cm.) wide. 15 pairs prominent veins. Dark green with a flat margin. Slightly shiny on top, dull underneath; wavy, ovate with a cordate base. Scape: 62 in. (157 cm.) high, ranging from 60-64 in. (152.4-162.6 cm.) Flower: 0.75 in. (1.9 cm.) long, near white, bell-shaped; Columbus OH: 8/1 - 8/15 - 8/20 (5 - 6 - 6). Seed: viable; pod is green. Clump History: the original seedling, 8 years old, growing in Columbus OH. [Parentage unknown]
H. 'The Hulk' P. Bennerup (OI), A. Malloy (NR)	1998	Plant: 78 in. (198 cm.) diameter, 36 in. (91.4 cm.) high. Mound-like and fast growing. Leaf: 18 in. (45.7 cm.) long, 15 in. (38.1 cm.) wide. 15-18 veins. Medium green with a flat margin. Slightly shiny on top and underneath; broadly ovate with a cordate base. Scape: ranging from 58-60 in. (147-152 cm.) in length. Flower: 3 in. (7.6 cm.) long, pale lavender, tubular; Kensington CT: 6/8 - 6/15 - 7/4 (1 - 2 - 2). Seed: viable; pod is green. Clump History: a first generation division of the original, 5 years old, growing in Kensington CT. [parentage unknown]
H. 'Thor' P. Ruh (OR)	1994	Plant: 24.5 in. (62.2 cm.) diameter, 10.5 in. (26.7 cm.) high, with a open, semi-upright habit. Leaf: 7.75 in. (19.7 cm.) wide, 10.25 in. (26 cm.) long; 11 pairs of moderately prominent veins; dark green, slightly rippled margin; very shiny above, dull gray underneath; moderately wavy; heavy substance; broadly ovate with a cordate base. Scape: 24 in. (61 cm.) high; light green. Flower: 2 in. (5.1 cm.) long, pure white, bell-shaped; Ohio: July. Seed: viable. Clump History: 10 years old. [<i>H. hypoleuca x H. hypoleuca</i>]
H. 'Thumbelina' D. & J. Ward (ONIR)	1996	Plant: 14 in. (35.6 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate. Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 6 pairs of insignificant veins. Medium green with a 0.38 in. slightly rippled, creamy white margin. Dull on top, slightly shiny underneath; lightly wavy; ovate with a rounded base. Scape: 2 in. (50.8 cm.) high, ranging from 18-21 in. (45.7-53.3 cm.); green. Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Columbus OH: 6/25 - 7/1 - 7/10 (3 - 3 - 3). Seed: viable; pod is green. Clump History: the original seedling, 5 years old, growing in Columbus OH. [<i>H. 'Pin Stripe Sister' hybrid</i>]
H. 'Tiffney's Godzilla' J. Dreessen (ONIR)	1996	Plant: 52 in. (132 cm.) diameter, 32 in. (81.3 cm.) high. Upright and fast growing. Leaf: 17 in. (43.2 cm.) long, 14 in. (35.6 cm.) wide. 15 pairs of prominent veins. Medium green with a 2 in. slightly rippled, gold margin. Slightly shiny on top, dull underneath; cupped; broadly ovate with a cordate base. Scape: 50 in. (127 cm.) high, ranging from 40-52 in. (101.6-132.1 cm.); green. Flower: 2.5 in. (6.4 cm.) long, lavender, bell shaped, striped; Bettendorf IA: 7/10 - 8/1 - 8/20 (4 - 5 - 5). Seed: viable; pod is green. Clump History: the original sport, 3 years old, growing in Bettendorf IA. [<i>H. 'Sum and Substance' sport</i>]
H. 'Timothy' D. Ruh (O), P. Ruh (NIR)	1998	Plant: 13 in. (33 cm.) diameter, 6.5 in. (16.5 cm.) high.

Leaf: 3.75 in. (9.5 cm.) long, 2.75 in. (7 cm.) wide. Mound-like with a moderate growth rate. 9 pairs of insignificant veins. Dark green to medium green, with a 0.5 in. (1.27 cm.) wide, heavily rippled, golden yellow margin. Very shiny on top, dull underneath; moderately twisted, moderately folded, moderately wavy, ovate with a flat base.

Scape: 15 in. (38.1 cm.) high; inflorescence leaves.

Flower: 1.75 in. (4.4 cm.) long, light lavender, striped, bell-shaped; Chesterland OH: 6/25 - 7/5 - 7/14.

Seed: none set.

[*H. 'Gold Edger*' sport]

H. 'Tom Schmid' T. Schmid (OR) 1995

Plant: 36 in. (91.4 cm.) diameter, 25 in. (63.5 cm.) high. Moderately growing, open, semi-upright habit.

Leaf: 11.5 in. (29.0 cm.) long, 7.5 in. (19.0 cm.) wide. 13 pairs of moderately prominent veins. Center emerges silvery blue changing to dark green by mid-summer. The margin is 1 in. (2.6 cm.) wide, slightly rippled and pure white. Slightly shiny on top, glaucous bloom underneath; lightly wavy, slightly corrugated; good substance; ovate with a rounded base.

Scape: 54 in. (137.2 cm.) high, ranging from 48-60 in. (121.9-152.4 cm.).

Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; Mich: July to August.

Seed: none set.

Clump History: 3 years old.

[*H. 'Krossa Regal*' sport]

H. 'Toots' H. Sugita (O), J. Ruh (N), P. Ruh (IR) 1998

Plant: 29 in. (73.7 cm.) diameter, 17 in. (43.2 cm.) high. Mound-like.

Leaf: 9.5 in. (24.1 cm.) long, 6.75 in. (17.1 cm.) wide. 11 pairs prominent veins, with a moderate growth rate. Dark green with a 0.25 in. (0.64 cm.) wide, heavily rippled, greenish yellow margin (at leaf tip). Very shiny on top, glaucous bloom underneath; lightly twisted, intensely wavy, lightly corrugated, broadly ovate with a cordate base; petiole lavender spotted.

Scape: 21 in. (53.3 cm.) high.

Flower: 2 in. (5.1 cm.) long, pale lavender, faint striping, tubular; Chesterland OH: 8/3 - 8/13 - 8/24.

Seed: viable; pod is dark green.

Clump History: the original seedling, 12 years old, growing in Chesterland OH.

Notable Characteristics: lavender petiole, white back and yellow margin.

[*H. pycnophylla* × *H. kiyosumiensis*]

H. 'Topaz Tiara' Walters Gardens, Inc. (ONIR) 1998

Plant: small.

Leaf: 4 in. (10.2 cm.) long, 3.5 in. (8.9 cm.) wide. 7-8 pairs of veins. Yellow to greenish yellow with a flat, medium green margin. Dull on top and underneath; broadly ovate with a rounded base.

Flower: 2.5 in. (6.4 cm.) long, deep purple, tubular; Zeeland MI: average period.

Notable Characteristics: heavy substance and a very wide green margin.

Clump History: the original tissue culture sport, 1 year old, growing in Zeeland MI.

[*H. 'Grand Tiara*' sport]

H. 'Torchy' W. Zumbar (OR) 1995
Plant: 10 in. (25.4 cm.) diameter, 10 in. (25.4 cm.) high. Fast growing, open, semi-upright habit.

Leaf: 4.5 in. (11.0 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of prominent veins. Dark green with a 0.6 in. (1.4 cm.) wide, smooth, creamy white margin. Slightly shiny on top, very shiny underneath; average substance; lance-shaped with a rounded base.

Scape: 20 in. (50.8 cm.) high, ranging from 16-22 in. (40.6-55.9 cm.); green.

Flower: 1.5 in. (3.8 cm.) long, purple, tubular; Ohio: late July to late August.

Seed: viable.

Clump History: 3 years old.

[Parentage unknown]

H. 'Tracy's Emerald Cup' T. Heuermann (ONIR) 1997

Plant: 24 in. (61 cm.) diameter, 14 in. (35.6 cm.) high. Rhizomatous and fast growing.

Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 12 pairs moderately prominent veins. Dark green with a flat margin. Very shiny on top, dull underneath; moderately cupped, broadly ovate with a cordate base.

Scape: 16 in. (40.6 cm.) high, ranging from 16-21 in. (40.6-53.3 cm.).

Flower: 1.5 in. (3.8 cm.) long, lavender, tubular; Peoria IL: 7/20 - 7/24 - 7/27.

Seed: not viable.

[*H. 'Francee*' hybrid]

H. 'Trade Wind' J. Kulpa (OR) 1994

Plant: 36 in. (91.4 cm.) diameter, 24 in. (61 cm.) high, with a mound-like habit.

Leaf: 6.5 in. (16.5 cm.) wide, 8.5 in. (21.6 cm.) long; 8 pairs of prominent veins; dark green streaked with white; smooth margin; slightly shiny above, glaucous bloom underneath; lightly corrugated; heavy substance; broadly ovate with a cordate base.

Scape: 30 in. (76.2 cm.) high, ranging from 25-36 in. (63.5-91.44 cm.); green.

Flower: 2.5 in. (6.4 cm.) long, medium lavender, striped, tubular; Mich: mid-July to mid-August.

Seed: viable.

Clump History: 5 years old.

[*H. 'Second Wind*' sport]

H. 'Tranquility' J. Wilkins (ONI), J. & J. Wilkins (R) 1995

Plant: 20 in. (50.8 cm.) diameter, 12 in. (30.5 cm.) high. Slow growing, moderately dense, mound-like habit.

Leaf: 7 in. (18.0 cm.) long, 5 in. (13.0 cm.) wide. 11 pairs of moderately prominent veins. Medium blue-green with a 0.75 in. (1.9 cm.) wide, slightly rippled, medium gold, changing to deep gold, margin. Glaucous bloom on top and underneath; lightly wavy, lightly folded, lightly corrugated; heavy substance; broadly ovate with a cordate base.

Scape: 25 in. (63.5 cm.) high, ranging from 22-25 in. (55.9-63.5 cm.); green.

Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; Mich: July.

Seed: not viable.

Clump History: 5 years old.

[*H. 'Aspen Gold seedling*" sport]

H. 'Treasure Island' T. Avent (ONIR)	1998	Leaf: 2 in. (5.1 cm.) long, 1 in. (2.5 cm.) wide. 3 pairs of prominent veins. Dark green with a smooth margin. Slightly shiny on top, very shiny underneath; moderately folded; good substance; elliptic with a rounded base. Scape: 8 in. (20.3 cm.) high, ranging from 8-9 in. (20.3-22.9 cm.); light green. Flower: 0.75 in. (1.9 cm.) long, pure white, purple striped, bell shaped; Georgia: August. Seed: viable. Clump History: 3 years old. [<i>H. yingeri</i> selection]
H. 'Tucker Charm' R. Stephens (OR)	1993	Plant: 25 in. (63.5 cm.) wide, 12 in. (30.5 cm.) high. Leaf: 5 in. (12.7 cm.) long, 4.5 in. (11.4 cm.) wide, 9 pairs of prominent veins; dark green; ovate with a cordate base; margin slightly rippled; very shiny above and dull underneath; moderately rippled. Scape: 25 in. (63.5 cm.) long. Flower: pale purple, tubular; Georgia: August. Seed: viable. [<i>H. 'Pearl Lake'</i> × <i>H. 'Herifu'</i>]
H. 'Tucker Irish Heart' R. Stephens (OR)	1993	Plant: 15 in. (38.1 cm.) wide, 8 in. (20.3 cm.) high. Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide, 9 pairs of prominent veins; dark green; ovate with a cordate base; margin slightly rippled; slightly shiny above and dull below; moderately rippled. Scape: 18 in. (45.7 cm.) long. Flower: pure white, tubular; Georgia: June. Seed: viable. [<i>H. 'Golden Prayers'</i> sport]
H. 'Tucker Pucker' R. Stephens (OR)	1993	Plant: 43 in. (109.2 cm.) wide, 25 in. (63.5 cm.) high. Leaf: 10 in. (25.4 cm.) long, 9.5 in. (24.1 cm.) wide, 13 pairs of prominent veins; medium blue-green changing to dark green; broadly ovate with a cordate base; margin rippled; dull underneath and above; moderately puckered. Scape: 27 in. (68.6 cm.) long. Flower: pale lavender, tubular; Georgia: June. Seed: viable. [<i>H. 'montana</i> seedling" × <i>H. 'Big Daddy'</i>]
H. 'Tucker Tigers' R. Stephens (OR)	1993	Plant: 40 in. (101.6 cm.) wide, 24 in. (61 cm.) high. Leaf: 12.5 in. (31.8 cm.) long, 9.5 in. (24.1 cm.) wide, 15 pairs of prominent veins; light green; ovate with a cordate base; margin slightly rippled; very shiny above and below; intensely corrugated. Scape: 26 in. (66 cm.) long. Flower: near white, tubular; Georgia: June. Seed: viable. [<i>H. 'Wolcott</i> seedling" × <i>H. 'Piedmont Gold'</i>]
H. 'Tucker Tiny Tot' R. Stephens (OR)	1995	Plant: 6 in. (15.2 cm.) diameter, 4 in. (10.1 cm.) high. Moderately growing, moderately dense, semi-upright habit.
		Leaf: 2 in. (5.1 cm.) long, 1 in. (2.5 cm.) wide. 3 pairs of prominent veins. Dark green with a smooth margin. Slightly shiny on top, very shiny underneath; moderately folded; good substance; elliptic with a rounded base. Scape: 8 in. (20.3 cm.) high, ranging from 8-9 in. (20.3-22.9 cm.); light green. Flower: 0.75 in. (1.9 cm.) long, pure white, purple striped, bell shaped; Georgia: August. Seed: viable. Clump History: 3 years old. [<i>H. "Kabitan seedling"</i> × <i>H. "Herifu seedling"</i>]
H. 'Tucker Top Cat' R. Stephens (OR)	1993	Plant: 21 in. (53.3 cm.) wide, 11 in. (27.9 cm.) high. Leaf: 6.25 in. (15.9 cm.) long, 4.5 in. (11.4 cm.) wide, 12 pairs of veins; dark green with a 0.75 in. medium green margin; ovate with a cordate base; margin slightly rippled; very shiny above and slightly shiny below; folded; corrugated. Scape: 24 in. (61 cm.) long. Flower: pure white, tubular; Georgia: June. Seed: viable. [<i>H. "Herifu seedling"</i> × <i>H. 'Happy Hearts'</i>]
H. 'Tucker Wave' R. Stephens (OR)	1995	Plant: 28 in. (71.1 cm.) diameter, 14 in. (35.6 cm.) high. Moderately growing, compact, mound-like habit. Leaf: 4 in. (10.0 cm.) long, 1 in. (2.5 cm.) wide. 4 pairs of prominent veins. Dark green with a 0.13 in. (0.3 cm.) wide, slightly rippled, light green margin. Very shiny on top and underneath; moderately wavy; heavy substance; lance-shaped with a flat base. Scape: 24 in. (61 cm.) high, ranging from 24-25 in. (61-63.5 cm.). Flower: 0.25 in. (0.6 cm.) long, pale lavender, tubular; Georgia: July to August. Seed: viable. Clump History: 3 years old. [<i>H. 'Kabitan</i> × <i>H. "Neat Splash</i> seedling"]
H. 'Tweety Bird' J. Schwarz (ONIR)	1997	Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like and slow growing. Leaf: 4 in. (10.2 cm.) long, 2.5 in. (6.4 cm.) wide. 6-8 pairs of insignificant veins. Medium gold with a flat margin. Very shiny on top, slightly shiny underneath; lightly folded, ovate with a rounded base; petiole short. Scape: 10 in. (25.4 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.). Flower: 1.5 in. (3.8 cm.) long, lavender, striped, bell-shaped; Dubuque IA: 6/15 - 7/1 - 7/15 (3 - 4 - 5). Seed: viable; pod is purple. Clump History: the original seedling, 5 years old, growing in Dubuque IA. [Parentage unknown]
H. 'Twilight' G. Van Eijk-Bos (OIR), G. Van Buren (N), D. Van Erven (R)	1997	Plant: 28 in. (71.1 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like and fast growing. Leaf: 10 in. (25.4 cm.) long, 7.5 in. (19.1 cm.) wide. 9-11 pairs of prominent veins. Dark green with a 1.5 in. (3.81 cm.) wide, flat, medium gold margin. Very shiny on

top, glaucous bloom underneath; lightly corrugated, broadly ovate with a cordate base; petiole very dark green.
 Scape: 36 in. (91.4 cm.) high, ranging from 30-40 in. (76.2-101.6 cm.).
 Flower: 2 in. (5.1 cm.) long, medium lavender, striped, tubular; Hillegom Netherlands: Late July - late July - mid August (4 - 5 - 5).
 Seed: viable; pod is green.
 Clump History: the original sport, 3 years old, growing in Hillegom Netherlands.
 Notable Characteristics: a wide margin and heavy substance.
 [H. 'Fortunei Aureomarginata' sport]

V

H. 'Valencia' W. Zumbar (OR) 1995
 Plant: 14 in. (35.6 cm.) diameter, 10 in. (25.4 cm.) high. Fast growing, open, semi-upright habit.
 Leaf: 4 in. (10.0 cm.) long, 3 in. (7.6 cm.) wide. 8 pairs of prominent veins. Streaked blue-green with a 0.6 in. (1.4 cm.) wide, slightly rippled, creamy white margin. Margin extends down the petiole. Glaucous bloom on top, very shiny underneath; lightly rippled; good substance; broadly ovate with a flat base.
 Scape: 16 in. (40.6 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); green.
 Flower: 1.5 in. (3.8 cm.) long, purple, tubular; Ohio: July.
 Seed: viable.
 Clump History: 4 years old.
 [H. 'Beatrice' x H. 'Iron Gate Delight']

H. 'Venus' Walters Gardens, Inc. (ONIR) 1993
 Plant: 32 in. (81.3 cm.) wide, 22 in. (55.9 cm.) high.
 Leaf: 10.5 in. (26.7 cm.) long, 7.5 in. (19.1 cm.) wide, 10-11 pairs of prominent veins; medium green; ovate with a cordate base; margin smooth; very shiny above and underneath.
 Scape: 28 in. (71.1 cm.) long; inflorescence leaves; green.
 Flower: pure white, "double-double" (4x petals), tubular, fragrant; Michigan: Sept.
 [H. 'Aphrodite' sport]

H. 'Veronica Lake' F. Richl (OR) 1993
 Plant: 14 in. (35.6 cm.) wide, 10 in. (25.4 cm.) high.
 Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide, 5-7 pairs of moderately prominent veins; slightly blue green with a 0.25 in. creamy white margin; broadly ovate with a flat base; margin smooth; dull above and slightly shiny underneath; moderately wavy.
 Scape: 18 in. (45.7 cm.) long; inflorescence leaves; green.
 Flower: pale lavender, bell-shaped; Iowa: July.
 Seed: viable.
 [H. 'Pearl Lake' sport]

H. 'Vivian' V. Grapes (O), P. Ruh (R) 1993
 Plant: 24.25 in. (61.6 cm.) wide, 13.5 in. (34.3 cm.) high.
 Leaf: 7.25 in. (18.4 cm.) long, 4.75 in. (12.1 cm.) wide, 7 pairs of veins; dark green with a 0.5 in. pure white margin; ovate with a rounded base; margin slightly rippled; dull above and slightly shiny underneath; lightly wavy.

Scape: 17 in. (43.2 cm.) long; inflorescence leaves; light green.
 Flower: pale pinkish-lavender, tubular; Ohio: late July.
 Seed: none set.
 [H. 'Fortunei Stenantha Variegated' sport]

W

H. 'Warwick Choice' L. Jones (OR) 1993
 Plant: 48 in. (121.9 cm.) wide, 22 in. (55.9 cm.) high.
 Leaf: 10 in. (25.4 cm.) long, 8 in. (20.3 cm.) wide, 10-11 pairs of moderately prominent veins; medium green with a 1 in. pure white margin; ovate with a cordate base; margin smooth; slightly shiny above and dull underneath; rippled.
 Scape: 38 in. (96.5 cm.) long; green; inflorescence leaves.
 Flower: near-white, tubular; Michigan: early July.
 Seed: viable.
 [H. 'William Lachman' selfed]

H. 'Warwick Cup' L. Jones (OR) 1993
 Plant: 32 in. (81.3 cm.) wide, 20 in. (50.8 cm.) high.
 Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide, 14 pairs of moderately prominent veins; medium blue-green; nearly round with a flat base; margin smooth; glaucous bloom above and underneath; deeply cupped; deeply corrugated.
 Scape: 24 in. (61 cm.) long; green.
 Flower: near-white, tubular; Michigan: early July.
 Seed: viable.
 [H. 'Tokudama' hybrid]

H. 'Warwick Edge' L. Jones (OR) 1993
 Plant: 18 in. (45.7 cm.) wide, 8 in. (20.3 cm.) high.
 Leaf: 4 in. (10.2 cm.) long, 3.25 in. (8.3 cm.) wide, 6-7 pairs of moderately prominent veins; medium blue-green with a pure white 0.375 in. margin; broadly ovate with a flat base; margin smooth; dull above and underneath; lightly corrugated.
 Scape: 14 in. (35.6 cm.) long.
 Flower: medium lavender, tubular; Michigan: early July.
 Seed: viable.
 [H. 'William Lachman x H. nakaiana']

H. 'Warwick Essence' L. Jones (OR) 1993
 Plant: 54 in. (137.2 cm.) wide, 24 in. (61 cm.) high.
 Leaf: 12 in. (30.5 cm.) long, 10 in. (25.4 cm.) wide, 14-15 pairs of moderately prominent veins; medium blue-green; broadly ovate with a rounded base; margin smooth; slightly shiny above and underneath; moderately corrugated.
 Scape: 33 in. (83.8 cm.) long; green.
 Flower: pure white, tubular; strong fragrance; Michigan: July.
 Seed: none set.
 [H. 'Northern Halo' x H. plantaginea]

H. 'Waving Wuffles' T. Avent (OR) 1995
 Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high.
 Moderately growing, moderately dense, mound-like habit.
 Leaf: 8 in. (20.0 cm.) long, 4 in. (10.0 cm.) wide. 7 pairs of moderately prominent veins. Medium green with a heavily rippled margin. Slightly shiny on top and underneath; moderately twisted, moderately rippled,

<p>moderately wavy; good substance; lance-shaped with a rounded base.</p> <p>Scape: 36 in. (91.4 cm.) high, ranging from 32-38 in. (81.3-96.5 cm.).</p> <p>Flower: 1.5 in. (3.8 cm.) long, deep purple, bell shaped; N. Carolina: June to July.</p> <p>Seed: none set.</p> <p>Clump History: 5 years old.</p> <p>[<i>H. ventricosa</i> hybrid]</p>	<p>Flower: lavender, tubular; Nebraska: mid-June to mid-July.</p> <p>Clump History: 6 years old.</p> <p>[<i>H. 'Janet'</i> sport]</p>
<p><i>H. 'Whippersnapper'</i> Belle Gardens (OR) 1994</p> <p>Plant: 9 in. (22.9 cm.) diameter, 4 in. (10.2 cm.) high, with an open, mound-like habit.</p> <p>Leaf: 1.19 in. (3 cm.) wide, 2.63 in. (6.7 cm.) long; 4 pairs veins; medium green with a 0.125 in. (0.3 cm.) wide, creamy white, smooth margin; dull above, slightly shiny underneath; lightly cupped; average substance; lance-shaped with a rounded base.</p> <p>Scape: 11.5 in. (29.2 cm.) high, ranging from 10-13 in. (25.4-33 cm.).</p> <p>Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Mich: July.</p> <p>Seed: viable.</p> <p>Clump History: 4 years old.</p> <p>[<i>H. 'Masquerade'</i> hybrid]</p>	<p><i>H. 'White Mule'</i> A. Summers (ONI), P. Ruh (R) 1998</p> <p>Plant: 21 in. (53.3 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.</p> <p>Leaf: 4.5 in. (11.4 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of insignificant veins. Medium green with a slightly rippled margin. Slightly shiny on top and underneath; lightly wavy, lance-shaped with a tapered base.</p> <p>Scape: 21 in. (53.3 cm.) high, ranging from 16-21 in. (40.6-53.3 cm.) in length.</p> <p>Flower: 1.5 in. (3.8 cm.) long, pure white, tubular; Chesterland OH: 7/15 - 7/24 - 8/3.</p> <p>Seed: none set, pod is green.</p> <p>Clump History: obtained from the originator, 7 years old, growing in Chesterland OH.</p> <p>[parentage undetermined]</p>
<p><i>H. 'White Dove'</i> H. & D. Benedict (OR) 1995</p> <p>Plant: 11 in. (27.9 cm.) diameter, 7 in. (17.8 cm.) high. Fast growing, compact, mound-like habit.</p> <p>Leaf: 3 in. (7.6 cm.) long, 1.25 in. (3.2 cm.) wide. 3 pairs of moderately prominent veins. Medium green with a 0.25 in. (0.64 cm.) wide, slightly rippled, pure white margin. Slightly shiny on top and underneath; lightly rippled; average substance; lance-shaped with a rounded base.</p> <p>Scape: 15 in. (38.1 cm.) high, ranging from 13-18 in. (33-45.7 cm.); green.</p> <p>Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Mich: early August.</p> <p>Seed: viability unknown.</p> <p>Clump History: 8 years old.</p> <p>[<i>H. 'Beatrice'</i> selfed]</p>	<p><i>H. 'White Surprise'</i> L. Powell (OR) 1995</p> <p>Plant: 24 in. (61 cm.) diameter, 8.5 in. (21.6 cm.) high. Moderately growing, moderately dense, semi-upright habit.</p> <p>Leaf: 8 in. (20.0 cm.) long, 3.5 in. (8.9 cm.) wide. 5 pairs of moderately prominent veins. Streaked green and white, with a 0.25 in. (0.64 cm.) wide, irregular, slightly rippled, dark green margin. Dull on top and underneath; moderately rippled; good substance; lance-shaped with a rounded base.</p> <p>Scape: 21 in. (53.3 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.); green.</p> <p>Flower: pure white, green stripes and spots, tubular; N. Carolina: July.</p> <p>Seed: viable.</p> <p>[<i>H. "Fortunei Stenantha Variegated"</i> sport]</p>
<p><i>H. 'White Hot'</i> Walters Gardens, Inc. (ONIR) 1998</p> <p>Plant: miniature. Mound-like and slow growing.</p> <p>Leaf: 3.5 in. (8.9 cm.) long, 3 in. (7.6 cm.) wide. 10-11 veins. Creamy white with a flat, pale yellow margin. Broadly ovate with a rounded base; petiole red spotted.</p> <p>Flower: 2.5 in. (6.4 cm.) long, medium lavender, striped, translucent margins, tubular.</p> <p>Seed: pod is reddish pink.</p> <p>Clump History: the original tissue culture sport, 1 year old, growing in Zeeland MI.</p> <p>Notable Characteristics: variegation with red petioles.</p> <p>[<i>H. 'Sea Fire'</i> sport]</p>	<p><i>H. 'White Swan'</i> H. & D. Benedict (OR) 1995</p> <p>Plant: 11 in. (27.94 cm.) diameter, 7 in. (17.78 cm.) high. Fast growing, compact, mound-like habit.</p> <p>Leaf: 3 in. (7.6 cm.) long, 1.25 in. (3.2 cm.) wide. 3 pairs of moderately prominent veins. Pure white with a 0.25 in. (0.64 cm.) wide, slightly rippled, medium green margin. Slightly shiny on top and underneath; lightly rippled; average substance; lance-shaped with a rounded base.</p> <p>Scape: 15 in. (38.1 cm.) high, ranging from 13-18 in. (33-45.7 cm.); white.</p> <p>Flower: 1.25 in. (3.2 cm.) long, pure white, tubular, fertility unknown; Mich: early August.</p> <p>Seed: not viable.</p> <p>Clump History: 8 years old.</p> <p>[<i>H. 'Beatrice'</i> selfed]</p>
<p><i>H. 'White Lightning'</i> J. Shugart (O), J. & B. Diesen (R) 1994</p> <p>Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high, with a moderately dense, semi-upright habit.</p> <p>Leaf: 3.25 in. (8.3 cm.) wide, 5 in. (12.7 cm.) long; 7 pairs of prominent veins; light green changing to gold, with a 0.35 in. (0.9 cm.) wide, pure white, smooth margin; dull above and underneath; lightly cupped, lightly corrugated; good substance; ovate with a rounded base.</p>	<p><i>H. 'White Wall Tire'</i> T. Avent (OR) 1995</p> <p>Plant: 44 in. (111.8 cm.) diameter, 16 in. (40.6 cm.) high. Moderately growing, moderately dense, mound-like habit.</p> <p>Leaf: 11 in. (28.0 cm.) long, 5 in. (13.0 cm.) wide. 9-10 pairs of prominent veins. Creamy white with green speckling (viridescent) and a slightly rippled margin. Dull on top and underneath; lightly wavy; good substance; ovate with a rounded base.</p> <p>Scape: 40 in. (101.6 cm.) high.</p>

Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; N. Carolina: June to Sept.	
Seed: none set.	
Clump History: 5 years old.	
[<i>H. 'Out House Delight'</i> hybrid]	
<i>H. 'Willy Nilly'</i> G. Holly (ONI), P. Ruh (R) 1996	
Plant: 29 in. (73.7 cm.) diameter, 18 in. (45.7 cm.) high. Upright and slow growing.	
Leaf: 11 in. (27.9 cm.) long, 8.25 in. (21 cm.) wide. 14 pairs of prominent veins. Gray-green with a slightly rippled margin. Waxy on top, dull underneath; lightly wavy, lightly corrugated; broadly ovate with a rounded base.	
Scape: 20 in. (50.8 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.); deep green.	
Flower: 0.75 in. (1.9 cm.) long, near white, tubular; Chesterland OH: 7/2 - 7/13 - 7/25.	
Seed: pod is light green	
Clump History: 16 years old, growing in Chesterland OH. [Parentage unknown]	
<i>H. 'Wily Willy'</i> E. Elslager (ONIR) 1998	
Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 5 in. (12.7 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of prominent veins. Dark green with a flat margin. Very shiny on top and underneath; lance-shaped with a tapered base; petiole reddish purple.	
Scape: 15 in. (38.1 cm.) high, ranging from 13-17 in. (33-43.2 cm.) in length.	
Flower: 1.75 in. (4.4 cm.) long, medium lavender, purple striped; Ann Arbor MI: 9/10 - 9/22 - 10/13 (8 - 8 - 9).	
Seed: viability unknown; pod is red tinted.	
Notable Characteristics: leathery leaf, red petioles, reddish purple scapes and heavy flowering.	
Clump History: 5 years old, growing in Ann Arbor MI. [parentage unknown]	
<i>H. 'Winsome'</i> D. & J. Ward (ONIR) 1996	
Plant: 15 in. (38.1 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.	
Leaf: 3.5 in. (8.9 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of insignificant veins. Medium green with a 0.5 in. slightly rippled, creamy white margin. Dull on top and underneath; moderately wavy; ovate with a rounded base. Leaf margin extends down the petiole.	
Scape: 17 in. (43.2 cm.) high, ranging from 16-18 in. (40.6-45.7 cm.).	
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Columbus OH: 6/20 - 6/25 - 7/1 (2 - 2 - 2).	
Seed: pod is green.	
Clump History: the original seedling, 5 years old, growing in Columbus OH.	
Notable Characteristics: green leaf and wide creamy margin; light green streaking.	
[<i>H. 'Pinstripe Sister'</i> hybrid]	
<i>H. 'Wintergreen'</i> J. Dishon (OR) 1994	
Plant: 25 in. (63.5 cm.) diameter, 7 in. (17.8 cm.) high, with a moderately dense, semi-upright habit.	
Leaf: 5.5 in. (14 cm.) wide, 6.5 in. (16.5 cm.) long; 11 pairs of prominent veins; medium green with a 1 in. (2.5 cm.) wide, creamy white changing to white, slightly rippled margin; slightly shiny above, glaucous bloom underneath;	

lightly corrugated; heavy substance; broadly ovate with a cordate base.	
Scape: 22 in. (55.9 cm.) high; dark green.	
Flower: 1.75 in. (4.5 cm.) long, medium lavender, white striped inside; Mich: July.	
Seed: viable.	
Clump History: 4 years old.	
[<i>H. 'Sea Prize'</i> hybrid]	
<i>H. 'Wizard's Turban'</i> J. Hadrava (ONIR) 1996	
Plant: 13 in. (33 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like and slow growing.	
Leaf: 3.25 in. (8.3 cm.) long, 1.25 in. (3.2 cm.) wide. 4 pairs of prominent veins. Creamy white with a 0.5 in., slightly rippled, light green margin. Slightly shiny on top and underneath; moderately wavy; lance-shaped with a rounded base.	
Scape: 8 in. (20.3 cm.) high, ranging from 8-9 in. (20.3-22.9 cm.); cream colored.	
Flower: 1 in. (2.5 cm.) long, near white, tubular; Cedar Rapids IA: 8/10 - 9/8.	
Seed: none set.	
Clump History: 5 years old.	
[<i>H. 'Galaxy'</i> x <i>H. 'Wahoo'</i>]	
<i>H. 'Wolverine'</i> J. Wilkins (ONI), J. & J. Wilkins (R) 1995	
Plant: 38 in. (96.5 cm.) diameter, 15 in. (38.1 cm.) high. Fast growing, compact, mound-like habit.	
Leaf: 10.25 in. (26.0 cm.) long, 5.5 in. (14.0 cm.) wide. 8-9 pairs of prominent veins. Slightly blue-green with a 1.5 in. (3.8 cm.) wide, slightly rippled, yellow-gold margin. Slightly shiny on top, glaucous bloom underneath; moderately wavy; good substance; ovate with a rounded base.	
Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.); green.	
Flower: 1.75 in. (4.5 cm.) long, pale lavender, tubular, fertility unknown; Mich: August.	
Clump History: 6 years old.	
[(<i>H. 'Splash F5'</i> x <i>H. 'Dorset Blue'</i>) sport]	
<i>H. 'Woodland Blue'</i> L. Simpers (O), P. Ruh (R) 1993	
Plant: 30 in. (76.2 cm.) wide, 19 in. (48.3 cm.) high.	
Leaf: 12 in. (30.5 cm.) long, 9.5 in. (24.1 cm.) wide, 15 pairs of moderately prominent veins; intensely blue-green; broadly ovate with a cordate base; margin smooth; slightly shiny above and dull underneath; moderately cupped; corrugated.	
Scape: 13 in. (33 cm.) long; inflorescence leaves; light green.	
Flower: pure white, bell-shaped; Ohio: July.	
[<i>H. sieboldiana</i> hybrid]	
<i>H. 'Wyld Green Cream'</i> J. & E. Stratton (ONIR) 1996	
Plant: 16 in. (40.6 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like and slow growing.	
Leaf: 4 in. (10.2 cm.) long, 3.5 in. (8.9 cm.) wide. 9 pairs of moderately prominent veins. Yellow gold with a 0.25-0.75 in., slightly rippled, medium green margin. Dull on top and underneath; moderately rippled; broadly ovate with a cordate base.	
Scape: 18 in. (45.7 cm.) high.	
Flower: 1.25 in. (3.2 cm.) long, pale lavender, tubular, darker striped inside; Iowa City IA: 7/15 - 7/22 - 7/30.	
Seed: viable.	

Clump History: 6 years old.
[*H. 'Vanilla Cream'* sport]

Y

***H. 'Yellow Flash'* P. Ruh (ONIR) 1997**

Plant: 47 in. (119 cm.) diameter, 21 in. (53.3 cm.) high.
Upright with a moderate growth rate.
Leaf: 10.25 in. (26 cm.) long, 8.25 in. (21 cm.) wide. 10 pairs of prominent veins. Starts with a yellow cast changing to light green. Margin 0.5 in. (1.27 cm.) wide, slightly rippled, yellow turning to cream. Dull on top and underneath; lightly cupped, folded, wavy, lightly corrugated, ovate with a cordate base.
Scape: 37.5 in. (95.3 cm.) high; inflorescence leaves.
Flower: 2.25 in. (5.7 cm.) long, pale lavender, striped, tubular;
Chesterland OH: 7/6 - 7/23 - 8/3 (2 - 2 - 2).
Seed: viable; pod is light green.
Clump History: the original sport, 11 years old, growing in Chesterland OH.
Notable Characteristics: the yellow cast of the leaf in the spring.
[*H. 'Sagae'* sport]

***H. 'Yellow Jacket'* M. Zilis (O), P. Ruh (NIR) 1998**

Plant: 12 in. (30.5 cm.) diameter, 6.5 in. (16.5 cm.) high.
Mound-like and fast growing.
Leaf: 4 in. (10.2 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of insignificant veins. Light green with a 0.2 in. (0.51 cm.) wide, flat, creamy white margin. Dull on top, slightly shiny underneath; lance-shaped with a tapered base; petiole margined.
Scape: 27 in. (68.6 cm.) high, ranging from 24-27 in. (61-68.6 cm.) in length.
Flower: 2 in. (5.1 cm.) long, lavender purple, striped, tubular;
Chesterland OH: 7/19 - 7/26 - 8/5.
Seed: viable; pod is dark green.
Clump History: obtained from the originator, 6 years old,
growing in Chesterland OH.
[*H. venusta* sport]

***H. 'Yellow River'* E. Smith (O), Aden (I), P. Ruh (R) 1993**

Plant: 50 in. (127 cm.) wide, 24 in. (61 cm.) high.
Leaf: 13 in. (33 cm.) long, 10 in. (25.4 cm.) wide, 13 pairs of veins; medium green with 0.5-0.75 in. (1.3-1.9 cm.) medium yellow marbled margin; ovate with a flat base; margin with wide ripples; slightly twisted; slightly puckered.
Scape: 34 in. (86.4 cm.) long.
Flower: white, tubular; Ohio: July.
[Parentage undetermined]

Z

***H. 'Zebson'* L. Jones (ONIR) 1998**

Plant: 48 in. (122 cm.) diameter, 23 in. (58.4 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 12 in. (30.5 cm.) long, 11 in. (27.9 cm.) wide. 15 pairs of veins. Greenish yellow with a flat, golden yellow margin. Slightly shiny on top, dull underneath; lightly corrugated, broadly ovate with a cordate base.
Flower: 2.25 in. (5.7 cm.) long, pale lavender, tubular;
Advance NC: average period.
Seed: none set.
Clump History: the original sport, 6 years old, growing in Advance NC.
Notable Characteristics: variegation streaked and variable.
[*H. 'Sum and Substance'* sport]

Index to The Genus *Hosta* List of Registered Cultivars & Supplement I

<i>Hosta</i> 'Aardvark'	1991 LRC	1	<i>H.</i> 'Ballerina'	1982 LRC	5	<i>H.</i> 'Blue Lace'	1977 LRC	10
<i>H.</i> 'Abba Alive'	1990 LRC	1	<i>H.</i> 'Balloons'	1994 LRC Sup.	4	<i>H.</i> 'Blue Lady'	1998 LRC Sup.	6
<i>H.</i> 'Abba Aloft'	1990 LRC	1	<i>H.</i> 'Banana Boat'	1991 LRC	5	<i>H.</i> 'Blue Lagoon'	1972 LRC	10
<i>H.</i> 'Abba at Large'	1990 LRC	1	<i>H.</i> 'Banana Muffins'	1996 LRC Sup.	4	<i>H.</i> 'Blue Line'	1987 LRC	10
<i>H.</i> 'Abba Blue Plus'	1990 LRC	1	<i>H.</i> 'Banana Sundae'	1980 LRC	5	<i>H.</i> 'Blue Max'	1998 LRC Sup.	6
<i>H.</i> 'Abba Dabba Do'	1998 LRC Sup.	1	<i>H.</i> 'Banyai's Dancing Girl'	1987 LRC	5	<i>H.</i> 'Blue Monday'	1998 LRC Sup.	6
<i>H.</i> 'Abba Fit'	1990 LRC	1	<i>H.</i> 'Barbara'	1987 LRC	6	<i>H.</i> 'Blue Moon'	1976 LRC	10
<i>H.</i> 'Abba Fragrant Cloud'	1990 LRC	1	<i>H.</i> 'Barbara White'	1990 LRC	6	<i>H.</i> 'Blue Pearl'	1994 LRC Sup.	6
<i>H.</i> 'Abba Little Showoff'	1990 LRC	1	<i>H.</i> 'Barney Fife'	1993 LRC Sup.	4	<i>H.</i> 'Blue Piecrust'	1986 LRC	11
<i>H.</i> 'Abba Nova'	1990 LRC	1	<i>H.</i> 'Beaulah'	1988 LRC	6	<i>H.</i> 'Blue Plisse'	1990 LRC	11
<i>H.</i> 'Abba Spellbinder'	1990 LRC	1	<i>H.</i> 'Behemoth'	1988 LRC	6	<i>H.</i> 'Blue River'	1998 LRC Sup.	6
<i>H.</i> 'Abba Tops'	1990 LRC	1	<i>H.</i> 'Belle of the Ball'	1998 LRC Sup.	4	<i>H.</i> 'Blue Rock'	1986 LRC	11
<i>H.</i> 'Abby'	1990 LRC	2	<i>H.</i> 'Bells of Edinborough'	1993 LRC Sup.	4	<i>H.</i> 'Blue Saucers'	1977 LRC	11
<i>H.</i> 'Abiqua Ambrosia'	1987 LRC	2	<i>H.</i> 'Benedict Arnold'	1996 LRC Sup.	4	<i>H.</i> 'Blue Shadows'	1980 LRC	11
<i>H.</i> 'Abiqua Blue Edger'	1987 LRC	2	<i>H.</i> 'Bennie Mcrae'	1989 LRC	6	<i>H.</i> 'Blue Skies'	1988 LRC	11
<i>H.</i> 'Abiqua Blue Jay'	1988 LRC	2	<i>H.</i> 'Betcher's Blue'	1986 LRC	6	<i>H.</i> 'Blue Skirt'	1970 LRC	11
<i>H.</i> 'Abiqua Blue Madonna'	1988 LRC	2	<i>H.</i> 'Bethel Big Leaf'	1979 LRC	6	<i>H.</i> 'Blue Star'	1998 LRC Sup.	6
<i>H.</i> 'Abiqua Blue Shield'	1988 LRC	2	<i>H.</i> 'Betsy King'	1986 LRC	6	<i>H.</i> 'Blue Tiers'	1976 LRC	11
<i>H.</i> 'Abiqua Drinking Gourd'	1989 LRC	2	<i>H.</i> 'Bette Davis Eyes'	1987 LRC	6	<i>H.</i> 'Blue Troll'	1973 LRC	11
<i>H.</i> 'Abiqua Gold Shield'	1987 LRC	2	<i>H.</i> 'Betty'	1983 LRC	6	<i>H.</i> 'Blue Umbrellas'	1978 LRC	11
<i>H.</i> 'Abiqua Ground Cover'	1988 LRC	2	<i>H.</i> 'Betty Darling'	1989 LRC	6	<i>H.</i> 'Blue Velvet'	1976 LRC	11
<i>H.</i> 'Abiqua Miniature'	1988 LRC	2	<i>H.</i> 'Big Boy'	1980 LRC	6	<i>H.</i> 'Blue Vision'	1976 LRC	11
<i>H.</i> 'Abiqua Moonbeam'	1987 LRC	2	<i>H.</i> 'Big Daddy'	1978 LRC	7	<i>H.</i> 'Blue Wedgwood'	1988 LRC	12
<i>H.</i> 'Abiqua Pagoda'	1989 LRC	2	<i>H.</i> 'Big Dipper'	1995 LRC Sup.	4	<i>H.</i> 'Blue Whirls'	1978 LRC	12
<i>H.</i> 'Abiqua Parasol'	1987 LRC	3	<i>H.</i> 'Big Hearted'	1983 LRC	7	<i>H.</i> 'Bluebird'	1985 LRC	12
<i>H.</i> 'Abiqua Recluse'	1989 LRC	3	<i>H.</i> 'Big John'	1986 LRC	7	<i>H.</i> 'Blythe Spirit'	1990 LRC	12
<i>H.</i> 'Abiqua Trumpet'	1987 LRC	3	<i>H.</i> 'Big Mama'	1978 LRC	7	<i>H.</i> 'Bob Olson'	1995 LRC Sup.	6
<i>H.</i> 'Academy Fire'	1997 LRC Sup.	1	<i>H.</i> 'Big Mo'	1990 LRC	7	<i>H.</i> 'Bob Sanders'	1998 LRC Sup.	7
<i>H.</i> 'Academy Muse'	1997 LRC Sup.	1	<i>H.</i> 'Big Sam'	1986 LRC	7	<i>H.</i> 'Bobbie Sue'	1994 LRC Sup.	7
<i>H.</i> 'Academy Redundant'	1998 LRC Sup.	1	<i>H.</i> 'Big Shot'	1992 LRC Sup.	5	<i>H.</i> 'Bold Edger'	1983 LRC	12
<i>H.</i> 'Ace of Spades'	1993 LRC Sup.	1	<i>H.</i> 'Bigfoot'	1998 LRC Sup.	5	<i>H.</i> 'Bold One'	1978 LRC	12
<i>H.</i> 'Achy Breaky Heart'	1996 LRC Sup.	1	<i>H.</i> 'Bilben Little Atlantis'	1998 LRC Sup.	5	<i>H.</i> 'Bold Ribbons'	1976 LRC	12
<i>H.</i> 'Ada Reed'	1988 LRC	3	<i>H.</i> 'Bill Brincka'	1988 LRC	7	<i>H.</i> 'Bold Ruffles'	1975 LRC	12
<i>H.</i> 'Aestival Festival'	1996 LRC Sup.	1	<i>H.</i> 'Bingo'	1993 LRC Sup.	5	<i>H.</i> 'Bon Voyage'	1980 LRC	12
<i>H.</i> 'Ahamo Gold'	1970 LRC	3	<i>H.</i> 'Birchwood Blue'	1986 LRC	7	<i>H.</i> 'Bonanza'	1997 LRC Sup.	7
<i>H.</i> 'Ahwaneeh'	1990 LRC	3	<i>H.</i> 'Birchwood Elegance'	1986 LRC	7	<i>H.</i> 'Bonnie'	1987 LRC	12
<i>H.</i> 'Aksarben'	1988 LRC	3	<i>H.</i> 'Birchwood Gem'	1989 LRC	7	<i>H.</i> 'Boogie Woogie'	1998 LRC Sup.	7
<i>H.</i> 'Alabama Bowl'	1986 LRC	3	<i>H.</i> 'Birchwood Gold'	1986 LRC	7	<i>H.</i> 'Booka'	1986 LRC	12
<i>H.</i> 'Alabama Gold'	1986 LRC	3	<i>H.</i> 'Birchwood Green'	1986 LRC	7	<i>H.</i> 'Boots and Saddles'	1983 LRC	12
<i>H.</i> 'Aladdin's Lamp'	1996 LRC Sup.	1	<i>H.</i> 'Birchwood Parky's Blue'	1986 LRC	8	<i>H.</i> 'Border Bandit'	1992 LRC Sup.	7
<i>H.</i> 'Alaskan Halo'	1997 LRC Sup.	2	<i>H.</i> 'Birchwood Parky's Gold'	1986 LRC	8	<i>H.</i> 'Borwick Beauty'	1988 LRC	13
<i>H.</i> 'Alex Summers'	1989 LRC	3	<i>H.</i> 'Birchwood Ruffled Queen'	1986 LRC	8	<i>H.</i> 'Bountiful'	1971 LRC	13
<i>H.</i> 'Alice Gladden'	1998 LRC Sup.	2	<i>H.</i> 'Bitsy Gold'	1985 LRC	8	<i>H.</i> 'Brandywine'	1993 LRC Sup.	7
<i>H.</i> 'Allan P. McConnell'	1980 LRC	3	<i>H.</i> 'Bitsy Green'	1985 LRC	8	<i>H.</i> 'Brave Amherst'	1993 LRC Sup.	7
<i>H.</i> 'Alma'	1995 LRC Sup.	2	<i>H.</i> 'Bizarre'	1986 LRC	8	<i>H.</i> 'Bravo'	1980 LRC	13
<i>H.</i> 'Alpine Aire'	1980 LRC	3	<i>H.</i> 'Black Beauty'	1984 LRC	8	<i>H.</i> 'Breeder's Choice'	1987 LRC	13
<i>H.</i> 'Alpine Dream'	1982 LRC	4	<i>H.</i> 'Black Hills'	1983 LRC	8	<i>H.</i> 'Brenda's Beauty'	1992 LRC Sup.	7
<i>H.</i> 'Alston Glenn'	1998 LRC Sup.	2	<i>H.</i> 'Blackfoot'	1994 LRC Sup.	4	<i>H.</i> 'Brenner Pass'	1972 LRC	13
<i>H.</i> 'Alvatine Taylor'	1990 LRC	4	<i>H.</i> 'Blackjack'	1990 LRC	8	<i>H.</i> 'Bressingham Blue'	1984 LRC	13
<i>H.</i> 'Am I Blue'	1998 LRC Sup.	2	<i>H.</i> 'Blast Off'	1995 LRC Sup.	5	<i>H.</i> 'Bridegroom'	1990 LRC	13
<i>H.</i> 'Amber Maiden'	1988 LRC	4	<i>H.</i> 'Blessings'	1983 LRC	8	<i>H.</i> 'Bright Eagle'	1998 LRC Sup.	8
<i>H.</i> 'Amber Tiara'	1998 LRC Sup.	2	<i>H.</i> 'Blondie'	1982 LRC	8	<i>H.</i> 'Bright Glow'	1986 LRC	13
<i>H.</i> 'Amethyst Blue'	1996 LRC Sup.	2	<i>H.</i> 'Blue Angel'	1986 LRC	8	<i>H.</i> 'Brim Cup'	1986 LRC	13
<i>H.</i> 'Amethyst Jewel'	1992 LRC Sup.	3	<i>H.</i> 'Blue Arrow'	1982 LRC	9	<i>H.</i> 'Broad Ripple'	1995 LRC Sup.	8
<i>H.</i> 'Amy Aden'	1980 LRC	4	<i>H.</i> 'Blue Bayou'	1987 LRC	9	<i>H.</i> 'Broadway Frances'	1997 LRC Sup.	8
<i>H.</i> 'Andy Taylor'	1993 LRC Sup.	3	<i>H.</i> 'Blue Beauty'	1986 LRC	9	<i>H.</i> 'Brooke'	1987 LRC	13
<i>H.</i> 'Angel Wings'	1998 LRC Sup.	3	<i>H.</i> 'Blue Belle'	1988 LRC	9	<i>H.</i> 'Brookwood Blue'	1991 LRC	13
<i>H.</i> 'Anne Arett'	1975 LRC	4	<i>H.</i> 'Blue Betty Lou'	1987 LRC	9	<i>H.</i> 'Brother Ronald'	1988 LRC	13
<i>H.</i> 'Antioch'	1979 LRC	4	<i>H.</i> 'Blue Blazes'	1988 LRC	9	<i>H.</i> 'Brother Stefan'	1998 LRC Sup.	8
<i>H.</i> 'Aoki'	1987 LRC	27	<i>H.</i> 'Blue Blush'	1988 LRC	9	<i>H.</i> 'Bruce's Blue'	1991 LRC	14
<i>H.</i> 'Apple Court'	1998 LRC Sup.	3	<i>H.</i> 'Blue Boy'	1986 LRC	9	<i>H.</i> 'Bubba'	1998 LRC Sup.	8
<i>H.</i> 'Apple Green'	1982 LRC	4	<i>H.</i> 'Blue Cadet'	1974 LRC	9	<i>H.</i> 'Buckanon'	1983 LRC	14
<i>H.</i> 'Aqua Velva'	1983 LRC	4	<i>H.</i> 'Blue Chip'	1997 LRC Sup.	5	<i>H.</i> 'Buckeye Blue'	1997 LRC Sup.	8
<i>H.</i> 'Arctic Rim'	1993 LRC Sup.	3	<i>H.</i> 'Blue Clown'	1996 LRC Sup.	5	<i>H.</i> 'Buckshaw Blue'	1986 LRC	14
<i>H.</i> 'Arett's Wonder'	1986 LRC	4	<i>H.</i> 'Blue Danube'	1988 LRC	9	<i>H.</i> 'Buckwheat Honey'	1984 LRC	14
<i>H.</i> 'Aristocrat'	1997 LRC Sup.	3	<i>H.</i> 'Blue Delight'	1993 LRC Sup.	5	<i>H.</i> 'Buffy'	1986 LRC	14
<i>H.</i> 'Artist's Palette'	1986 LRC	4	<i>H.</i> 'Blue Diamond'	1988 LRC	9	<i>H.</i> 'Butter Rim'	1986 LRC	14
<i>H.</i> 'Asahi Comet'	1984 LRC	4	<i>H.</i> 'Blue Dimples'	1988 LRC	9	<i>H.</i> 'Butter Yellow'	1982 LRC	14
<i>H.</i> 'Asahi Sunray'	1984 LRC	4	<i>H.</i> 'Blue Dome'	1980 LRC	10	<i>H.</i> 'Cadillac'	1998 LRC Sup.	8
<i>H.</i> 'Aspen Gold'	1986 LRC	5	<i>H.</i> 'Blue Eyes'	1996 LRC Sup.	5	<i>H.</i> 'Calypso'	1987 LRC	15
<i>H.</i> 'August Moon'	1996 LRC Sup.	3	<i>H.</i> 'Blue Fan Dancer'	1976 LRC	10	<i>H.</i> 'Camelot'	1988 LRC	15
<i>H.</i> 'Aurora Borealis'	1986 LRC	5	<i>H.</i> 'Blue for You'	1991 LRC	10	<i>H.</i> 'Canadian Shield'	1993 LRC Sup.	8
<i>H.</i> 'Austin Dickinson'	1992 LRC Sup.	3	<i>H.</i> 'Blue Frost'	1986 LRC	10	<i>H.</i> 'Candle Glow'	1990 LRC	15
<i>H.</i> 'Avocado'	1998 LRC Sup.	3	<i>H.</i> 'Blue Gown'	1992 LRC Sup.	6	<i>H.</i> 'Candle Wax'	1974 LRC	15
<i>H.</i> 'Aztec Treasure'	1987 LRC	5	<i>H.</i> 'Blue Heaven'	1976 LRC	10	<i>H.</i> 'Candy Cane'	1995 LRC Sup.	9
<i>H.</i> 'Azure Chalice'	1996 LRC Sup.	4	<i>H.</i> 'Blue Horizon'	1985 LRC	10	<i>H.</i> 'Candy Hearts'	1998 LRC Sup.	9
<i>H.</i> 'Azure Snow'	1991 LRC	5	<i>H.</i> 'Blue Ice'	1987 LRC	10	<i>H.</i> 'Capitol Dome'	1980 LRC	15
<i>H.</i> 'Baby Bunting'	1982 LRC	5	<i>H.</i> 'Blue Jay'	1987 LRC	10	<i>H.</i> 'Carder Blue'	1986 LRC	15
<i>H.</i> 'Bacchanal'	1991 LRC	5	<i>H.</i> 'Blue June'	1987 LRC	10	<i>H.</i> 'Cardwell Yellow'	1981 LRC	15

<i>H. 'Carefree'</i>	1971 LRC	15	<i>H. 'Cupid's Arrow'</i>	1988 LRC	20	<i>H. 'Emerald Crown'</i>	1990 LRC	24
<i>H. 'Carl'</i>	1991 LRC	15	<i>H. 'Cupid's Dart'</i>	1997 LRC Sup.	12	<i>H. 'Emerald Crust'</i>	1988 LRC	24
<i>H. 'Carnival'</i>	1986 LRC	15	<i>H. 'Curlew'</i>	1988 LRC	20	<i>H. 'Emerald Gem'</i>	1991 LRC	24
<i>H. 'Carol'</i>	1986 LRC	15	<i>H. 'Curls'</i>	1990 LRC	20	<i>H. 'Emerald Green'</i>	1996 LRC Sup.	17
<i>H. 'Carolina Moon'</i>	1997 LRC Sup.	9	<i>H. 'Curly'</i>	1991 LRC	20	<i>H. 'Emerald Necklace'</i>	1994 LRC Sup.	17
<i>H. 'Carousel'</i>	1989 LRC	16	<i>H. 'Curly Locks'</i>	1989 LRC	20	<i>H. 'Emerald Ripples'</i>	1981 LRC	24
<i>H. 'Carrie Ann'</i>	1988 LRC	16	<i>H. 'Curly Top'</i>	1985 LRC	20	<i>H. 'Emerald Tiara'</i>	1988 LRC	24
<i>H. 'Cascades'</i>	1993 LRC Sup.	9	<i>H. 'Curtain Call'</i>	1998 LRC Sup.	12	<i>H. 'Emeralds and Rubies'</i>	1994 LRC Sup.	17
<i>H. 'Cassandra'</i>	1985 LRC	16	<i>H. 'Cynthia'</i>	1984 LRC	20	<i>H. 'Emily Dickinson'</i>	1987 LRC	24
<i>H. 'Cat's Meow'</i>	1998 LRC Sup.	9	<i>H. 'Daily Joy'</i>	1973 LRC	21	<i>H. 'Emma Foster'</i>	1985 LRC	25
<i>H. 'Cavalcade'</i>	1990 LRC	16	<i>H. 'Dale's Blue Gray'</i>	1998 LRC Sup.	12	<i>H. 'Enchantress'</i>	1988 LRC	25
<i>H. 'Celebration'</i>	1978 LRC	16	<i>H. 'Daniel'</i>	1986 LRC	21	<i>H. 'Encore'</i>	1995 LRC Sup.	17
<i>H. 'Celebrity'</i>	1995 LRC Sup.	9	<i>H. 'Dark Tower'</i>	1996 LRC Sup.	12	<i>H. 'Eric Smith'</i>	1987 LRC	25
<i>H. 'Centennial'</i>	1996 LRC Sup.	9	<i>H. 'Dark Victory'</i>	1977 LRC	21	<i>H. 'Ersatz'</i>	1996 LRC Sup.	17
<i>H. 'Center Stage'</i>	1982 LRC	16	<i>H. 'David Reath'</i>	1998 LRC Sup.	13	<i>H. 'Estelle Aden'</i>	1978 LRC	25
<i>H. 'Centerfold'</i>	1994 LRC Sup.	9	<i>H. 'Dawn's Early Light'</i>	1998 LRC Sup.	13	<i>H. 'Estrellita'</i>	1995 LRC Sup.	17
<i>H. 'Century One'</i>	1983 LRC	16	<i>H. 'Day Dream'</i>	1998 LRC Sup.	13	<i>H. 'Eternity'</i>	1995 LRC Sup.	17
<i>H. 'Challenger'</i>	1971 LRC	16	<i>H. 'Daybreak'</i>	1986 LRC	21	<i>H. 'Eunice Choice'</i>	1988 LRC	25
<i>H. 'Chameleon'</i>	1986 LRC	16	<i>H. 'Dear Heart'</i>	1975 LRC	21	<i>H. 'Eunice Fisher'</i>	1985 LRC	25
<i>H. 'Champagne'</i>	1994 LRC Sup.	9	<i>H. 'Debutante'</i>	1978 LRC	21	<i>H. 'Evelyn McCafferty'</i>	1975 LRC	25
<i>H. 'Champion'</i>	1985 LRC	16	<i>H. 'Deep Blue Sea'</i>	1994 LRC Sup.	13	<i>H. 'Evening Magic'</i>	1988 LRC	25
<i>H. 'Change of Tradition'</i>	1988 LRC	16	<i>H. 'Dee's Golden Jewel'</i>	1996 LRC Sup.	13	<i>H. 'Eventide'</i>	1992 LRC Sup.	17
<i>H. 'Changing Moods'</i>	1983 LRC	17	<i>H. 'Delia'</i>	1995 LRC Sup.	13	<i>H. 'Everglades'</i>	1988 LRC	25
<i>H. 'Chantilly Lace'</i>	1988 LRC	17	<i>H. 'Density'</i>	1990 LRC	21	<i>H. 'Excalibur'</i>	1986 LRC	25
<i>H. 'Chartreuse'</i>	1998 LRC Sup.	10	<i>H. 'Devon Blue'</i>	1988 LRC	21	<i>H. 'Excitation'</i>	1988 LRC	25
<i>H. 'Chartreuse Piecrust'</i>	1985 LRC	17	<i>H. 'Dew Drop'</i>	1988 LRC	21	<i>H. 'Eye Catcher'</i>	1996 LRC Sup.	18
<i>H. 'Chartreuse Wedge'</i>	1976 LRC	17	<i>H. 'Diamond Tiara'</i>	1985 LRC	21	<i>H. 'Fair Dinkum'</i>	1993 LRC Sup.	18
<i>H. 'Chartreuse Wiggles'</i>	1976 LRC	17	<i>H. 'Diana Remembered'</i>	1997 LRC Sup.	13	<i>H. 'Fair Maiden'</i>	1993 LRC Sup.	18
<i>H. 'Cheatin Heart'</i>	1995 LRC Sup.	10	<i>H. 'Dianne'</i>	1985 LRC	21	<i>H. 'Fairway Green'</i>	1990 LRC	26
<i>H. 'Chelsea Babe'</i>	1988 LRC	17	<i>H. 'Dick Ward'</i>	1991 LRC	21	<i>H. 'Fairy Frolic'</i>	1997 LRC Sup.	18
<i>H. 'Chelsea Ore'</i>	1989 LRC	17	<i>H. 'Dick's Delight'</i>	1998 LRC Sup.	13	<i>H. 'Fall Bouquet'</i>	1986 LRC	26
<i>H. 'Cherry Berry'</i>	1991 LRC	17	<i>H. 'Dim Sum'</i>	1994 LRC Sup.	14	<i>H. 'Fall Emerald'</i>	1997 LRC Sup.	18
<i>H. 'Cherub'</i>	1989 LRC	17	<i>H. 'Dimity'</i>	1998 LRC Sup.	14	<i>H. 'Fan Dance'</i>	1987 LRC	26
<i>H. 'Chesterland Gold'</i>	1997 LRC Sup.	10	<i>H. 'Distinction'</i>	1998 LRC Sup.	14	<i>H. 'Fantasia'</i>	1998 LRC Sup.	18
<i>H. 'China Doll'</i>	1988 LRC	17	<i>H. 'Dixie Joy'</i>	1983 LRC	22	<i>H. 'Fantastic'</i>	1988 LRC	26
<i>H. 'Chinese Sunrise'</i>	1992 LRC Sup.	10	<i>H. 'Dixie Queen'</i>	1982 LRC	22	<i>H. 'Fascination'</i>	1978 LRC	26
<i>H. 'Chippewa'</i>	1986 LRC	17	<i>H. 'Doctor Fu Manchu'</i>	1998 LRC Sup.	14	<i>H. 'Fascinator'</i>	1989 LRC	26
<i>H. 'Chiquita'</i>	1979 LRC	17	<i>H. 'Doctor Reath'</i>	1997 LRC Sup.	14	<i>H. 'Fat Cat'</i>	1996 LRC Sup.	18
<i>H. 'Christmas Tree'</i>	1982 LRC	17	<i>H. 'Domaine De Courson'</i>	1996 LRC Sup.	14	<i>H. 'Feather Boa'</i>	1991 LRC	26
<i>H. 'Circle of Light'</i>	1996 LRC Sup.	10	<i>H. 'Dorothy'</i>	1986 LRC	22	<i>H. 'Fernwood'</i>	1983 LRC	26
<i>H. 'Circus Clown'</i>	1983 LRC	18	<i>H. 'Dorothy Benedict'</i>	1983 LRC	22	<i>H. 'Festival'</i>	1998 LRC Sup.	18
<i>H. 'Citation'</i>	1980 LRC	18	<i>H. 'Dorset Blue'</i>	1977 LRC	22	<i>H. 'Finlandia'</i>	1997 LRC Sup.	19
<i>H. 'City Lights'</i>	1978 LRC	18	<i>H. 'Dorset Charm'</i>	1990 LRC	22	<i>H. 'Fire Island'</i>	1998 LRC Sup.	19
<i>H. 'City Slicker'</i>	1996 LRC Sup.	10	<i>H. 'Dorset Flair'</i>	1990 LRC	22	<i>H. 'Firefly'</i>	1996 LRC Sup.	19
<i>H. 'Clarence'</i>	1996 LRC Sup.	10	<i>H. 'Double Edge'</i>	1982 LRC	22	<i>H. 'First Impressions'</i>	1991 LRC	26
<i>H. 'Classic Delight'</i>	1973 LRC	18	<i>H. 'Dragon Wings'</i>	1996 LRC Sup.	14	<i>H. 'Fisher's Cream Edge'</i>	1992 LRC Sup.	19
<i>H. 'Cody'</i>	1996 LRC Sup.	11	<i>H. 'Dragon's Blood'</i>	1998 LRC Sup.	15	<i>H. 'Fisher's Green Magic'</i>	1998 LRC Sup.	19
<i>H. 'Color Accord'</i>	1982 LRC	18	<i>H. 'Drawn Butter'</i>	1994 LRC Sup.	15	<i>H. 'Flamboyant'</i>	1978 LRC	26
<i>H. 'Color Fantasy'</i>	1980 LRC	18	<i>H. 'Dream Weaver'</i>	1996 LRC Sup.	15	<i>H. 'Flame Stitch'</i>	1991 LRC	26
<i>H. 'Color Glory'</i>	1980 LRC	18	<i>H. 'Dress Blues'</i>	1995 LRC Sup.	15	<i>H. 'Flat Clyde'</i>	1997 LRC Sup.	19
<i>H. 'Colossal'</i>	1977 LRC	18	<i>H. 'Drip Drop'</i>	1988 LRC	22	<i>H. 'Fleeta Brownell Woodroffe'</i>	1986 LRC	27
<i>H. 'Comeuppance'</i>	1982 LRC	18	<i>H. 'Drummer Boy'</i>	1983 LRC	22	<i>H. 'Floradora'</i>	1978 LRC	27
<i>H. 'Concordia Petite'</i>	1996 LRC Sup.	11	<i>H. 'Duchess'</i>	1982 LRC	22	<i>H. 'Flow Swirls'</i>	1978 LRC	27
<i>H. 'Connie'</i>	1987 LRC	18	<i>H. 'Duke'</i>	1988 LRC	23	<i>H. 'Flower Power'</i>	1987 LRC	27
<i>H. 'Cool Change'</i>	1995 LRC Sup.	11	<i>H. 'Dupage Delight'</i>	1990 LRC	23	<i>H. 'Fond Hope'</i>	1973 LRC	27
<i>H. 'Coquette'</i>	1987 LRC	18	<i>H. 'Dustin'</i>	1988 LRC	23	<i>H. 'Footlights'</i>	1995 LRC Sup.	19
<i>H. 'Cordelia'</i>	1991 LRC	18	<i>H. 'Ebb Tide'</i>	1997 LRC Sup.	15	<i>H. 'Forever Frances'</i>	1996 LRC Sup.	20
<i>H. 'Corduroy'</i>	1983 LRC	18	<i>H. 'Edge of Night'</i>	1988 LRC	23	<i>H. 'Forever Green'</i>	1994 LRC Sup.	20
<i>H. 'Corona'</i>	1996 LRC Sup.	11	<i>H. 'Edina Heritage'</i>	1987 LRC	23	<i>H. 'Formal Attire'</i>	1988 LRC	27
<i>H. 'Cotillion'</i>	1995 LRC Sup.	11	<i>H. 'Edina Hornet'</i>	1996 LRC Sup.	15	<i>H. 'Fort Knox'</i>	1989 LRC	27
<i>H. 'Count Dracula'</i>	1997 LRC Sup.	11	<i>H. 'Edward Wargo'</i>	1986 LRC	23	<i>H. 'Fortunei Albomarginata'</i>	1987 LRC	27
<i>H. 'Counter Point'</i>	1982 LRC	19	<i>H. 'Egret'</i>	1984 LRC	23	<i>H. 'Fortunei Albopicta'</i>	1987 LRC	27
<i>H. 'County Park'</i>	1983 LRC	19	<i>H. 'Eireann'</i>	1991 LRC	23	<i>H. 'Fortunei Aurea'</i>	1987 LRC	27
<i>H. 'Craig Halequin Bells'</i>	1998 LRC		<i>H. 'El Capitan'</i>	1987 LRC	23	<i>H. 'Fortunei Aucromarginata'</i>	1987 LRC	27
<i>H. 'Crater Lake'</i>	1996 LRC Sup.	11	<i>H. 'Eleanor J. Reath'</i>	1986 LRC	24	<i>H. 'Fortunei Gigantea'</i>	LRC	27
<i>H. 'Cream Cheese'</i>	1991 LRC	19	<i>H. 'Eleanor Lachman'</i>	1995 LRC Sup.	15	<i>H. 'Fortunei Hyacinthina'</i>	LRC	28
<i>H. 'Crepe Suzette'</i>	1986 LRC	19	<i>H. 'Electrifying'</i>	1998 LRC Sup.	16	<i>H. 'Fortunei Obscura'</i>	LRC	28
<i>H. 'Crescent Moon'</i>	1988 LRC	19	<i>H. 'Electrum Stater'</i>	1997 LRC Sup.	16	<i>H. 'Fortunei Rugosa'</i>	LRC	28
<i>H. 'Crested Reef'</i>	1975 LRC	19	<i>H. 'Elegans'</i>	1987 LRC	72	<i>H. 'Fortunei Stenantha'</i>	LRC	28
<i>H. 'Crested Surf'</i>	1990 LRC	19	<i>H. 'Elephant Burgers'</i>	1993 LRC Sup.	16	<i>H. 'Fortunei Viridis'</i>	1987 LRC	28
<i>H. 'Crinkle Cup'</i>	1971 LRC	19	<i>H. 'Elfin Cup'</i>	1988 LRC	24	<i>H. 'Foundling'</i>	1990 LRC	28
<i>H. 'Crinoline Petticoats'</i>	1990 LRC	19	<i>H. 'Elfin Power'</i>	1987 LRC	24	<i>H. 'Fountain'</i>	1983 LRC	28
<i>H. 'Cross Stitch'</i>	1992 LRC Sup.	12	<i>H. 'Elisabeth'</i>	1983 LRC	24	<i>H. 'Fourth of July'</i>	1993 LRC Sup.	20
<i>H. 'Crown Jewel'</i>	1984 LRC	19	<i>H. 'Elizabeth Campbell'</i>	1988 LRC	24	<i>H. 'Foxy Doxy'</i>	1994 LRC Sup.	20
<i>H. 'Crown Prince'</i>	1978 LRC	19	<i>H. 'Ellen'</i>	1987 LRC	24	<i>H. 'Fragrant Blue'</i>	1988 LRC	28
<i>H. 'Crown Royalty'</i>	1990 LRC	19	<i>H. 'Ellen F. Weissenberger'</i>	1986 LRC	24	<i>H. 'Fragrant Bouquet'</i>	1982 LRC	28
<i>H. 'Crowned Imperial'</i>	1988 LRC	20	<i>H. 'Ellerbrook'</i>	1996 LRC Sup.	16	<i>H. 'Fragrant Candelabra'</i>	1982 LRC	28
<i>H. 'Crow's Nest'</i>	1995 LRC Sup.	12	<i>H. 'Ellie Bee'</i>	1996 LRC Sup.	16	<i>H. 'Fragrant Flame'</i>	1988 LRC	28
<i>H. 'Crumples'</i>	1996 LRC Sup.	12	<i>H. 'Elvis Lives'</i>	1995 LRC Sup.	16	<i>H. 'Fragrant Gold'</i>	1982 LRC	28
<i>H. 'Crusader'</i>	1989 LRC	20	<i>H. 'Emerald Carpet'</i>	1998 LRC Sup.	16	<i>H. 'Fragrant Tot'</i>	1982 LRC	28
<i>H. 'Crystal Tiara'</i>	1998 LRC Sup.	12	<i>H. 'Emerald City'</i>	1996 LRC Sup.	16	<i>H. 'Fran and Jan'</i>	1986 LRC	28

List of Registered Cultivars Supplement I 1992-98

The International Registration Authority for Hosta

<i>H. 'Francee'</i>	1986 LRC	28	<i>H. 'Golden Medallion'</i>	1984 LRC	33	<i>H. 'Hadspen Heron'</i>	1976 LRC	39
<i>H. 'Frances Williams'</i>	1986 LRC	29	<i>H. 'Golden Nugget'</i>	1969 LRC	33	<i>H. 'Hadspen Pink'</i>	1988 LRC	39
<i>H. 'Frances Williams' Baby'</i>	1980 LRC	29	<i>H. 'Golden Oriole'</i>	1988 LRC	33	<i>H. 'Hadspen Samphire'</i>	1997 LRC Sup.	26
<i>H. 'Frank's Rocket'</i>	1998 LRC Sup.	20	<i>H. 'Golden Picture'</i>	1995 LRC Sup.	23	<i>H. 'Haku Chu Han'</i>	1986 LRC	39
<i>H. 'Fried Bananas'</i>	1994 LRC Sup.	20	<i>H. 'Golden Plum'</i>	1997 LRC Sup.	24	<i>H. 'Halcyon'</i>	1988 LRC	39
<i>H. 'Fried Green Tomatoes'</i>	1995 LRC Sup.	20	<i>H. 'Golden Prayers'</i>	1976 LRC	33	<i>H. 'Halo'</i>	1978 LRC	39
<i>H. 'Frilly Puckers'</i>	1986 LRC	29	<i>H. 'Golden Rajah'</i>	1976 LRC	34	<i>H. 'Hampshire County'</i>	1993 LRC Sup.	26
<i>H. 'Front Forty'</i>	1996 LRC Sup.	20	<i>H. 'Golden Ruffles'</i>	1976 LRC	34	<i>H. 'Handy Hatfield'</i>	1996 LRC Sup.	26
<i>H. 'Frosted Jade'</i>	1978 LRC	29	<i>H. 'Golden Scepter'</i>	1983 LRC	34	<i>H. 'Hannah Hanson'</i>	1997 LRC Sup.	26
<i>H. 'Frosty Morn'</i>	1993 LRC Sup.	20	<i>H. 'Golden Sculpture'</i>	1982 LRC	34	<i>H. 'Happiness'</i>	1988 LRC	39
<i>H. 'Full Moon'</i>	1991 LRC	29	<i>H. 'Golden Spades'</i>	1986 LRC	34	<i>H. 'Happy Hearts'</i>	1973 LRC	39
<i>H. 'Fury of Flame'</i>	1985 LRC	29	<i>H. 'Golden Spider'</i>	1987 LRC	34	<i>H. 'Happy Valley'</i>	1995 LRC Sup.	26
<i>H. 'Fused Veins'</i>	1983 LRC	29	<i>H. 'Golden Sunburst'</i>	1984 LRC	34	<i>H. 'Harlequin Bells' see H. 'Craig Halequin Bells'</i>		
<i>H. 'G String'</i>	1996 LRC Sup.	21	<i>H. 'Golden Surprise'</i>	1991 LRC	34	<i>H. 'Harmony'</i>	1976 LRC	39
<i>H. 'Gaiety'</i>	1986 LRC	30	<i>H. 'Golden Teacup'</i>	1989 LRC	34	<i>H. 'Harrison'</i>	1987 LRC	39
<i>H. 'Gaijin'</i>	1995 LRC Sup.	21	<i>H. 'Golden Tiara'</i>	1977 LRC	34	<i>H. 'Harry A. Jacobsen'</i>	1988 LRC	39
<i>H. 'Gala'</i>	1978 LRC	30	<i>H. 'Golden Tiers'</i>	1990 LRC	34	<i>H. 'Hart's Tongue'</i>	1987 LRC	39
<i>H. 'Galaxy'</i>	1987 LRC	30	<i>H. 'Golden Torch'</i>	1984 LRC	34	<i>H. 'Harvest Dandy'</i>	1997 LRC Sup.	26
<i>H. 'Galaxy Light'</i>	1991 LRC	30	<i>H. 'Golden Waffles'</i>	1976 LRC	34	<i>H. 'Harvest Dawn'</i>	1997 LRC Sup.	27
<i>H. 'Garden Bouquet'</i>	1983 LRC	30	<i>H. 'Golden Wheels'</i>	1976 LRC	34	<i>H. 'Harvest Delight'</i>	1997 LRC Sup.	27
<i>H. 'Garden Magic'</i>	1980 LRC	30	<i>H. 'Goldilocks'</i>	1970 LRC	35	<i>H. 'Harvest Desire'</i>	1997 LRC Sup.	27
<i>H. 'Garden Treasure'</i>	1997 LRC Sup.	21	<i>H. 'Goldsmith'</i>	1988 LRC	35	<i>H. 'Harvest Glow'</i>	1988 LRC	40
<i>H. 'Garnet Prince'</i>	1991 LRC	30	<i>H. 'Goliath'</i>	1986 LRC	35	<i>H. 'Hazel'</i>	1987 LRC	40
<i>H. 'Gay Blade'</i>	1988 LRC	30	<i>H. 'Goody Goody'</i>	1987 LRC	35	<i>H. 'Headliner'</i>	1986 LRC	40
<i>H. 'Gay Feather'</i>	1983 LRC	30	<i>H. 'Goosebumps'</i>	1998 LRC Sup.	24	<i>H. 'Heart of Chan'</i>	1987 LRC	40
<i>H. 'Gay Nineties'</i>	1994 LRC Sup.	21	<i>H. 'Gosan Gold Midget'</i>	1989 LRC	35	<i>H. 'Heart of Gold'</i>	1996 LRC Sup.	27
<i>H. 'Gaynor Miller'</i>	1993 LRC Sup.	21	<i>H. 'Gosan Gold Sword'</i>	1989 LRC	35	<i>H. 'Heart Throb'</i>	1982 LRC	40
<i>H. 'Geisha'</i>	1983 LRC	30	<i>H. 'Gosan Hildegarde'</i>	1989 LRC	35	<i>H. 'Heartleaf'</i>	1971 LRC	40
<i>H. 'Gene Summers'</i>	1978 LRC	30	<i>H. 'Grace McClure'</i>	1998 LRC Sup.	24	<i>H. 'Heartsong'</i>	1984 LRC	40
<i>H. 'Geneva Remembrance'</i>	1996 LRC Sup.	21	<i>H. 'Granada'</i>	1995 LRC Sup.	24	<i>H. 'Heaven Scent'</i>	1988 LRC	40
<i>H. 'George Smith'</i>	1983 LRC	31	<i>H. 'Granary Gold'</i>	1988 LRC	35	<i>H. 'Heavenly Green'</i>	1997 LRC Sup.	27
<i>H. 'Gig Harbor'</i>	1996 LRC Sup.	21	<i>H. 'Grand Canyon'</i>	1995 LRC Sup.	24	<i>H. 'Heavenly Tiara'</i>	1998 LRC Sup.	27
<i>H. 'Gil Jones'</i>	1990 LRC	31	<i>H. 'Grand Finale'</i>	1995 LRC Sup.	24	<i>H. 'Heavy Metal'</i>	1993 LRC Sup.	27
<i>H. 'Gilded Tiara'</i>	1998 LRC Sup.	22	<i>H. 'Grand Master'</i>	1986 LRC	35	<i>H. 'Helen Doriot'</i>	1982 LRC	40
<i>H. 'Gingee'</i>	1986 LRC	31	<i>H. 'Grand Prize'</i>	1998 LRC Sup.	24	<i>H. 'Helen Field Fischer'</i>	1970 LRC	40
<i>H. 'Ginko Craig'</i>	1986 LRC	31	<i>H. 'Grand Slam'</i>	1990 LRC	35	<i>H. 'Heliarc'</i>	1986 LRC	40
<i>H. 'Gloriosa'</i>	1986 LRC	31	<i>H. 'Grand Tiara'</i>	1991 LRC	35	<i>H. 'Helonioides Albopicta'</i>	1987 LRC	40
<i>H. 'Glory'</i>	1985 LRC	31	<i>H. 'Gray Cole'</i>	1985 LRC	35	<i>H. 'Henry Payne'</i>	1996 LRC Sup.	28
<i>H. 'Goddess of Athena'</i>	1987 LRC	31	<i>H. 'Gray Fox'</i>	1998 LRC Sup.	25	<i>H. 'Her Grace'</i>	1986 LRC	41
<i>H. 'Godzilla'</i>	1996 LRC Sup.	22	<i>H. 'Gray Streaked Squiggles'</i>	1978 LRC	35	<i>H. 'Herb Benedict'</i>	1990 LRC	41
<i>H. 'Gold Cadet'</i>	1974 LRC	31	<i>H. 'Great Desire'</i>	1973 LRC	36	<i>H. 'Herbert'</i>	1996 LRC Sup.	28
<i>H. 'Gold Coast'</i>	1986 LRC	31	<i>H. 'Great Expectations'</i>	1988 LRC	36	<i>H. 'Herbie'</i>	1995 LRC Sup.	28
<i>H. 'Gold Cover'</i>	1982 LRC	31	<i>H. 'Great Lakes'</i>	1973 LRC	36	<i>H. 'Hertha'</i>	1988 LRC	41
<i>H. 'Gold Cup'</i>	1978 LRC	31	<i>H. 'Great Plains'</i>	1994 LRC Sup.	25	<i>H. 'Hi Ho Silver'</i>	1997 LRC Sup.	28
<i>H. 'Gold Dorothy of Richland'</i>	1995 LRC Sup.	22	<i>H. 'Grecian Gold'</i>	1990 LRC	36	<i>H. 'Hidden Cove'</i>	1998 LRC Sup.	28
<i>H. 'Gold Drop'</i>	1977 LRC	31	<i>H. 'Grecian Green'</i>	1990 LRC	36	<i>H. 'Hideko Gowen'</i>	1990 LRC	41
<i>H. 'Gold Edger'</i>	1978 LRC	32	<i>H. 'Green Acres'</i>	1970 LRC	36	<i>H. 'High Fat Cream'</i>	1976 LRC	41
<i>H. 'Gold Flush'</i>	1984 LRC	32	<i>H. 'Green Angel'</i>	1990 LRC	36	<i>H. 'High Kicker'</i>	1987 LRC	41
<i>H. 'Gold Glory'</i>	1995 LRC Sup.	22	<i>H. 'Green Aspen'</i>	1986 LRC	36	<i>H. 'High Style'</i>	1984 LRC	41
<i>H. 'Gold Haze'</i>	1988 LRC	32	<i>H. 'Green Beatrice'</i>	1987 LRC	36	<i>H. 'High Wire'</i>	1995 LRC Sup.	28
<i>H. 'Gold Leaf'</i>	1988 LRC	32	<i>H. 'Green Dome'</i>	1980 LRC	36	<i>H. 'Hilda Wassmann'</i>	1985 LRC	41
<i>H. 'Gold Pan'</i>	1978 LRC	32	<i>H. 'Green Eyes'</i>	1990 LRC	36	<i>H. 'Hirao Elite'</i>	1997 LRC Sup.	28
<i>H. 'Gold Piece'</i>	1983 LRC	32	<i>H. 'Green Formal'</i>	1971 LRC	36	<i>H. 'Hirao Grande'</i>	1997 LRC Sup.	28
<i>H. 'Gold Regal'</i>	1974 LRC	32	<i>H. 'Green Fountain'</i>	1979 LRC	37	<i>H. 'Hirao Imperial'</i>	1998 LRC Sup.	29
<i>H. 'Gold Standard'</i>	1976 LRC	32	<i>H. 'Green Furrows'</i>	1981 LRC	37	<i>H. 'Hirao Majesty'</i>	1997 LRC Sup.	29
<i>H. 'Gold Vein'</i>	1988 LRC	32	<i>H. 'Green Gables'</i>	1997 LRC Sup.	25	<i>H. 'Hirao Splendor'</i>	1997 LRC Sup.	29
<i>H. 'Gold Wares'</i>	1995 LRC Sup.	22	<i>H. 'Green Gold'</i>	1986 LRC	37	<i>H. 'Hirao Supreme'</i>	1997 LRC Sup.	29
<i>H. 'Goldbrook'</i>	1989 LRC	32	<i>H. 'Green Lantern'</i>	1993 LRC Sup.	25	<i>H. 'Hirao Zeus'</i>	1997 LRC Sup.	29
<i>H. 'Goldbrook Genie'</i>	1989 LRC	32	<i>H. 'Green Line'</i>	1987 LRC	37	<i>H. 'Hoarfrost'</i>	1986 LRC	41
<i>H. 'Goldbrook Gold'</i>	1989 LRC	32	<i>H. 'Green Marmalade'</i>	1987 LRC	37	<i>H. 'Holiday White'</i>	1990 LRC	41
<i>H. 'Goldbrook Grace'</i>	1989 LRC	32	<i>H. 'Green Piecrust'</i>	1986 LRC	37	<i>H. 'Holly's Dazzler'</i>	1987 LRC	41
<i>H. 'Golden Age'</i>	1988 LRC	32	<i>H. 'Green Platter'</i>	1997 LRC Sup.	25	<i>H. 'Holly's Gold'</i>	1991 LRC	41
<i>H. 'Golden Anniversary'</i>	1998 LRC Sup.	22	<i>H. 'Green Ripples'</i>	1986 LRC	37	<i>H. 'Holly's Green and Gold'</i>	1997 LRC Sup.	29
<i>H. 'Golden Arrow'</i>	1996 LRC Sup.	22	<i>H. 'Green Saucers'</i>	1977 LRC	37	<i>H. 'Holly's Honey'</i>	1986 LRC	42
<i>H. 'Golden Ballerina'</i>	1998 LRC Sup.	23	<i>H. 'Green Sheen'</i>	1978 LRC	37	<i>H. 'Holly's Shine'</i>	1987 LRC	42
<i>H. 'Golden Bullion'</i>	1989 LRC	32	<i>H. 'Green Smash'</i>	1988 LRC	37	<i>H. 'Holly's Velvet Piecrust'</i>	1995 LRC Sup.	30
<i>H. 'Golden Cascade'</i>	1984 LRC	33	<i>H. 'Green Spot'</i>	1998 LRC Sup.	25	<i>H. 'Homestead'</i>	1997 LRC Sup.	30
<i>H. 'Golden Chimes'</i>	1979 LRC	33	<i>H. 'Green Valley'</i>	1988 LRC	37	<i>H. 'Honey'</i>	1977 LRC	42
<i>H. 'Golden Circles'</i>	1998 LRC Sup.	23	<i>H. 'Green Wedge'</i>	1976 LRC	37	<i>H. 'Honey Do'</i>	1994 LRC Sup.	30
<i>H. 'Golden Delight'</i>	1994 LRC Sup.	23	<i>H. 'Green Wiggles'</i>	1979 LRC	38	<i>H. 'Honey Moon'</i>	1982 LRC	42
<i>H. 'Golden Eagle'</i>	1998 LRC Sup.	23	<i>H. 'Greenwood'</i>	1997 LRC Sup.	25	<i>H. 'Honeybells'</i>	1986 LRC	42
<i>H. 'Golden Empress'</i>	1990 LRC	33	<i>H. 'Grey Beauty'</i>	1983 LRC	38	<i>H. 'Hoosier Dome'</i>	1998 LRC Sup.	30
<i>H. 'Golden Fascination'</i>	1986 LRC	33	<i>H. 'Grey Goose'</i>	1988 LRC	38	<i>H. 'Hoosier Harmony'</i>	1995 LRC Sup.	30
<i>H. 'Golden Flame'</i>	1990 LRC	33	<i>H. 'Grey Piecrust'</i>	1986 LRC	38	<i>H. 'Hot Diggity Dog'</i>	1998 LRC Sup.	30
<i>H. 'Golden Fountain'</i>	1993 LRC Sup.	23	<i>H. 'Grey Poupon'</i>	1995 LRC Sup.	25	<i>H. 'Hot Flash'</i>	1991 LRC	42
<i>H. 'Golden Friendship'</i>	1991 LRC	33	<i>H. 'Ground Master'</i>	1979 LRC	38	<i>H. 'Hot Lips'</i>	1993 LRC Sup.	30
<i>H. 'Golden Gate'</i>	1994 LRC Sup.	23	<i>H. 'Ground Sulphur'</i>	1986 LRC	38	<i>H. 'Housatonic'</i>	1986 LRC	42
<i>H. 'Golden Girl'</i>	1982 LRC	33	<i>H. 'Guacamole'</i>	1994 LRC Sup.	26	<i>H. 'Humdinger'</i>	1995 LRC Sup.	30
<i>H. 'Golden Guernsey'</i>	1992 LRC Sup.	23	<i>H. 'Guardian Angel'</i>	1995 LRC Sup.	26	<i>H. 'Humility'</i>	1997 LRC Sup.	31
<i>H. 'Golden Hawk'</i>	1984 LRC	33	<i>H. 'Gum Drop'</i>	1987 LRC	38	<i>H. 'Hummingbird Wings'</i>	1996 LRC Sup.	31
<i>H. 'Golden Jubilee'</i>	1995 LRC Sup.	23	<i>H. 'Hadspen Blue'</i>	1976 LRC	39	<i>H. 'Humor'</i>	1998 LRC Sup.	31
<i>H. 'Golden Maple'</i>	1980 LRC	33	<i>H. 'Hadspen Hawk'</i>	1988 LRC	39	<i>H. 'Huron Blue'</i>	1990 LRC	42

<i>H. 'Hurrah'</i>	1991 LRC	42	<i>H. 'Kingwood Center'</i>	1993 LRC Sup.	35	<i>H. 'Lakeside Sophistication'</i>	1995 LRC Sup.	43
<i>H. 'Hutch'</i>	1995 LRC Sup.	31	<i>H. 'Kissing Cousin'</i>	1998 LRC Sup.	35	<i>H. 'Lakeside Sparkle Plenty'</i>	1995 LRC Sup.	44
<i>H. 'Hydon Gleam'</i>	1998 LRC Sup.	31	<i>H. 'Kit Kat'</i>	1994 LRC Sup.	35	<i>H. 'Lakeside Spellbinder'</i>	1997 LRC Sup.	44
<i>H. 'Hydon Sunset'</i>	1988 LRC	42	<i>H. 'Kite'</i>	1988 LRC	47	<i>H. 'Lakeside Spruce Goose'</i>	1998 LRC Sup.	44
<i>H. 'Ice Cream'</i>	1998 LRC Sup.	31	<i>H. 'Klopping Variegated'</i>	1988 LRC	47	<i>H. 'Lakeside Surf Rider'</i>	1997 LRC Sup.	44
<i>H. 'Immense'</i>	1991 LRC	43	<i>H. 'Knockout'</i>	1986 LRC	47	<i>H. 'Lakeside Symphony'</i>	1988 LRC	48
<i>H. 'Incredible Hunk'</i>	1998 LRC Sup.	31	<i>H. 'Kong'</i>	1990 LRC	47	<i>H. 'Lakeside Twiddle Dee'</i>	1996 LRC Sup.	44
<i>H. 'Independence Day'</i>	1998 LRC Sup.	32	<i>H. 'Krinkled Joy'</i>	1986 LRC	47	<i>H. 'Lakeside Waterfall'</i>	1998 LRC Sup.	44
<i>H. 'Indian Feather'</i>	1992 LRC Sup.	32	<i>H. 'Krossa Broad Band'</i>	1991 LRC	47	<i>H. 'Lakeside Zinger'</i>	1998 LRC Sup.	44
<i>H. 'Indian Hills'</i>	1989 LRC	43	<i>H. 'Krossa Cream Edge'</i>	1997 LRC Sup.	36	<i>H. 'Larry Engleth'</i>	1986 LRC	48
<i>H. 'Indian Princess'</i>	1998 LRC Sup.	32	<i>H. 'Krossa Regal'</i>	1980 LRC	47	<i>H. 'Laura and Darrell'</i>	1997 LRC Sup.	45
<i>H. 'Indiana Knight'</i>	1990 LRC	43	<i>H. 'La Vista'</i>	1988 LRC	49	<i>H. 'Lauren'</i>	1991 LRC	48
<i>H. 'Indiana Moonshine'</i>	1996 LRC Sup.	32	<i>H. 'Lacy Belle'</i>	1992 LRC Sup.	36	<i>H. 'Lavender Doll'</i>	1998 LRC Sup.	45
<i>H. 'Indigo'</i>	1984 LRC	43	<i>H. 'Lady Helen'</i>	1998 LRC Sup.	36	<i>H. 'Lavender Lady'</i>	1986 LRC	49
<i>H. 'Inland Sea'</i>	1998 LRC Sup.	32	<i>H. 'Lady in Waiting'</i>	1980 LRC	48	<i>H. 'Lavender Stocking'</i>	1998 LRC Sup.	45
<i>H. 'Inniswood'</i>	1993 LRC Sup.	32	<i>H. 'Lady Isobel Barnett'</i>	1996 LRC Sup.	36	<i>H. 'Leading Lady'</i>	1995 LRC Sup.	45
<i>H. 'Innovation'</i>	1996 LRC Sup.	32	<i>H. 'Ladybug'</i>	1996 LRC Sup.	36	<i>H. 'Leather Coat'</i>	1995 LRC Sup.	45
<i>H. 'Intrigue'</i>	1978 LRC	43	<i>H. 'Lake Chautauqua'</i>	1998 LRC Sup.	36	<i>H. 'Leather Sheen'</i>	1988 LRC	49
<i>H. 'Invincible'</i>	1986 LRC	43	<i>H. 'Lake Erie'</i>	1998 LRC Sup.	36	<i>H. 'Leatherneck'</i>	1998 LRC Sup.	45
<i>H. 'Iona'</i>	1988 LRC	43	<i>H. 'Lake Louise'</i>	1975 LRC	48	<i>H. 'Ledi Lantis'</i>	1978 LRC	49
<i>H. 'Irische See'</i>	1998 LRC Sup.	32	<i>H. 'Lake Ontario'</i>	1998 LRC Sup.	37	<i>H. 'Lee Armiger'</i>	1986 LRC	49
<i>H. 'Irish Hills'</i>	1996 LRC Sup.	33	<i>H. 'Lakeport Blue'</i>	1984 LRC	48	<i>H. 'Lemon Chiffon'</i>	1988 LRC	49
<i>H. 'Irish Mist'</i>	1994 LRC Sup.	33	<i>H. 'Lakeside Accolade'</i>	1988 LRC	48	<i>H. 'Lemon Lime'</i>	1977 LRC	49
<i>H. 'Irish Ribbons'</i>	1992 LRC Sup.	33	<i>H. 'Lakeside April Snow'</i>	1994 LRC Sup.	37	<i>H. 'Lemon Meringue'</i>	1991 LRC	49
<i>H. 'Irish Spring'</i>	1985 LRC	43	<i>H. 'Lakeside Baby Face'</i>	1997 LRC Sup.	37	<i>H. 'Lemonade'</i>	1980 LRC	49
<i>H. 'Iron Gate Bouquet'</i>	1983 LRC	43	<i>H. 'Lakeside Black Satin'</i>	1993 LRC Sup.	37	<i>H. 'Leola Fraim'</i>	1986 LRC	49
<i>H. 'Iron Gate Delight'</i>	1981 LRC	43	<i>H. 'Lakeside Blue Cherub'</i>	1991 LRC	48	<i>H. 'Leon'</i>	1995 LRC Sup.	45
<i>H. 'Iron Gate Glamour'</i>	1981 LRC	43	<i>H. 'Lakeside Blue Confusion'</i>	1998 LRC Sup.	37	<i>H. 'Leprechaun'</i>	1991 LRC	49
<i>H. 'Iron Gate Supreme'</i>	1980 LRC	43	<i>H. 'Lakeside Blue Jeans'</i>	1995 LRC Sup.	37	<i>H. 'Leviathan'</i>	1986 LRC	49
<i>H. 'Island Charm'</i>	1997 LRC Sup.	33	<i>H. 'Lakeside Blushing Gold'</i>	1996 LRC Sup.	37	<i>H. 'Liberty Bell'</i>	1985 LRC	49
<i>H. 'Itasca'</i>	1974 LRC	43	<i>H. 'Lakeside Cha Cha'</i>	1994 LRC Sup.	37	<i>H. 'Lights Up'</i>	1986 LRC	50
<i>H. 'Ivory Pixie'</i>	1982 LRC	44	<i>H. 'Lakeside Charm'</i>	1994 LRC Sup.	38	<i>H. 'Lilac Giant'</i>	1983 LRC	50
<i>H. 'Ivory Tower'</i>	1996 LRC Sup.	33	<i>H. 'Lakeside Chatterbox'</i>	1998 LRC Sup.	38	<i>H. 'Lime Krinkles'</i>	1988 LRC	50
<i>H. 'Jack Frost'</i>	1983 LRC	44	<i>H. 'Lakeside Coal Miner'</i>	1998 LRC Sup.	38	<i>H. 'Lime Piecrust'</i>	1990 LRC	50
<i>H. 'Jack of Diamonds'</i>	1985 LRC	44	<i>H. 'Lakeside Cogwheel'</i>	1995 LRC Sup.	38	<i>H. 'Limelight'</i>	1988 LRC	50
<i>H. 'Jackpot'</i>	1996 LRC Sup.	33	<i>H. 'Lakeside Contender'</i>	1998 LRC Sup.	38	<i>H. 'Limon'</i>	1983 LRC	50
<i>H. 'Jade Beauty'</i>	1988 LRC	44	<i>H. 'Lakeside Cup Up'</i>	1993 LRC Sup.	38	<i>H. 'Linde'</i>	1987 LRC	50
<i>H. 'Jade Point'</i>	1980 LRC	44	<i>H. 'Lakeside Cupcake'</i>	1998 LRC Sup.	38	<i>H. 'Little Ann'</i>	1988 LRC	50
<i>H. 'Jade Scepter'</i>	1988 LRC	44	<i>H. 'Lakeside Cupid's Cup'</i>	1998 LRC Sup.	38	<i>H. 'Little Aurora'</i>	1978 LRC	50
<i>H. 'Jadette'</i>	1982 LRC	44	<i>H. 'Lakeside Delight'</i>	1994 LRC Sup.	39	<i>H. 'Little Black Scape'</i>	1995 LRC Sup.	45
<i>H. 'Jamblelia'</i>	1978 LRC	45	<i>H. 'Lakeside Dooodad'</i>	1995 LRC Sup.	39	<i>H. 'Little Blue'</i>	1976 LRC	50
<i>H. 'Janet'</i>	1981 LRC	45	<i>H. 'Lakeside Dragonfly'</i>	1997 LRC Sup.	39	<i>H. 'Little Bo Peep'</i>	1991 LRC	50
<i>H. 'Janet Day'</i>	1996 LRC Sup.	33	<i>H. 'Lakeside Emerald Lights'</i>	1993 LRC Sup.	39	<i>H. 'Little Cyn'</i>	1998 LRC Sup.	46
<i>H. 'Jay Jay'</i>	1994 LRC Sup.	33	<i>H. 'Lakeside Explosion'</i>	1995 LRC Sup.	39	<i>H. 'Little Darling'</i>	1994 LRC Sup.	46
<i>H. 'Jelly Bean'</i>	1990 LRC	45	<i>H. 'Lakeside Feather Light'</i>	1998 LRC Sup.	39	<i>H. 'Little Dart'</i>	1995 LRC Sup.	46
<i>H. 'Jim Cooper'</i>	1982 LRC	45	<i>H. 'Lakeside Frosted Mint'</i>	1996 LRC Sup.	39	<i>H. 'Little Fellow'</i>	1990 LRC	50
<i>H. 'Jim Matthews'</i>	1998 LRC Sup.	34	<i>H. 'Lakeside Gold Point'</i>	1995 LRC Sup.	39	<i>H. 'Little Jim'</i>	1986 LRC	51
<i>H. 'Jim Wilkins'</i>	1990 LRC	45	<i>H. 'Lakeside Grandee'</i>	1994 LRC Sup.	40	<i>H. 'Little Lites'</i>	1993 LRC Sup.	46
<i>H. 'Jingle Bells'</i>	1986 LRC	45	<i>H. 'Lakeside Happy Talk'</i>	1998 LRC Sup.	40	<i>H. 'Little Razor'</i>	1988 LRC	51
<i>H. 'Jo Jo'</i>	1987 LRC	45	<i>H. 'Lakeside Kaleidoscope'</i>	1994 LRC Sup.	40	<i>H. 'Little Sunspot'</i>	1996 LRC Sup.	46
<i>H. 'Johanne'</i>	1989 LRC	45	<i>H. 'Lakeside Knickknack'</i>	1994 LRC Sup.	40	<i>H. 'Little White Lines'</i>	1988 LRC	51
<i>H. 'John Wargo'</i>	1986 LRC	45	<i>H. 'Lakeside Ladyfinger'</i>	1997 LRC Sup.	40	<i>H. 'Little Wonder'</i>	1989 LRC	51
<i>H. 'Jolly Green Giant'</i>	1986 LRC	45	<i>H. 'Lakeside Lagoon'</i>	1998 LRC Sup.	40	<i>H. 'Livonia'</i>	1997 LRC Sup.	46
<i>H. 'Joseph'</i>	1990 LRC	45	<i>H. 'Lakeside Leprechaun'</i>	1991 LRC	48	<i>H. 'Lochness'</i>	1988 LRC	51
<i>H. 'Josephine'</i>	1987 LRC	45	<i>H. 'Lakeside Lime Time'</i>	1998 LRC Sup.	40	<i>H. 'Locomotion'</i>	1993 LRC Sup.	46
<i>H. 'Joybells'</i>	1980 LRC	46	<i>H. 'Lakeside Little Gem'</i>	1993 LRC Sup.	40	<i>H. 'Loleta Powell'</i>	1980 LRC	51
<i>H. 'Joyce Trott'</i>	1988 LRC	46	<i>H. 'Lakeside Little Tuft'</i>	1997 LRC Sup.	41	<i>H. 'Lollapalooza'</i>	1998 LRC Sup.	46
<i>H. 'Judy's Surprise'</i>	1996 LRC Sup.	34	<i>H. 'Lakeside Lollipop'</i>	1993 LRC Sup.	41	<i>H. 'Lonesome Pine'</i>	1995 LRC Sup.	47
<i>H. 'Julia'</i>	1994 LRC Sup.	34	<i>H. 'Lakeside Looking Glass'</i>	1997 LRC Sup.	41	<i>H. 'Look See'</i>	1980 LRC	51
<i>H. 'Julia Gaede'</i>	1994 LRC Sup.	34	<i>H. 'Lakeside Love Affaire'</i>	1997 LRC Sup.	41	<i>H. 'Lorna'</i>	1983 LRC	51
<i>H. 'Julia Hardy'</i>	1978 LRC	46	<i>H. 'Lakeside Maestro'</i>	1995 LRC Sup.	41	<i>H. 'Louie'</i>	1996 LRC Sup.	47
<i>H. 'Julie Ann'</i>	1995 LRC Sup.	34	<i>H. 'Lakeside Masterpiece'</i>	1998 LRC Sup.	41	<i>H. 'Louisa'</i>	1986 LRC	51
<i>H. 'Julie Morss'</i>	1983 LRC	46	<i>H. 'Lakeside Meter Maid'</i>	1998 LRC Sup.	41	<i>H. 'Louise Ryan'</i>	1993 LRC Sup.	47
<i>H. 'Jumbo'</i>	1997 LRC Sup.	34	<i>H. 'Lakeside Miss Muffett'</i>	1998 LRC Sup.	41	<i>H. 'Love Burst'</i>	1994 LRC Sup.	47
<i>H. 'June'</i>	1991 LRC	46	<i>H. 'Lakeside Neat Petite'</i>	1991 LRC	48	<i>H. 'Love Joy'</i>	1980 LRC	51
<i>H. 'June Beauty'</i>	1986 LRC	46	<i>H. 'Lakeside Ninita'</i>	1993 LRC Sup.	42	<i>H. 'Love of Life'</i>	1998 LRC Sup.	47
<i>H. 'June Moon'</i>	1991 LRC	46	<i>H. 'Lakeside Paddywack'</i>	1996 LRC Sup.	42	<i>H. 'Love Pat'</i>	1978 LRC	51
<i>H. 'Just So'</i>	1986 LRC	46	<i>H. 'Lakeside Party Dress'</i>	1997 LRC Sup.	42	<i>H. 'Lovelight'</i>	1992 LRC Sup.	47
<i>H. 'Kabitan'</i>	1987 LRC	47	<i>H. 'Lakeside Pebbles'</i>	1995 LRC Sup.	42	<i>H. 'Lovely Lauren'</i>	1998 LRC Sup.	47
<i>H. 'Kaitlyn'</i>	1998 LRC Sup.	34	<i>H. 'Lakeside Penny Pincher'</i>	1998 LRC Sup.	42	<i>H. 'Lover's Leap'</i>	1995 LRC Sup.	47
<i>H. 'Kathleen'</i>	1986 LRC	47	<i>H. 'Lakeside Premier'</i>	1994 LRC Sup.	42	<i>H. 'Loving Cup'</i>	1970 LRC	51
<i>H. 'Kathy-O'</i>	1994 LRC Sup.	35	<i>H. 'Lakeside Prissy Miss'</i>	1997 LRC Sup.	42	<i>H. 'Loyalist'</i>	1998 LRC Sup.	48
<i>H. 'Katrina Jo'</i>	1998 LRC Sup.	35	<i>H. 'Lakeside Rhapsody'</i>	1995 LRC Sup.	43	<i>H. 'Lucille Simpers'</i>	1990 LRC	52
<i>H. 'Kelsey'</i>	1996 LRC Sup.	35	<i>H. 'Lakeside Ring Master'</i>	1998 LRC Sup.	43	<i>H. 'Lucky Charm'</i>	1986 LRC	52
<i>H. 'Kevin Kelley'</i>	1996 LRC Sup.	35	<i>H. 'Lakeside Ripples'</i>	1991 LRC	48	<i>H. 'Lucy Vitals'</i>	1989 LRC	52
<i>H. 'Key Lime'</i>	1990 LRC	47	<i>H. 'Lakeside Roy El'</i>	1994 LRC Sup.	43	<i>H. 'Lucy's Breeder'</i>	1991 LRC	52
<i>H. 'Kilowatt'</i>	1970 LRC	47	<i>H. 'Lakeside San Kao'</i>	1995 LRC Sup.	43	<i>H. 'Lucy's Crinkles'</i>	1991 LRC	52
<i>H. 'King James'</i>	1992 LRC Sup.	35	<i>H. 'Lakeside Sapphire Pleats'</i>	1996 LRC Sup.	43	<i>H. 'Lunar Eclipse'</i>	1985 LRC	52
<i>H. 'King Michael'</i>	1992 LRC Sup.	35	<i>H. 'Lakeside Shadows'</i>	1990 LRC	48	<i>H. 'Lunar Magic'</i>	1994 LRC Sup.	48
<i>H. 'King Tut'</i>	1981 LRC	47	<i>H. 'Lakeside Shore Master'</i>	1998 LRC Sup.	43	<i>H. 'Lunar Night'</i>	1998 LRC Sup.	48
<i>H. 'Kingfisher'</i>	1988 LRC	47	<i>H. 'Lakeside Small Fry'</i>	1998 LRC Sup.	43	<i>H. 'Lunar Orbit'</i>	1991 LRC	52

List of Registered Cultivars Supplement I 1992-98

The International Registration Authority for Hosta

<i>H. 'Lynne'</i>	1986 LRC	52	<i>H. 'Mount Royal'</i>	1983 LRC	56	<i>H. 'Peedee Apollo'</i>	1996 LRC Sup.	57
<i>H. 'Mack the Knife'</i>	1996 LRC Sup.	48	<i>H. 'Mount Tom'</i>	1995 LRC Sup.	53	<i>H. 'Peedee Dew Catcher'</i>	1992 LRC Sup.	57
<i>H. 'Magic Carpet'</i>	1998 LRC Sup.	48	<i>H. 'Mountain Haze'</i>	1990 LRC	56	<i>H. 'Peedee Elfin Bells'</i>	1987 LRC	61
<i>H. 'Majestic Glow'</i>	1982 LRC	53	<i>H. 'Mountain Snow'</i>	1988 LRC	56	<i>H. 'Peedee Gold Flash'</i>	1987 LRC	61
<i>H. 'Manhattan'</i>	1994 LRC Sup.	48	<i>H. 'Mrs. Minky'</i>	1993 LRC Sup.	53	<i>H. 'Peedee Granny Smith'</i>	1992 LRC Sup.	58
<i>H. 'Maple Leaf'</i>	1972 LRC	53	<i>H. 'Muffie'</i>	1996 LRC Sup.	53	<i>H. 'Peedee Graymulkin'</i>	1987 LRC	61
<i>H. 'Marble Rim'</i>	1986 LRC	53	<i>H. 'Muriel Seaver Brown'</i>	1984 LRC	56	<i>H. 'Peedee Laughing River'</i>	1992 LRC Sup.	58
<i>H. 'Marbled Bouquet'</i>	1988 LRC	53	<i>H. 'Muted Moon'</i>	1995 LRC Sup.	53	<i>H. 'Peedee Picotee'</i>	1992 LRC Sup.	58
<i>H. 'Marbled Cream'</i>	1985 LRC	53	<i>H. 'My Blue Heaven'</i>	1997 LRC Sup.	53	<i>H. 'Peedee Spring Fever'</i>	1990 LRC	61
<i>H. 'Margaret'</i>	1987 LRC	53	<i>H. 'My Child Insook'</i>	1995 LRC Sup.	53	<i>H. 'Peedee Treasure'</i>	1989 LRC	61
<i>H. 'Marge'</i>	1996 LRC Sup.	48	<i>H. 'My Fair Katie'</i>	1998 LRC Sup.	53	<i>H. 'Peek-A-Boo'</i>	1976 LRC	61
<i>H. 'Margey'</i>	1998 LRC Sup.	48	<i>H. 'My Friend Nancy'</i>	1991 LRC	56	<i>H. 'Pelham Blue Tump'</i>	1986 LRC	61
<i>H. 'Margie Weissenberger'</i>	1986 LRC	53	<i>H. 'My Love Dorothy'</i>	1995 LRC Sup.	54	<i>H. 'People's Choice'</i>	1998 LRC Sup.	58
<i>H. 'Margin of Error'</i>	1995 LRC Sup.	49	<i>H. 'Nakaimo'</i>	1986 LRC	57	<i>H. 'Peppermint Ice'</i>	1994 LRC Sup.	58
<i>H. 'Marilyn'</i>	1990 LRC	53	<i>H. 'Nancy Lindsay'</i>	1988 LRC	57	<i>H. 'Peridot'</i>	1995 LRC Sup.	58
<i>H. 'Marion Bachman'</i>	1992 LRC Sup.	49	<i>H. 'Nancy Minks'</i>	1983 LRC	57	<i>H. 'Permanent Wave'</i>	1989 LRC	61
<i>H. 'Marquis'</i>	1982 LRC	53	<i>H. 'National Velvet'</i>	1990 LRC	57	<i>H. 'Perry's True Blue'</i>	1981 LRC	61
<i>H. 'Mary Jo'</i>	1987 LRC	53	<i>H. 'Neat and Tidy'</i>	1980 LRC	57	<i>H. 'Peter Pan'</i>	1980 LRC	61
<i>H. 'Mary Lou'</i>	1986 LRC	53	<i>H. 'Neat Splash'</i>	1978 LRC	57	<i>H. 'Peter the Rock'</i>	1991 LRC	61
<i>H. 'Mary Marie Ann'</i>	1982 LRC	53	<i>H. 'Neat Splash Rim'</i>	1986 LRC	57	<i>H. 'Pet's Passion'</i>	1997 LRC Sup.	58
<i>H. 'Maui Buttercups'</i>	1991 LRC	54	<i>H. 'Nesmith's Giant'</i>	1994 LRC Sup.	54	<i>H. 'Petite Gold'</i>	1970 LRC	61
<i>H. 'Maui Hana'</i>	1991 LRC	54	<i>H. 'New Moon'</i>	1995 LRC Sup.	54	<i>H. 'Pewter Frost'</i>	1996 LRC Sup.	58
<i>H. 'Maui Rains'</i>	1991 LRC	54	<i>H. 'New Tradition'</i>	1988 LRC	57	<i>H. 'Phantom'</i>	1995 LRC Sup.	58
<i>H. 'May T. Watts'</i>	1985 LRC	54	<i>H. 'New Wave'</i>	1988 LRC	57	<i>H. 'Photo Finish'</i>	1988 LRC	62
<i>H. 'Maya'</i>	1996 LRC Sup.	49	<i>H. 'Newberry Gold'</i>	1996 LRC Sup.	54	<i>H. 'Phyllis Campbell'</i>	1988 LRC	62
<i>H. 'Mean Mama'</i>	1995 LRC Sup.	49	<i>H. 'Niagara Falls'</i>	1991 LRC	57	<i>H. 'Picadello'</i>	1995 LRC Sup.	59
<i>H. 'Medusa'</i>	1993 LRC Sup.	49	<i>H. 'Nicholas James'</i>	1996 LRC Sup.	54	<i>H. 'Pied Piper'</i>	1998 LRC Sup.	59
<i>H. 'Mentor Gold'</i>	1978 LRC	54	<i>H. 'Nick Balash'</i>	1994 LRC Sup.	54	<i>H. 'Piedmont Gold'</i>	1982 LRC	62
<i>H. 'Merry Sunshine'</i>	1998 LRC Sup.	49	<i>H. 'Nickelodeon'</i>	1998 LRC Sup.	54	<i>H. 'Pilgrim'</i>	1997 LRC Sup.	59
<i>H. 'Metallica'</i>	1991 LRC	54	<i>H. 'Nicola'</i>	1984 LRC	57	<i>H. 'Pin Stripe'</i>	1983 LRC	62
<i>H. 'Michigan Gold'</i>	1984 LRC	54	<i>H. 'Nifty Fifty'</i>	1986 LRC	57	<i>H. 'Pineapple Poll'</i>	1988 LRC	62
<i>H. 'Midas Touch'</i>	1978 LRC	54	<i>H. 'Night before Christmas'</i>	1994 LRC Sup.	55	<i>H. 'Pink Panther'</i>	1998 LRC Sup.	59
<i>H. 'Middle Ridge'</i>	1979 LRC	54	<i>H. 'Night Shift'</i>	1991 LRC	58	<i>H. 'Pinky'</i>	1990 LRC	62
<i>H. 'Midnight Express'</i>	1996 LRC Sup.	49	<i>H. 'No Frills'</i>	1991 LRC	58	<i>H. 'Pinwheel'</i>	1983 LRC	62
<i>H. 'Midnight Sun'</i>	1996 LRC Sup.	49	<i>H. 'Noah's Rainbow'</i>	1997 LRC Sup.	55	<i>H. 'Pioneer'</i>	1984 LRC	62
<i>H. 'Midwest Gold'</i>	1969 LRC	54	<i>H. 'Noel'</i>	1983 LRC	58	<i>H. 'Pistachio Glow'</i>	1990 LRC	62
<i>H. 'Midwest Majesty'</i>	1983 LRC	54	<i>H. 'Nonsuch'</i>	1996 LRC Sup.	55	<i>H. 'Pixie Vamp'</i>	1996 LRC Sup.	59
<i>H. 'Mikado'</i>	1982 LRC	54	<i>H. 'Nooner'</i>	1991 LRC	58	<i>H. 'Pizzazz'</i>	1986 LRC	62
<i>H. 'Mikawa-no-Yuki'</i>	1997 LRC Sup.	50	<i>H. 'Nordatlantik'</i>	1997 LRC Sup.	55	<i>H. 'Placemat'</i>	1990 LRC	62
<i>H. 'Miki'</i>	1991 LRC	54	<i>H. 'North Hills'</i>	1986 LRC	58	<i>H. 'Platinum Tiara'</i>	1987 LRC	62
<i>H. 'Mildred Seaver'</i>	1981 LRC	55	<i>H. 'North Point'</i>	1998 LRC Sup.	55	<i>H. 'Polished Jade'</i>	1993 LRC Sup.	59
<i>H. 'Millennium'</i>	1995 LRC Sup.	50	<i>H. 'Northern Exposure'</i>	1997 LRC Sup.	55	<i>H. 'Polly Bishop'</i>	1977 LRC	63
<i>H. 'Ming Jade'</i>	1987 LRC	55	<i>H. 'Northern Halo'</i>	1984 LRC	58	<i>H. 'Polly Mae'</i>	1982 LRC	63
<i>H. 'Minimoon'</i>	1992 LRC Sup.	50	<i>H. 'Northern Lights'</i>	1984 LRC	58	<i>H. 'Pollyanna'</i>	1983 LRC	63
<i>H. 'Minna Blue'</i>	1997 LRC Sup.	50	<i>H. 'Northern Mist'</i>	1988 LRC	58	<i>H. 'Polychrome'</i>	1998 LRC Sup.	59
<i>H. 'Minnesota Nice'</i>	1997 LRC Sup.	50	<i>H. 'Northern Star'</i>	1993 LRC Sup.	55	<i>H. 'Pooh Bear'</i>	1988 LRC	63
<i>H. 'Minnesota Weather'</i>	1980 LRC	55	<i>H. 'Northern Sunray'</i>	1987 LRC	58	<i>H. 'Popo'</i>	1993 LRC Sup.	60
<i>H. 'Minnie Bell'</i>	1985 LRC	55	<i>H. 'Norwalk Chartreuse'</i>	1995 LRC Sup.	55	<i>H. 'Porcelain Vase'</i>	1988 LRC	63
<i>H. 'Minnie Klopping'</i>	1975 LRC	55	<i>H. 'Number One'</i>	1987 LRC	58	<i>H. 'Potomac Pride'</i>	1995 LRC Sup.	60
<i>H. 'Minuet'</i>	1990 LRC	55	<i>H. 'Oakview'</i>	1987 LRC	59	<i>H. 'Powder Blue'</i>	1998 LRC Sup.	60
<i>H. 'Minuteman'</i>	1994 LRC Sup.	50	<i>H. 'Obsession'</i>	1998 LRC Sup.	56	<i>H. 'Prairie Fire'</i>	1994 LRC Sup.	60
<i>H. 'Mischief'</i>	1998 LRC Sup.	50	<i>H. 'Odd Ball'</i>	1995 LRC Sup.	56	<i>H. 'Praying Hands'</i>	1996 LRC Sup.	60
<i>H. 'Missie Mouse'</i>	1996 LRC Sup.	51	<i>H. 'Old Cadillac'</i>	1998 LRC Sup.	56	<i>H. 'President's Choice'</i>	1983 LRC	63
<i>H. 'Mississippi Delta'</i>	1998 LRC Sup.	51	<i>H. 'Old Faithful'</i>	1991 LRC	59	<i>H. 'Prima Donna'</i>	1995 LRC Sup.	60
<i>H. 'Missy'</i>	1992 LRC Sup.	51	<i>H. 'Olive Oil'</i>	1996 LRC Sup.	56	<i>H. 'Princess Anastasia'</i>	1998 LRC Sup.	60
<i>H. 'Mister Gee'</i>	1995 LRC Sup.	51	<i>H. 'Olympic Gold'</i>	1986 LRC	59	<i>H. 'Princess Diana'</i>	1997 LRC Sup.	60
<i>H. 'Mistress Mabel'</i>	1995 LRC Sup.	51	<i>H. 'On Stage'</i>	1986 LRC	59	<i>H. 'Princess of Karafuto'</i>	1984 LRC	63
<i>H. 'Misty Gold'</i>	1996 LRC Sup.	51	<i>H. 'Orange Joy'</i>	1979 LRC	59	<i>H. 'Puckered Giant'</i>	1983 LRC	63
<i>H. 'Misty Morning'</i>	1986 LRC	55	<i>H. 'Osprey'</i>	1988 LRC	59	<i>H. 'Purbeck Ridge'</i>	1988 LRC	63
<i>H. 'Misty Regal'</i>	1996 LRC Sup.	51	<i>H. 'Ototo San'</i>	1990 LRC	59	<i>H. 'Purple and Gold'</i>	1976 LRC	63
<i>H. 'Misty Waters'</i>	1986 LRC	55	<i>H. 'Outhouse Delight'</i>	1998 LRC Sup.	56	<i>H. 'Purple Bouquet'</i>	1986 LRC	63
<i>H. 'Mogul'</i>	1988 LRC	55	<i>H. 'Owen Online'</i>	1998 LRC Sup.	56	<i>H. 'Purple Charmer'</i>	1993 LRC Sup.	61
<i>H. 'Mohegan'</i>	1998 LRC Sup.	51	<i>H. 'Oxheart'</i>	1976 LRC	59	<i>H. 'Purple Dwarf'</i>	1983 LRC	63
<i>H. 'Monopoly'</i>	1998 LRC Sup.	52	<i>H. 'Pacific Sunlight'</i>	1998 LRC Sup.	56	<i>H. 'Purple Flame Forever'</i>	1988 LRC	64
<i>H. montana 'Aureomarginata'</i>	1987 LRC	55	<i>H. 'Pagoda'</i>	1988 LRC	60	<i>H. 'Purple Lady Finger'</i>	1982 LRC	64
<i>H. 'Montreal'</i>	1983 LRC	55	<i>H. 'Paintbrush'</i>	1976 LRC	60	<i>H. 'Purple Profusion'</i>	1986 LRC	64
<i>H. 'Monument Circle'</i>	1995 LRC Sup.	52	<i>H. 'Painted Lady'</i>	1984 LRC	60	<i>H. 'Purple Robe'</i>	1990 LRC	64
<i>H. 'Mood Indigo'</i>	1996 LRC Sup.	52	<i>H. 'Pale Gold'</i>	1997 LRC Sup.	57	<i>H. 'Queen Josephine'</i>	1991 LRC	64
<i>H. 'Moon Glow'</i>	1977 LRC	55	<i>H. 'Pamela San Martin'</i>	1988 LRC	60	<i>H. 'Queen of Hearts'</i>	1983 LRC	64
<i>H. 'Moon Lily'</i>	1993 LRC Sup.	52	<i>H. 'Pandora's Box'</i>	1996 LRC Sup.	57	<i>H. 'Queen of Islip'</i>	1990 LRC	64
<i>H. 'Moon River'</i>	1991 LRC	56	<i>H. 'Parhelion'</i>	1997 LRC Sup.	57	<i>H. 'Quilted Cup'</i>	1980 LRC	64
<i>H. 'Moon Shadow'</i>	1988 LRC	56	<i>H. 'Party Time'</i>	1995 LRC Sup.	57	<i>H. 'Quilted Hearts'</i>	1989 LRC	64
<i>H. 'Moon Waves'</i>	1994 LRC Sup.	52	<i>H. 'Pastures New'</i>	1997 LRC Sup.	57	<i>H. 'Quilted Skies'</i>	1985 LRC	64
<i>H. 'Moongate Flying Saucer'</i>	1996 LRC Sup.	52	<i>H. 'Patriot'</i>	1991 LRC	60	<i>H. 'Quilting Party'</i>	1980 LRC	65
<i>H. 'Moongate Little Dipper'</i>	1996 LRC Sup.	52	<i>H. 'Patriot's Fire'</i>	1996 LRC Sup.	57	<i>H. 'Radiance'</i>	1980 LRC	65
<i>H. 'Moonlight'</i>	1977 LRC	56	<i>H. 'Pauline'</i>	1987 LRC	60	<i>H. 'Radiant Edger'</i>	1990 LRC	65
<i>H. 'Moonshine'</i>	1988 LRC	56	<i>H. 'Pauline Brac'</i>	1986 LRC	60	<i>H. 'Rain Forest'</i>	1996 LRC Sup.	61
<i>H. 'Moscow Blue'</i>	1986 LRC	56	<i>H. 'Paul's Glory'</i>	1987 LRC	60	<i>H. 'Rascal'</i>	1991 LRC	65
<i>H. 'Mount Everest'</i>	1996 LRC Sup.	52	<i>H. 'Peace'</i>	1987 LRC	60	<i>H. 'Raspberry Parfait'</i>	1998 LRC Sup.	61
<i>H. 'Mount Fuji'</i>	1989 LRC	56	<i>H. 'Pearl Lake'</i>	1982 LRC	60	<i>H. 'Raven'</i>	1993 LRC Sup.	61
<i>H. 'Mount Hood'</i>	1983 LRC	56	<i>H. 'Pebble Beach'</i>	1972 LRC	60	<i>H. 'Rays of Sunshine'</i>	1990 LRC	65
<i>H. 'Mount Hope'</i>	1992 LRC Sup.	53	<i>H. 'Peedee Absinth'</i>	1990 LRC	60	<i>H. 'Razzle Dazzle'</i>	1987 LRC	65

<i>H. 'Red Neck Heaven'</i>	1998 LRC Sup.	61	<i>H. 'Sea Lotus Leaf'</i>	1985 LRC	70	<i>H. 'Solar Flare'</i>	1981 LRC	75
<i>H. 'Red Stepper'</i>	1996 LRC Sup.	61	<i>H. 'Sea Monster'</i>	1978 LRC	70	<i>H. 'Sombrero'</i>	1991 LRC	75
<i>H. 'Reefed Sails'</i>	1994 LRC Sup.	61	<i>H. 'Sea Octopus'</i>	1981 LRC	70	<i>H. 'Something Blue'</i>	1991 LRC	75
<i>H. 'Regal Promenade'</i>	1994 LRC Sup.	61	<i>H. 'Sea Sprite'</i>	1978 LRC	70	<i>H. 'Something Different'</i>	1990 LRC	75
<i>H. 'Regal Providence'</i>	1994 LRC Sup.	62	<i>H. 'Sea Sunrise'</i>	1982 LRC	70	<i>H. 'Southern Comfort'</i>	1992 LRC Sup.	69
<i>H. 'Regal Rhubarb'</i>	1983 LRC	66	<i>H. 'Sea Wiggles'</i>	1981 LRC	71	<i>H. 'Southern Pride'</i>	1986 LRC	75
<i>H. 'Regal Ruffles'</i>	1980 LRC	66	<i>H. 'Sea Yellow Sunrise'</i>	1985 LRC	71	<i>H. 'Space Odyssey'</i>	1997 LRC Sup.	69
<i>H. 'Regal Splendor'</i>	1987 LRC	66	<i>H. 'Second Wind'</i>	1991 LRC	71	<i>H. 'Sparkling Burgundy'</i>	1982 LRC	75
<i>H. 'Regalia'</i>	1992 LRC Sup.	62	<i>H. 'See Saw'</i>	1986 LRC	71	<i>H. 'Sparky'</i>	1987 LRC	75
<i>H. 'Rembrandt Blue'</i>	1983 LRC	66	<i>H. 'Sentinels'</i>	1986 LRC	71	<i>H. 'Spartan Flash'</i>	1998 LRC Sup.	69
<i>H. 'Renaissance'</i>	1983 LRC	66	<i>H. 'September Sun'</i>	1985 LRC	71	<i>H. 'Spartan Gem'</i>	1989 LRC	75
<i>H. 'Resonance'</i>	1976 LRC	66	<i>H. 'September Surprise'</i>	1997 LRC Sup.	65	<i>H. 'Special Gift'</i>	1973 LRC	75
<i>H. 'Revelations'</i>	1993 LRC Sup.	62	<i>H. 'Serendipity'</i>	1978 LRC	71	<i>H. 'Spinnaker'</i>	1994 LRC Sup.	69
<i>H. 'Reversed'</i>	1978 LRC	66	<i>H. 'Serene'</i>	1983 LRC	71	<i>H. 'Spinners'</i>	1988 LRC	75
<i>H. 'Rhapsody in Blue'</i>	1995 LRC Sup.	62	<i>H. 'Serenity'</i>	1986 LRC	71	<i>H. 'Spit Shine'</i>	1986 LRC	75
<i>H. 'Richland Gold'</i>	1987 LRC	66	<i>H. 'Seven-Eleven'</i>	1996 LRC Sup.	66	<i>H. 'Splashed Leather'</i>	1996 LRC Sup.	70
<i>H. 'Rim Rock'</i>	1982 LRC	66	<i>H. 'Seventh Heaven'</i>	1994 LRC Sup.	66	<i>H. 'Splish Splash'</i>	1980 LRC	75
<i>H. 'Rippling Rhythm'</i>	1998 LRC Sup.	62	<i>H. 'Shade Beauty'</i>	1982 LRC	71	<i>H. 'Spotlight'</i>	1995 LRC Sup.	70
<i>H. 'Rippling Waves'</i>	1986 LRC	66	<i>H. 'Shade Fanfare'</i>	1986 LRC	71	<i>H. 'Spring Ivory'</i>	1982 LRC	75
<i>H. 'Riptide'</i>	1987 LRC	66	<i>H. 'Shade Master'</i>	1982 LRC	71	<i>H. 'Spring Lace'</i>	1998 LRC Sup.	70
<i>H. 'Rising Sun'</i>	1988 LRC	66	<i>H. 'Shades of Mercy'</i>	1998 LRC Sup.	66	<i>H. 'Spring Sensation'</i>	1991 LRC	76
<i>H. 'Rising Tide'</i>	1984 LRC	67	<i>H. 'Shadow Waltz'</i>	1995 LRC Sup.	66	<i>H. 'Spritzer'</i>	1986 LRC	76
<i>H. 'River Nile'</i>	1983 LRC	67	<i>H. 'Shadow Choice'</i>	1998 LRC Sup.	66	<i>H. 'Spun Silk'</i>	1990 LRC	76
<i>H. 'Robert Frost'</i>	1988 LRC	67	<i>H. 'Shalimar'</i>	1983 LRC	72	<i>H. 'Spun Sulphur'</i>	1986 LRC	76
<i>H. 'Robert's Rapier'</i>	1996 LRC Sup.	62	<i>H. 'Sharmon'</i>	1986 LRC	72	<i>H. 'Squash Casserole'</i>	1995 LRC Sup.	70
<i>H. 'Rock Happy'</i>	1992 LRC Sup.	62	<i>H. 'Sharp Shooter'</i>	1993 LRC Sup.	66	<i>H. 'Squiggles'</i>	1978 LRC	76
<i>H. 'Rock Master'</i>	1982 LRC	67	<i>H. 'Shelley's'</i>	1988 LRC	72	<i>H. 'Squire Rich'</i>	1988 LRC	76
<i>H. 'Rocknoll Blue Dwarf'</i>	1996 LRC Sup.	62	<i>H. 'Shells at Sea'</i>	1983 LRC	72	<i>H. 'Standard Deviation'</i>	1998 LRC Sup.	70
<i>H. 'Rocky Mountain High'</i>	1991 LRC	67	<i>H. 'Sherborne Profusion'</i>	1988 LRC	72	<i>H. 'Standing Ovation'</i>	1987 LRC	76
<i>H. 'Rocky Road'</i>	1988 LRC	67	<i>H. 'Sherborne Songbird'</i>	1988 LRC	72	<i>H. 'Star Struck'</i>	1995 LRC Sup.	70
<i>H. 'Rosebud'</i>	1992 LRC Sup.	63	<i>H. 'Sherborne Swallow'</i>	1988 LRC	72	<i>H. 'Starboard Light'</i>	1994 LRC Sup.	70
<i>H. 'Rosie Posie'</i>	1994 LRC Sup.	63	<i>H. 'Sherborne Swan'</i>	1988 LRC	72	<i>H. 'Starburst'</i>	1973 LRC	76
<i>H. 'Rossing's Pride'</i>	1993 LRC Sup.	63	<i>H. 'Sherborne Swift'</i>	1988 LRC	72	<i>H. 'Stardust'</i>	1998 LRC Sup.	70
<i>H. 'Rotunda'</i>	1988 LRC	67	<i>H. 'Shere Khan'</i>	1995 LRC Sup.	66	<i>H. 'Starker Yellow Leaf'</i>	1989 LRC	76
<i>H. 'Rough Waters'</i>	1969 LRC	67	<i>H. 'Sherwood Forest'</i>	1993 LRC Sup.	66	<i>H. 'Starlight'</i>	1973 LRC	76
<i>H. 'Roundabout'</i>	1988 LRC	67	<i>H. 'Shimmering Silk'</i>	1996 LRC Sup.	67	<i>H. 'Stearn's Beauty'</i>	1995 LRC Sup.	71
<i>H. 'Roundhouse Blues'</i>	1998 LRC Sup.	63	<i>H. 'Shining Tot'</i>	1982 LRC	72	<i>H. 'Stefan Edward'</i>	1998 LRC Sup.	71
<i>H. 'Royal Accolade'</i>	1986 LRC	67	<i>H. 'Shiny Penny'</i>	1997 LRC Sup.	67	<i>H. 'Stephen'</i>	1986 LRC	76
<i>H. 'Royal Flush'</i>	1985 LRC	67	<i>H. 'Shirley'</i>	1998 LRC Sup.	67	<i>H. 'Stetson'</i>	1997 LRC Sup.	71
<i>H. 'Royal Lady'</i>	1986 LRC	67	<i>H. 'Shocking Chartreuse'</i>	1982 LRC	72	<i>H. 'Stiletto'</i>	1987 LRC	77
<i>H. 'Royal Quilt'</i>	1988 LRC	68	<i>H. 'Show Piece'</i>	1998 LRC Sup.	67	<i>H. 'Stirfly'</i>	1990 LRC	77
<i>H. 'Royal Rainbow'</i>	1978 LRC	68	<i>H. 'Showboat'</i>	1993 LRC Sup.	67	<i>H. 'Stone's Valentine'</i>	1989 LRC	77
<i>H. 'Royal Standard'</i>	1986 LRC	68	<i>H. 'Showtime'</i>	1987 LRC	72	<i>H. 'Straka Gold'</i>	1994 LRC Sup.	71
<i>H. 'Royal Tiara'</i>	1988 LRC	68	<i>H. 'Silent Witness'</i>	1997 LRC Sup.	67	<i>H. 'Strawberry Delight'</i>	1998 LRC Sup.	71
<i>H. 'Royalty'</i>	1982 LRC	68	<i>H. 'Silver and Gold'</i>	1995 LRC Sup.	67	<i>H. 'Striped Canvas'</i>	1996 LRC Sup.	71
<i>H. 'Rubber Ducky'</i>	1996 LRC Sup.	63	<i>H. 'Silver Award'</i>	1986 LRC	73	<i>H. 'Striptease'</i>	1991 LRC	77
<i>H. 'Ruby Benedict'</i>	1991 LRC	68	<i>H. 'Silver Bowl'</i>	1986 LRC	73	<i>H. 'Subcrocea'</i>	1987 LRC	77
<i>H. 'Ruffled Petticoats'</i>	1998 LRC Sup.	63	<i>H. 'Silver Creek Sunshine'</i>	1996 LRC Sup.	67	<i>H. 'Sugar and Cream'</i>	1984 LRC	77
<i>H. 'Ruffles'</i>	1986 LRC	68	<i>H. 'Silver Dust'</i>	1995 LRC Sup.	68	<i>H. 'Sugar Babe'</i>	1996 LRC Sup.	71
<i>H. 'Rumpelstiltskin'</i>	1997 LRC Sup.	63	<i>H. 'Silver Giant'</i>	1987 LRC	73	<i>H. 'Sugar Pie'</i>	1998 LRC Sup.	72
<i>H. 'Rusty Bee'</i>	1998 LRC Sup.	63	<i>H. 'Silver Lance'</i>	1982 LRC	73	<i>H. 'Sugar Plum Fairy'</i>	1987 LRC	77
<i>H. 'Ryan's Big One'</i>	1982 LRC	68	<i>H. 'Silver Rim'</i>	1980 LRC	73	<i>H. 'Sultana'</i>	1988 LRC	77
<i>H. 'Sagee'</i>	1996 LRC Sup.	64	<i>H. 'Silver Spoon'</i>	1985 LRC	73	<i>H. 'Sum and Substance'</i>	1980 LRC	77
<i>H. 'Sailors' Warning'</i>	1995 LRC Sup.	64	<i>H. 'Silver Spray'</i>	1991 LRC	73	<i>H. 'Sum Total'</i>	1991 LRC	77
<i>H. 'Sails Ho'</i>	1995 LRC Sup.	64	<i>H. 'Silver Streak'</i>	1986 LRC	73	<i>H. 'Sumi'</i>	1983 LRC	77
<i>H. 'Saint Elmo's Fire'</i>	1995 LRC Sup.	64	<i>H. 'Silver Tiara'</i>	1988 LRC	73	<i>H. 'Summer Dress'</i>	1990 LRC	78
<i>H. 'Sally and Bob'</i>	1994 LRC Sup.	64	<i>H. 'Silverado'</i>	1987 LRC	73	<i>H. 'Summer Fragrance'</i>	1983 LRC	78
<i>H. 'Salute'</i>	1995 LRC Sup.	64	<i>H. 'Silvery Slugproof'</i>	1996 LRC Sup.	68	<i>H. 'Summer Gold'</i>	1998 LRC Sup.	72
<i>H. 'Sam-Tina Gold'</i>	1998 LRC Sup.	64	<i>H. 'Sitting Pretty'</i>	1987 LRC	73	<i>H. 'Summer Joy'</i>	1998 LRC Sup.	72
<i>H. 'Samuel Blue'</i>	1981 LRC	69	<i>H. 'Skookumchuk'</i>	1998 LRC Sup.	68	<i>H. 'Summer Music'</i>	1998 LRC Sup.	72
<i>H. 'Sara'</i>	1994 LRC Sup.	65	<i>H. 'Sky Kissed'</i>	1991 LRC	74	<i>H. 'Summer Serenade'</i>	1998 LRC Sup.	72
<i>H. 'Sarah Farmer'</i>	1975 LRC	69	<i>H. 'Sleeping Beauty'</i>	1997 LRC Sup.	68	<i>H. 'Summer Snow'</i>	1978 LRC	78
<i>H. 'Sarah Jane'</i>	1997 LRC Sup.	65	<i>H. 'Slick Willie'</i>	1996 LRC Sup.	68	<i>H. 'Sun Glow'</i>	1974 LRC	78
<i>H. 'Sarah's Sensation'</i>	1998 LRC Sup.	65	<i>H. 'Slim Polly'</i>	1986 LRC	74	<i>H. 'Sun Power'</i>	1986 LRC	78
<i>H. 'Sasquatch'</i>	1998 LRC Sup.	65	<i>H. 'Small Sum'</i>	1996 LRC Sup.	68	<i>H. 'Sunami'</i>	1990 LRC	78
<i>H. 'Sassy'</i>	1987 LRC	69	<i>H. 'Small Talk'</i>	1991 LRC	74	<i>H. 'Sundance'</i>	1984 LRC	78
<i>H. 'Satin Beauty'</i>	1986 LRC	69	<i>H. 'Smiling Sailor'</i>	1996 LRC Sup.	68	<i>H. 'Sunlight Child'</i>	1991 LRC	78
<i>H. 'Satin Flare'</i>	1971 LRC	69	<i>H. 'Smokerise Frosted Vase'</i>	1994 LRC Sup.	69	<i>H. 'Sunlight Sister'</i>	1986 LRC	78
<i>H. 'Saybrook Surprise'</i>	1998 LRC Sup.	65	<i>H. 'Smoky Tokey'</i>	1998 LRC Sup.	69	<i>H. 'Sunny Isle'</i>	1997 LRC Sup.	72
<i>H. 'Scarlet O'Hara'</i>	1996 LRC Sup.	65	<i>H. 'Snow Cap'</i>	1980 LRC	74	<i>H. 'Sunnybrook'</i>	1987 LRC	78
<i>H. 'Scooter'</i>	1990 LRC	69	<i>H. 'Snow Crust'</i>	1985 LRC	74	<i>H. 'Sunshine Glory'</i>	1982 LRC	78
<i>H. 'Sea Blue'</i>	1978 LRC	69	<i>H. 'Snow Flakes'</i>	1986 LRC	74	<i>H. 'Sunshine Kid'</i>	1980 LRC	78
<i>H. 'Sea Bunny'</i>	1986 LRC	69	<i>H. 'Snow Flurry'</i>	1973 LRC	74	<i>H. 'Super Streak'</i>	1982 LRC	79
<i>H. 'Sea Dream'</i>	1984 LRC	69	<i>H. 'Snow Mound'</i>	1997 LRC Sup.	69	<i>H. 'Supersonic'</i>	1996 LRC Sup.	72
<i>H. 'Sea Drift'</i>	1978 LRC	69	<i>H. 'Snow White'</i>	1983 LRC	74	<i>H. 'Surprise'</i>	1986 LRC	79
<i>H. 'Sea Ebony'</i>	1991 LRC	69	<i>H. 'Snowden'</i>	1988 LRC	74	<i>H. 'Surprised by Joy'</i>	1998 LRC Sup.	73
<i>H. 'Sea Foam'</i>	1978 LRC	70	<i>H. 'Snowdrift'</i>	1985 LRC	74	<i>H. 'Susy'</i>	1986 LRC	79
<i>H. 'Sea Gold'</i>	1985 LRC	70	<i>H. 'Snowstorm'</i>	1980 LRC	74	<i>H. 'Suzuki Thumbnal'</i>	1987 LRC	79
<i>H. 'Sea Gold Star'</i>	1984 LRC	70	<i>H. 'So Sweet'</i>	1986 LRC	74	<i>H. 'Swamp Monster'</i>	1991 LRC	79
<i>H. 'Sea Grotto'</i>	1991 LRC	70	<i>H. 'Soft Shoulders'</i>	1995 LRC Sup.	69	<i>H. 'Swan Lake'</i>	1998 LRC Sup.	73
<i>H. 'Sea Lightning'</i>	1981 LRC	70	<i>H. 'Soft Touch'</i>	1977 LRC	74	<i>H. 'Sweet Jill'</i>	1986 LRC	79

<i>H. 'Sweet Marjorie'</i>	1983 LRC	79	<i>H. 'Valentine Lace'</i>	1970 LRC	84
<i>H. 'Sweet Serenity'</i>	1990 LRC	79	<i>H. 'Valerie's Vanity'</i>	1991 LRC	84
<i>H. 'Sweet Standard'</i>	1984 LRC	79	<i>H. 'Van Wade'</i>	1990 LRC	84
<i>H. 'Sweet Sunshine'</i>	1997 LRC Sup.	73	<i>H. 'Vanilla Cream'</i>	1986 LRC	84
<i>H. 'Sweet Susan'</i>	1986 LRC	79	<i>H. ventricosa 'Aureomaculata'</i>	1987 LRC	84
<i>H. 'Sweet Tater Pie'</i>	1995 LRC Sup.	73	<i>H. ventricosa 'Aureomarginata'</i>	1986 LRC	85
<i>H. 'Sweet Winifred'</i>	1984 LRC	79	<i>H. 'Venucosa'</i>	1986 LRC	85
<i>H. 'Sweetie'</i>	1988 LRC	79	<i>H. 'Venus'</i>	1993 LRC Sup.	77
<i>H. 'Swoosh'</i>	1978 LRC	80	<i>H. 'Vera Verde'</i>	1990 LRC	85
<i>H. 'Taffeta'</i>	1991 LRC	80	<i>H. 'Verna Jean'</i>	1990 LRC	85
<i>H. 'Tall Boy'</i>	1983 LRC	80	<i>H. 'Veronica Lake'</i>	1993 LRC Sup.	77
<i>H. 'Tall Twister'</i>	1973 LRC	80	<i>H. 'Vicki Aden'</i>	1980 LRC	85
<i>H. 'Tambourine'</i>	1987 LRC	80	<i>H. 'Viette's Yellow Edge'</i>	1986 LRC	85
<i>H. 'Tangerine'</i>	1998 LRC Sup.	73	<i>H. 'Vivian'</i>	1993 LRC Sup.	77
<i>H. 'Tardiflora Hybrida'</i>	1992 LRC Sup.	73	<i>H. 'Wagner's Petite'</i>	1985 LRC	85
<i>H. 'Tarnished'</i>	1987 LRC	80	<i>H. 'Wagon Wheels'</i>	1971 LRC	85
<i>H. 'Tatted Lace'</i>	1990 LRC	80	<i>H. 'Wagtail'</i>	1988 LRC	85
<i>H. 'Tattoo'</i>	1998 LRC Sup.	73	<i>H. 'Wahoo'</i>	1976 LRC	85
<i>H. 'Teaspoon'</i>	1998 LRC Sup.	73	<i>H. 'Warwick Choice'</i>	1993 LRC Sup.	77
<i>H. 'Temple Bells'</i>	1992 LRC Sup.	74	<i>H. 'Warwick Cup'</i>	1993 LRC Sup.	77
<i>H. 'Temple Great'</i>	1986 LRC	81	<i>H. 'Warwick Edge'</i>	1993 LRC Sup.	77
<i>H. 'Tentacles'</i>	1996 LRC Sup.	74	<i>H. 'Warwick Essence'</i>	1993 LRC Sup.	77
<i>H. 'Thai Brass'</i>	1972 LRC	81	<i>H. 'Waterford'</i>	1983 LRC	85
<i>H. 'The Godfather'</i>	1998 LRC Sup.	74	<i>H. 'Waving Winds'</i>	1991 LRC	85
<i>H. 'The Hulk'</i>	1998 LRC Sup.	74	<i>H. 'Waving Wuffles'</i>	1995 LRC Sup.	78
<i>H. 'The Twister'</i>	1986 LRC	81	<i>H. 'Wayside Blue'</i>	1989 LRC	86
<i>H. 'Thea'</i>	1985 LRC	81	<i>H. 'Whipped Cream'</i>	1988 LRC	86
<i>H. 'Thelma M. Pierson'</i>	1988 LRC	81	<i>H. 'Whippersnapper'</i>	1994 LRC Sup.	78
<i>H. 'Thor'</i>	1994 LRC Sup.	74	<i>H. 'Whirlwind'</i>	1989 LRC	86
<i>H. 'Thumb Nail'</i>	1982 LRC	81	<i>H. 'White Charger'</i>	1986 LRC	86
<i>H. 'Thumzelina'</i>	1996 LRC Sup.	74	<i>H. 'White Colossus'</i>	1978 LRC	86
<i>H. 'Tiddlywinks'</i>	1989 LRC	81	<i>H. 'White Dove'</i>	1995 LRC Sup.	78
<i>H. 'Tiffney's Godzilla'</i>	1996 LRC Sup.	74	<i>H. 'White Hot'</i>	1998 LRC Sup.	78
<i>H. 'Tijuana Brass'</i>	1988 LRC	81	<i>H. 'White Lightning'</i>	1994 LRC Sup.	78
<i>H. 'Timothy'</i>	1998 LRC Sup.	74	<i>H. 'White Magic'</i>	1978 LRC	86
<i>H. 'Tinker Bell'</i>	1986 LRC	81	<i>H. 'White Mule'</i>	1998 LRC Sup.	78
<i>H. 'Tiny Tears'</i>	1977 LRC	81	<i>H. 'White Ray'</i>	1974 LRC	86
<i>H. 'Tokudama Aureonebulosa'</i>	1987 LRC	81	<i>H. 'White Shoulders'</i>	1988 LRC	86
<i>H. 'Tokudama Flavocircinalis'</i>	1987 LRC	81	<i>H. 'White Surprise'</i>	1995 LRC Sup.	78
<i>H. 'Tokudama Flavoplanata'</i>	1987 LRC	82	<i>H. 'White Swan'</i>	1995 LRC Sup.	78
<i>H. 'Tom Schmid'</i>	1995 LRC Sup.	75	<i>H. 'White Trumpets'</i>	1983 LRC	86
<i>H. 'Toots'</i>	1998 LRC Sup.	75	<i>H. 'White Vision'</i>	1978 LRC	86
<i>H. 'Top Banana'</i>	1983 LRC	82	<i>H. 'White Wall Tire'</i>	1995 LRC Sup.	79
<i>H. 'Top Number'</i>	1971 LRC	82	<i>H. 'Whoopie'</i>	1980 LRC	86
<i>H. 'Topaz Tiara'</i>	1998 LRC Sup.	75	<i>H. 'Wide Brim'</i>	1979 LRC	87
<i>H. 'Torchlight'</i>	1990 LRC	82	<i>H. 'William Lachman'</i>	1981 LRC	87
<i>H. 'Torchy'</i>	1995 LRC Sup.	75	<i>H. 'Willy Nilly'</i>	1996 LRC Sup.	79
<i>H. 'Tot Tot'</i>	1978 LRC	82	<i>H. 'Willy Willy'</i>	1998 LRC Sup.	79
<i>H. 'Tracy's Emerald Cup'</i>	1997 LRC Sup.	75	<i>H. 'Winning Edge'</i>	1988 LRC	87
<i>H. 'Trade Wind'</i>	1994 LRC Sup.	75	<i>H. 'Winsome'</i>	1996 LRC Sup.	79
<i>H. 'Trail's End'</i>	1978 LRC	82	<i>H. 'Wintergreen'</i>	1994 LRC Sup.	79
<i>H. 'Tranquility'</i>	1995 LRC Sup.	75	<i>H. 'Witches Brew'</i>	1981 LRC	87
<i>H. 'Treasure'</i>	1981 LRC	82	<i>H. 'Wizard's Turban'</i>	1996 LRC Sup.	79
<i>H. 'Treasure Island'</i>	1998 LRC Sup.	76	<i>H. 'Wogon'</i>	1986 LRC	87
<i>H. 'True Blue'</i>	1978 LRC	82	<i>H. 'Wolcott'</i>	1982 LRC	87
<i>H. 'True Love'</i>	1979 LRC	82	<i>H. 'Wolverine'</i>	1995 LRC Sup.	79
<i>H. 'Tucker Blues'</i>	1990 LRC	82	<i>H. 'Woodland Blue'</i>	1993 LRC Sup.	79
<i>H. 'Tucker Charm'</i>	1993 LRC Sup.	76	<i>H. 'Woodland Green'</i>	1990 LRC	87
<i>H. 'Tucker Friendly Folk'</i>	1991 LRC	82	<i>H. 'Wrinkles and Crinkles'</i>	1985 LRC	87
<i>H. 'Tucker Irish Heart'</i>	1993 LRC Sup.	76	<i>H. 'Wylde Green Cream'</i>	1996 LRC Sup.	80
<i>H. 'Tucker Pucker'</i>	1993 LRC Sup.	76	<i>H. 'Yellow Bird'</i>	1991 LRC	88
<i>H. 'Tucker Tigers'</i>	1993 LRC Sup.	76	<i>H. 'Yellow Boa'</i>	1991 LRC	88
<i>H. 'Tucker Tiny Tot'</i>	1995 LRC Sup.	76	<i>H. 'Yellow Emperor'</i>	1987 LRC	88
<i>H. 'Tucker Tommy Little'</i>	1991 LRC	83	<i>H. 'Yellow Flash'</i>	1997 LRC Sup.	80
<i>H. 'Tucker Top Cat'</i>	1993 LRC Sup.	76	<i>H. 'Yellow High'</i>	1990 LRC	88
<i>H. 'Tucker Valentine'</i>	1991 LRC	83	<i>H. 'Yellow Jacket'</i>	1998 LRC Sup.	80
<i>H. 'Tucker Wave'</i>	1995 LRC Sup.	76	<i>H. 'Yellow River'</i>	1993 LRC Sup.	80
<i>H. 'Tucker Welcome'</i>	1991 LRC	83	<i>H. 'Yellow Splash'</i>	1976 LRC	88
<i>H. 'Tweeny'</i>	1989 LRC	83	<i>H. 'Yellow Splash Rim'</i>	1986 LRC	88
<i>H. 'Tweety Bird'</i>	1997 LRC Sup.	76	<i>H. 'Yellow Surprise'</i>	1983 LRC	88
<i>H. 'Twilight'</i>	1997 LRC Sup.	77	<i>H. 'Yellow Waves'</i>	1978 LRC	88
<i>H. 'Twinkle Toes'</i>	1973 LRC	83	<i>H. 'Zager Blue'</i>	1987 LRC	89
<i>H. 'Twist and Shout'</i>	1988 LRC	83	<i>H. 'Zager Giant Puckered'</i>	1989 LRC	89
<i>H. 'Twist of Lime'</i>	1991 LRC	83	<i>H. 'Zager Green'</i>	1987 LRC	89
<i>H. 'Two Step'</i>	1987 LRC	83	<i>H. 'Zager Green Rim'</i>	1987 LRC	89
<i>H. 'Ultraviolet Light'</i>	1989 LRC	84	<i>H. 'Zager's Pride'</i>	1987 LRC	89
<i>H. 'Unducosa'</i>	1986 LRC	84	<i>H. 'Zager's White Edge'</i>	1980 LRC	89
<i>H. 'Undulata Albomarginata'</i>	1987 LRC	84	<i>H. 'Zebson'</i>	1998 LRC Sup.	80
<i>H. 'Undulata Erromena'</i>	1987 LRC	84	<i>H. 'Zounds'</i>	1978 LRC	89
<i>H. 'Undulata Univittata'</i>	1987 LRC	84			
<i>H. 'Unique'</i>	1991 LRC	84			
<i>H. 'Valencia'</i>	1995 LRC Sup.	77			