

2005 REGISTRATIONS

The Registration process is only as good as the people who register their plants, and the quality of the information that they have provided. I want to thank all who have taken the time to make this an informative and educational effort. There are 284 new registrations for 2005. There are now a total of 3515 registered hostas. As corrections have been made from time to time, an updated index of the publication where to find the most current, complete, registration information on a cultivar is included. Under the *International Code of Nomenclature for Cultivated Plants* (ICNCP), registrations are established when printed in a publication that reaches the general public. Thus, although these, and other names may appear elsewhere, especially if found in electronic media, they may not be established. (See also, **Plant Patents, Plant Breeder's Rights and Establishment** below.)

The simplified registration form (included at the end of this publication) was introduced in June of 1998. Part of the simplification was to give registrants the option to place their cultivar in a more general category rather than give the specific dimensions. These categories (miniature, small, medium, large, and giant) are somewhat arbitrary. Thus, if possible, please provide actual measurements as this will prove more informative to those who read these pages. Please try to provide as much information as possible.

Under parentage information (found within the brackets following each cultivar entry) the category of "parentage unknown" was added in 1997. As is consistent with the registrar's policy of attempting to provide the most informative descriptions, I considered adding a category this year. I did not, but request registrant's be more informative in the future where the parentage information submitted provides no guidance as to the parentage, such as [seedling × seedling] or [sport of stabilized seedling of unknown parents]. This does not imply anything regarding the validity information submitted by the registrant, only that the description as registered adds nothing to the genetic, or parentage knowledge base. Parentage information published with registrations is intended to be "known parentage" as opposed to guesses, educated or otherwise. The abbreviation "TC" is used to indicate "tissue culture."

In reviewing this year's submissions, I have become conscious that one of the more confusing sections to fill out is regarding the "origin" of the cultivar being registered. Many persons who have listed themselves as the originator, are also indicating that the seedling or sport that was used for measurement purposes to complete the registration was obtained from the originator. If you are the originator you did not obtain the plant from anyone, or you are not the originator. On the other hand if you have received the sport from TC and the plant being TC'd was not yours, then you may not be the originator. Think this section through when filling out the form, simple logic should help you with the answer. Please, if you have any questions regarding any part of the form do not hesitate to email me with your questions.

Brief Key to Descriptions: ONIR: O=originator, N=nominant (namer), I=introducer, R=registrant.

Flowers: Bloom periods are given in either start - peak - finish format or a more general period format. The general periods are as follows: Very early period: before June 1, average period: June 1 - July 15, summer period: July 15 to August 15, late period: August 15 to October 1, very late period: after October 1.;

Bloom Period Codes: Ties the flowering of the cultivar to a "species scale". The registrant has provided the number code from the scale below for the start - peak - finish of the flowering period.

1	2	3	4	5	6	7	8	9
----- ----- ----- ----- ----- ----- ----- ----- -----								
<i>H. sieboldiana</i>		<i>H. ventricosa</i>		<i>H. plantaginea</i>		<i>H. 'Tardiflora'</i>		

Forms: Registration forms are available from the registrar, or may be obtained on the Internet at: <http://www.hosta.org/> or at: <http://hostalibrary.org/>.

Corrections: 1980 Registrations: *H. 'Frances Williams' Baby'* This name was registered incorrectly. It should have been registered as *H. 'Frances Williams Baby'*.

1988 registration: *H. 'Sherborne Swallow'* The AHS registered this hosta in 1988 with no published description. Very limited data was in *The List of Registered Cultivars* (1993). The information added is from Peter Ruh; September 2005. (See page 34)

1990 Registrations: *H. 'Yellow High'* This name was registered incorrectly. It should have been registered as *H. 'Yellow Highness'*.

1995 Registrations: *H. 'Gold Wares'* This name was registered incorrectly. It should have been registered as *H. 'Gold Waves'*.

1999 Registrations: *H. 'T Rex'* The AHS registered this hosta in 1999 as *H. 'Tom Rex'*. Arguments were presented to the commission responsible for the ICNCP to have this hosta registered as 'T Rex.'. The commission informed the Inter-

2005 REGISTRATIONS

national Registrar for the Genus *Hosta*, that 'T Rex' should be the accepted epithet over 'Tom Rex' so as "to best preserve existing usage." Thus, *H.* 'T Rex' can be regarded as the registered name with 'Tom Rex' as a synonym.. (See page 37)

2000 registration: *H.* 'Five O'clock Shadow' This name was registered incorrectly. It should have been registered as *H.* 'Five O'Clock Shadow'.

2000 registration: *H.* 'Sheila Maqueen' This name was registered incorrectly. It should have been registered as *H.* 'Sheila Macqueen'.

2000 registration: *H.* 'Vercade's One' and *H.* 'Vercade's Two' These names were registered incorrectly. They should have been registered as *H.* 'Verkade's One' and *H.* 'Verkade's Two'.

2002 registration: *H.* 'Ruffles Pale Face' This name was registered incorrectly. It should have been registered as *H.* 'Ruffled Pale Face'.

2002 registration: *H.* 'Fools Gold' This name was registered incorrectly. It should have been registered as *H.* 'Fool's Gold'.

2002 registration: *H.* 'Hearts Desire' This name was registered incorrectly. It should have been registered as *H.* 'Heart's Desire'.

2003 registration: *H.* 'Sturtevant' The AHS registered this hosta in 2003 but somehow it was left out of the registration publication. (See page 36)

2004 registration: *H.* 'Five O'clock Somewhere' This name was registered incorrectly. It should have been registered as *H.* 'Five O'Clock Somewhere'.

Plant Patents, Plant Breeder's Rights and Establishment: Principle 5 of the ICNCP states:

"This *Code* regulates the terminology to be used for distinguishable group of plants in cultivation and the names to be applied to individual distinguishable groups."

"Under some national and international legislation such as that providing for National Listing or Plant Breeders' Rights (Plant Variety Rights), names may be established for distinguishable groups of plants using terminology peculiar to such legislation. This *Code* does not regulate the use of such terminology or the formation of such names but recognizes that, under such legislation, these names take precedence over names formed under the provisions of this *Code*."

Article 28.2 of the *Code* "the name of a cultivar accepted and published by a statutory plant registration authority, even if using alternative terminology must not be rejected under the provisions of this *Code*."

In keeping with this principle, included on page @@ is a table of hostas that have been processed under one of these pieces of legislation. The table also indicates which have already been registered. Those which have not been registered have been established and thus, those names although, not registered, are not available for use by any other person.

Thanks: The editing of W. George Schmid, Mark Zilis, and Warren Pollock is acknowledged and greatly appreciated.

Kevin P. Walek, International Registrar for the Genus *Hosta*
9122 John Way
Fairfax Station, VA 22039-3042
703-798-5501
AHSRegistrar@aol.com

H. 'A Very Good Boy' E. Elslager (ONIR)
Plant: 46 in. (116.8 cm) diameter; 34 in. (86.4 cm) high; mound-like; medium growth rate.
Leaf: 11 in. (27.9 cm) long; 11.25 in. (28.6 cm) wide; 14 to 15 pairs of veins; blue-green .05 in. (.1 cm) slightly rippled thin creamy white margin; slightly shiny on top and glaucous bloom underneath; nearly round; cordate base; moderately cupped, deeply corrugated, moderately leathery; petiole glaucous green.
Scape: 40 to 42 in. (101.6 to 106.8 cm); glaucous green; inflorescence leaves.
Flower: 2.1 in. (5.3 cm); near white, pale purple striped, translucent edge, tubular; Ann Arbor, MI; June 1 to Aug 15; 6/20-7/10-7/19; (*codes 3-3-3).
Seed: sets viable seeds, green seed pod.
Clump History: orig. seedling, 7 yrs old, Ann Arbor, MI.
Notable Characteristics: large leathery corrugated blue-green leaves with white backs and flowers.
 [F₁ seedling of *H.* 'Dorothy Benedict' × unknown]

H. 'Aachen' A. Malloy (ONIR)
Plant: 37 in. (94 cm) diameter; 16 in. (40.6 cm) high; mound-like; medium growth rate.
Leaf: 9 in. (22.9 cm) long; 6 in. (15.3 cm) wide; 10 pairs of veins; medium blue-with a 1 in. (2.5 cm) white margin; glaucous bloom on top and underneath; broadly ovate; rounded base; green petiole.
Scape: 35 in. (88.9 cm) long; light green.
Flower: 2.25 in. (5.7 cm) long; lavender; tubular; South Salem, NY; June 1 to July 15; 7/5-7/15-7/30.
Seed: sets viable seeds; green seed pod.
Clump History: orig. seedling, 7 yrs old, South Salem, NY.
Notable Characteristics: blue with white edge and frosted back.
 [*H.* 'Zebra' × unknown]

H. 'Academy Ametrine' S. Chamberlain (ONIR)
Plant: 31 in. (78.7 cm) diameter; 22 in. (55.9 cm) high; upright.
Leaf: 10 in. (25.4 cm) high; 7 in. (17.8 cm); 12 to 13 pairs of veins; greenish-yellow; moderately flat; heavily rippled edge; dull on top and underneath; broadly ovate; rounded.
Scape: 19 to 29 in. (48.3 to 73.7 cm) long; medium green.
Flower: 2 in. (5.1 cm) long; pale purple; tubular; Manlius, NY, July 15 to Aug 15, 6/28-7/18-7/28; (*codes 4, 5, 5).
Seed: seed set unknown; medium green seed pod.
Clump History: orig. seedling; 4 yrs old; Manlius, NY.
Notable Characteristics: pie-crust gold; lutescent; with pale purple flowers and a white bud head with purple margins.
 [*H.* 'Sum and Substance' × unknown]

H. 'Academy Chetwood' S. Chamberlain (ONIR)
Plant: 35 in. (88.9 cm) diameter; 16 in. (40.6 cm) high; upright; medium growth rate.
Leaf: 8 in. (20.3 cm) long; 5 in. (12.7 cm) wide; 10 pairs of veins; medium green; flat edge; dull on top; slightly shiny underneath; lightly wavy, moderately corrugated, moderately flat broadly ovate; cordate; bottom half of petiole is reddish-purple.
Scape: 18 to 20 in. (45.7 to 50.8 cm) long; medium green.
Flower: 1.75 in. (4.5 cm) long; light lavender; med. lavender striping; tubular; Manlius, NY; 7/28-8/10-8/19; (*codes 5, 5, 5).
Seed: viability unknown; medium green pod.
Clump History: orig. seedling; 7 yrs old; Manlius, NY.
Notable Characteristics: dull-leafed, medium sized, upright green hosta with purple petioles and striking striped flowers just above the foliage.
 [F₁ seedling of *H.* 'Ginko Craig' × unknown]

H. 'Academy Dimholt' S. Chamberlain (ONIR)
Plant: 42 in. (106.7 cm) diameter; 18 in. (45.7 cm) high; mound like.
Leaf: 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 9 pairs of veins; medium green; slightly rippled edge; dull on top; slightly shiny underneath; lightly corrugated, moderately flat; broadly ovate; rounded base; light green petiole.
Scape: 19 to 22 in. (48.3 to 55.9 cm) long; medium green.
Flower: 1.75 in. (4.5 cm) long; pale lavender; tubular; Manlius, NY; July 15 to Aug 15; 8/5-8/18-8/20; (*codes 5, 5, 5).
Seed: sets pod; viability unknown; seed pod medium green.
Clump History: orig. seedling; 7 yrs old; Manlius, NY.
Notable Characteristics: dull-leafed, medium sized, mound-like green hosta with conical flowers on short scapes.
 [F₁ seedling of *H.* 'Ginko Craig' × unknown]

H. 'Academy Grass Clippings' S. Chamberlain (ONIR)
Plant: 23 in. (58.4 cm) diameter; 10 in. (25.4 cm); upright.
Leaf: 6.5 in. (16.5 cm) long; 4 (10.2 cm); 8 pairs of veins; medium green with light green streaking; slightly rippled edge; dull on top; glaucous bloom underneath; ovate; rounded base; lightly wavy, moderately flat; petiole is creamy white, with thin medium green edges.
Scape: 13 to 14 in. (33 to 35.6 cm); light green.
Flower: 1.75 in. (4.5 cm); pale lavender; striped; tubular; Manlius, NY; June 1 to July 15; 6/30-7/10-7/15; (*codes 4, 5, 5).
Seed: sets viable seeds; light green seed pod.
Clump History: orig. seedling, 4 yrs old; Manlius, NY.
Notable Characteristics: medium-sized with grass clipping-like streaking.
 [*H.* 'Allegan Fog' × unknown]

H. 'Academy Kakistocracy' S. Chamberlain (ONIR)
Plant: 34 in. (86.4 cm) diameter; 14 in. (35.6 cm) high; upright.
Leaf: 9 in. (22.9 cm) long 5.75 in. (14.6 cm) wide; 12 pairs of veins; slightly blue-green; .75 to 1 in. (1.9 to 2.5 cm) wide, slightly rippled, light green margin; glaucous bloom on top; slightly shiny underneath; lightly corrugated, moderately flat; broadly ovate; cordate base.
Scape: 31 to 33 in. (78.7 to 83.8 cm); slightly blue-green.
Flower: 1.25 in. (3.2 cm) long; near white; faint lavender striped; tubular; Manlius, NY; June 1 to July 15; 6/20-7/18-7/26; (*codes 3, 4, 5).
Seed: sets pod; viability unknown; seed pod light green.
Clump History: orig. seedling; 5 yrs old; Manlius, NY.
Notable Characteristics: upright, medium sized with subtle variegation; center becomes medium green by mid-summer.
 [*H.* 'Pizzazz' × unknown]

H. 'Academy Rivendell' S. Chamberlain (ONIR)
Plant: 35 in. (88.9 cm) diameter; 19 in. (48.3 cm) high;
Leaf: 5.5 in. (14 cm) long; 4.5 (11.4 cm) wide; 7 pairs of veins; medium green; lightly wavy, lightly corrugated, moderately flat; broadly ovate; rounded base; purple stippling at base of petiole.
Scape: 14 to 19 in. (35.6 to 48.3 cm) long; medium green.
Flower: 2 in. (5.1 cm) long; medium lavender; purple striped; tubular; Manlius, NY; 7/25-8/9-8/20; (*codes 5, 5, 5).
Seed: viability unknown; dark green; purple spotted seed pod.
Clump History: orig. seedling; 7 yrs old; Manlius, NY.
Notable Characteristics: dull-leafed medium sized green with purple petioles with medium lavender flowers on short scapes.
 [F₁ seedling of *H.* 'Ginko Craig' × unknown]

H. 'Academy Weathertop' S. Chamberlain (ONIR)
Plant: 43 in. (109.2 cm) diameter; 17 in. (43.2 cm) high; mound-like; medium growth rate.
Leaf: 7 in. (17.8 cm) long; 3.5 in. (8.9 cm) wide; 7 pairs of veins; medium green; slightly rippled edge; lightly wavy, moderately flat; dull on top; slightly shiny underneath; elliptic; tapered base; petiole purple at base.
Scape: 15 to 23 in. (38.1 to 58.4 cm) long; medium green.
Flower: 2 in. (5.1 cm) long; pale purple; white striped and edged; tubular; Manlius, NY; July 15 to Aug 15; 8/2-8/13-8/22; (*codes 5, 5, 5).
Seed: viability unknown; medium green seed pod.
Clump History: orig. seedling; 7 yrs old; Manlius, NY.
Notable Characteristics: dull-leafed, low wide mound, rich display of purple flowers.
 [F₁ seedling of *H.* 'Ginko Craig' × unknown]

H. 'Aesop' D. Beilstein (O), A. Malloy (NIR)
Plant: 10 in. (25.4 cm) diameter; 5 in. (12.7 cm) high; mound-like; medium growth rate.
Leaf: 4 in. (10.2 cm) long; 1.5 in. (3.8 cm) wide; 6 pairs of veins; medium green; .25 in. (.6 cm) cream margin; slightly shiny on top; dull underneath; flat; lance; tapered base; petiole is green with cream margin.
Scape: 20 to 21 in. (50.8 to 53.3 cm) long; dark purple bottom third of petiole.
Flower: 2.5 in. (6.35 cm) long; purple; white striped; tubular; South Salem, NY; July 15 to Aug 15; 7/1-7/7-7/20.
Seed: sets viable seeds; green with purple stripes.
Clump History: orig. seedling; 3 yrs old; South Salem, NY
Notable Characteristics: miniature hosta with small narrow leaves with cream edge.
 [*H.* 'Neat Splash' × unknown]

H. 'Alexizz Madison' S. Xavier-Sakr (ONIR)
Plant: small
Leaf: 3.25 in. (8.3 cm) long; 2.5 in. wide; 8 pairs of veins; blue; .25 in. (.6 cm) flat; cream margin; slightly shiny on top and underneath; broadly ovate; cordate base; cupped.
Scape: 6 to 8 in. (15.2 to 20.3 cm) long.
Seed: seed set unknown.
Clump History: orig. sport; 4 yrs old; Plympton, MA.
Notable Characteristics: small beautiful blue cream, great substance, to date has not bloomed.
 [sport of *H.* 'Pandora's Box']

H. 'All Star' D. aAiello (ONIR)
Plant: 30 in. (76.2 cm) diameter; 18 in. (45.7 cm) high; mound-like; fast growth rate.
Leaf: 10 in. (25.4 cm) long; 4.5 in. (11.4 cm) wide; 10 pairs of veins; streaked white, dark and light green, and yellow; .5 in (1.3 cm) slightly rippled, yellow margin; lightly cupped, moderately flat; dull to slightly shiny on top; dull to slightly shiny underneath; ovate; rounded base; yellow margin turns to white.
Scape: 18 to 24 in. (45.7 to 61 cm) long; dark green; inflorescence leaves.
Flower: 2 to 2.5 in. (5.1 to 6.4 cm) long; medium lavender; tubular; Hope, RI; 7/20-7/27-8/7; (*codes 2, 2, 2).
Seed: sets viable seeds; greenish yellow seed pod.
Clump History: orig. sport; 3 yrs old; Hope, RI.
Notable Characteristics: streaked white, dark and light green, and yellow.
 [sport of *H.* 'Antioch']

H. 'Allegheny River' A. Malloy (ONIR)
Plant: 33 in. (83.8 cm) diameter; 18 in. (45.7 cm) high; mound-like; medium growth rate.
Leaf: 6.5 in. (16.5 cm) long; 4 in. (10.2 cm) 9 pairs of veins; medium green; wavy; rippled edge; slightly shiny on top and underneath; ovate; rounded base; petiole purple half-way up.
Scape: 22 in. (55.9 cm) long; purple half-way up.
Flower: 2 in. (5.1 cm); near white with lavender streaks; tubular; South Salem, NY; Aug 15 to Oct 1; 8/1-8/9-8/20
Seed: sets viable seeds; black seed pod.
Clump History: orig. seedling 6 yrs old; South Salem, NY.
Notable Characteristics: wavy leaf with puckering and lavender to purple petioles.
 [*H.* 'Tenryu' × unknown]

H. 'Almost' A. Wrede (ONIR)
Plant: 12 in. (30.5 cm) diameter; 6 in. (15.2 cm) high; mound-like; fast growth rate.
Leaf: 4.5 in. (11.4 cm) long; 3 in. (7.6 cm) wide; 7 pairs of veins; light green; flat; dull on top and underneath; ovate; cordate base; red petiole.
Scape: red purple
Flower: 1.5 in. (3.8 cm) long; tubular; Joppa, MD; after Oct 1.
Seed: sets seed, viability unknown.
Clump History: orig. seedling; 4 yrs old; Joppa, MD.
Notable Characteristics: red purple midrib retains the color.
 [*H.* 'Cinnamon Sticks' × unknown]

H. 'American Idol' G. R. Goodwin (ONIR)
Plant: 36 in. (91.4 cm) diameter; 18 in. (45.7 cm) high; mound-like; medium growth rate.
Leaf: 12 in. (30.5 cm) long; 10 in. (25.4 cm) wide; 13 pairs of veins; medium green; greenish-yellow .5 to 1 inch (.6 to 2.5 cm) variable margin; deeply cupped, moderately twisted, moderately folded, lightly waxy, deeply corrugated, lightly flat; slightly shiny on top and dull underneath; nearly round; cordate base.
Scape: 15 to 18 in. (38.1 to 45.7 cm) long; greenish.
Flower: 1.5 in. (3.8 cm) long; pale lavender; bell; Indianapolis, IN; July 1 to Aug 1; 7/1-7/15-7/30; (*codes 4, 4, 5).
Seed: sets viable seeds; light green seed pod.
Clump History: orig. sport; 8 yrs old; Indianapolis, IN.
Notable Characteristics: smaller than other *H.* 'Sum and Substance' sports.
 [sport of *H.* 'Sum and Substance']

H. 'American Misty' V. Wade (ONIR)
Plant: 36 in. (91.4 cm) diameter; 14 in. (35.6 cm) high; mound-like; slow growth rate.
Leaf: 7 in. (17.8 cm) long; 6 in. (15.3 cm) wide; 12 to 14 pairs of veins; greenish white streaked, mist with green specks; .5 to 2 in. (1.3 to 5.1 cm) dark green margin; lightly cupped, lightly twisted, moderately wavy, lightly corrugated; dull glaucous bloom on top and underneath; broadly ovate; cordate base.
Scape: 14 to 18 in. (35.6 to 45.7 cm) long; green and white streaked.
Flower: 2.2 in. (5.6 cm); near white; pale purple striped, translucent edges; tubular; Bellville, OH; June 1 to Aug 15; 6/25-7/8-7/15; (*codes 2, 2, 2).
Seed: sets viable seeds; green seed pod.
Clump History: orig. sport; 6 yrs old; Bellville, OH
Notable Characteristics: unique misting and streaking, variegation pattern.
Seasonal Variation: early in season center of leaf is whiter then gets more streaking and misty - speckling later.
 [sport of *H.* 'American Masterpiece']

2005 REGISTRATIONS

H. 'Angel Harp Strings' E. Elslager (ONIR)
Plant: 40 in. (101.6 cm) diameter; 23 in. (58.4 cm) high; mound like; medium growth rate.
Leaf: 10.5 in. (26.7 cm) long; 8.5 in. (21.6 cm) wide; 14 to 15 pairs of veins; blue-green streaked green shades, yellow and creamy white; lightly cupped, moderately wavy, moderately corrugated; slightly shiny on top glaucous bloom underneath; broadly ovate; cordate base; petiole streaked glaucous green.
Scape: 28 to 39 in. (71.1 to 99.1 cm) long; glaucous green; inflorescence leaves.
Flower: 2.1 in. (5.3 cm) long; near white; pale lavender striped, translucent edges; open funnel; Ann Arbor, MI; June 1 to Aug 15; 7/2-7/1-7/29; (*codes 3, 4, 4).
Seed: sets viable seeds; green or streaked seed pod.
Clump History: orig. sport; 4 yrs old; Ann Arbor, MI.
Notable Characteristics: large mound of blue-green rippled foliage, multicolor streaking, thick substance, white backs. [sport of *H. 'Blue Angel'*]

H. 'Anna Boynton' G. Heinke (ONIR)
Plant: 12 in. (30.5 cm) diameter; 12 in. (30.5 cm); upright; medium growth rate.
Leaf: 6 in. (15.2 cm) long; 4 in. (10.2 cm) wide; 10 to 11 pairs of veins; pale yellow; 1 in. (2.5 cm) medium green, flat margin; lightly cupped; slightly shiny; dull underneath; broadly ovate; cordate base; petiole yellow with green stripes.
Scape: 12 to 14 (30.5 to 35.6 cm) long; yellow green
Flower: 1 in. (2.5 cm) long; near white; lavender striped; tubular; Columbus, OH; 7/1-7/15-8/1; (*codes 2, 2, 2).
Seed: seed set unknown.
Clump History: orig. seedling; 3 yrs old; Columbus, OH
Notable Characteristics: good rugosity, attractive color combination.
 [*H. 'Dorothy Benedict'* × unknown]

H. 'Anna Lindh' L. Kósa (ONIR)
Plant: 13.75 in. (34.9 cm) diameter; 12 in. (30.5 cm); mound-like; slow growth rate.
Leaf: 6.3 in. (16 cm) long; 4.6 in. (11.7 cm) wide; 7 pairs of veins; creamy white; .04 in. (.1 cm) flat, light green margin; lightly cupped; slightly shiny on top; dull underneath broadly ovate; rounded base.
Scape: 13.75 to 15.75 in. (35 to 40 cm); light brown speckled.
Flower: 1.375 in. (3.5 cm) long; medium lavender; white striped; bell; Båstad, Sweden; Aug 15 to Oct 1; 8/15-9/10-10/5.
Seed: viability unknown; light green seed pod.
Clump History: orig. seedling; 4 yrs old; Båstad, Sweden
Notable Characteristics: prominently veined leaves, color change to near white.
Seasonal Variation: starts medium blue-green, color changes to near white.
 [Parentage Unknown]

H. 'Anne' G. Heemskerk (ONIR)
Plant: 29.5 in. (74.9 cm) diameter; 13.75 in. (34.9 cm) high; mound-like; medium growth rate.
Leaf: 6.375 in. (16.2 cm) long; 4.625 in. (11.8 cm) wide; 8 pairs of veins; dark green; .875 in. (2.25 cm) flat, pale yellow to golden margin; lightly cupped; slightly shiny; dull underneath; nearly round; cordate base.
Scape: 19.5 in. (49.5 cm); dark green and reddish brown
Flower: 2.3 in. (5.9 cm) long; pale lavender; white striped; tubular; The Netherlands; July 15 to Aug 15;
Seed: seed set unknown.
Clump History: orig. sport; 3 yrs old; The Netherlands.

Notable Characteristics: tetraploid with unique dark green variegation pattern, large light yellow margins, cupped thick rounded leaves, numerous lavender flowers.
 [sport of *H. 'Fortunei Aureomarginata'*]

H. 'Arctic Sunset' P. Ruh (ONI), P. & J. Ruh (R)
Plant: 25.25 in. (64.1 cm) diameter; 13 in. (33 cm) high; upright; medium growth rate.
Leaf: 7.375 in. (18.8 cm) long; 4.75 in. (12.1 cm) wide; 9 pairs of veins; streaked with lighter green, pale yellow, greenish yellow; .25 to .5 in. (.6 to 1.3 cm) slightly rippled; light green margin; lightly folded, lightly wavy, flat; dull on top and underneath; ovate; flat base; glaucous green petiole.
Scape: 28 in. (71.1 cm) long; glaucous green.
Flower: 2 in. (5.1 cm); medium lavender; striped; tubular; Chesterland, OH; Aug 15 to Oct 1; 8/14-8/24-9/4; (*codes 6, 6, 7).
Seed: sets viable seeds.
Clump History: orig. sport; 14 yrs old; Chesterland, OH
Notable Characteristics: colorful leaf, not all leaves same for pattern, but same color.
 [sport of *H. 'Fortunei Hyacinthina'*]

H. 'Arkansas Lad' C. D. Metzger (ONIR)
Plant: 72 in. (182.9 cm) diameter; 30 in. (76.2 cm) high; mound-like; medium growth rate.
Leaf: 13.5 in. (34.3 cm) long; 6 in. (15.3 cm) wide; 15 pairs of veins; medium green; .5 in. (1.3 cm) slightly rippled white margin; flat; dull on top and glaucous bloom underneath; ovate; cordate base.
Scape: 40 in. (101.6 cm) long.
Flower: 2.375 in. (6 cm) long; near white; lavender striped; funnel; Hanover, VA; 6/1-6/20-7/8; (*codes 1, 2, 3).
Seed: sets viable seeds; green seed pod.
Clump History: orig. seedling; 10 yrs old; Hanover, VA
Notable Characteristics: non-fading white edge and, various shades of green/grey in leaf.
 [*H. 'Breeder's Choice'* × unknown]

H. 'Athena' B. Hird (ONIR)
Plant: 60 in. (152.4 cm) diameter; 24 in. (61 cm) high; upright to mound-like; fast growth rate.
Leaf: 11 in. (27.9 cm) long; 7.5 in. (19.1 cm) wide medium green streaked with cream.
Flower: pure white; double trumpet; Dubuque, IA; Aug 15 to Oct 1.
Seed: seed set unknown.
Clump History: orig. sport; 6 years; Dubuque, IA.
Notable Characteristics: double flower, fragrant, streaked.
 [sport of *H. 'Aphrodite'*]

H. 'Avery Angel' B. Tiffany (ONIR)
Plant: 30 in. (76.2 cm) diameter; 12 in. (30.5 cm); mound-like; slow growth rate.
Leaf: 7 in. (17.8 cm) long; 4.5 in. (11.4 cm) wide; 8 pairs of veins; intensely greenish-yellow; .125 to .5 in. (.3 to 1.3 cm) flat, speckled, feathery white margin; lightly cupped; matte, velvety on top; slightly shiny underneath; broadly ovate; rounded base.
Scape: 18 to 20 in. (45.7 to 50.8 cm) long; chartreuse.
Flower: 2 in. (5.1 cm) long; pure white; tubular; Bucks County, PA; July 15 to Aug 15; 7/15-7/21-8/3
Seed: does not set seed.
Clump History: orig. seedling; 10 yrs old; Bucks County, PA.
Notable Characteristics: feathery white margin.
 [Parentage Unknown]

H. 'Awakening Angel'

F. Nyikos (ONIR)

Plant: 60 in. (152.4 cm) diameter; 15 in. (38.1 cm) mound-like; medium growth rate.**Leaf:** 10 in. (25.4 cm) 4.5 in. (11.4 cm) 10 pairs of veins; intensely blue; slightly rippled; moderately folded, lightly wavy, moderately flat; glaucous bloom on top and underneath; ovate to almost lance; rounded to tapered; petiole is glaucous, and long; when glaucous bloom is gone leaf is dark green.**Scape:** 24 to 30 in. (61 to 76.2 cm) long; glaucous; inflorescence leaves.**Flower:** 1.5 in. (3.8 cm) long; pale purple; tubular; Unionville, IN; Aug 1 to Aug 31; 8/1-8/15-8/31; (*codes 6, 7, 7).**Seed:** rarely sets viable seed; green seed pod.**Clump History:** orig. seedling; 6 yrs old; Unionville, IN**Notable Characteristics:** flat pancake shape with long spear-shaped leaves.[*H. 'Mikawa-no-yuki'* × *H. 'Uncle John'*]**H. 'Banana Pudding'**

T. Avent (ONIR)

Plant: 12 in. (30.5 cm) diameter; 4 in. (10.2 cm) high; mound-like; slow growth rate.**Leaf:** 2.7 in. (6.9 cm) long; 2.5 in. (6.4 cm) wide; 5 to 6 pairs of veins; yellow; slightly rippled; lightly cupped, lightly; dull on top and underneath; broadly ovate; cordate base.**Scape:** 6 in. (15.2 cm) long.**Flower:** tubular; pale lavender; Raleigh, NC; June 1 to July 15.**Seed:** seed set unknown.**Clump History:** orig. seedling; 14 yrs old; Raleigh, NC.[*H. 'Peter Pan'* × *H. 'Sun Power'*]**H. 'Big Bad John'**

E. Elslager (ONIR)

Plant: 54 in. (137.2 cm) diameter; 27 in. (68.6 cm) high; upright; fast growth rate.**Leaf:** 15.5 in. (39.4 cm) long; 11.5 in. (29.2 cm) wide; 17 pairs of veins; medium green streaked with golden yellow or creamy white; slightly rippled; moderately wavy, moderately corrugated; slightly shiny on top and slightly shiny; glaucous bloom underneath; broadly ovate; cordate base; petiole green with yellow edges.**Scape:** 36 to 41 in. (91.4 to 104.1 cm) long; green; inflorescence leaves.**Flower:** 2 in. (5.1 cm); pale lavender; translucent edge; tubular; Ann Arbor, MI; 6/25-7/10-7/22; (*codes 3, 3, 4).**Seed:** sets viable seeds; green seed pod.**Clump History:** orig. seedling; 7 yrs old; Ann Arbor, MI**Notable Characteristics:** giant glossy, rippled seedling from *H. 'Dorothy Benedict'*, golden yellow streaking, tall scapes, colors hold until fall.[F₁ seedling of *H. 'Dorothy Benedict'* × unknown]**H. 'Big Old Bob'**

S. & S. Zolock (ONIR)

Plant: 60 in. (152.4 cm) diameter; 30 in. (76.2 cm) high; upright; medium growth rate.**Leaf:** 13 in. (33 cm) long; 13 (33 cm) long; 14 pairs of veins; medium blue-green; slightly rippled; lightly twisted, lightly wavy, moderately corrugated; slightly shiny on top and dull underneath; ovate; cordate base; petiole long, V-shaped, light green with back midrib.**Scape:** 36 to 39 (91.4 to 99.1 cm) long; green.**Flower:** 2.5 in. (6.4 cm); cream white with lavender cast; tubular; Belle Vernon, PA; 7/1-7/15-7/30; (*codes 2, 3, 4); fragrant.**Seed:** sets viable seeds; green seed pod.**Clump History:** orig. seedling; 8 yrs old; Belle Vernon, PA.**Notable Characteristics:** large upright plant, abundance of flower scapes.[*H. sieboldiana* × seedling]**H. 'Birth of the Blues'**

E. Elslager (ONIR)

Plant: 23 in. (58.4 cm) diameter; 20 in. (50.8 cm) high; upright; medium growth rate.**Leaf:** 9.125 in. (23.2 cm) long; 7.75 in. (19.7 cm) wide; 14 pairs of veins; blue-green streaked with light green, medium green, dark green, greenish yellow, pale yellow, creamy white; slightly rippled; moderately wavy, deeply corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole glaucous greenish yellow, green edges.**Scape:** 24 to 29 in. (61 to 73.7 cm) long; glaucous green; inflorescence leaves.**Flower:** 2.1 in. (5.3 cm) long; pale lavender with translucent edge; tubular; Ann Arbor, MI; 6/29-7/17-7/30; (*codes 3, 4, 4).**Seed:** sets viable seeds; green seed pod.**Clump History:** orig. seedling; 8 yrs old; Ann Arbor, MI.**Notable Characteristics:** deeply rugose, corrugated, multicolored streaked pod parent, white backs, colors hold until fall.[*H. 'Dorothy Benedict'* F₁ seedling × unknown]**H. 'Black Forest'**

C. Tompkins (ONI), P. & J. Ruh (R)

Plant: 27 in. (68.6 cm) diameter; 19 in. (48.3 cm) high; mound-like; medium growth rate.**Leaf:** 8 in. (20.3 cm) long; 6.75 in. (17.1 cm) wide; 10 pairs of veins; medium to light green; heavily rippled; moderately cupped, moderately twisted, moderately wavy, moderately corrugated, densely folded; dull on top and underneath; ovate; cordate base; petiole winged.**Scape:** 37 in. (94 cm) long; green; inflorescence leaves.**Flower:** 2.5 in. (6.4 cm); deep lavender; striped; bell; Chesterland, OH; July 15 to Aug 15; 7/16-7/28-8/11; (*codes 4, 5, 5).**Seed:** seed set unknown.**Clump History:** division of orig. obtained from a nursery; 4 yrs old; Chesterland, OH.**Notable Characteristics:** unusually folded leaf.

[Parentage Unknown]

H. 'Black Jack Chew'

J. Schwarz (OIR); K. Schwarz (N)

Plant: 12 in. (30.5 cm) diameter; 24 in. (61 cm) high; mound-like; medium growth rate.**Leaf:** 7 in. (17.8 cm) long; 4 in. (10.2 cm) wide; 7 pairs of veins; dark green; heavily rippled; lightly folded; slightly shiny on top; very shiny underneath; ovate; rounded base**Flower:** deep purple; Dubuque, IA; July 15 to Aug 15.**Seed:** seed set unknown.**Clump History:** orig. sport obtained from TC; 2 yrs old; Dubuque, IA.**Notable Characteristics:** very dark green.[sport of *H. 'Mutant Ninja'*]**H. 'Blazer'**

E. Elslager (ONIR)

Plant: 23 in. (58.4 cm) diameter; 11 in. (27.9 cm) high; mound like; medium growth rate.**Leaf:** 6.5 in. (16.5 cm) long; 4.25 in. (10.8 cm) wide; 8 pairs of veins; blue-green; .25 to 1.25 in. (.6 to 3.1 cm) slightly rippled; pale yellow margin; lightly cupped, lightly corrugated; slightly shiny on top and underneath; ovate; flat base; petiole greenish yellow with yellow edges.**Scape:** 15 to 17 in. (38.1 to 43.2 cm) long; green; inflorescence leaves.**Flower:** 1.5 in. (3.8 cm) long; pale lavender; pale purple striped; tubular; Ann Arbor, MI; 7/13-7/28-8/9; (*codes 3, 4, 4).

2005 REGISTRATIONS

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 8 yrs old; Ann Arbor, MI

Notable Characteristics: bright blue-green leaves, wide yellow margins, red petioles.

[seedling of *H.* 'Galaxy' × unknown]

***H.* 'Blue Baron'** E. & J. Deckert (ONIR)

Plant: 26 in. (66 cm) diameter; 7 in. (17.8 cm) high; mound-like; medium growth rate.

Leaf: 7 in. (17.8 cm) long; 3 in. (7.6 cm) wide; 7 to 8 pairs of veins; intensely blue-green; deeply flat; dull on top and underneath dull; lance; tapered to rounded base; petiole intensely blue-green.

Scape: 7 to 7.5 in. (17.8 to 19.1 cm) long; blue-green; inflorescence leaves.

Flower: .75 in. (1.9 cm) long; very pale lavender; bell; Hampstead, MD; July 15 to Aug 15; 7/22-8/4-8/10.

Seed: viability unknown; blue-green seed pod.

Clump History: orig. seedling; 7 yrs old; Hampstead, MD.

Notable Characteristics: flat heavily stacked full with strong blue color remaining throughout season.

[Parentage Unknown]

***H.* 'Blue Beetle'** A. Malloy (ONIR)

Plant: 24 in. (61 cm) diameter; 11 in. (27.9 cm) high; mound-like; medium growth rate.

Leaf: 7 in. (17.8 cm) long; 5.5 in. (14 cm) wide; 8 pairs of veins; medium blue-green; lightly wavy; slightly shiny on top; glaucous bloom underneath; ovate; rounded base; purple petioles into leaf.

Scape: 11 to 12 in. (27.9 to 30.5 cm) long; dark purple.

Flower: 1.75 in. (4.4 cm) long; white-lavender; purple streaks; tubular; South Salem, NY; July 15 to Aug 15; 7/19-7/28-8/10.

Seed: sets viable seeds; light green seed pod.

Clump History: orig. seedling; 4 yrs old; South Salem, NY.

Notable Characteristics: blue-green; petioles purple into leaf.

[*H.* 'Cinnamon Sticks' × unknown]

***H.* 'Blue Lightning'** Walters Gardens, Inc. (OIR), A. Bergeron (N)

Plant: 24 in. (61 cm) diameter; 14 in. (35.6 cm) high; mound-like; fast growth rate.

Leaf: 9 in. (22.9 cm) long; 4.5 in. (11.4 cm) wide; 8 pairs of veins; streaked with blue, green, yellow, and cream; becoming more cream or green on margins and center as season progresses; flat; glaucous bloom on top and underneath; petiole streaked greenish blue and creamy.

Scape: 24 to 36 in. (61 to 91.4 cm) long; streaked greenish blue and creamy.

Flower: 2.5 to 2.75 in. (6.4 to 7 cm) long; medium lavender; tubular; Zeeland, MI; 7/15-7/20-8/5; (*codes 4, 4, 6).

Seed: sets viable seeds; green with creamy yellow seed pod.

Clump History: orig. sport obtained from TC; 3 yrs old; Zeeland, MI.

Notable Characteristics: rapidly growing, heavily streaked large blue-green form.

[sport of *H.* 'Blue Umbrellas']

***H.* 'Blueberry Tart'** R. Solberg (ONIR)

Plant: 22 in. (55.9 cm) diameter; 8 in. (20.3 cm) high; mound-like; medium growth rate.

Leaf: 4.5 in. (11.4 cm) long; 3 in. (7.6 cm) wide; 5 to 6 pairs of veins; medium blue-green; slightly rippled; deeply folded, lightly wavy; glaucous bloom on top and underneath; ovate; rounded base.

Scape: 11 to 12 in. (27.9 to 30.5 cm) long; blue-green.

Flower: 1.375 in. (3.5 cm); pale lavender; tubular; Chapel Hill, NC; July 15 to Aug 15; 7/1-7/10-7/20; (*codes 5, 5.5, 6).

Seed: sets viable seeds; blue-green seed pod.

Clump History: orig. seedling; 4 yrs old; Chapel Hill, NC.

Notable Characteristics: tight mound of boat shaped foliage, pink-lavender flowers in July.

[*H.* 'Blue Cadet' × *H.* 'Fall Bouquet']

***H.* 'Bob Koffler'** S. & S. Zolock (ONIR)

Plant: 21 in. (53.3 cm) diameter; 12 in. (30.5 cm) high; mound-like; medium growth rate.

Leaf: 7 in. (17.8 cm) long; 3 in. (7.6 cm) wide; 5 to 7 pairs of veins; greenish-yellow, greenish-white, creamy white streaking; flat to slightly rippled; lightly twisted; dull on top and slightly shiny underneath; ovate; tapered base; petiole green-gold with cream streaks.

Scape: 12 to 14 in. (30.5 to 35.6 cm) long; green-gold with cream streaks; inflorescence leaves.

Flower: 2 in. (5.1 cm) long; pale lavender; lavender striped; bell; Belle Vernon, PA; 7/15-7/25-8/10; (*codes 3, 4, 5).

Seed: sets viable seeds; green-gold streaked seed pod.

Clump History: orig. seedling; 5 yrs old; Belle Vernon, PA.

Notable Characteristics: consistent during growing season, insect resistant, open mound.

Seasonal Variation: bronze gold color in September.

[*H.* 'Fascination' × unknown]

***H.* 'Boogie Blues'** E. Elslager (ONIR)

Plant: 20 in. (50.8 cm) diameter; 26 in. (66 cm) high; upright; fast growth rate.

Leaf: 8.5 in. (21.6 cm) long; 7.25 in. (18.4 cm) wide; 14 pairs of veins; glaucous blue-green; .5 to 1.5 in. (1.3 to 3.8 cm) slightly rippled, pale yellow margin, lightly cupped, deeply corrugated, moderately unruly; slightly shiny and glaucous bloom on top and glaucous bloom underneath; broadly ovate; cordate base; petiole blue-green with yellow edges.

Scape: 28 to 33 in. (71.1 to 83.8 cm) long; glaucous green.

Flower: 2 in. (5.1 cm) long; near white with translucent edge; tubular; Ann Arbor, MI; 6/20-7/7-7/17; (*codes 2, 3, 4).

Seed: viability unknown; glaucous green seed pod.

Clump History: orig. seedling; 4 yrs old; Ann Arbor, MI.

Notable Characteristics: glaucous deep blue-green corrugated leaves, wide yellow margins, white flowers.

[seedling of *H.* 'Band of Gold' × unknown]

***H.* 'Borsch 4'** W. Borsch (ONI), P. Ruh (NR), J. Ruh (R)

Plant: 28 in. (71.1 cm) diameter; 19 in. (48.3 cm) high; upright; fast growth rate.

Leaf: 9 in. (22.9 cm) long; 6.75 in. (17.1 cm) wide; 15 pairs of veins; medium green; slightly rippled; folded, wavy, flat; slightly shiny on top and dull underneath; ovate; flat base.

Scape: 36.25 in. (92.1 cm) long; glaucous green.

Flower: 2.25 in. (5.7 cm) long; lavender white; striped; tubular; Chesterland, OH; 7/14-7/29-8/12; (*codes 4, 5, 5).

Seed: seed set unknown.

Clump History: division of orig. obtained from H. Benedict; 4 yrs old; Chesterland, OH.

Notable Characteristics: stately.

[Parentage Unknown]

***H.* 'Brilliant Sunset'** E. Elslager (ONIR)

Plant: 20 in. (50.8 cm) diameter; 18 in. (45.7 cm) high; upright; medium growth rate.

Leaf: 9 in. (22.9 cm) long; 7.25 in. (18.4 cm) wide; 12 to 13 pairs of veins; creamy white; 1.0 to 2.5 in. (2.5 to 6.4

cm) slightly rippled, dark green margin; lightly cupped, lightly folded, lightly corrugated; slightly shiny on top and glaucous bloom underneath; broadly ovate; cordate base; petiole creamy yellow with green edges.

Scape: 18 to 23 in. (45.7 to 58.4 cm) long; glaucous green; inflorescence leaves.

Flower: 2 in. (5.1 cm) long; pale lavender with translucent edge; tubular; Ann Arbor, MI; 6/30-7/13-7/29; (*codes 3, 3, 4).

Seed: viability unknown; glaucous green seed pod.

Clump History: orig. sport; 4 yrs old; Ann Arbor, MI.

Notable Characteristics: brilliant colors resemble sunrays at sunset.

[sport of *H.* 'Merry Sunshine']

***H.* 'Buggy Wheels'** A. Summers (ONI), P. & J. Ruh (R)

Plant: 13.5 in. (34.3 cm) diameter; 11 in. (27.9 cm) high; mound-like;; slow growth rate.

Leaf: 6 in. (15.2 cm) long; 4.75 in. (12.1 cm) wide; 11 pairs of veins; greenish-yellow; .375 to .5 in. (1 to 1.3 cm) slightly rippled, dark green margin; cupped, twisted, folded, wavy, corrugated; dull on top and underneath; ovate; cordate base; petiole thick for leaf size.

Scape: 17 in. (43.2 cm) long; green

Flower: 2 in. (5.1 cm) long; pure white; tubular; Chesterland, OH; June 1 to Aug 15; 6/1-6/25-8/6; (*codes 2, 3, 4).

Seed: seed set unknown.

Clump History: division of orig. obtained from originator; 6 yrs old; Chesterland, OH.

Notable Characteristics: very slow to attain size.

[sport of *H.* 'Midwest Gold']

***H.* 'Candlelight'** D. & J. Ward (ONIR)

Plant: 24 in. (61 cm) diameter; 24 in. (61 cm) high; upright; slow growth rate.

Leaf: 8 in. (20.3 cm) long; 7 in. (17.8 cm) wide; 12 pairs of veins; deep gold; slightly rippled; wavy; dull on top and underneath; ovate; cordate base.

Scape: 30 in. (76.2 cm) long; green.

Flower: .75 in. (1.9 cm) long; near white; tubular; Bellville, OH; June 1 to July 15; 6/15-6/20-6/28; (*codes 3, 3, 3).

Seed: seed set unknown.

Clump History: orig. seedling; 3 yrs old; Bellville, OH.

Notable Characteristics: striking upright gold- cobble stone leaf surface

[*H.* 'White Vision' × unknown]

***H.* 'Capitol Hill'** T. Avent (ONIR)

Plant: 30 in. (76.2 cm) diameter; 15 in. (38.1 cm) high; upright; slow growth rate.

Leaf: 8 in. (20.3 cm) long; 6 in. (15.3 cm) wide; 9 to 10 pairs of veins; dark green; .25 to .5 in. (.6 to 1.2 cm) flat, light green margin; moderately corrugated, moderately flat; slightly shiny on top and dull underneath; elliptic; rounded base.

Flower: medium lavender; tubular; Raleigh, NC; June 1 to July 15; -6/15-

Seed: seed set unknown.

Clump History: orig. sport; 7 yrs old; Raleigh, NC

Notable Characteristics: glossy leaves with some pebbling

[sport of *H.* 'Potomac Pride']

***H.* 'Cascading Waters'** D. Dean (ONIR)

Plant: 54 in. (137.2 cm) diameter; 22 in. (55.9 cm) high; mound-like; fast growth rate.

Leaf: 11.75 in. (29.9 cm) long; 7.5 in. (19 cm) long; 8 pairs of veins; medium green; .25 to 1.5 in. (.6 to 3.8 cm) slightly rip-

pled, medium grey green, light grey green, cream margin; deeply twisted tip, moderately wavy; dull on top and glaucous bloom underneath; broadly ovate; rounded base; petiole narrow white edge, moderate red speckled 1/4 way up; yellow margin becomes cream later in season.

Scape: 30 to 32 in. (76.2 to 81.3 cm) long; dark purple bottom and top.

Flower: 2 in. (5.1 cm) long; pale lavender with partial stripes, translucent edges; tubular to bell; Ramsey, MN; July 15 to Oct 1; 8/4-8/13-8/21; (*codes 5, 6, 6).

Seed: sets viable seeds; medium green seed pod.

Clump History: orig. seedling; 5 yrs old; Ramsey, MN

Notable Characteristics: cascading mound of pointed and twisted leaves 3 to 4 layers of contrasting color variation, red-purple base of flower bracts.

[*H.* 'Liberty Bell' × *H. hypoleuca*]

***H.* 'Cathedral Windows'** H. Hansen (ONIR)

Plant: 34 in. (86.4 cm) diameter; 19 in. (48.3 cm) high; mound-like; fast growth rate.

Leaf: 10 in. (25.4 cm) long; 9 in. (22.9 cm) wide; 11 to 12 pairs of veins; yellow; 2 to 4 in. (5.1 to 10.2 cm) flat, green margin; domed; slightly shiny on top and glaucous bloom underneath; broadly ovate; cordate base.

Scape: 28 to 32 in. (71.1 to 81.3 cm) long; green; inflorescence leaves.

Flower: 3 in. (7.6 cm) long; pure white; tubular; Waseca, MN; July 15 to Aug 15; 7/22- -8/21; fragrant.

Seed: seed set unknown.

Clump History: orig. sport; 5 yrs old; Waseca, MN

Notable Characteristics: tetraploid *H.* 'Stained Glass'.

Seasonal Variation: leaf brightens throughout the spring- most intense in summer.

[sport of *H.* 'Stained Glass']

***H.* 'Celestial Lightning'** E. Elslager (ONIR)

Plant: 19 in. (45.7 cm) diameter; 11 in. (27.9 cm) high; mound-like; medium growth rate.

Leaf: 7 in. (17.8 cm) long; 5.5 in. (14 cm) wide; 11 pairs of veins; medium green streaked with greenish-yellow, pale yellow, yellow, creamy white; heavily rippled edge; lightly cupped, lightly twisted, moderately corrugated; slightly shiny on top and glaucous bloom underneath; broadly ovate; rounded base; petiole glaucous green with green edges.

Scape: 14 to 20 in. (35.6 to 51 cm) long; glaucous green; inflorescence leaves.

Flower: 2 in. (5 cm); pale lavender with translucent edge; tubular; Ann Arbor, MI; 6/29-7/13- 7/26; (*codes 3, 3, 4).

Seed: sets viable seeds; glaucous green seed pod.

Clump History: orig. sport; 4 yrs old; Ann Arbor, MI.

Notable Characteristics: multicolored heavily rippled, streaked hosta mom of heavy substance and unique parentage, gives variegated seedlings.

[sport of *H.* 'Celestial']

***H.* 'Celtic Uplands'** D. Dean (ONIR)

Plant: 35 in. (88.9 cm) diameter; 22 in. (55.9 cm); upright; fast growth rate.

Leaf: 10 in. (25.4 cm) long; 6.5 in. (16.5 cm) wide; 7 pairs of veins; dark green; slightly rippled; lightly folded, lightly wavy, deeply corrugated, slightly shiny on top and underneath; broadly ovate; cordate base; petiole red to on back and half way on front.

Scape: 28 to 31 in. (71.1 to 78.7 cm); red bottom half, medium green top.

Flower: 1.625 in. (4.3 cm) long; medium lavender; dark lavender striped, white petal-like markings; spider; Ramsey, MN; Aug 15 to Oct 1; 8/15-8/20-9/3; (*codes 6, 6, 6).

Seed: sets viable seeds; medium green seed pod

Clump History: orig. seedling; 5 yrs old; Ramsey, MN.

Notable Characteristics: very upright vase, red petiole, deep matte green

[(*H.* 'Swoosh' seedling × *H.* 'John Wargo') × *H. yingeri*]

***H.* 'Changeling'** A. Pollock (ONIR)

Plant: 15 (38.1 cm) diameter; 20 in. (50.8 cm) high; upright.

Leaf: 11 in. (27.9 cm) long; 5 in. (12.7 cm) wide; 8 to 9 pairs of veins; medium green; 1 to 1.5 in. (2.5 to 3.8 cm) golden yellow margin; moderately twisted; very shiny on top and underneath; lance; rounded base; petiole pinkish.

Flower: near white; tubular; Wilmington, DE; July 15 to Aug 15.

Seed: viability unknown; green seed pod

Clump History: orig. seedling; 8 yrs old; Wilmington, DE.

Notable Characteristics: dramatic change from bright variegation to green, purplish petioles, shiny lance leaf.

Seasonal Variation: changes to all green later in the season. [Parentage Unknown]

***H.* 'Chante's Dark Emerald'** Blue Jean Farms (OR), J. Lukehart & B. Miskolcze (NI)

Plant: 30 in. (76.2 cm) diameter; 13 in. (33 cm) high; mound-like; fast growth rate.

Leaf: 7.5 in. (19.1 cm) long; 5.5 in. (14 cm) wide; 10 pairs of veins; dark green with golden yellow and green speckling; flat edge; wavy; dull on top and underneath; broadly ovate; rounded. **Scap:** 22 to 36 in. (56 to 91.4 cm) long; green; inflorescence leaves.

Flower: 1.75 (4.4 cm) long; pale lavender; striped; tubular; Warren, OH; July 15 to Aug 15; 7/15-8/1-8/15

Seed: sets viable seeds; green seed pod.

Clump History: orig. sport; 2 yrs old; Warren, OH.

Notable Characteristics: dark green color with speckling [sport of *H.* 'Gold Standard']

***H.* 'Childhood Sweetheart'** H. Hansen (ONIR)

Plant: 32 in. (81.3cm) diameter; 16 in. (40.6 cm) high; mound-like; medium growth rate.

Leaf: 5 in. (12.7 cm) long; 3 in. (7.6 cm) wide; 6 to 7 pairs of veins; dark green; .25 to .5 in. (.6 to 1.3 cm) flat, creamy white margin; very lightly wavy; dull on top and very shiny underneath; ovate; flat base.

Scap: 21 in. (53.3 cm) long; green.

Flower: 2.5 in. (6.4 cm) long; pale lavender; tubular; Waseca, MN; Aug 15 to Oct 1; 8/25- -9/29

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 9 yrs old; Waseca, MN.

Notable Characteristics: occasionally branched flower scapes. [(*H.* 'Neat Splash' × *H.* 'Tardiflora') × *H.* 'Shining Tot']

***H.* 'Clayton Burkey'** C. Burkey (O), S. & S. Zolock (NIR)

Plant: 35 in. (88.9 cm) diameter; 24 in. (61 cm) high; upright; medium growth rate.

Leaf: 10 in. (25.4 cm) long; 8 in. (20.4 cm) wide; 15 to 17 pairs of veins; intensely blue-green; slightly rippled; moderately cupped, lightly wavy, deeply corrugated; slightly shiny on top; very dull underneath; ovate; flat base; petiole V-shaped, cupped.

Scap: 26 to 29 in. (66 to 73.7 cm) long; dark green; inflorescence leaves.

Flower: 2 in. (5.1 cm) long; near white; lavender striped; tubular; Belle Vernon, PA; 7/1-7/15-7/30; (*codes 4, 5, 6).

Seed: sets viable seeds; dark green seed pod.

Clump History: orig. seedling obtained from originator; 5 yrs old; Belle Vernon, PA.

Notable Characteristics: intense blue-green, cupping and puckering, upright habit

[Parentage Unknown]

***H.* 'Clovelly'** K. Terpening (ONIR)

Plant: 30 in. (76.2 cm) diameter; 18 in. (45.7 cm) high; mound-like.

Leaf: 11 in. (27.9 cm) long; 9 in. (22.9 cm) wide; 9 to 11 pairs of veins; medium green, heavily rippled; corrugated; broadly ovate; cordate base.

Flower: pale lavender; tubular; N. Syracuse, NY; July 15 to Aug 15; 7/14-7/21-8/1

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 5 yrs old; N. Syracuse, NY.

Notable Characteristics: extremely deep piecrusted edge and corrugated leaf surface.

[(*H.* 'Split Decision' selfed)]

***H.* 'Colorado River'** D. Beilstein (O), A. Malloy (NIR)

Plant: 37 in. (94 cm) diameter; 13 in. (33 cm) high; mound-like; medium growth rate.

Leaf: 6.5 in. (16.5 cm) long; 4.5 in. (11.4 cm) wide; 8 to 9 pairs of veins; darkish green; rippled; moderately wavy, moderately corrugated; slightly shiny on top and underneath; ovate; rounded base; petiole dark purple to leaves.

Scap: 19 to 20 in. (48.3 to 50.8 cm) long; dark purple to gray at top.

Flower: 1.5 in. (3.8 cm) long; lavender; tubular; South Salem, NY; July 15 to Aug 15; 8/2-8/11-8/26

Seed: sets viable seeds; black seed pod.

Clump History: orig. seedling; 7 yrs old; South Salem, NY.

[(*H.* 'Neat Splash' × *H.* 'Riptide')]

***H.* 'Confused Angel'** D. Van Eecheute (ONIR)

Plant: 46 in. (118 cm) diameter; 26.9 in. (69 cm) high; mound-like.

Leaf: 12.3 in. (31.5 cm) long; 8.3 in. (21.2 cm) wide; 12 pairs of veins; medium blue-green streaked creamy white; lightly wavy, lightly corrugated; glaucous bloom on top and underneath; ovate; cordate base; petiole streaked.

Scap: 37.8 to 46.4 in. (97 to 119 cm) long; medium blue-green streaked creamy white.

Flower: 1.6 in. (4.1 cm) long; near white; tubular; Deinze, Belgium; June 1 to July 15; 6/2-6/15-7/12; (*codes 3, 4, 4).

Seed: seed viability unknown; streaked seed pod.

Clump History: orig. sport; 5 yrs old; Deinze, Belgium.

Notable Characteristics: heavy streaked *H.* 'Blue Angel'.

[sport of *H.* 'Blue Angel']

***H.* 'Connecticut River'** D. Beilstein (O), A. Malloy (NIR)

Plant: 33 in. (83.8 cm) diameter; 16 in. (40.6 cm); mound-like; medium growth rate.

Leaf: 8.5 in. (21.6 cm) long; 3 in. (7.6 cm) wide; 10 pairs of veins; medium blue-green; lightly wavy; slightly shiny on top; slightly glaucous underneath; lance; tapered base; petiole green with purple.

Scap: 9 to 10 in. (22.9 to 25.4 cm) long; lavender.

Flower: 1.75 to 2 in. (4.4 to 5.1 cm) long; white, lavender striped; tubular; South Salem, NY; Aug 15 to Oct 1; 7/6-7/17-7/26

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 6 yrs old; South Salem, NY.

Notable Characteristics: medium-blue narrow leaf with wavy edge and purple petioles

[*H.* 'Harvest Dandy' × *H.* 'Blue Blush']

***H.* 'Cool Cat'** E. Elslager (ONIR)

Plant: 18 in. (45.7 cm) diameter; 19 in. (48.3 cm) high; upright; medium growth rate.

Leaf: 8.75 in. (22.2 cm) long; 7 in. (17.8 cm) wide; 10 to 11 pairs of veins; glaucous blue-green streaked with light green, medium green, dark green, greenish-yellow; heavily rippled; lightly wavy, deeply corrugated; slightly shiny glaucous bloom on top and glaucous bloom underneath; broadly ovate; cordate base; petiole glaucous blue-green with glaucous yellow edges

Scape: 23 to 27 in. (58.4 to 68.6 cm) long; glaucous green.

Flower: 2 in. (5.1 cm) long; medium lavender; tubular; Ann Arbor, MI; 7/24-8/5-8/14; (*codes 4, 4, 5); inflorescence leaves.

Seed: sets viable seeds; green seed pod.

Clump History: orig. sport; 5 yrs old; Ann Arbor, MI.

Notable Characteristics: unusual yellow streaked glaucous blue-green pod, gives variegated blue-green seedlings.

[sport of *H.* 'Foxy Cat']

***H.* 'Curves'** E. Elslager (ONIR)

Plant: 26 in. (66 cm) diameter; 15 in. (38.1 cm) high; mound-like; fast growth rate.

Leaf: 6 in. (15.2 cm) long; 7.5 (19 cm) wide; 11 to 12 pairs of veins; dark green; .5 to 1.25 in. (1.3 to 3.1 cm) slightly rippled, creamy yellow margin; moderately cupped, moderately corrugated; dull on top; glaucous bloom underneath; nearly round; cordate base; petiole light green.

Scape: 17 to 21 in. (43.2 to 53.3 cm) long; glaucous green

Flower: 1.9 in. (4.9 cm) long; medium lavender; tubular; Ann Arbor, MI; 7/7-7/19-8/2; (*codes 3, 4, 4); inflorescence leaves.

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 8 yrs old; Ann Arbor, MI.

Notable Characteristics: fast growing cupped corrugated leaves with bright creamy yellow margins

[seedling of *H.* 'Sea Prize' × unknown]

***H.* 'Cutie Pie'** E. Elslager (ONIR)

Plant: 12 in. (30.5 cm) diameter; 6 in. (15.2 cm) high; mound-like; medium growth rate.

Leaf: 4 in. (10.2 cm) long; 2.5 in. (6.4 cm) wide; 9 pairs of veins; dark green streaked greenish yellow, pale yellow, creamy white; flat edge; lightly wavy, lightly corrugated, moderately unruly; slightly shiny on top; very shiny underneath; broadly ovate; rounded base; petiole green and yellow streaked

Scape: 9 to 12 in. (22.9 to 30.5 cm) long; green seed pod.

Flower: 1.75 in. (4.4 cm) long; medium lavender; tubular; Ann Arbor, MI; July 15 to Aug 15; 7/15-7/29-8/10; (*codes 4, 4, 5).

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 8 yrs old; Ann Arbor, MI

Notable Characteristics: rare diminutive multicolored streaked pod parent from *H.* 'William Lachman'

[seedling of *H.* 'William Lachman' × unknown]

***H.* 'Cyclops'** R. Soucek (OIR); J. Soucek (N)

Plant: giant; upright.

Leaf: 20 in. (50.8 cm) long; 17 in. (43.2 cm) wide 12 pairs of veins; intensely blue-green; slightly shiny on top; nearly round; deeply corrugated.

Flower: near white; tubular; Avon, OH; July 15 to Aug 15.

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 5 yrs old; Avon, OH

Notable Characteristics: giant leaves that grow upright

[Parentage Unknown]

***H.* 'Daddy Boomer'** E. Elslager (ONIR)

Plant: 63 in. (160 cm) diameter; 33 in. (83.8 cm) high; mound-like; fast growth rate.

Leaf: 11.5 in. (29.2 cm) long; 9.25 in. (23.5 cm) wide; 12 pairs of veins; blue-green; .75 to 2 in. (1.9 to 5.1 cm) heavily rippled, yellow margin; moderately wavy, moderately corrugated; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole green with yellow edges.

Scape: 36 to 40 in. (91.4 to 101.6 cm) long; glaucous green.

Flower: 2.1 in. (5.3 cm) long; near white; lavender striped, translucent edges; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/12-7/24-8/9; (*codes 4, 4, 5); inflorescence leaves.

Seed: viability unknown; green seed pod.

Clump History: orig. sport; 5 yrs old; Ann Arbor, MI.

Notable Characteristics: large rippled glaucous blue-green leaves, wide yellow margins, heavy substance, white flowers. [sport of *H.* 'Baby Boomer']

***H.* 'Dalton's Pick'** K. Terpening (ONIR)

Plant: medium

Leaf: 9 in. (22.9 cm) long; 6 in. (15.3 cm) wide; bright yellow.

Flower: pale lavender; Middle Grove, NY; June 1 to July 15.

Seed: seed set unknown.

Clump History: orig. seedling; 8 yrs old; Middle Grove, NY

Notable Characteristics: bright yellow hosta that holds up well in sun and holds its color all season if grown in sun, even corrugation on the leaves

Seasonal Variation: greens up late in season if grown in shade.

[Parentage Unknown]

***H.* 'Dancing Queen'** K. Terpening (OIR), A. Scheer (N)

Plant: large

Leaf: 13 in. (33 cm) long; 7 in. (17.8 cm) wide; yellow to pale yellow; will go very pale yellow late in the late season.

Flower: pale lavender; N. Syracuse, NY; July 15 to Aug 15.

Clump History: orig. seedling; 8 yrs old; N. Syracuse, NY.

Notable Characteristics: exceptional piecrusted edge on a large yellow hosta.

[*H.* 'Split Personality' × unknown]

***H.* 'Dancing with the Stars'** E. Elslager (ONIR)

Plant: 30 in. (76.2 cm) diameter; 23 in. (58.4 cm) high; upright; fast growth rate.

Leaf: 12.5 in. (31.75 cm) long; 9.25 in. (23.5 cm) wide; 13 to 14 pairs of veins; dark green streaked with blue-green, heavily rippled, lightly twisted, lightly waxy; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole glaucous green and greenish yellow.

Scape: 30 to 36 in. (76.2 to 91.4 cm) long; glaucous green.

Flower: 2.2 in. (5.6 cm) long; pale lavender; pink striping; translucent edge; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/8-7/22-8/2; (*codes 3, 4, 4); inflorescence leaves.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 5 yrs old; Ann Arbor, MI.

Notable Characteristics: large elegant white-backed, multicolored leaves shimmer in starlight, white flowers

[*H.* 'Super Star' × unknown]

***H.* 'Dark Forest'** G. R. Goodwin (ONIR)

Plant: 30 in. (76.2 cm) diameter; 18 in. (45.7 cm); mound-like; fast growth rate.

Leaf: 8 in. (20.3 cm) long; 6 in. (15.3 cm) wide; 6 pairs of veins; dark green; .25 to .75 in. (.6 to 1.9 cm) heavily rippled, creamy white margin; lightly cupped, moderately twisted, lightly wavy, lightly corrugated, lightly flat; very shiny on top; slightly shiny underneath; broadly ovate; flat base.
Scape: 12 to 18 in. (30.5 to 45.7 cm) long; green.
Flower: 2 in. (5.1 cm) long; deep purple; tubular; Indianapolis, IN; June 1 to July 15; 6/25-7/5-7/15; (*codes 2, 2, 3);
Seed: sets seed, viability unknown.
Clump History: orig. sport; 10 yrs old; Indianapolis, IN.
Notable Characteristics: very crisp contrast between rich colored center and edge variegation; uniquely corrugated for small size.
 [sport of seedling of unknown parentage]

H. 'Dark Waters' F. Rogers (ONIR)
Plant: 48 in. (121.9 cm) diameter; 22 in. (55.9 cm) high; mound-like; medium growth rate.
Leaf: 12 in. (30.5 cm) long; 9 in. (22.9 cm) wide; 15 to 16 pairs of veins; dark green; heavily rippled; lightly corrugated, deeply domed; slightly shiny on top; dull underneath; broadly ovate; cordate base.
Scape: 22 to 24 in. (56 to 61 cm) long; green.
Flower: 1.75 in. (4.4 cm) long; pale purple; striped; lavender center on petal; tubular; Glen Ellyn, IL; June 1 to July 15; 7/1-7/10-7/22.
Seed: sets viable seeds; green seed pod
Clump History: orig. seedling; 6 yrs old; Glen Ellyn, IL.
Notable Characteristics: Heavily rippled leaf edge, corrugation, excellent substance, domed leaf
 [Parentage Unknown]

H. 'Dartmoor Forest' A. Eason (O), A. & R. Bowden (NI), P. & J. Ruh (R)
Plant: 48 in. (121.9 cm) diameter; 27 in. (68.6 cm) wide; upright; slow growth rate.
Leaf: 10 in. (25.4 cm) long; 7 in. (17.8 cm) wide; 11 pairs of veins; dark green; slightly rippled; lightly cupped, lightly twisted, moderately folded, lightly wavy, lightly corrugated, dull on top and underneath; ovate; flat base.
Scape: 25 in. (63.5 cm) long; green
Flower: 2 in. (5.1 cm) long; pale lavender; striped; tubular; Chesterland, OH; July 15 to Aug 15; 7/9-7/21-8/4; (*codes 3, 5, 5); inflorescence leaves.
Seed: seed set unknown.
Clump History: orig. seedling obtained from originator; yrs old; Chesterland, OH.
Notable Characteristics: rather open, not compact, received in 1994 as *H. rectifolia* × 1666
 [*H. rectifolia* × unknown]

H. 'Dawes' D. & J. Ward (ONIR)
Plant: 20 in. (50.8 cm) diameter; 14 in. (35.6 cm) high; mound-like.
Leaf: 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 9 to 10 pairs of veins; creamy white; 2 in. (5.1 cm) slightly rippled, dark green margin; wavy; slightly shiny on top and underneath; broadly ovate; cordate base.
Scape: 15 to 17 in. (38.1 to 43.2 cm) long; green.
Flower: .75 in. (1.9 cm) long; pale lavender; bell; Columbus, OH; June 1 to July 15; 7/1-7/7-7/14; (*codes 4, 4, 4).
Seed: viability unknown; green seed pod.
Clump History: orig. seedling; 4 yrs old; Columbus, OH
Notable Characteristics: striking medio-variegated leaf
 [*H. 'Pinstripe Sister'* × unknown]

H. 'Deep Pockets' B. Hird (ONIR)
Plant: 38 in. (96.5 cm) diameter; 19 in. (48.3 cm) high; semi-upright; medium growth rate.
Leaf: 9 in. (22.9 cm) long; 8.5 in. (21.6 cm) wide; medium to dark green; flat; deeply cupped, moderately wavy, very shiny on top and underneath; nearly round; cordate base;
Scape: 28 to 32 in. (71.1 to 81.3 cm) long; green.
Flower: pale lavender; tubular; Dubuque, IA; July 15 to Aug 15; 7/30-8/10-8/16.
Seed: viability unknown; green seed pod.
Clump History: orig. seedling; 6 yrs old; Dubuque, IA.
Notable Characteristics: very corrugated, rich green color, semi-upright.
 [Parentage Unknown]

H. 'Déjà Blu' Walters Gardens, Inc. (OIR), K. Hurd (N)
Plant: 18 in. (45.7 cm) diameter; 10 in. (25.4 cm) high; mound-like; medium growth rate.
Leaf: 6.5 in. (16.5 cm) long; 4.5 in. (11.4 cm) wide; 10 to 12 pairs of veins; slightly blue-green; .5 to 1 in. (1.3 to 2.5 cm) flat, greenish-yellow to yellow margin; moderately flat; dull on top and underneath; broadly ovate ; cordate base.
Scape: 12 to 16 in. (30.5 to 40.6 cm) long; green.
Flower: 2 in. (5.1 cm) long; pale lavender; Zeeland, MI; June 1 to July 15.
Seed: viability unknown; green seed pod.
Clump History: orig. sport obtained from TC; 5 yrs old; Zeeland, MI
Notable Characteristics: creamy white lightning bolt variegation between margin and
Seasonal Variation: intermediate, irregular creamy white between center and margin.
 [sport of *H. 'Blue Boy'*]

H. 'Delaware River' A. Malloy (ONIR)
Plant: 31 in. (78.7cm) diameter; 13 in. (33 cm) high; mound-like; medium growth rate.
Leaf: 8 in. (20.3 cm) long; 5 in. (12.7 cm) wide; 8 pairs of veins; intensely blue-green; lightly wavy; slightly shiny on top; glaucous bloom underneath; ovate; rounded base.
Scape: 13 in. (33 cm) long; whitish green
Flower: 1.5 in. (3.8 cm) long; lavender with dark lavender purple streaks; tubular; South Salem, NY; Aug 15 to Oct 1; 7/26-8/14-8/25.
Seed: sets viable seeds; green seed pod
Clump History: orig. seedling; 4 yrs old; South Salem, NY.
Notable Characteristics: blue hosta with red purple petioles up into the leaf.
 [seedling × unknown]

H. 'Deliverance' T. Avent (ONIR)
Plant: 30 in. (76.2 cm) diameter; 12 in. (30.5 cm) high; mound-like; medium growth rate.
Leaf: 6 in. (15.2 cm) long; 2 in. (5.1 cm) wide; 5 to 6 pairs of veins; medium blue-green; .25 to .5 in. (.6 to 1.3 cm) heavily rippled yellow margin; intensely twisted; dull on top and underneath; lance; tapered base.
Scape: 20 to 24 in. (50.8 to 61 cm) long.
Flower: medium lavender; tubular; Raleigh, NC; June 1 to July 15; -7/15-.
Seed: sets viable seeds
Clump History: orig. seedling; 10 yrs old; Raleigh, NC.
Notable Characteristics: long twisted leaves.
 [[(*H. 'Swoosh'* × *H. longissima*) × *H. 'Red Neck Heaven'*] × *H. 'Elvis Lives'*]

H. 'Denali'

G. R. Goodwin (ONIR)

Plant: 36 in. (91.4 cm) diameter; 16 in. (40.6 cm) high; mound-like; medium growth rate.**Leaf:** 9 in. (22.9 cm) long; 6 in. (15.3 cm) wide; 5 to 6 pairs of veins; medium to dark green; 1 to 1.5 in. (2.5 to 3.8 cm) flat, creamy white margin; lightly cupped, lightly twisted, moderately folded, lightly wavy, lightly corrugated, lightly flat; slightly shiny on top; very shiny underneath; broadly ovate; rounded base; creamy margin on petiole.**Scape:** 24 to 30 in. (61 to 76.2 cm) long; green**Flower:** 2 in. (5.1 cm); near white; very mildly striped; tubular; Indianapolis, IN; 7/5-7/25-8/10; (*codes 4, 4, 5).**Seed:** sets viable seed; green seed pod.**Clump History:** orig. sport; 8 yrs old; Indianapolis, IN.**Notable Characteristics:** broadly ovate glossy with cream white borders, loose mound.

[sport of stabilized seedling of unknown parentage]

H. 'Designer Genes'

A. Wrede (ONIR)

Plant: 18 in. (45.7 cm) diameter; 8 in. (20.3 cm) high; upright; fast growth rate.**Leaf:** 6.5 in. (16.5 cm) long; 4.5 in. (11.4 cm) wide; 6 pairs of veins; bright yellow to yellow; slightly rippled; flat; dull on top; glaucous bloom underneath; broadly ovate; flat base; petiole purple.**Scape:** 24 in. (61 cm) long; red purple.**Flower:** 2 in. (5.1 cm); lavender; striped; tubular; Joppa, MD; Aug 15 to Oct 1.**Seed:** seed set unknown.**Clump History:** orig. seedling; 4 yrs old; Joppa, MD.

[H. 'Miss Susie' × unknown]

H. 'Devon Discovery'J. Goaters (OI), A. & R. Bowden (NI),
P. & J. Ruh (R)**Plant:** 18 in. (45.7 cm) diameter; 10.5 in. (26.7 cm) high; mound-like; medium growth rate.**Leaf:** 6.25 in. (15.9 cm) long; 2.125 in. (5.5 cm) wide; 4 pairs of veins; dark green; slightly rippled; lightly cupped, moderately folded, lightly wavy, flat; slightly shiny on top and underneath; lance; tapered base; petiole light green with medium green edge.**Scape:** 17.5 in. (44.5 cm) long; green.**Flower:** 2 in. (5.1 cm) long; pale lavender; faintly striped; tubular; Chesterland, OH; 8/29-9/8-9/17; (*codes 6, 7, 9).**Seed:** seed set unknown**Clump History:** division of orig. obtained from originator; 5 yrs old; Chesterland, OH.**Notable Characteristics:** low compact growth, lance leaf, late bloom.

[sport of unknown origin]

H. 'Devon Gold'

A. & R. Bowden (ONI), P. & J. Ruh (R)

Plant: 17 in. (43.2 cm) diameter; 9.5 in. (24.1 cm); mound-like; medium growth rate.**Leaf:** 4 in. (10.2) long; 2.25 in. (5.7 cm) wide; 5 pairs of veins; greenish yellow; heavily rippled; lightly twisted, lightly folded, moderately wavy, flat; glaucous bloom on top; very shiny underneath; ovate; tapered base.**Scape:** 21 in. (53.3 cm) long; green.**Flower:** 1.75 in. (4.4 cm) long; medium lavender; striped; tubular; Chesterland, OH; 7/8-7/20-8/3; (*codes 3, 5, 5).**Seed:** seed set unknown.**Clump History:** a division of orig. obtained from a nursery; 4 yrs old; Chesterland, OH**Notable Characteristics:** compact clump.

[Parentage Unknown]

H. 'Devon Green'

A. & R. Bowden (ONI), P. & J. Ruh (R)

Plant: 23.5 in. (59.7 cm) diameter; 18 in. (45.7 cm) high; upright; medium growth rate.**Leaf:** 6.75 in. (17.2 cm) long; 4.125 in. (10.6 cm) wide; 10 pairs of veins; dark green; flat edge; moderately cupped, moderately folded, flat; very shiny on top; slightly shiny underneath; ovate; flat base; petiole light green center, dark green edge.**Scape:** 13.5 in. (34.3 cm) long; light green.**Flower:** 1.5 in. (3.8 cm) long; pale lavender; striped; tubular; Chesterland, OH; 8/16-8/24-9/1; (*codes 6, 6, 7).**Seed:** seed set unknown.**Clump History:** division of orig. obtained from originator; 12 yrs old; Chesterland, OH.**Notable Characteristics:** deep green color, good texture. [sport of H. 'Halcyon']**H. 'Devon Mist'**

A. & R. Bowden (ONI), P. & J. Ruh (R)

Plant: 9 in. (22.9 cm) diameter; 7.5 in. (19.1 cm) high; mound-like; medium growth rate.**Leaf:** 3.625 in. (9.2 cm) long; 1.5 in. (3.8 cm) wide; 4 pairs of veins; medium green, flat edge; lightly cupped, lightly twisted, lightly folded, flat; dull on top; slightly shiny underneath; lance; tapered base.**Scape:** 8 in. (20.3 cm) long; green.**Flower:** 1.75 in. (4.4 cm) long; pale lavender; striped; tubular; Chesterland, OH; 8/15-8/22-8/29; (*codes 5, 5, 6).**Seed:** seed set unknown**Clump History:** division of orig. obtained from originator; 3 yrs old; Chesterland, OH.**Notable Characteristics:** small size, short flower scape, pointed leaf.

[H. 'Buckshaw Blue' × unknown]

H. 'Devon Tor'

A. & R. Bowden (ONI), P. & J. Ruh (R)

Plant: 30.5 in. (77.5 cm) diameter; 14 in. (35.6 cm) high; upright; medium growth rate.**Leaf:** 10.25 in. (26 cm) long; 8 in. (20.4 cm) wide; 13 pairs of veins; medium green; flat; lightly cupped, lightly folded, flat; slightly shiny on top and underneath; ovate; cordate base.**Seed:** seed set unknown**Scape:** 21 in. (53.3 cm) long; green.**Flower:** 2 in. (5.1 cm) long; pale lavender; striped; tubular; Chesterland, OH; July 15 to Aug 15; 7/9-7/21-8/3; (*codes 3, 5, 5); small inflorescence leaves.**Clump History:** division of orig. obtained from originator; 12 yrs old; Chesterland, OH**Notable Characteristics:** small montana type.[H. *montana* selection × unknown]**H. 'Do Little'**

E. Schulz (ONIR)

Plant: 20 in. (50.8 cm) diameter; 15 in. (38.1 cm) high; upright; slow growth rate.**Leaf:** 6.5 in (16.5 cm) long; 2.25 in. (5.7 cm) wide; 11 to 12 pairs of veins; medium green; .125 to .25 in. (.3 to .6 cm) slightly rippled, yellow margin; moderately wavy; dull on top and underneath; narrowly ovate; tapered.**Scape:** 14 to 15 in. (35.6 to 38.1 cm) long**Flower:** .75 in. (1.9 cm) long; pale lavender; tubular; Peosta, IA; July 15 to Aug 15; 7/12-7/24-8/6**Seed:** sets viable seeds; green seed pod**Clump History:** orig. sport obtained from TC; 5 yrs old; Peosta, IA**Notable Characteristics:** Miniature H. 'Abba Dabba Do' but with more substance, more definitive waviness on leaf margin. [sport of H. 'Abba Dabba Do']

2005 REGISTRATIONS

H. 'Dorset Glenn' R. Kuenster (ONIR)
Plant: 12 in. (30.5 cm) diameter, 6 in. (15.2 cm) high, mound-like, slow growth rate.
Leaf: 4.5 in. (11.4 cm) long, 2.5 in. (6.4 cm) wide; 6 to 8 pairs of veins; greenish-yellow streaked with creamy white, slightly rippled margin; slightly shiny on and underneath; lightly cupped, lightly folded, moderately flat, lance; tapered base.
Scape: 8 to 10 in. (20.3 to 25.4 cm) in length, green streaked, inflorescence leaves.
Flower: 1 to 1.5 in. (2.5 to 3.8 cm) long, pale lavender; darker striped; tubular; Iowa City, IA: 6/24-7/1-7/10, (*codes 3, 4, 5).
Seed: sets viable seeds; pod is green streaked with white.
Clump History: orig. seedling, 6 years old, Iowa City, IA.
Notable Characteristics: slow growing, streaked, gives streaked seedlings.
 [H. 'Dorset Clown' × H. 'Dorset Clown' seedling]

H. 'Dragon Fire' W. Lefever (O), R. Solberg (NIR)
Plant: 48 in. (121.9 cm) diameter; 26 in. (66 cm) high; mound-like; medium growth rate.
Leaf: 11.5 in. (29.2 cm) long; 10 in. (25.4 cm) wide; 10 to 11 pairs of veins; slightly blue-green; slightly rippled; moderately twisted, lightly folded, lightly wavy; glaucous bloom on top and underneath; broadly ovate; cordate base; very purple petioles with white wax overlay.
Scape: 38 to 42 in. (96.5 to 106.7 cm); gray-purple
Flower: 1.75 in. (4.5 cm) long; pale lavender; tubular, recurved; Kernersville, NC; July 15 to Aug 15; 8/1-8/10-8/26; (*codes 6, 6, 7); inflorescence leaves.
Seed: seed set unknown.
Clump History: orig. seedling orig. obtained from originator; 5 yrs old; Kernersville, NC.
Notable Characteristics: large, purple-petioled, leaves on a large clump of somewhat twisted gray-green foliage
 [H. 'Riptide' × unknown]

H. 'Ebony Towers' D. Dean (ONIR)
Plant: 34 in. (86.4 cm) diameter; 17 in. (43.2 cm) high; mound-like; fast growth rate.
Leaf: 7 in. (17.8 cm) long; 5.5 in. (14 cm) wide; 7 to 8 pairs of veins; dark green; heavily rippled; moderately twisted, lightly folded at petiole, deeply wavy, lightly corrugated; glaucous bloom underneath; nearly round; cordate base; petiole speckled red purple 3/4 to all way up back, 1/2 way up front.
Scape: 40 to 44 in. (101.6 to 111.8 cm) long; nearly solid black purple.
Flower: 2.75 in. (7 cm) long; pale purple; tubular; Ramsey, MN; Aug 15 to Oct 1; 8/27-9/12-9/26; (*codes 6, 6, 7).
Seed: viability unknown; burgundy-black
Clump History: orig. seedling; 6 yrs old; Ramsey, MN.
Notable Characteristics: 8 to 10 undulations along each side of leaf, densely black purple entire length, sturdy 1/4 inch scape with burgundy to black pods.
 [(H. 'Liberty Bell' × (H. 'Urajiro Hachijo' × H. *pycnophylla*)) × (H. 'Urajiro Hachijo' × H. *pycnophylla*)]

H. 'Electrocution' T. Avent (ONIR)
Plant: 28 in. (71.1 cm) diameter; 13.5 (34.3 cm) high; mound-like; medium growth rate.
Leaf: 7 in. (17.8 cm) long; 2 in. (5.1 cm) wide; 5 to 6 pairs of veins; medium green; .25 to .5 in. (.6 to 1.3 cm); heavily rippled, yellow margin; deeply twisted; slightly shiny on top and underneath; lance; tapered base.
Flower: medium lavender; tubular; Raleigh, NC; June 1 to July 15; -7/15-

Seed: viability unknown
Clump History: orig. seedling; 10 yrs old; Raleigh, NC
Notable Characteristics: twisted leaves
 [(H. 'Swoosh' × H. *longissima*) × H. 'Red Neck Heaven' × H. 'Elvis Lives']

H. 'Elizabeth DeBird' Blue Jean Farms (OR)
 J. Lukehart & B. Miskolcze (NI)
Plant: 13.5 in. (34.3 cm) diameter; 9 in. (22.9 cm) high; upright; slow growth rate.
Leaf: 5.5 in. (14 cm) long; 4 in. (10.2 cm) wide; 7 pairs of veins; dark green; slightly rippled; wavy; dull on top and underneath; ovate; cordate base.
Scape: 11 to 12 in. (27.9 to 30.5 cm); green.
Flower: 2.5 in. (6.4 cm) long; medium lavender; bell; Warren, OH; July 15 to Aug 15; 7/15-8/1-8/15; inflorescence leaves.
Seed: sets viable seeds; green seed pod
Clump History: orig. sport; 1 yrs old; Warren, OH
Notable Characteristics: slight cream stripe.
 [sport of H. 'Revolution']

H. Elkhorn Prize N. Pohlman (ONIR)
Plant: 14.5 in. (36.8 cm) diameter; 11 in. (27.9 cm) high; upright; slow growth rate.
Leaf: 5.5 in. (14 cm) long; 3.125 in. (7.9 cm) wide; 5 pairs of veins; medium green; slightly rippled; lightly cupped, lightly twisted; dull on top and underneath; lance; tapered base.
Scape: 28 to 32 in. (71.1 to 81.3 cm) long
Flower: 1.5 in. (3.8 cm); medium lavender; light purple striped; tubular; Norfolk, NE; June 1 to July 15; 7/1-7/4-8/1; (*codes 3, 4, 4); inflorescence leaves.
Seed: sets seed; viability unknown; light green
Clump History: orig. seedling; 5 yrs old; Norfolk, NE
Notable Characteristics: upright growth
 [H. 'Krossa Regal' × unknown]

H. 'Emoticon' Kuk's Forest (ONI), B. Kuk (R)
Plant: 34 in. (86.4 cm) diameter; 23 in. (58.4 cm) high; upright; medium growth rate.
Leaf: 9.5 in. (24.1 cm) long; 6.5 in. (16.5 cm) wide; 12 to 13 pairs of veins; golden yellow; slightly rippled; moderately wavy, moderately corrugated; dull to glaucous bloom on top and underneath; broadly ovate; cordate base.
Scape: 18 to 22 in. (45.7 to 55.9 cm) long.
Flower: 1.5 in. (3.8 cm) long; pale lavender; tubular Brecksville, OH; 7/18-7/25 8/6; (*codes 3, 4, 4); inflorescence leaves.
Seed: sets viable seeds; light green seed pod.
Clump History: orig. seedling; 6 yrs old; Brecksville, OH.
Notable Characteristics: very unusual leaf surface, has rifts, valleys, creases and corrugation, gold color holds until fall
 [H. 'Gold Regal' × H. *venusta*]

H. 'Error Apparent' B. Kuk (OR), J. Willetts (O),
 Kuk's Forest (NI)
Plant: 10 in. (25.4 cm) diameter; 3 in. (7.6 cm) high; rhizomatous; medium growth rate.
Leaf: 3 in. (7.6 cm) long; 1.625 in. (4.1 cm) wide; 4 pairs of veins; cream and dark green streaks and dots; slightly rippled; lightly wavy, lightly corrugated; ovate; flat; short petiole.
Scape: 8 to 10 in. (20.3 to 25.4 cm) long; reddish.
Flower: .75 in. (1.9 cm) long; medium lavender; Brecksville, OH; 7/18-7/22-7/30; (*codes 5, 5, 5); inflorescence leaves.
Seed: sets viable seeds; lightly reddish seed pod
Clump History: orig. seedling; 5 yrs old; Brecksville, OH.

Notable Characteristics: unusual dark green and cream streaks and dots, red seed pods, leaves lay flat nearly on ground surface.

Seasonal Variation: changes to a light green.

[*H.* 'Goddess of Athena' × unknown]

***H.* 'Extreme'** D. Van Eechaute (R); J. van den Top (ONI)

Plant: 13 in. (33.4 cm) diameter; 7.7 in. (19.7 cm) high; mound-like.

Leaf: 4.4 in. (11.4 cm) long; 2.8 in. (7.2 cm) wide; 8 pairs of veins; medium blue-green edged with irregular white line, 1 in. (2.5 cm) darker blue green, slightly rippled margin; lightly wavy; glaucous bloom on top and underneath; ovate; flat base.

Scape: 7.8 to 9.2 in. (20 to 23.6 cm) long; pale purple to blue.

Flower: 1.1 in. (2.9 cm) long; near white; tubular; Deinze, Belgium; July 15 to Aug 15; 7/12-7/22-8/16; (*codes 5, 5, 6).

Seed: seed viability unknown; blue-green seed pod.

Clump History: orig. sport obtained from the originator; 3 yrs old; Deinze, Belgium.

Notable Characteristics: *H.* Tardiana Group type with a *H.* 'Striptease' pattern.

[sport of *H.* 'Hadspen Blue']

***H.* 'Eye Candy'** G. R. Goodwin (ONIR)

Plant: 30 in. (76.2 cm) diameter; 24 in. (61 cm) high; upright; slow growth rate.

Leaf: 10 in. (25.4 cm) long; 6 in. (15.3 cm) wide; 10 pairs of veins; slightly blue-green; 1 to 2 in. (2.5 to 5.1 cm) flat to slightly rippled; white margin; lightly cupped, lightly twisted, lightly folded, lightly wavy, lightly corrugated, lightly flat; slightly shiny on top and underneath; broadly ovate; rounded to cordate base; petiole winged with white edge.

Scape: 20 to 25 in. (50.8 to 63.5 cm) long; white.

Flower: 1 in. (2.5 cm) long; pale lavender; bell; Indianapolis, IN; June 1 to July 15; 6/15-6/25-6/30; (*codes 2, 2, 2)

Seed: seed set unknown; green seed pod.

Clump History: orig. sport; 8 yrs old; Indianapolis, IN.

Notable Characteristics: upright form with intense color, center bluish into mid summer

[sport of stabilized seedling of unknown parents]

***H.* 'Eye Declare'** Walters Gardens, Inc. (OIR), A. Bergeron (N)

Plant: 16 (40.6 cm) diameter; 12 in. (30.5 cm) high; mound-like.

Leaf: 7 in. (17.8 cm) long; 4 in. (10.2 cm) wide; 10 to 12 pairs of veins; pale yellow; .25 to .5 in. (.6 to 1.3 cm)

Flat, medium green margin; moderately corrugated, moderately flat; slightly shiny on top and underneath; broadly ovate; rounded base; petiole some red.

Scape: 18 to 20 in. (45.7 to 50.8 cm) long; chartreuse.

Flower: 2.25 to 2.5 in. (5.7 to 6.4 cm) long; medium lavender; tubular; Zeeland, MI; July 15 to Aug 15

Seed: seed set unknown

Clump History: orig. sport obtained from TC; 4 yrs old; Zeeland, MI.

Notable Characteristics: very light yellow, viridescent center, surrounded by irregular green margin.

Seasonal Variation: center becomes greenish yellow.

[sport of *H.* 'Sea Fire']

***H.* 'Fagan'** C. Tompkins (ONI), P. & J. Ruh (R)

Plant: 20 in. (50.8 cm) diameter; 17 in. (43.2 cm) high; upright; medium growth rate.

Leaf: 8 in. (20.3 cm) long; 5.25 in. (13.3 cm) wide; 11 pairs of veins; light green; slightly rippled; lightly twisted, moderately

wavy, corrugated; glaucous bloom on top very shiny underneath; ovate; flat base.

Scape: 31.5 in. (80 cm) long; green.

Flower: 2 in. (5.1 cm) long; pale lavender; striped; tubular; Chesterland, OH; 6/2-6/13-6/26; (*codes 2, 2, 3)

Seed: seed set unknown

Clump History: division of orig. obtained from a nursery; 3 yrs old; Chesterland, OH.

Notable Characteristics: rugged grower, good texture. [Parentage Unknown]

***H.* 'Fat Cheeks'** L. Jones (ONIR)

Plant: 14 in. (35.6 cm) diameter; 7 in. (17.8 cm); mound-like; medium growth rate.

Leaf: 3 in. (7.6 cm) long; 2.5 in. (6.4 cm) wide; 6 pairs of veins; greenish white; flat edge; dull on top and underneath; nearly round; cordate base.

Scape: 10 to 12 in. (25.4 to 30.5 cm) long; green.

Flower: medium lavender; bell; Advance, NC; June 1 to July 15

Seed: does not set seed

Clump History: orig. seedling 2 generation division; 4 yrs old; Advance, NC.

Notable Characteristics: changing colors and nearly round leaf.

Seasonal Variation: changes to pale yellow with more light.

[*H.* 'Fascination' × unknown]

***H.* 'Ffred'** S. Xavier-Sakr (ONIR)

Plant: 36 in. (91.4 cm) diameter; 30 in. (76.2 cm) high; mound-like; medium growth rate.

Leaf: 10 in. (25.4 cm) long; 8 in. (20.3 cm) wide; 14 to 15 pairs of veins; medium green; slightly rippled; deeply corrugated; dull on top and underneath; broadly ovate; cordate base;

Scape: 20 to 38 in. (50.8 to 96.5 cm) long; green.

Flower: pure white; tubular; Plympton, MA; July 15 to Aug 15; 7/1-7/15.

Seed: sets viable seeds; green.

Clump History: orig. sport; 5 yrs old; Plympton, MA.

[sport of *H.* 'Polar Moon']

***H.* 'Forest Moon'** G. R. Goodwin (ONIR)

Plant: 36 in. (91.4 cm) diameter; 18 in. (45.7 cm) high; upright; medium growth rate.

Leaf: 9 in. (22.9 cm) long; 8 in. (20.4 cm) wide; 16 pairs of veins; yellow; flat edge; lightly cupped, lightly twisted, deeply folded, lightly wavy, lightly corrugated, moderately flat; slightly shiny on top and dull to slightly shiny underneath; nearly round; cordate base.

Scape: 30 to 36 in. (76.2 to 91.4 cm) long; light green.

Flower: 1.5 to 2 in. (3.8 to 5.1 cm) long; near white; bell; Indianapolis, IN; June 1 to Aug 15; 6/25-7/1-7/15; (*codes 2, 2, 3); small inflorescence leaves.

Seed: sets viable seeds; light green seed pod.

Clump History: orig. seedling; 7 yrs old; Indianapolis, IN.

Notable Characteristics: upright petioles hold brightly colored yellow leaves, heart-shaped leaf.

[Parentage Unknown]

***H.* 'Foxy Cat'** E. Elslager (ONIR)

Plant: 22 in. (55.9 cm) diameter; 22 in. (55.9 cm) high; upright; medium growth rate.

Leaf: 8.5 in. (21.6 cm) long; 7.25 in. (18.4 cm) wide; 11 pairs of veins; glaucous blue-green; .25 to 1.5 (.6 to 3.8 cm) slightly rippled, greenish yellow margin; lightly wavy, deeply corrugated; slightly shiny; glaucous bloom on top and underneath; broadly ovate; cordate base; petiole glaucous green with glaucous bloom.

Scape: 24 to 29 in. (61 to 73.7 cm) long; glaucous green.
Flower: 2 in. (5.1 cm) long; medium lavender; tubular; Ann Arbor, MI; July 15 to Aug 15; 7/18-7/29-8/13; (*codes 4, 4, 4); inflorescence leaves.

Seed: sets seed; green seed pod.

Clump History: orig. seedling; 6 yrs old; Ann Arbor, MI.

Notable Characteristics: unruly glaucous blue-green leaves with wide yellow margins from *H. 'Foxy Doxy'*.

[*H. 'Foxy Doxy'* × unknown]

H. 'Fukurin Ko Mame' Japan (ONI), P. & J. Ruh (R)

Plant: 7 in. (17.8 cm) diameter; 3.5 in. (8.9 cm) high; flat; slow growth rate.

Leaf: 2.125 in. (5.5 cm) long; .625 (1.6 cm) wide; 2 pairs of veins; medium green; .02 in (.1 cm) slightly rippled, yellow early, then white margin; lightly cupped, lightly twisted, lightly folded, deeply wavy; slightly shiny on top and underneath; lance; tapered base; petiole very short.

Scape: 9 in. (22.9 cm) long; light green.

Flower: 1.25 in. (3.2 cm) long; lavender edged white; striped; tubular; Chesterland, OH; 8/21-8/30-9/8; (*codes 6, 6, 7)

Seed: seed set unknown

Clump History: division of orig. obtained from TC; 5 yrs old; Chesterland, OH.

Notable Characteristics: flat growth, white edges, miniature

Seasonal Variation: margin begins yellow, turns white.

[*H. 'Yakushima Mizu'* × unknown]

H. 'Garnet Spires' D. Dean (ONIR)

Plant: 38 in. (96.5 cm) diameter; 22 in. (55.9 cm) high; upright; fast growth rate.

Leaf: 10 in. (25.4 cm) long; 6 in. (15.3 cm) wide; 8 pairs of veins; light green; slightly rippled; lightly wavy, moderately flat; dull on top and underneath; broadly ovate; tapered.

Scape: 21 to 24 in. (53.3 to 61 cm) long; saturated garnet then magenta at flowers.

Flower: 2 in. (5.1 cm) long; pale lavender; white to translucent edge; tubular; Ramsey, MN; 8/13-8/22-9/4; (*codes 6, 6, 7).

Seed: sets viable seeds; dark green seed pod.

Clump History: orig. seedling; 6 yrs old; Ramsey, MN.

Notable Characteristics: erect-flared mound, dense garnet red full scape with strong bright magenta at base of flower bracts, leaf held in line with petiole.

[[*H. 'Liberty Bell'* × (*H. 'Urajiro Hachijo'* × *H. pycnophylla*)] × (*H. longipes* × *H. kikutii*)]

H. 'Gathering of Eagles' E. Elslager (ONIR)

Plant: 34 in. (86.4 cm) diameter; 32 in. (81.3 cm); upright; fast growth rate.

Leaf: 14.5 in. (36.8 cm) long; 12.75 in. (32.4 cm) wide; 16 pairs of veins; blue-green streaked medium green, light green, greenish yellow, pale yellow, greenish white; slightly rippled; moderately wavy, deeply corrugated, moderately leathery; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; greenish-yellow; green edges.

Scape: 36 to 39 in. (91.4 to 99.1 cm); streaked

Flower: 2.1 in. (5.3 cm) long; medium lavender; translucent edge; tubular; Ann Arbor, MI; June 1 to Aug 15; 6/21-7/8-7/18; (*codes 3, 3, 4); inflorescence leaves.

Seed: sets viable seed; green seed pod.

Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI

Notable Characteristics: giant blue-green streaked pod parent, leathery, white backs, lots of seedlings

[seedling of *H. 'Galaxy'* × unknown]

H. 'Geissler's Edge' Mrs. J. Geissler (ONI), P. & J. Ruh (R)

Plant: 14.5 in. (36.8 cm) diameter; 7 in. (17.8 cm) high; mound-like; slow growth rate.

Leaf: 2.5 in. (6.4 cm) long; 1.125 (2.9 cm) wide; 3 pairs of veins; medium green; .03 to .06 in. (.1 to .2 cm) flat, white; lightly cupped, lightly folded, flat; dull on top; slightly shiny underneath; elliptic; tapered base; thin white hairline on petiole.

Scape: 23.25 in. (59.1 cm) long; green

Flower: 2.5 in. (6.4 cm) long; lavender; striped; tubular; Chesterland, OH; July 15 to Aug 31; 8/8-8/15-8/23; (*codes 5, 5, 5).

Seed: seed set unknown.

Clump History: division of orig.; 10 yrs old; Chesterland, OH.

Notable Characteristics: flat growth, blunt leaf end, thin white hairline on petioles.

[Parentage Unknown]

H. 'Gemstone' T. Avent (ONIR)

Plant: 24 in. (61 cm) diameter; 10 in. high (25.4 cm) high; mound-like; medium growth rate.

Leaf: 4 in. (10.2 cm) long; 3 in. (7.6 cm) 6 to 7 pairs of veins; intensely blue-green; slightly rippled; lightly cupped, lightly wavy; glaucous bloom on top and underneath; broadly ovate; cordate base; ridge on sides of petiole (winged).

Flower: pale lavender; tubular; Raleigh, NC; June 1 to July 15.

Seed: seed set unknown.

Clump History: orig. seedling; 6 yrs old; Raleigh, NC

Notable Characteristics: vigorous small blue.

[*H. venusta* × *H. 'Dorset Blue'*]

H. 'Gentle Giant' P. Black (ONIR)

Plant: 68 in. (172.7 cm) diameter; 42 in. (106.7 cm) high; upright; fast growth rate.

Leaf: 13 in. (33 cm) long; 12 in. (30.5 cm) wide; 14 pairs of veins; intensely blue-green; slightly rippled; deeply cupped, moderately twisted, moderately folded, lightly wavy, moderately corrugated; dull on top and underneath; near round; cordate base.

Scape: 48 to 55 in. (121.9 to 139.7 cm); lavender.

Flower: 3 in. (7.6 cm) long; medium lavender; tubular; Salem, OR; June 1 to July 15; 6/10-7/10-7/30.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 6 yrs old; Salem, OR

[*H. 'Frances Williams'* × unknown]

H. 'Gilded Cage' E. Elslager (ONIR)

Plant: 30 in. (76.2 cm) diameter; 29 in. (73.7 cm) high; upright; medium growth rate.

Leaf: 12 in. (30.5 cm) long; 7.75 in. (19.7 cm) wide; 14 pairs of veins; dark green with .5 to 1.5 in. (1.3 to 3.8 cm) slightly rippled, greenish yellow margin; lightly twisted moderately corrugated; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole; glaucous green with green edges

Scape: 35 to 46 in. (88.9 to 116.8 cm) long; glaucous green.

Flower: 2.2 in. (5.6 cm) long; pale lavender with translucent edge; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/4-7/20-8/1; inflorescence leaves

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.

Notable Characteristics: large glaucous rippled dark green leaves with yellow margins, corrugated, good substance

[F₁ seedling of *H. 'Dorothy Benedict'* × unknown]

H. 'Ginsu Knife Supreme' R. Solberg (OI); J. Schwarz (NR)

Plant: 25 in. (63.5 cm) diameter; 15 in. (38.1 cm) high; upright; medium to fast growth rate.

2005 REGISTRATIONS

Leaf: 9 in. (22.9 cm) long; 3 (7.6 cm) wide; 6 pairs of veins; medium green streaked yellow turning to white; .375 to .5 in. (1 to 1.3 cm) serrated, yellow turning to white margin; moderately twisted, moderately wavy; slightly shiny on top and underneath; lance; tapered base.

Scape: 32 to 34 in. (81.3 to 86.4 cm) long; green.

Flower: 3 in. (7.6 cm) long; pure white; tubular; Dubuque, IA; July 15 to Aug 15; 7/15-8/1-8/15; (*codes 5, 6, 7).

Seed: sets viable seeds; green.

Clump History: division, 4 yrs old; Dubuque, IA.

Notable Characteristics: fountain shaped, wavy streaked with very serrate margin.

[sport of *H.* 'Ginsu Knife']

***H.* 'Glowing Sparklers'** E. Elslager (ONIR)

Plant: 17 in. (43.2 cm) diameter; 21 in. (53.3 cm) high; upright; medium growth rate.

Leaf: 9 in. (22.9 cm) long; 7 in. (17.8 cm) wide; 11 pairs of veins; creamy white streaked with medium green light green, greenish-yellow, pale yellow, yellow; slightly rippled; lightly cupped, lightly wavy, lightly corrugated; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole streaked yellow and green.

Scape: 23 to 26 in. (58.4 to 66 cm) long; glaucous green.

Flower: 2 in. (5.1 cm) long; pale lavender; pale purple striped, translucent edge; tubular; Ann Arbor, MI; July 15 to Aug 15; 7/20-7/30-8/13; (*codes 4, 4, 5); inflorescence leaves.

Seed: sets viable seeds; glaucous green.

Clump History: orig. sport; 4 yrs old; Ann Arbor, MI.

Notable Characteristics: brilliant display of multicolored streaking on creamy white, white backs

[sport of *H.* 'Merry Sunshine']

***H.* 'Golden Dome'** F. Rogers (ONIR)

Plant: 30 in. (76.2 cm) diameter; 18 in. (45.7 cm) high; mound-like; medium growth rate.

Leaf: 11 in. (27.9 cm) long; 10 in. (25.4 cm) high; 13 pairs of veins; yellow; flat edges; deeply corrugated; slightly shiny on top; dull underneath; nearly round; cordate base;

Scape: 18 to 22 in. (45.7 to 55.9 cm) long; green.

Flower: 1.75 in. (4.4 cm) long; near white; tubular; Glen Ellyn, IL; June 1 to July 15; 6/20-7/1-7/15.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 6 yrs old; Glen Ellyn, IL

Notable Characteristics: bright yellow color, deep corrugation, excellent substance

[Parentage Unknown]

***H.* 'Golden Gem'** K. Squires (ONI) Lantis Collection (O)

P. & J. Ruh (R)

Plant: 13 in. (33 cm) diameter; 3.5 in. (8.9 cm) high; flat mound-like; slow growth rate.

Leaf: 2.5 in. (1.125 cm) long; 2.9 wide; 3 pairs of veins; greenish yellow; slightly rippled; twisted, folded, wavy, flat; dull on top; very shiny underneath; lance; tapered base; petiole very thin.

Scape: 10.5 in. (26.7 cm) long; yellow green.

Flower: 1.25 in. (3.2 cm) long; medium lavender; striped; tubular; Chesterland, OH; 7/11-7/20-7/28; (*codes 3, 5, 5);

Seed: seed set unknown.

Clump History: division of orig. obtained from a nursery; 13 yrs old; Chesterland, OH

Notable Characteristics: very flat growing habit, slow unusual. [unknown × *H. venusta*]

***H.* 'Golden Simplicity'** F. Rogers (ONIR)

Plant: 36 in. (91.4 cm) diameter; 24 in. (61 cm) high; upright; medium growth rate.

Leaf: 13 in. (33 cm) long; 8 in. (20.4 cm) wide; 13 pairs of veins; yellow; flat; lightly wavy; slightly shiny on top; dull underneath; ovate; cordate base.

Scape: 24 to 26 in. (61 to 66 cm) long; green.

Flower: 2 in. (5.1 cm) long; medium lavender striped with white center on petals; tubular; Glen Ellyn, IL; June 1 to July 15; 6/25-7/5-7/15.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 6 yrs old; Glen Ellyn, IL

Notable Characteristics: bright yellow color, excellent substance, elegant.

[Parentage Unknown]

***H.* 'Good Night Irene'** M. Mulzer (ONIR)

Plant: 36 in. (91.4 cm) diameter; 16 in. (40.6 cm) high; mound-like; fast growth rate.

Leaf: 9 in. (22.9 cm) long; 8 in. (20.4 cm) wide; 10 pairs of veins; light green feathering on darker green; .375 in. (1 cm) slightly rippled, white margin; slightly shiny on top; dull underneath; broadly ovate; cordate base.

Scape: 26 to 30 in. (66 to 76.2 cm) long

Flower: 1.5 in. (3.8 cm) long; medium lavender, tubular; Fond du Lac, WI; Aug 15 to Oct 1; 8-9-9;

Seed: viability unknown; green seed pod.

Clump History: orig. sport; 4 yrs old; Fond du Lac, WI.

Notable Characteristics: light green feathering on darker green. [sport of *H.* 'Lakeside Cha Cha']

***H.* 'Greased Lightning'** Kuk's Forest (ONI), B. Kuk (R)

Plant: 32 in. (81.3 cm) diameter; 21 in. (53.3 cm); upright; medium growth rate.

Leaf: 12 in. (30.5 cm) long; 5.5 in. (14 cm) wide; 13 to 14 pairs of veins; golden yellow; .5 to 1.5 (1.3 to 3.8 cm) slightly rippled, variable creamy yellow margin; lightly wavy, lightly corrugated; very shiny on top; slightly shiny underneath; ovate; tapered base; petiole venation is visible.

Scape: 24 to 28 in. (61 to 71.1 cm) long;

Flower: 1.75 in. (4.4 cm); pale lavender; tubular; Brecksville, OH; 7/5-7/15-7/28; (*codes 3, 3, 4); inflorescence leaves.

Seed: sets viable seeds; light green seed pod.

Clump History: orig. sport; 5 yrs old; Brecksville, OH.

Notable Characteristics: outstanding color contrast in leaf

Seasonal Variation: becomes medium green in fall; golden yellow margin.

[sport of *H.* 'Prairie Fire']

***H.* 'Green Jeans'** T. Avent (ONIR)

Plant: 40 in. (101.6 cm) diameter; 15 in. (38.1 cm) high; upright; medium growth rate.

Leaf: 8 in. (20.3 cm); long; 6 in. (15.3 cm) wide; 8 to 9 pairs of veins; dark green; flat; lightly cupped, lightly corrugated; slightly shiny on top; very shiny underneath; broadly ovate; flat base; asymmetric at petiole.

Scape: 30 in. (76.2 cm) long.

Flower: deep purple; tubular; Raleigh, NC; July 15 to Aug 15; -7/30-

Seed: seed set unknown.

Clump History: orig. seedling; 12 yrs old; Raleigh, NC.

Notable Characteristics: overcame *ventricosa* apomixis, flowers 2 weeks after *H. ventricosa*, leaves intermediate [*H. ventricosa* 'Aureomarginata' × *H. yingeri*]

2005 REGISTRATIONS

H. 'Herbie Rocks' S. & S. Zolock (ONIR)
Plant: 20 in. (50.8 cm) diameter; 10 in. (25.4 cm) high; low arching; slow growth rate.
Leaf: 10 in. (25.4 cm) long; 1.5 in. (3.8 cm) wide; 4 to 6 pairs of veins; medium green; slightly rippled; lightly wavy; slightly shiny on top; dull underneath; lance; tapered base; petiole long, wide, black burgundy.
Scape: 20 to 24 (50.8 to 61 cm); burgundy.
Flower: 1.5 in. (3.8 cm) long; medium lavender; lavender striping; bell; Belle Vernon, PA; 7/25-8/10-8/25; (*codes 4, 5, 6).
Seed: sets viable seeds; burgundy.
Clump History: orig. seedling; 6 yrs old; Belle Vernon, PA.
Notable Characteristics: long strappy low-arching leaves, burgundy flower scapes.
 [H. 'Colonel Murphy' × seedling]

H. 'Herman's Pride' Kuk's Forest (ONI), B. Kuk (R)
Plant: 60 in. (152.4 cm) diameter; 36 in. (91.4 cm) high; upright; medium growth rate.
Leaf: 12 in. (30.5 cm) long; 10 in. (25.4 cm) wide; 14 to 15 pairs of veins; golden yellow; slightly rippled; lightly cupped, deeply corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base.
Scape: 36 to 42 in. (91.4 to 106.8 cm); light green.
Flower: 1.5 in. (3.8 cm) long; pale lavender; tubular; Brecksville, OH; 7/10-7/20-7/30; (*codes 3, 3, 4); inflorescence leaves.
Seed: does not set seed
Clump History: orig. seedling; 10 yrs old; Brecksville, OH.
Notable Characteristics: outstanding gold color, deeply impressed veins.
 [H. 'Gold Regal' × H. 'Sum and Substance']

H. 'Hidden Agenda' A. Pollock (ONIR)
Plant: 12 in. (30.5 cm) diameter; 15 in. (38.1 cm) high; upright.
Leaf: 8 in. (20.3 cm) long; 4 in. (10.2 cm) wide; 8 to 9 pairs of veins; greenish yellow; slightly rippled, moderately twisted; very shiny on top and underneath; lance; rounded base; petiole pink in early season
Flower: near white; tubular; Wilmington, DE; July 15 to Aug 15; (*codes 3, 3, 4).
Clump History: orig. seedling; 8 yrs old; Wilmington, DE.
Notable Characteristics: pink petioles in early season, shiny lance leaf, good grower.
Seasonal Variation: greenish yellow changes to medium green.
 [Parentage Unknown]

H. 'High Diver' J. Van Ostrand (ONIR)
Plant: 26 in. (66 cm) diameter; 15 (38.1 cm) high; upright; medium growth rate.
Leaf: 7.5 in. (19.1 cm) long; 4.2 in. (10.7 cm) high; 8 pairs of veins; dark green; .125 to .5 in. (.3 to 1.3 cm) slightly rippled, creamy white margin; moderately wavy; dull on top; slightly shiny underneath; ovate; rounded base; petiole red speckled at crown.
Scape: 18 to 25 in. (45.7 to 63.5cm) long; green.
Flower: 1.365 in. long; (3.5 cm) long; pale lavender; tubular; Hawthorn Woods, IL; Aug 15 to Oct 1; 8/15-8/23-9/6; (*codes 6, 6, 6); inflorescence leaves.
Seed: sets viable seeds.
Clump History: orig. seedling; 6 yrs old; Hawthorn Woods, IL.
Notable Characteristics: upright plant with arching leaves, good color contrast.
 [Parentage Unknown]

H. 'High Tide' H. Hansen (ONIR)
Plant: 38 in. (96.5 cm) diameter; 13 in. (33 cm) high; mound-like; slow growth rate.
Leaf: 7 in. (17.8 cm) long; 6 in. (15.3 cm) wide; 10 pairs of veins; medium blue-green; flat; glaucous bloom on top and underneath; broadly ovate; cordate base.
Scape: 16 to 21 in. (40.6 to 53.3 cm) long; dusty lavender.
Flower: 1.5 to 2 in. (3.8 to 5.1 cm); medium lavender; bell; Waseca, MN; Aug 15 to Oct 1; 8/27-9/7-10/1.
Seed: seed set unknown.
Clump History: orig. seedling; 7 yrs old; Waseca, MN.
 [H. *longipes latifolia* × H. 'Dorset Blue']

H. 'Hollywood Lights' H. Hansen (ONIR)
Plant: 43 in. (109.2 cm) diameter; 23 in. (58.4 cm) high; mound-like; medium growth rate.
Leaf: 14 in. (35.6 cm) long; 10 in. (25.4 cm) wide; 15 to 16 pairs of veins; yellow; 1 to 4 in. (2.5 to 10.2 cm) flat, green margin; folded; dull on top; slightly shiny underneath; broadly ovate; cordate base.
Scape: 25 to 27 in. (63.5 to 68.6 cm).
Flower: 1.5 to 2 in. (3.8 to 5.1 cm); pale lavender; tubular; Waseca, MN; July 15 to Aug 15; small inflorescence leaves.
Seed: sets viable seeds
Clump History: orig. sport; 6 yrs old; Waseca, MN.
Seasonal Variation: interior brightest in spring.
Notable Characteristics: tetraploid H. 'On Stage' wider margin [sport of H. 'On Stage']

H. 'Hot Button' E. Elslager (ONIR)
Plant: 20 in. (50.8 cm) diameter; 10 in. (25.4 cm) high; mound-like; medium growth rate.
Leaf: 4.75 in. (12.1 cm) long; 4 in. (10.2 cm) wide; 9 pairs of veins; lime yellow; .25 to .5 in. (.6 to 1.3 cm) slightly rippled, pale yellow margin; lightly cupped; lightly corrugated; slightly shiny on top; very shiny underneath; broadly ovate; cordate base; petiole greenish-yellow
Scape: 15 to 18 in. (38.1 to 45.7 cm) long; greenish-yellow.
Flower: 1.5 in. (3.8 cm) long; pale lavender; pale purple; striped, translucent; tubular; Arbor, MI; June 1 to Aug 15; 7/14-7/26-8/9; inflorescence leaves.
Seed: viability unknown; green seed pod.
Clump History: orig. seedling; 9 yrs old; Ann Arbor, MI.
Notable Characteristics: unusual lime yellow leaves, yellow margins reminiscent of key lime pie.
 [seedling of H. 'Galaxy' × unknown]

H. 'Hubba-hubba' E. Elslager (ONIR)
Plant: 42 in. (106.7 cm) diameter; 32 in. (81.3 cm) high; upright; medium growth rate.
Leaf: 11.25 in. (28.6 cm) long; 9.5 in. (24.1 cm) wide; 15 pairs of veins; dark green streaked with light green, greenish-yellow, pale yellow, yellow, golden yellow, creamy white; slightly rippled; lightly wavy, deeply corrugated; slightly shiny on top and slightly shiny; glaucous bloom underneath; broadly ovate; cordate base; petiole green streaked with yellow.
Scape: 38 to 44 in. (96.5 to 111.8 cm); green.
Flower: 2 in. (5.1 cm); pale lavender; tubular; Ann Arbor, MI; 6/29-7/15-7/25; (*codes 3, 4, 4); inflorescence leaves.
Seed: sets viable seeds; green seed pod.
Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.
Notable Characteristics: attractive hosta mom from H. 'Dorothy Benedict' adorned in greens and yellows, good substance, tall scapes, colors hold until fall
 [sport of F₁ seedling of H. 'Dorothy Benedict' × unknown]

H. 'Hush Puppie' T. Avent (ONIR)
Plant: 16 in. (40.6 cm) diameter; 5.5 in. (14 cm) high; mound-like; fast growth rate.
Leaf: 2.5 in. (6.4 cm) long; .75 in. (1.9 cm) wide; 4 pairs of veins; medium green; .25 (.6 cm) slightly rippled, yellow; lightly cupped, moderately flat; dull on top and underneath; ovate; tapered base.
Scape: 8 in. (20.3 cm) long.
Flower: deep purple; tubular; Raleigh, NC; June 1 to July 15.
Seed: sets viable seeds
Clump History: orig. seedling; 10 yrs old; Raleigh, NC.
Notable Characteristics: very vigorous, fast growing miniature. [(*H. 'Beatrice'* × open-pollinated seedling) × open-pollinated seedling] × *H. venusta*]

H. 'Iced Lemon' H. Batten (O), A. & R. Bowden (NI), P. & J. Ruh (R)
Plant: 10.5 in. (26.7 cm) diameter; 4.5 in. (11.4 cm) high; mound-like; medium growth rate.
Leaf: 2.75 in. (7 cm) long; 1.125 in. (2.9 cm) wide; 4 pairs of veins; light green; .125 (.3 cm) slightly rippled, white margin; twisted, wavy dull on top; slightly shiny underneath; lance; tapered base.
Scape: 14.5 in. (37 cm) long; green.
Flower: 1.5 in. (3.8 cm) long; lavender; faintly striped; tubular; Chesterland, OH; July 15 to Aug 15; 7/14-7/28- 8/11; (*codes 4, 5, 5); inflorescence leaves.
Seed: seed set unknown.
Clump History: division of orig. obtained from originator; 4 yrs old; Chesterland, OH.
Notable Characteristics: small sized clump, pointed lance leaf. [sport of *H. 'Lemon Delight'*]

H. 'Inaho' Japan (ONI), P. & J. Ruh (R)
Plant: 24 in. (61 cm) diameter; 15 in. (38.1 cm) high; upright; medium growth rate.
Leaf: 6 in. (15.2 cm) long; 3.125 in. (7.9 cm) wide; 6 pairs of veins; mottled and streaked light green and yellow; .125 to .25 in. (.3 to .6 cm) slightly rippled, medium green margin; moderately wavy, flat; slightly shiny on top; very shiny underneath; lance; tapered; thin petiole, yellow edged green.
Scape: 28 to 34 in (71.1 to 86.4 cm); greenish purple.
Flower: 1.75 in. (4.4 cm) long; purple striped; tubular; Chesterland, OH; Aug 15 to Oct 1; 8/10-8/21-9/3; (*codes 5, 6, 7); inflorescence leaves.
Seed: does not set seed; purple seed pod.
Clump History: division of orig. obtained from other source; 17 yrs old; Chesterland, OH.
Notable Characteristics: unusual color, different from *H. 'Kisugi'*, larger with purple anthers [Parentage Unknown]

H. 'Indy Finish Line' R. Whitmore (O), J. Butler (N), Indianapolis Hosta Society (I), G. R. Goodwin (R)
Plant: 36 in. (91.4 cm) diameter; 18 in. (45.7 cm) high; upright; medium to fast growth rate.
Leaf: 10 in. (25.4 cm) long; 6 in. (15.3 cm) wide; 10 to 11 pairs of veins; creamy to pure white; 2 in. (5.1 cm) flat, greenish yellow to medium green margin; lightly cupped, lightly folded, moderately flat; slightly shiny on top and underneath; broadly ovate; cordate base.
Scape: 15 to 18 in. (38.1 to 45.7 cm) long; olive green.
Flower: 1.5 to 2 in. (3.8 to 5.1 cm) long; near white to pale lavender; Parke County, IN; 7/10-7/25- 8/10; (*codes 4, 4, 5).
Seed: viability unknown; green seed pod

Clump History: orig. sport; 7 yrs old; Parke County, IN.
Notable Characteristics: non-melting white center, upright growth, quick grower, added third color in the leaf blade [sport of a seedling of splashed form of *H. 'Warwick Choice'*]

H. 'Indy Parade Lap' G. R. Goodwin (ONIR)
Plant: 24 in. (61 cm) diameter; 14 in. (35.6 cm) high; mound-like; fast growth rate.
Leaf: 10 in. (25.4 cm) long; 2 in. (5.1 cm) wide; 5 pairs of veins; medium green; .25 in. (.6 cm) slightly to heavily rippled, creamy white margin; moderately twisted, lightly folded, deeply wavy; slightly shiny on top and underneath; lance; tapered base; petiole widens into blade as approaches leaf.
Scape: 18 to 24 in. (45.7 to 61 cm)
Flower: pale purple; striped; tubular; Indianapolis, IN; July 15 to Aug 15; 8/1-8/15-8/20; (*codes 6, 6, 6).
Seed: sets viable seeds; light green seed pod.
Clump History: orig. sport; 10 yrs old; Indianapolis, IN.
Notable Characteristics: very grassy clump, interesting variegation. [sport of *H. 'Bravo'* line seedling]

H. 'James Buchanan' H. Sugita (O), P. Ruh (ONIR), J. Ruh (IR)
Plant: 28 in. (71.1 cm) diameter; 10.5 in. (26.7 cm) high; mound-like; slow growth rate.
Leaf: 7.25 in. (18.5 cm) long; 5.25 in. (13.3 cm) wide; 12 pairs of veins; greenish yellow; slightly rippled; cupped, twisted, folded, wavy, corrugated; dull on top and underneath; ovate; cordate base; thick petiole.
Scape: 17 in. (43.2 cm) long; glaucous green
Flower: 1.5 in. (3.8 cm) long; pale lavender; striped; tubular Chesterland, OH; 6/28-7/9-7/20; (*codes 3, 3, 4);
Seed: seed set unknown.
Clump History: orig. seedling obtained from originator; 13 yrs old; Chesterland, OH.
Notable Characteristics: flat, unusual color, thick petiole [Parentage Unknown]

H. 'James Madison' H. Sugita (O), P. Ruh (ONIR), J. Ruh (R)
Plant: 23.5 in. (59.7 cm) diameter; 15 in. (38.1 cm) high; mound-like; medium growth rate.
Leaf: 7 in. (17.8 cm) long; 3.75 in. (9.5 cm) wide; 7 pairs of veins; medium green; slightly rippled; lightly twisted, lightly folded, moderately wavy, flat; slightly shiny on top; very shiny underneath; ovate; tapered base; petiole pink spotted.
Scape: 28 to 34 in. long; (71.1 to 86.4 cm) long; green
Flower: 2.5 in. (6.4 cm) long; reddish-purple; striped; tubular; Chesterland, OH; 7/24-8/3-8/13; (*codes 4, 5, 5).
Seed: seed set unknown.
Clump History: orig. seedling obtained from originator; 7 yrs old; Chesterland, OH.
Notable Characteristics: late bloomer produces lots of flowers. [*H. longipes* × *H. pycnophylla*]

H. 'James Monroe' H. Sugita (O), P. Ruh, (ONIR), J. Ruh (R)
Plant: 32 in. (81.3 cm) diameter; 23 in. (58.4 cm) high; mound-like; medium growth rate.
Leaf: 8.25 in. (20.9 cm) long; 5.75 in. (14.6 cm) wide; 14 pairs of veins; greenish yellow; slightly rippled; cupped, folded, wavy, corrugated; glaucous bloom on top; dull underneath; ovate; flat base.
Scape: 30 to 35 in. (76.2 to 88.9 cm) long; light green.

2005 REGISTRATIONS

Flower: 1.5 in. (3.8 cm) long; pale lavender; striped; tubular
Chesterland, OH; 6/14-6/25-8/6; (*codes 2, 3, 5).

Seed: sets viable seeds

Clump History: orig. seedling obtained from originator; 5 yrs old; Chesterland, OH.

Notable Characteristics: the light color of greenish-yellow
[Parentage Unknown]

H. 'James River' A. Malloy (ONIR)

Plant: 33 in. (83.8 cm) diameter; 11 in. (27.9 cm) high; mound-like; medium growth rate.

Leaf: 7.25 in. (18.4 cm) long; 3.5 in. (8.9 cm) wide; 8 pairs of veins; medium green; moderately wavy; very shiny on top; shiny underneath; ovate; rounded base; petiole purple 3/4 up on back.

Scape: 28 in. (71.1 cm) long; purple 3/4 up on back

Flower: 2 in. (5.1 cm) long; lavender; tubular; South Salem, NY; Aug 15 to Oct 1; 7/15-7/21-8/1.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 5 yrs old; South Salem, NY.

Notable Characteristics: shiny green, wavy, purple petioles.
[H. 'Pin Stripe Sister' × unknown]

H. 'Jean Ferris Ruh' P. Ruh (ONIR), J. Ruh (R)

Plant: 29 in. (73.7 cm) diameter; 17 in. (43.2 cm) high; upright; medium growth rate.

Leaf: 8 in. (20.3 cm) long; 5.875 in. (15 cm) wide; 10 pairs of veins; chartreuse greenish yellow; .75 to 1 in. (1.9 to 2.5 cm) flat, intense dark green margin; lightly folded, flat; dull on top and underneath; ovate; rounded base; petiole edge intense blue green.

Scape: 19 in. (48.3 cm) long; light green.

Flower: 1.5 in. (3.8 cm) long; pale lavender; striped; tubular
Chesterland, OH; 7/19-7/27-8/6; (*codes 4, 5, 5).

Seed: seed set unknown.

Clump History: orig. sport; 3 yrs old; Chesterland, OH.

Notable Characteristics: edge of the leaf almost black
[sport of H. 'String Bikini']

H. 'Jessica Lynn' J. Husemann (ONIR)

Plant: 56 in. (142.1 cm) diameter; 28 in. (71.1 cm) high; mound-like; fast growth rate.

Leaf: 13 in. (33 cm) long; 8 in. (20.3 cm) wide; 9 to 10 pairs of veins; medium green; .5 to 1.5 in. (1.3 to 3.8 cm) slightly rippled, greenish yellow margin; moderately wavy; slightly shiny on top; glaucous bloom underneath; ovate; cordate base.

Scape: 30 to 44 in. (76.2 to 111.8 cm) long; green.

Flower: 2 in. (5.1 cm) long; medium lavender; tubular
Asbury, IA; July 15 to Aug 15; 7/10-7/15-7/25.

Seed: viability unknown; green seed pod.

Clump History: orig. sport obtained from TC; 6 yrs old; Asbury, IA.

Notable Characteristics: large size, fast growth rate and good substance combined with lighter, chartreuse margins which remain all season.

[sport of H. 'Antioch']

H. 'Jiminy Cricket' D. & J. Ward (ONIR)

Plant: 17 in. (43.2 cm) diameter; 6 in. (15.2 cm) high; mound-like; fast growth rate.

Leaf: 3 in. (7.6 cm) long; 2 in. (5.1 cm) wide; 6 to 7 pairs of veins; light green; slightly rippled; wavy; dull on top and underneath; broadly ovate; cordate base.

Scape: 20 to 22 in. (50.8 to 55.9 cm) long; green.

Flower: .75 in. (1.9 cm) long; medium lavender; bell; Columbus, OH; June 1 to July 15; 7/10-7/20-7/24; (*codes 4, 4, 4).

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 4 yrs old; Columbus, OH

Notable Characteristics: miniature with small wavy green leaves and good flowers.

[H. 'Pin Stripe Sister' × unknown]

H. 'Karin' G. Heemskerk (ONIR)

Plant: 50 in. (127 cm) diameter; 30 in. (76.2 cm) high; upright; medium growth rate.

Leaf: 5.875 in. (15 cm) long; 4.125 in. (10.6 cm) wide; 8 pairs of veins; dark green; .5 to 1 in. (1.3 to 2.5 cm) flat, creamy white margin; intensely cupped; slightly shiny on top; broadly ovate; rounded base.

Scape: 21.5 in. (54.6 cm) long; green.

Flower: 2.75 in. (7 cm) long; lilac purple; bell; The Netherlands; July 15 to Aug 15; inflorescence leaves; fragrant.

Seed: seed set unknown.

Clump History: 4th gen. division; 4 yrs old; The Netherlands.

Notable Characteristics: variegation pattern, long persisting cupped leaf, compact, and lavender colored flowers
[sport of H. 'Anne']

H. 'Kerplunk' H. Benedict (ONI), P. & J. Ruh (R)

Plant: 38 in. (96.5 cm) diameter; 19 in. (48.3 cm) high; upright; medium growth rate.

Leaf: 11 in. (27.9 cm) long; 5 in. (12.7 cm) wide; 8 pairs of veins; yellow; heavily rippled; lightly folded, moderately wavy, flat; slightly shiny on top; dull underneath; broad lance; flat base; petiole long, thinly red spotted

Scape: 31 in. (78.7 cm) long; green.

Flower: 2.75 in. (7 cm) long; lavender; striped; tubular; Chesterland, OH; Aug 10 to Sep 15; 8/10-8/23-9/4; (*codes 5, 6, 6).

Seed: seed set unknown.

Clump History: division of orig. obtained at the AHS 1995 auction; 10 yrs old; Chesterland, OH.

Notable Characteristics: later greenish yellow to light green, pendulous scapes.

Seasonal variation: later greenish yellow to light green.
[Parentage Unknown]

H. 'King of the Hill' E. Elslager (ONIR)

Plant: 23 in. (58.4 cm) diameter; 36 in. (91.4 cm) high; upright; medium growth rate.

Leaf: 14 in. (35.6 cm) long; 10.5 in. (26.7 cm) wide; 15 to 16 pairs of veins; medium green streaked with light green, blue-green, dark green and golden yellow; heavily rippled; moderately wavy, deeply corrugated; very shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole dorsal greenish, yellow green edges; ventral creamy white green edges.

Scape: 39 to 46 in. (99.1 to 116.8 cm) long; glaucous green.

Flower: 2.2 in. (5.6 cm) long; near white; lavender striped, translucent edges; tubular; Ann Arbor, MI; July 15 to Aug 15; 7/27-8/13-8/23; (*codes 4, 4, 5); inflorescence leaves.

Seed: sets viable seeds; glaucous green seed pod.

Clump History: orig. seedling; 7 yrs old Ann Arbor, MI.

Notable Characteristics: stunning giant shiny, rippled multicolored leaves on thick 24 inch petioles, white flowers and backs. Sibling of H. 'Queen of the Hill'

[H. 'Galaxy' × unknown]

H. 'Konkubine' H. Klose (ONI), P. & J. Ruh (R)

Plant: 26 in. (66 cm) diameter; 21.5 in. (54.6 cm) high; upright; medium growth rate.

Leaf: 8.25 in. (20.9 cm) long; 5.125 (13 cm) wide; 9 pairs of veins; light to medium green; flat; lightly cupped, lightly folded, flat; dull on top and underneath; ovate; flat base.

2005 REGISTRATIONS

Scape: 24 in. (61 cm) long; light green.

Flower: 1.5 in. (3.8 cm) long; pale lavender; striped; tubular; Chesterland, OH; 8/14-8/25-9/4; (*codes 6, 6, 7)

Seed: seed set unknown.

Clump History: division of orig. obtained from originator; 6 yrs old; Chesterland, OH.

[Parentage Unknown]

H. 'Krinkle Sister' E. Elslager (ONIR)

Plant: 32 in. (81.3 cm) diameter; 27 in. (68.6 cm) high; upright; medium growth rate.

Leaf: 10.5 in. (26.7 cm) long; 9 in. (22.9 cm) wide; 17 pairs of veins; yellow; 2.25 to 2.5 in. (5.7 to 6.4 cm) slightly rippled; blue-green margin; moderately wavy, deeply corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole glaucous yellow with green edges.

Scape: 29 to 31 in. (73.7 to 78.7 cm) long; glaucous green.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Ann Arbor, MI; 7/1-7/18-8/2; (*codes 3, 4, 4); inflorescence leaves.

Seed: sets viable seeds; glaucous green seed pod.

Clump History: orig. sport; 7 yrs old; Ann Arbor, MI.

Notable Characteristics: large crinkled yellow leaves of heavy substance with broad blue-green margins and a twist. Colors hold until fall.

[sport of *H.* 'Krinkle Twist']

H. 'Krinkle Twist' E. Elslager (ONIR)

Plant: 32 (81.3 cm) diameter; 27 in. (68.6 cm) high; upright; medium growth rate.

Leaf: 11 in. (27.9 cm) long; 9.5 in. (24.1 cm) wide; 17 pairs of veins; blue-green; 2.0 to 2.5 in. (5.1 to 6.4 cm) slightly rippled, yellow margin; moderately wavy, deeply corrugated, slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole glaucous green with greenish yellow streaks.

Scape: 29 to 31 in. (73.7 to 78.7 cm) long; glaucous green.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Ann Arbor, 7/1-7/18-8/2; (*codes 3, 4, 4); inflorescence leaves.

Seed: sets viable seeds; glaucous green seed pod.

Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.

Notable Characteristics: large crinkled blue-green leaves of heavy substance with broad yellow margins and a twist. Color holds until fall.

[sport of F₁ seedling of *H.* 'Dorothy Benedict']

H. 'Lady Guinevere' G. Heemskerk (ONIR)

Plant: 29.5 in. (74.9 cm) diameter; 13.75 in. (34.9 cm) high; upright; medium growth rate.

Leaf: 7 in. (17.8 cm) long; 3 in. (7.6 cm) wide; 7 pairs of veins; greenish yellow; .5 to .75 in. (1.3 to 1.9 cm) flat, dark green margin; lightly wavy; dull on top; elliptic; tapered base; petiole variegated underside.

Scape: 19.5 in. (49.5 cm) long; yellow-green, numerous grey purple dots.

Flower: 2.125 in. (5.5 cm) long; purple; trumpet; The Netherlands; July 15 to Oct 1.

Seed: seed set unknown.

Clump History: orig. sport; 1 yrs old; The Netherlands.

Notable Characteristics: heavily variegated and furrowed foliage, large number of flowers, narrow dark green margins.

[sport of *H.* 'Elisabeth']

H. 'Lady Jane' D. & J. Ward (ONIR)

Plant: 50 in. (127 cm) diameter; 18 in. (45.7 cm) high; upright; medium growth rate.

Leaf: 10 in. (25.4 cm) long; 8 in. (20.4 cm) wide; 10 pairs of veins; dark green; slightly rippled edge; wavy; slightly shiny on top; dull underneath; ovate; rounded base.

Scape: 36 to 39 in. (91.4 to 99.1 cm) long; green.

Flower: .75 in. (1.9 cm) long; medium lavender; tubular; Columbus, OH; June 1 to July 15; 7/7-7/15-7/21; (*codes 4, 4, 4); inflorescence leaves.

Seed: viability unknown; green seed pod.

Clump History: orig. sport; 3 yrs old; Columbus, OH

Notable Characteristics: glossy dark green.

[sport of *H.* 'Jane Ward']

H. 'Lahn' H. Klose (ONI), P. & J. Ruh (R)

Plant: 9.75 in. (24.5 cm) diameter; 5 in. (12.7 cm) high; mound-like; medium growth rate.

Leaf: 3.25 in. (8.3 cm) long; 1.125 in. (2.9 cm) 4 pairs of veins; dark green; flat edge; lightly cupped, moderately twisted, lightly folded, flat; slightly shiny on top; glaucous bloom underneath; lance; tapered base; petiole very thin, light colored back.

Scape: 5 in. (12.7 cm) long; green.

Flower: 1.25 in. (3.2 cm); pure white; tubular; Chesterland, OH; Aug 1 to Aug 31; 8/7-8/15-8/24; (*codes 5, 5, 6);

Seed: seed set unknown.

Clump History: division of orig. obtained from other source; 5 yrs old; Chesterland, OH.

Notable Characteristics: small size, flower in foliage.

[*H.* Tardiana Group seedling × *H.* Tardiana Group seedling]

H. 'Lakeside Banana Bay' M. Chastain (ONIR)

Plant: 22 in. (55.9 cm) diameter; 9 in. (22.9 cm) high; mound-like; fast growth rate.

Leaf: 5 in. (12.7 cm) long; 5 in. (12.7 cm) wide; 8 pairs of veins; yellow; 1 in. (2.5 cm) flat, bright green margin; lightly folded; very shiny on top; slightly shiny underneath; nearly round; cordate base.

Scape: 11 to 13 in. (27.9 to 33 cm); green.

Flower: 2.5 in. (6.4 cm) long; near white; tubular; Ooltewah, TN; July 15 to Aug 15; -7/4-

Seed: seed set unknown.

Clump History: orig. sport; 2 yrs old; Ooltewah, TN.

[sport of *H.* 'Lakeside Meter Maid']

H. 'Lakeside Circle O' M. Chastain (ONIR)

Plant: 12 in. (30.5 cm) diameter; 4 in. (10.2 cm) high; mound-like; fast growth rate.

Leaf: 4 in. (10.2 cm) long; 3 in. (7.6 cm) wide; 8 pairs of veins; slightly blue-green; .5 (1.3 cm) flat, cream margin; lightly cupped, moderately corrugated; dull on top and underneath; nearly round; cordate based.

Scape: 10 to 12 in. (25.4 to 30.5 cm) long; green.

Flower: 2 in. (5.1 cm) long; near white; Ooltewah, TN; July 15 to Aug 15.

Seed: seed set unknown.

Clump History: orig. seedling; 1 yr old; Ooltewah, TN

[streaked form of *H.* 'Lakeside Cupcake' × seedling]

H. 'Lakeside Dimpled Darling' M. Chastain (ONIR)

Plant: 12 in. (30.5 cm) diameter; 4 in. (10.2 cm) high; mound-like; fast growth rate.

Leaf: 3.25 in. (8.3 cm) long; 2 in. (5.1 cm) wide; 5 pairs of veins; bright green; .5 (1.3 cm) flat, white margin; lightly flat; slightly shiny on top and underneath; elliptic; tapered base.

Scape: 7 to 9 in. (17.8 to 22.9 cm) long; green.

Flower: 2 in. (5.1 cm) long; near white; tubular; Ooltewah, TN; June 1 to July 15; 6/7-6/10-6/20 (*codes 3, 3, 3).

2005 REGISTRATIONS

Seed: sets viable seeds; green seed pod.

Clump History: orig. sport; 3 yrs old; Ooltewah, TN.
[sport of *H.* 'Lakeside Dot Com']

***H.* 'Lakeside Fancy Pants'** M. Chastain (ONIR)

Plant: 62 in. (157.5 cm) diameter; 42 in. (106.8 cm) upright; medium growth rate.

Leaf: 16 in. (40.7 cm) long; 9 in. (22.9 cm) wide; 15 pairs of veins; soft blue; 1.5 in. (3.8 cm) yellow margin; lightly folded; slightly shiny on top; glaucous bloom underneath; ovate; cordate base.

Scape: 48 to 55 in. (121.9 to 139.7 cm) green.

Flower: 2.25 in. (5.7 cm) long; near white; tubular; Ooltewah, TN; July 15 to Aug 15; 6/20-7/2-7/18; (*codes 5, 5, 5).

Seed: sets viable seeds; green seed pods.

Clump History: orig. seedling; 4 yrs old; Ooltewah, TN
[seedling × seedling]

***H.* 'Lakeside Metered Light'** M. Chastain (ONIR)

Plant: 32 in. (81.3 cm) diameter; 14 in. (35.6 cm) high; mound-like; medium growth rate.

Leaf: 8.5 in. (21.6 cm) long; 5 in. (12.7 cm) wide; 9 pairs of veins creamy; 1 in. (2.5 cm) flat edge, lime green; lightly folded; slightly shiny on top; dull underneath; ovate; rounded base.

Scape: 22 in. (55.9 cm); white

Flower: 2.25 in. (5.7 cm); pale lavender; Ooltewah, TN ; June 1 to July 15; 7/1- -7/25.

Seed: seed set unknown.

Clump History: orig. seedling; 3 yrs old; Ooltewah, TN.
[seedling × seedling]

***H.* 'Lakeside Peppermint Sticks'** M. Chastain (ONIR)

Plant: 24 in. (61 cm) diameter; 17 in. (43.2 cm) high; upright; fast growth rate.

Leaf: 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 6 pairs of veins; soft yellow; lightly wavy; dull on top; slightly shiny underneath; ovate; rounded base; red petiole.

Scape: 22 to 25 in. (56 to 63.5 cm) long; light green.

Flower: 2.5 in. (6.4 cm) long; deep purple; striped; tubular; Ooltewah, TN; July 15 to Aug 15; 8/5-8/18-8/30; (*codes 4, 4, 5).

Seed: sets viable seeds; lime green seed pod.

Clump History: orig. seedling; 2 yrs old; Ooltewah, TN.
[seedling × seedling]

***H.* 'Lakeside Scamp'** M. Chastain (ONIR)

Plant: 9 in. (22.9 cm) diameter; 3 in. (7.6 cm) high; mound-like; fast growth rate.

Leaf: 2 in. (5.1 cm) long; 1.25 in. (3.2 cm) wide; 6 pairs of veins; aqua soft blue-green center goes to lime; .25 in. (.6 cm) flat; cream margin; moderately flat; dull on top and underneath; broadly ovate; rounded base.

Scape: 8 to 12 in. (20.3 to 30.5 cm) long; soft green.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Ooltewah, TN; before June 1 to Oct 1;

Seed: does not set seed.

Clump History: orig. seedling; 1 yrs old; Ooltewah, TN.

Notable Characteristics: flowers 3 to 4 times per season
[*H.* 'Lakeside Knick Knack' × seedling]

***H.* 'Lakeside Waltz King'** M. Chastain (ONIR)

Plant: 46 in. (116.8 cm) diameter; 21 in. (53.3 cm) high; mound-like; medium growth rate.

Leaf: 11 in. (27.9 cm) long; 5 in. (12.7 cm) wide; 12 pairs of veins; cream white; 1.75 in. (4.4 cm) flat, blue margin; moder-

ately flat; slightly shiny on top; dull underneath; ovate; rounded base; blue fades to green through the season

Scape: 24 to 25 in. (61 to 63.5 cm) long.

Flower: 2.25 in. (5.7 cm) long; near white; tubular; Ooltewah, TN; 6/14- -7/4; (*codes 3,-, 3).

Seed: viability unknown.

Clump History: orig. seedling; 1 yrs old; Ooltewah, TN
[seedling × seedling]

***H.* 'Lakeside Whispering Leaves'** M. Chastain (ONIR)

Plant: 64 in. (162.6 cm) diameter; 28 in. (71.1 cm) mound-like; fast growth rate.

Leaf: 11 in. (27.9 cm) long; 12 in. (30.5 cm) high; 17 pairs of veins; blue-green; slightly rippled; moderately flat slightly shiny on top; nearly round; cordate base.

Scape: 36 to 40 in. (91.4 to 101.6 cm) long; green.

Flower: 2.5 in. (6.4 cm) long; orchid pink; tubular; Ooltewah, TN; June 1 to July 15; 6/6-6/18-6/29; (*codes 3, 3, 3).

Seed: sets viable seeds; green.

Clump History: orig. seedling; 4 yrs old; Ooltewah, TN

Notable Characteristics: scape has branches, sometimes 3 flowers where there are normally 1.

[seedling × *H.* 'Lakeside Ripples']

***H.* 'Lakeside Whizzit'** M. Chastain (ONIR)

Plant: 9 in. (22.9 cm) diameter; 3.25 in. (8.3 cm) high; mound-like; fast growth rate.

Leaf: 3.25 in. (8.3 cm) long; 2 in. (5.1 cm) wide; 3 pairs of veins; white with green dots; .5 (1.3 cm) flat, green margin; lightly folded; slightly shiny on top; dull underneath; lance; tapered.

Scape: 7 to 9 (17.8 to 22.9 cm) long; green.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Ooltewah, TN; June 1 to July 15; 6/2-6/12-6/20; (*codes 3, 3, 3).

Seed: sets viable seeds; green.

Clump History: orig. sport; 1 yrs old; Ooltewah, TN.
[sport of *H.* 'Lakeside Zinger']

***H.* 'Lauren's Delight'** D. & J. Ward (ONIR)

Plant: 30 in. (76.2 cm) diameter; 16 in. (40.6 cm) mound-like.

Leaf: 8 in. (20.3 cm) long; 7 in. (17.8 cm) wide; 8 pairs of veins; medium blue-green; slightly rippled; cupped; dull on top and underneath; nearly round; cordate base.

Scape: 23 in (58.4 cm) long; green.

Flower: .75 in. (1.9 cm) long; pale lavender; bell; Columbus, OH; June 1 to July 15; 6/21-7/1-7/10; (*codes 3, 3, 3).

Seed: viability unknown; green.

Clump History: orig. seedling; 4 yrs old; Columbus, OH.

Notable Characteristics: cupped, good blue
[Parentage Unknown]

***H.* 'Lemon Delight'** R. Bowden (ONI), P. & J. Ruh (R)

Plant: 11 in. (27.9 cm) diameter; 6.5 in. (16.5 cm) high; mound-like; medium growth rate.

Leaf: 2.625 in. (6.6 cm) long; 1.5 in. (3.8 cm) wide; 4 pairs of veins; medium green; .0625 to .3125 in. (.2 to .9 cm) slightly rippled, greenish yellow margin; lightly twisted, lightly wavy, flat; dull on top; slightly shiny underneath; ovate; tapered base; petiole edge and center greenish yellow.

Scape: 17.375 in. (43.8 cm) long; green.

Flower: 2 in. (5.1 cm) long; light purple; striped; tubular; Chesterland, OH; July 15 to Aug 15; 7/13-7/23-8/3; (*codes 4, 5, 5).

Seed: seed set unknown.

Clump History: sport obtained from TC obtained from other source; 6 yrs old; Chesterland, OH

Notable Characteristics: neat small variegated clump with irregular variegation.

[sport of *H.* 'Lemon Lime']

***H.* 'Light Show'** E. Elslager (ONIR)

Plant: 40 in. (101.6 cm) diameter; 23 in. (58.4 cm) high; upright; fast growth rate.

Leaf: 12.5 in. 31.75 (cm) long; 10.5 in. (26.7 cm) 16 to 17 pairs of veins; medium green; .5 to 1.75 in. (1.3 to 4.4 cm) slightly rippled, yellow margin; moderately wavy, moderately corrugated, slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; moderately wavy, petiole glaucous green with cream edges.

Scape: 26 to 29 in. (66 to 73.7 cm) long; glaucous green.

Flower: 2.1 in. (5.3 cm); pale lavender; pink striped, translucent edges; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/2-7/17-7/29; (*codes 3, 4, 4); inflorescence leaves.

Seed: viability unknown.

Clump History: orig. seedling; 6 yrs old; Ann Arbor, MI.

Notable Characteristics: lustrous display of large green leaves with wide bright yellow margins, rippled edges, white backs.

[F₁ seedling of *H.* 'Dorothy Benedict' × unknown]

***H.* 'Lime Fizz'** Naylor Creek Nursery (NR),
M. Fransen (IR), H. Hansen (O)

Plant: small; fast growth rate.

Leaf: 4 in (10.2 cm) long; 1 in. (2.5 cm) wide; medium green, .125 in. (.3 cm) white margin

Flower: medium lavender; Teraar, Holland; July 15 to Aug 15.

Seed: seed set unknown.

Clump History: orig. seedling obtained from originator; 8 yrs old; Teraar, Holland.

Notable Characteristics: vigorous growing small plant with nice green leaves with crisp white margins.

[*H.* 'Lemon Delight' × unknown]

***H.* 'Little Dipper'** D. & J. Ward ONIR

Plant: 30 in. (76.2 cm) diameter; 14 in. (35.6 cm) high; mound-like; fast growth rate.

Leaf: 5 in. (12.7 cm) long; 4 in. (10.2 cm) high; 11 pairs of veins; medium blue-green; slightly rippled; cupped; dull on top and underneath; broadly ovate; cordate base.

Scape: 15 to 17 in. (38.1 to 43.2 cm); green.

Flower: .75 in. (1.9 cm) long; pale lavender; bell; Columbus, OH; June 1 to July 15; 7/1-7/14-7/20; (*codes 4, 4, 4).

Seed: viability unknown.

Clump History: orig. seedling; 5 yrs old; Columbus, OH.

Notable Characteristics: cupped, rapid growth

[Parentage Unknown]

***H.* 'Little Green Griffonage'** S. Chamberlain (ONIR)

Plant: 12 in. (30.5 cm) diameter; 8 in. (20.3 cm) high; mound-like; medium growth rate.

Leaf: 3 in. 7.6 (cm) long; 2.5 in. (6.4 cm) wide 5 to 6 pairs of veins; medium green; lightly cupped, moderately flat, dull on top; slightly shiny underneath; nearly round; rounded base; petiole light green.

Scape: 11 to 21 in. (27.9 to 53.3 cm) long; light green.

Flower: 1.5 in. (3.8 cm) long; medium lavender; dark purple; striped; tubular; Manlius, NY; 6/28-7/20-7/26; (*codes 4, 4, 5).

Seed: viability unknown; medium green.

Clump History: orig. seedling; 4 yrs old; Manlius, NY.

Notable Characteristics: dome shaped small mound with round dull green leaves

[*H.* 'Bill Dress's Blue' × unknown]

***H.* 'Little Lemon Drop'** Europe (ONI), P. & J. Ruh (R)

Plant: 15.5 in. (39.4 cm) diameter; 6 in. (12.7 cm) high; upright; medium growth rate.

Leaf: 4.5 in. (11.4 cm) long; 3.5 in. (8.9 cm) wide; 8 pairs of veins; greenish-yellow; slightly rippled; cupped, wavy; dull on top and underneath; ovate; cordate base.

Scape: 20 in. (50.8 cm) long; glaucous green.

Flower: 2 in. (5.1 cm) long; medium lavender; striped; tubular; Chesterland, OH; 7/4-7/13-7/22; (*codes 3, 4, 5).

Seed: seed set unknown.

Clump History: division of orig. obtained from Europe; 3 yrs old; Chesterland, OH.

Notable Characteristics: makes a low mound.

[Parentage Unknown]

***H.* 'Little Orphan Annie'** E. Elslager (ONIR)

Plant: 25 in. (63.5 cm) diameter; 14 in. (35.6 cm) high; upright; medium growth rate.

Leaf: 8.125 in. (20.6 cm) long; 6.125 in. (15.6 cm) wide; 9 pairs of veins; blue-green streaked with yellows and creamy white; slightly rippled; lightly cupped, moderately corrugated; slightly shiny on top; slightly shiny; glaucous bloom underneath; broadly ovate; rounded base; petiole greenish-yellow with green edges.

Scape: 25 to 29 in. (63.5 to 73.7 cm) long; glaucous green.

Flower: 2.25 in. (5.7 cm) long; pale lavender; pale purple stripes and translucent; tubular; Ann Arbor, MI; July 15 to Oct 1; 7/24-8/12-8/20; (*codes 4, 4, 5); inflorescence leaves.

Seed: sets viable seeds; green or streaked.

Clump History: orig. seedling; 5 yrs old; Ann Arbor, MI.

Notable Characteristics: a gorgeous pod parent dressed in blue-green, yellows and creamy white, floriferous, tall scapes with white backs.

[Parentage Unknown]

***H.* 'Little Tykes'** E. Elslager (ONIR)

Plant: 11 in. (27.9 cm) diameter; 10 in. (25.4 cm) high; mound-like; fast growth rate.

Leaf: 4.25 in. (10.8 cm) long; 2.25 in. (5.7 cm) wide; 5 pairs of veins, dark green; .1 to .25 in. (.2 to .6 cm) heavily rippled, creamy white; moderately cupped, lightly twisted, lightly corrugated; slightly shiny on top; glaucous bloom underneath; lance; rounded base; petiole dark green; yellow edge.

Scape: 15 to 19 in. (38.1 to 48.3 cm) long; glaucous green.

Flower: 1.85 in. (4.8 cm); medium lavender; pale purple striping; tubular; Ann Arbor, MI; July 15 to Oct 1; 8/3-8/18-8/30; (*codes 4, 5, 6).

Seed: sets viable seeds; glaucous green seed pod.

Clump History: orig. seedling; 9 yrs old; Ann Arbor, MI.

Notable Characteristics: creamy white margins, white backs tall scapes.

[*H.* 'Little Jim' × unknown]

***H.* 'Little Wiggler'** W. & E. Lachman (OI). M. Zilis & P. Ruh (N), P. & J. Ruh (R)

Plant: 18 in. (45.7 cm) diameter; 9.5 in. (22.9 cm) high; mound-like; fast growth rate.

Leaf: 3 in. (7.6 cm) long; .75 in. (1.9 cm) wide; 2 pairs of veins; light green; heavily rippled; lightly twisted, moderately folded, slightly shiny on top; very shiny underneath; lance; tapered base; petiole lighter green on light green.

Scape: 16 to 23 in. (40.6 to 58.4 cm) long; deep green.

Flower: 2 in. (5.1 cm) long; deep lavender; striped; tubular; Chesterland, OH; 7/9-7/30-8/12; (*codes 3, 5, 5).

Seed: seed set unknown.

Clump History: division of orig. obtained at AHS 1977 auction; 5 yrs old; Chesterland, OH.

Notable Characteristics: fast grower, waxy leaf, compact mound.

[*H. gracillima* × unknown]

H. 'Lochness Smoke and Fire' E. Elslager (ONIR)

Plant: 30 in. (76.2 cm) diameter; 17 in. (43.2 cm) high; mound-like; medium growth rate.

Leaf: 6.75 in. (17.2 cm) long; 6.75 in. (17.1 cm) high; pairs of veins; blue-green streaked with light green, greenish yellow, pale yellow, creamy white; slightly rippled; moderately cupped, deeply corrugated, moderately unruly; dull on top; glaucous bloom underneath; nearly round; cordate base; petiole dark green; yellow edge.

Scape: 30 to 35 in. (76.2 to 88.9 cm) long; glaucous green.

Flower: 2.25 in. (5.7 cm) long; near white; translucent edge; tubular; Ann Arbor, MI; June 1 to Aug 15; 6/18-7/3-7/21; (*codes 3, 4, 4); inflorescence leaves.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.

Notable Characteristics: unruly, smoky, streaked, white flowers and backs, gives streaked seedlings [sport of *H. 'Lochness'*]

H. Lonesome Dove H. Hansen (ONIR)

Plant: 32 in. (81.3 cm) diameter; 17 in. (43.2 cm) high; upright; medium growth rate.

Leaf: 6 in. (15.2 cm) long; 5 in. (12.7 cm) wide; 10 to 11 pairs of veins; pure white; 1 to 2 in. (2.5 to 5.1 cm) flat, medium blue-green margin; moderately cupped; glaucous bloom on top and underneath; broadly ovate; cordate base.

Scape: 18 in. (45.7 cm); blue-green.

Flower: 2.5 in. (6.4 cm) long; pale lavender; slight darker lavender pattern in center of petal; tubular; Waseca, MN; July 15 to Aug 15; 7/11- -.

Seed: seed set unknown.

Clump History: orig. seedling; 7 yrs old; Waseca, MN.

Notable Characteristics: medio-variegated, blue cupped.

[(seedling of *H. 'Splish Splash'* × *H. 'Sagae'*) × *H. 'Blue Moon'*]

H. 'Loretta's Lavender' E. Schulz (ONIR)

Plant: 34 in. (86.4 cm) diameter; 14 in. (35.6 cm) high; mound-like; medium growth rate.

Leaf: 11 in. (27.9 cm) long; 7 in. (17.8 cm) wide; 9 to 10 pairs of veins; medium to dark green; slightly rippled; lightly wavy; slightly shiny on top; glaucous bloom underneath; broadly ovate; rounded base; petiole moderately purple 1/2 way up petiole, heavy spotting.

Scape: 17 to 19 in. (43.2 to 48.3 cm) long.

Flower: 1 in. (2.5 cm) long; medium lavender; tubular; Peosta, IA; Aug 15 to Oct 1; 8/20-9/3-9/20.

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 4 yrs old; Peosta, IA.

Notable Characteristics: noteworthy in full bloom with abundant purple blooms combined with petiole color and glaucous under leaf, scape held horizontal.

[Parentage Unknown]

H. 'Lorikeet' K. Terpening (ONIR)

Plant: small.

Leaf: 5 in. (12.7 cm) long; 2.75 in. (7 cm) wide; medium green .5 (1.3 cm) yellow to cream margin.

Flower: medium lavender; N. Syracuse, NY; June 1 to July 15.

Seed: seed set unknown.

Clump History: orig. seedling; 6 yrs old; N. Syracuse, NY.

Notable Characteristics: small clump; wavy yellow to creamy white margin that can cover 1/3 of leaf.

[unnamed seedling selfed]

H. 'Lumberjack' E. Elslager (ONIR)

Plant: 43 in. (109.2 cm) diameter; 25 in. (63.5 cm) high; upright; medium growth rate.

Leaf: 11 in. (27.9 cm) long; 9.25 in. (23.5 cm) wide; 16 pairs of veins; dark green; .75 to 2 in. (1.9 to 5.1 cm) slightly rippled, greenish-yellow margin; lightly twisted, lightly wavy, lightly corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole glaucous green; green edges.

Scape: 27 to 34 in. (68.6 to 86.4 cm) long; glaucous green.

Flower: 2.1 in. (5.3 cm) long; pale lavender; pink striped with translucent edges; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/09-7/22-8/03; (*codes 3, 5, 5); inflorescence leaves.

Seed: viability unknown; green.

Clump History: orig. seedling; 8 yrs old; Ann Arbor, MI.

Notable Characteristics: large dark green with yellow margined leaves of substance on thick 20 inch petioles.

[*H. 'Dorothy Benedict'* × unknown]

H. 'Made from Scratch' S. Asch (ONIR)

Plant: 40 in. (101.6 cm) diameter; 20 in. (50.8 cm) high; medium growth rate.

Leaf: 9 in. (22.9 cm) long; 8 in. (20.3 cm) wide; 11 pairs of veins; multi shades of green .25 to 2 in. (.6 to 5.1 cm) slightly rippled, white to pale yellow; lightly cupped, lightly wavy, slightly shiny on top; glaucous bloom; nearly round; cordate base.

Scape: 24 to 36 in. (61 to 91.4 cm) long.

Flower: 2 in. (5.1 cm) long; pale lavender; striped; tubular; Clawson, MI; July 15 to Aug 15; 7/15-7/25-8/3; inflorescence leaves.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 7 yrs old; Clawson, MI.

Notable Characteristics: wide, white to pale yellow border, multi-colored green center large waxy cupped and corrugated leaves, heavy substance.

[*H. 'Dorothy Benedict'* × unknown]

H. 'Magic Colors' D. Beilstein (O), A. Malloy (NIR)

Plant: 14 in. (35.6 cm) diameter; 7.5 in. (19.1 cm) high; mound-like; medium growth rate.

Leaf: 4.5 in. (11.4 cm) long; 3 in. (7.6 cm) wide; 7 pairs of veins; green and white streaked; lightly wavy; very shiny on top; shiny underneath; ovate; rounded base; petiole green.

Scape: 9 in. (22.9 cm) long; green.

Flower: 2 in. (5.1 cm) long; purple; tubular; South Salem, NY; July 15 to Aug 15; 7/5-7/16-7/25.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 6 yrs old; South Salem, NY.

Notable Characteristics: small heavy subtended shinny streaked plant.

[sport of *H. 'Akarana'* × unknown]

H. 'Magnificent Michele' D. & J. Ward (ONIR)

Plant: 20 in. (50.8 cm) diameter; 15 in. (38.1 cm) high; mound-like.

Leaf: 9 in. (22.9 cm) long; 7 in. (17.8 cm) wide; 10 to 11 pairs of veins; blue, slightly rippled; lightly cupped; dull on top and underneath; nearly round; cordate base.

Scape: 15 to 17 in. (38.1 to 43.2 cm); green.

2005 REGISTRATIONS

Flower: .75 in. (1.9 cm) long; near white; bell; Columbus, OH; June 1 to July 15; 7/7-7/14-7/21; (*codes 4, 4, 4).

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 3 yrs old; Columbus, OH.

Notable Characteristics: good substance, persistent blue [H. 'Frosty Morn' × unknown]

H. 'Majestic' G. R. Goodwin (ONIR)
Plant: 48 in. (121.9 cm) diameter; 18 in. (45.7 cm) high; mound-like; fast growth rate.

Leaf: 10 in. (25.4 cm) long; 6 in. (15.3 cm) wide; 8 pairs of veins; dark green; .5 to 1.5 in. (1.3 to 3.8 cm) slightly rippled, creamy to pure white margin; lightly cupped, lightly twisted, lightly folded, lightly wavy, lightly corrugated, deeply flat; very shiny on top and underneath; broadly ovate; rounded base; petiole white edge.

Scape: 48 to 60 in. (121.9 to 152.4 cm); green.

Flower: 1.5 to 2 in. (3.8 to 5.1 cm) long; pale lavender; lightly striped; bell; Indianapolis, IN; 7/5-7/20-8/5; (*codes 4, 4, 4).

Seed: does not set seed

Clump History: orig. sport; 15 yrs old; Indianapolis, IN.

Notable Characteristics: a bold dark green contrasting with wide white borders on a very shiny leaf blade. [seedling of H. 'Splashed Leather' × H. 'Yellow Splash']

H. 'Marilyn Monroe' J. Hawes (ONI). P. & J. Ruh (R)

Plant: 25.5 in. (64.8 cm) diameter; 14.25 in. (36.2 cm) high; mound-like; medium growth rate.

Leaf: 6.75 in. (17.2 cm) long; 5.5 in. (14 cm) wide; 10 pairs of veins; light green; heavily rippled; moderately cupped, moderately twisted, moderately folded, intensely wavy; glaucous bloom on top; dull underneath; ovate; flat base; petiole edges, green 1/2 streaked with red.

Scape: 14 in. (35.6 cm) long; greenish purple

Flower: 2 in. (5.1 cm) long; lavender; striped; tubular; Chesterland, OH; 9/8-9/18-9/29; (*codes 7, 9, 10); inflorescence leaves.

Seed: seed set unknown.

Clump History: orig. obtained from TC obtained from originator; 6 yrs old; Chesterland, OH.

Notable Characteristics: light colored leaves, uniform wavy edge, white back, leaves with every flower, pointed tip. [Parentage Unknown]

H. 'Marlene' Kuk's Forest (ONI), B. Kuk (R)

Plant: 32 in. (81.3 cm) diameter; 21 (53.3 cm) high; upright; medium growth rate.

Leaf: 10.5 in. (26.7 cm) long; 7.5 in. (19 cm) wide; 12 to 14 pairs of veins; golden yellow; slightly rippled; twisted tips, lightly wavy, lightly corrugated; dull on top; glaucous bloom underneath; broadly ovate; cordate base.

Scape: 30 to 33 in. (76.2 to 83.8 cm) long; greenish gold.

Flower: 1.25 in. (3.2 cm) long; near white; Brecksville, OH; 6/16-6/27-7/5; (*codes 2, 2, 2); inflorescence leaves.

Seed: sets viable seeds; greenish gold seed pod.

Clump History: orig. sport; 7 yrs old; Brecksville, OH.

Notable Characteristics: deep golden yellow, deep impressed veins. [sport of H. 'Rippling Waves']

H. 'Martin Van Buren' H. Sugita (O), P. Ruh (ONIR), J. Ruh (R)

Plant: 36.5 in. (92.7 cm) diameter; 9.5 in. (24.1 cm) high; mound-like; medium growth rate.

Leaf: 9.5 in. (24.1 cm) long; 4.75 in. (12.1 cm) wide; 10 pairs of veins; medium green; slightly rippled; moderately twisted, mod-

erately folded, moderately wavy; slightly shiny on top; dull underneath; ovate; flat base; petiole 1/2 red streaked.

Scape: 13 in. (33 cm) long; green with bluish cast.

Flower: 2 in. (5.1 cm) long; pale lavender; purple striped; tubular; Chesterland, OH; 9/1-9/14-9/24; (*codes 6, 8, 9).

Seed: does not set seed.

Clump History: orig. seedling; 19 yrs old; Chesterland, OH.

Notable Characteristics: graceful habit, pendulous flower under foliage, white back, seed from H. Sugita.

[H. *kiyosumiensis* × H. *pycnophylla*]

H. 'Midnight Moon' R. Solberg (ONIR)

Plant: 24 in. (61 cm) diameter; 8 in. (20.3 cm) high; mound-like; slow growth rate.

Leaf: 6 in. (15.2 cm) long; 4.5 in. (11.4 cm) wide; 5 to 6 pairs of veins; dark green; .25 to .5 in. (6 to 1.3 cm) slightly rippled, irregular yellow becoming cream margin; lightly twisted, lightly folded, lightly wavy; slightly shiny on top; dull underneath; broadly ovate; cordate base.

Scape: 20 to 26 in. (50.8 to 66 cm); green.

Flower: deep purple; white striped; bell; Chapel Hill, NC; June 1 to July 15; 6/15-6/30-7/10; (*codes 3, 4, 5).

Seed: seed set unknown.

Clump History: orig. sport obtained from TC; 3 yrs old; Chapel Hill, NC.

Notable Characteristics: dark green, heart-shaped leaves with an irregular margin.

[sport of H. 'Lakeside Black Satin']

H. 'Midnight Storm' R. Solberg (ONIR)

Plant: 20 in. (50.8 cm) diameter; 8 in. (20.3 cm) high; mound-like; slow growth rate.

Leaf: 6 in. (15.2 cm) long; 4.5 in. (11.4 cm) wide; 5 to 6 pairs of veins; dark green with irregular streaking; slightly rippled; lightly twisted, lightly folded, lightly wavy; slightly shiny on top; dull underneath; broadly ovate; cordate base.

Scape: 20 to 26 in. (50.8 to 66 cm) long; green with streaks.

Flower: deep purple; white striped; bell; Chapel Hill, NC; June 1 to July 15; 6/15-6/30-7/10; (*codes 3, 4, 5).

Seed: seed set unknown.

Clump History: orig. sport obtained from TC; 3 yrs old; Chapel Hill, NC.

Notable Characteristics: dark green, heart-shaped leaves with irregular streaking.

[sport of H. 'Lakeside Black Satin']

H. 'Million Dollar Baby' E. Elslager (ONIR)

Plant: 26 in. (66 cm) diameter; 23 in. (58.4 cm) high; upright; medium growth rate.

Leaf: 9.75 in. (24.8 cm) long; 7 in. (17.8 cm) wide; 12 to 13 pairs of veins; bright yellow shades of blue, green and yellow; .3 to 2.25 in. (.8 to 5.7 cm) slightly rippled, blue-green; moderately cupped, lightly wavy, moderately corrugated; slightly shiny; glaucous bloom on top and underneath; broadly ovate; cordate base; petiole greenish-yellow with green streaks.

Scape: 32 to 38 in. (81.3 to 97 cm) long; glaucous green.

Flower: 2.25 in. (5.7 cm) long; near white; pink striped, translucent edge; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/13-7/20-8/9; (*codes 3, 4, 4); inflorescence leaves.

Seed: sets viable seeds; glaucous green seed pod.

Clump History: orig. seedling; 5 yrs old; Ann Arbor, MI.

Notable Characteristics: glorious bright yellow leaves streaked with blues and greens, resembles H. 'Great Expectations'. [H. 'Heavenly Constellation' × unknown]

2005 REGISTRATIONS

H. 'Miss Grace' A. Wrede (ONIR)
Plant 24 in. (61 cm) diameter; 12 in (30.5 cm) high; upright; fast growth rate.
Leaf: 8 in. (20.3 cm) long; 4 in (10.2 cm) wide; 6 to 7 pairs of veins; medium green; slightly rippled; slightly shiny on top; very shiny underneath; broadly ovate; tapered base; part red petiole.
Scape: almost red
Flower: pale purple; Joppa, MD; July 15 to Aug. 15.
Seed: sets viable seed; green pod.
Clump History: orig. seedling; 4 yrs old; Joppa, MD. [seedling of unknown parentage]

H. 'Miss Ruby' A. Wrede (ONIR)
Plant 18 in. (45.7 cm) diameter; 8 in (20.3 cm) high; mound-like; fast growth rate.
Leaf: 6.5 in. (16.5 cm) long; 4.5 in. (11.4 cm) wide; 7 pairs of veins; medium green; slightly rippled; slightly shiny on top and underneath; ovate; rounded base; red petiole.
Scape: red
Flower: pale purple; Joppa, MD; July 15 to Sept. 15.
Seed: sets viable seed.
Clump History: orig. seedling; 5 yrs old; Joppa, MD.
Notable Characteristics: red petiole color from base to well into leaf, remains through season.
 [H. 'Katsuragawa Beni' × unknown]

H. 'Mississippi River' D. Beilstein (O), A. Malloy (NIR)
Plant: 48 in. (121.9 cm) diameter; 20 in. (50.8 cm) high; mound-like; medium growth rate.
Leaf: 12 in. (30.5 cm) long; 9 in. (22.9 cm) wide; 13 to 14 pairs of veins; medium yellow-green; wavy and serrated; deeply wavy; slightly shiny on top and underneath; broadly ovate; cordate base; petiole green.
Scape: 45 in. (114.3 cm) long; green.
Flower: 2 in. (5.1 cm) long; white; bell; South Salem, NY; June 1 to July 15; 6/24-7/14-7/27.
Seed: sets viable seeds; black seed pod.
Clump History: orig. seedling; 6 yrs old; South Salem, NY
Notable Characteristics: giant yellow-green, wavy serrated edge.
 [H. 'Piecrust Power' × H. 'Elatior']

H. 'Missouri River' D. Beilstein (O), A. Malloy (NIR)
Plant: 28 in. (71.1 cm) diameter; 13 in. (33 cm) high; mound-like; medium growth rate.
Leaf: 8.5 in. (21.6 cm) long; 5.5 in. (14 cm) wide; 10 pairs of veins; dark blue-green; deeply wavy; dull on top and underneath; ovate; rounded base; petiole purple.
Scape: 17 in. (43.2 cm) long; green and lavender.
Flower: 2 in. (5.1 cm); white; lavender streaks; bell; South Salem, NY; July 15 to Aug 15; 7/5-7/12-7/22.
Seed: sets viable seeds; green seed pod.
Clump History: orig. seedling; 5 yrs old; South Salem, NY.
Notable Characteristics: blue-green with very wavy edge and purple petioles.
 [H. 'Raspberry Sorbet' × H. 'Riptide']

H. 'Molly' T. Ruh (ONI), P. & J. Ruh (R)
Plant: 42 in. (106.7 cm) diameter; 33 in. (83.8 cm) high; upright; medium growth rate.
Leaf: 9 in. (22.9 cm) long; 5.125 in. (13 cm) wide; 9 pairs of veins; medium green; .25 to .375 in. (.6 to 1 cm) slightly rippled; light yellow margin; moderately twisted, moderately folded, moderately wavy, lightly corrugated; slightly shiny on top; dull underneath; ovate; rounded base; petiole edged yellow.

Scape: 43 to 47 in. (109.2 to 119.4 cm) long; blue-green.
Flower: 2 in. (5.1 cm) long; deep lavender; striped; tubular; Chesterland, OH; July 15 to Aug 15; 7/12-7/24-8/5; (*codes 4, 5, 5) inflorescence leaves.
Seed: seed set unknown.
Clump History: orig. sport; 12 yrs old; Chesterland, OH.
Notable Characteristics: unlike Regal Splendor edge stays yellow.
 [sport of a yellow streaked H. 'Krossa Regal']

H. 'Mona Lisa' D. & J. Ward (ONIR)
Plant: 60 in. (152.4 cm) diameter; 30 in. (76.2 cm) high; mound-like.
Leaf: 11 in. (27.9 cm) long; 9 in. (22.9 cm) wide; 11 pairs of veins; medium green; heavily rippled; corrugated; dull on top; slightly shiny underneath; nearly round; cordate base.
Scape: 33 in. (83.8 cm) long; green.
Flower: .5 in. (1.3 cm); pale lavender; bell; Columbus, OH; June 1 to July 15; (*codes 2, 3, 3).
Seed: viability unknown; green seed pod.
Clump History: orig. seedling; 7 yrs old; Columbus, OH.
Notable Characteristics: large corrugated contorted leaves.
 [Parentage Unknown]

H. 'Monsoon' D. & J. Ward (ONIR)
Plant: 50 in. (127 cm) diameter; 22 in. (55.9 cm) high; mound-like.
Leaf: 12 in. (30.5 cm) long; 10 (25.4 cm) wide; 7 pairs of veins; yellow .75 (1.9 cm) slightly rippled, green margin; wavy; dull on top and underneath; ovate; rounded base;
Scape: 25 to 27 in. (63.5 to 68.6 cm) long.
Flower: .5 in. (1.3 cm) long; medium lavender; bell; Columbus, OH; June 1 to July 15; (*codes 3, 4, 4).
Seed: viability unknown; green seed pod.
Clump History: orig. sport; 3 yrs old; Columbus, OH.
Notable Characteristics: large wavy leaves.
Seasonal Variation: center becomes brighter yellow.
 [sport of H. 'Great Lakes Gold']

H. 'Moon over Lake Erie' P. Ruh (OIR), M. Zilis (N), J. Ruh (R)
Plant: 41 in. (104.1 cm) diameter; 19 in. (48.3 cm) high; mound-like; medium growth rate.
Leaf: 8.875 in. (22.6 cm) long; 6.75 in. (17.1 cm) wide; 10 pairs of veins; dark green; .5 to .75; (1.3 to 1.9 cm) slightly rippled, greenish yellow margin; lightly cupped, moderately folded, lightly wavy, moderately corrugated; dull on top and underneath; ovate; cordate base; petiole light green, edged yellow.
Scape: 25 to 30 in. (63.5 to 76.2 cm); green.
Flower: 2.25 in. (5.7 cm) long; pale lavender; striped; tubular; Chesterland, OH; 7/9-7/21-8/1; (*codes 4, 4, 5).
Seed: seed set unknown.
Clump History: orig. sport; 5 yrs old; Chesterland, OH.
Notable Characteristics: brilliant colored edge.
 [sport of H. 'August Moon']

H. 'Mount Daisen' H. Sugita (ONI), P. & J. Ruh (R)
Plant: 54 in. (137.2 cm) diameter; 29 in. (73.7 cm) high; upright; medium growth rate.
Leaf: 12.5 in. (31.75 cm) long; 8.5 in. (21.6 cm) wide; 12 pairs of veins; dark green; slightly rippled; moderately cupped, lightly twisted, deeply folded, lightly wavy, lightly corrugated; very shiny on top; slightly shiny underneath; ovate; cordate base.
Scape: 54 to 60 in. (137.2 to 152.4 cm); medium green.

2005 REGISTRATIONS

Flower: 2 in. (5.1 cm) long; pale lavender; striped; tubular; Chesterland, OH; July 15 to Aug 15; 7/5-7/16-7/27; (*codes 3, 4, 5); inflorescence leaves.
Seed: seed set unknown.
Clump History: division of orig. obtained from originator; 23 yrs old; Chesterland, OH.
Notable Characteristics: large size, stately.
 [*H. montana* selection]

H. 'Mourning Dove' H. Hansen (ONIR)
Plant: 31 in. (78.7 cm) diameter; 12 in. (30.5 cm) high; mound-like; medium growth rate.
Leaf: 8 in. (20.3 cm) long; 4 in. (10.2 cm) wide; 8 pairs of veins; medium blue-green; .5 to 1 (1.3 to 2.5 cm) flat, greenish yellow; flat, glaucous bloom on top and underneath; lance; rounded base.
Scape: 16 to 20 in. (40.6 to 50.8 cm) long; blue-grey.
Flower: 2 in. (5.1 cm) long; medium lavender; very pale darker lavender on petals; tubular; Waseca, MN; July 15 to Aug 15; 7/29- -8/20.
Seed: sets viable seeds; blue-green seed pod.
Clump History: orig. seedling; 7 yrs old; Waseca, MN.
Notable Characteristics: scapes arch sideways.
 [streaked form of *H. 'Mikawa-no-yuki'* × *H. 'Blue Jay'*]

H. 'Mr Blue' A. Wrede (ONIR)
Plant: 24 in. (61 cm) diameter; 12 in (30.5 cm) high; upright; fast growth rate.
Leaf: 6 in. (15.2 cm) long; 4 in (10.2cm) wide; 8 to 9 pairs of veins; blue-green; flat; dull, glaucous bloom on top and underneath; ovate; rounded base; deep purpled petiole.
Scape: red purple
Flower: tubular; Joppa, MD; July 15 to Aug. 15.
Seed: sets seed, viability unknown.
Clump History: orig. seedling; 4 yrs old; Joppa, MD.
Notable Characteristics: deep red purple petioles, entire plant with glaucous bloom.
 [seedling of unknown parentage]

H. 'My Claire' B. Hird (ONIR)
Plant: 30 in. (76.2 cm) diameter; 12 in. (30.5 cm) high; mound-like; medium growth rate.
Leaf: 6 in. (15.3 cm) long; 4 in. (10.2 cm) wide; medium green; .5 to 1 in. (1.3 to 2.5 cm); slightly rippled; yellow to cream white; lightly cupped, lightly twisted, lightly wavy, lightly corrugated; slightly shiny on top and underneath; broadly ovate; cordate base.
Flower: pale lavender; tubular; Dubuque, IA; July 15 to Aug 15; 7/30-8/10-8/16.
Seed: viability unknown; green seed pod.
Clump History: orig. seedling; 5 yrs old; Dubuque, IA.
Notable Characteristics: small to medium size mound of very irregular margined foliage.
 [Parentage Unknown]

H. 'Mystery Mom' E. Elslager (ONIR)
Plant: 24 in. (61 cm) diameter; 26 in. (66 cm) high; upright; medium growth rate.
Leaf: 10 in. (25.4 cm) long; 9.5 in. (24.1 cm) 12 pairs of veins; blue green streaked with light green, medium green, dark green, yellow, greenish-yellow, creamy white; slightly rippled; lightly wavy, deeply corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole blue-green with yellow or green edges.
Scape: 31 to 37 in. (78.7 to 94 cm) long; glaucous blue-green.
Flower: 2 in. (5.1 cm) long; pale lavender; translucent edge;

tubular; Ann Arbor, MI; July 15 to Aug 15; 7/17-8/2-8/13; (*codes 3, 4, 5); inflorescence leaves.
Seed: sets viable seeds; green seed pod.
Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.
Notable Characteristics: broadly streaked blue green pod parent, deeply corrugated, heavy substance.
 [Parentage Unknown]

H. 'Nancy' A. Tower (ONIR)
Plant: 27 in. (68.6 cm) diameter; 11 in. (27.9 cm); mound-like; medium growth rate.
Leaf: 6.5 in. (16.5 cm) long; 3.5 in. (8.9 cm) wide; 4 to 6 pairs of veins; golden yellow; heavily rippled; lightly cupped, lightly twisted, deeply wavy; very shiny on top and underneath; ovate; cordate base.
Scape: 15 to 24 in. (38.1 to 61 cm); green.
Flower: 1.5 in. (3.8 cm) long; medium lavender; striped; tubular; Spokane, WA; July 15 to Aug 15; 8/1-8/8-8/25
Seed: does not set seed.
Clump History: orig. seedling; 8 yrs old; Spokane, WA.
Notable Characteristics: wavy margins, very high substance.
Seasonal Variation: brighter yellow in spring.
 [Parentage Unknown]

H. 'Night Train' D. & J. Ward (ONIR)
Plant: 24 in. (61 cm) diameter; 18 in. (45.7 cm) high; mound-like.
Leaf: 9 in. (22.9 cm) long; 7 in. (17.8 cm) wide; 15 pairs of veins; intensely blue-green; slightly rippled; lightly wavy; dull on top and underneath; broadly ovate; cordate base;
Scape: 17 to 19 in. (43.2 to 48.3 cm) long; green.
Flower: .75 in. (1.9 cm) long; pale lavender; bell; Columbus, OH; June 1 to July 15; 6/21-7/1-7/14; (*codes 3, 3, 4).
Seed: viability unknown; green seed pod.
Clump History: orig. seedling; 4 yrs old; Columbus, OH.
Notable Characteristics: very heavy substance, blue is intense.
 [Parentage Unknown]

H. 'Olympic Glacier' Naylor Creek Nursery (ONIR)
Plant: medium.
Leaf: 6 in (15.2 cm) long; 4 in. (10.2 cm) wide; dark green, .25 to 1 in. (.6 to 2.5 cm) white margin green speckling
Flower: pale lavender; Chimacum, WA; July 15 to Aug 15.
Seed: seed set unknown.
Clump History: orig. sport; 6 years old; Chimacum, WA.
Notable Characteristics: leaves are dark green with irregular pure white margins with green speckling throughout the margin.
 [sport of *H. 'Pathfinder'*]

H. 'Olympic Sunrise' Naylor Creek Nursery (ONIR)
Plant: medium.
Leaf: 7 in (17.8 cm) long; 3.5 in. (8.9 cm) wide; yellow to creamy white, .75 in. (1.9 cm) intensely blue-green margin.
Flower: medium lavender; Chimacum, WA; Aug 15 to Oct 1.
Seed: seed set unknown.
Clump History: orig. sport; 7 years old; Chimacum, WA.
Seasonal Variation: leaf center changes from yellow to creamy white.
Notable Characteristics: outstanding substance and holds well into the fall.
 [sport of *H. 'Kathryn Lewis'*]

H. 'On Golden Pond' E. Elslager (ONIR)
Plant: 28 in. (71.1 cm) diameter; 30 in. (76.2 cm) high; upright; medium growth rate.

2005 REGISTRATIONS

Leaf: 14.5 in. (36.8 cm) long; 10.5 in. (26.7 cm) wide; 16 pairs of veins; medium green; .5 to 2.0 in. (1.3 to 5.1 cm) heavily rippled, greenish yellow, lightly twisted, moderately corrugated; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole green with yellow glaucous edges.
Scape: 33 to 39 in. (83.8 to 99.1 cm) long; glaucous green.
Flower: 2.1 in. (5.3 cm) long; near white; pink striped, translucent edges; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/9-7/21-8/4; (*codes 3, 4, 4); inflorescence leaves.
Seed: viability unknown; green seed pod.
Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.
Notable Characteristics: giant arching rippled leaves with wide yellow margins, white backs and flowers.
 [F₁ seedling of *H.* 'Dorothy Benedict' × unknown]

***H.* 'Over the Rainbow'** E. Elslager (ONIR)
Plant: 18 in. (45.7 cm) diameter; 21 in. (53.3 cm) high; upright; slow growth rate.
Leaf: 10.5 in. (26.7 cm) long; 8.25 in. (21 cm) wide; 14 to 15 pairs of veins; heavily streaked with a rainbow of colors from dark green to medium green to greenish yellow to yellow; heavily rippled; lightly wavy, moderately corrugated; slightly shiny on top; glaucous bloom; broadly ovate; cordate base; petiole greenish-yellow with green edges.
Scape: 23 to 29 in. (58.4 to 73.7 cm) long; glaucous green.
Flower: 1.75 in. (4.4 cm) long; near white; soft pink edges and striping; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/1-7/10-7/27; (*codes 3, 3, 4); inflorescence leaves.
Seed: viability unknown; green seed pod.
Clump History: orig. seedling; 5 yrs old; Ann Arbor, MI.
Notable Characteristics: large heavily rippled multicolored streaked pod parent, white flowers.
 [seedling of *H.* 'Dorothy Benedict' × unknown]

***H.* 'Passionate Purple'** Kuk's Forest (ONI), B. Kuk (R)
Plant: 38 in. (96.5 cm) diameter; 22 in. (55.9 cm) high; mound-like; fast growth rate.
Leaf: 9 in. (22.9 cm) long; 3 in. (7.6 cm) wide; 5 to 6 pairs of veins; dark green; slightly rippled; lightly twisted, moderately wavy; lightly shiny on top; very shiny underneath; lance; tapered base.
Scape: 32 to 38 in. (81.3 to 97 cm) long; dark maroon.
Flower: 2.5 in. (6.4 cm); deep purple; tubular; Brecksville, OH; 8/20-8/30-9/15; (*codes 7, 7, 7); inflorescence leaves.
Seed: sets viable seeds; dark maroon seed pod.
Clump History: orig. seedling; 6 yrs old; Brecksville, OH.
Notable Characteristics: rapid grower with dark purple flowers, dark maroon scapes and seed pods.
 [*H. pachyscapa* × *H.* 'Sea Octopus']

***H.* 'Patricia'** G. Heemskerk (ONIR)
Plant: 17.75 in. (45.1 cm) diameter; 7.875 in. (20 cm) high; mound-like; medium growth rate.
Leaf: 5.125 in. (13 cm) long; 3.5 in. (8.9 cm) wide; 8 pairs of veins; slightly blue-green; .5 in. (1.3 cm) slightly rippled, greenish yellow margin; lightly wavy; dull on top and underneath; broadly ovate; cordate base.
Scape: 23.5 in. (59.7 cm) long; glaucous green.
Flower: 1.125 in. (3 cm) long; medium lavender; bell; The Netherlands; June 1 to July 15; inflorescence leaves.
Seed: seed set unknown.
Clump History: orig. sport; 3 yrs old; The Netherlands.
 [sport of *H.* 'Birchwood Parkys Gold']

***H.* 'Patriot Colors'** A. Malloy (ONIR)
Plant: 13 in. (33 cm) diameter; 7 in. (17.8 cm) high; mound-like; slow growth rate.
Leaf: 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 6 pairs of veins; medium blue-green; flat; glaucous bloom on top and underneath; lance; tapered base; petiole purple with white frosting.
Scape: 14 in. (35.6 cm) long; lavender to white.
Flower: lavender; tubular; South Salem, NY; Aug 15 to Oct 1; 7/20-7/28-8/5.
Seed: sets viable seeds; green seed pod.
Clump History: orig. seedling; 5 yrs old; South Salem, NY
Notable Characteristics: small narrow blue with white back and reddish-pink petioles.
 [Parentage Unknown]

***H.* 'Peace Pipe'** G. R. Goodwin (ONIR)
Plant: 15 in. (38.1 cm) diameter; 6 in. (15.2 cm) high; upright; medium growth rate.
Leaf: 4.5 in. (11.4 cm) long; 3 in. (7.6 cm) wide; 5 to 6 pairs of veins; creamy white and dark green streaked; .5 to .75 (1.3 to 1.9 cm) slightly rippled, dark green margin; moderately cupped, lightly twisted, lightly folded, lightly wavy, lightly corrugated, moderately flat; very shiny on top and underneath; ovate; rounded base; petiole white centered, dark green edged.
Scape: 14 to 18 in. (35.6 to 45.7 cm); splashed.
Flower: 2 in. (5.1 cm); pale lavender; tubular; Indianapolis, IN; July 15 to Aug 15; 7/20-7/30-8/15; (*codes 5, 5, 6).
Seed: sets viable seeds; splashed seed pod.
Clump History: orig. seedling; 6 yrs old; Indianapolis, IN.
Notable Characteristics: small, very dark rim brightened with a non-melting creamy white center, cupped and pointed leaves.
 [splashed seedling × unknown]

***H.* 'Peacock'** E. Elslager (ONIR)
Plant: 26 in. (66 cm) diameter; 12 in. (30.5 cm) high; mound-like; medium growth rate.
Leaf: 8 in. (20.3 cm) long; 5.25 in. (13.3 cm) wide; 11 pairs of veins; dark green streaked with light green, greenish-yellow, yellow, creamy white; slightly rippled; lightly cupped, lightly twisted, deeply corrugated, moderately unruly; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole glaucous creamy white and green.
Scape: 16 to 21 in. (40.6 to 53.3 cm) long; glaucous green.
Flower: 1.9 in. (4.9 cm) long; medium lavender; pale purple striped; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/3-7/19-8/1; (*codes 3, 4, 4); inflorescence leaves.
Seed: sets viable seeds; green seed pod.
Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.
Notable Characteristics: unruly multicolored diminutive sub-stanced streaked pod parent.
 [seedling of *H.* 'Galaxy' × unknown]

***H.* 'Peacock Strut'** W. Lefever (O), R. Solberg (NIR)
Plant: 36 in. (91.4 cm) diameter; 23 in. (58.4 cm) high; upright; medium growth rate.
Leaf: 9 in. (22.9 cm) long; 6 in. (15.3 cm) wide; 9 pairs of veins; slightly blue-green; slightly rippled; deeply folded, lightly wavy; glaucous bloom on top and underneath; ovate; cordate base; petiole very purple with white wax overlay.
Scape: 32 to 37 in. (81.3 to 94 cm) long; purple with white wax.
Flower: 1.75 in. (4.5 cm) long; medium lavender; tubular; Kernersville, NC; July 15 to Aug 15; 7/20-8/1-8/15; (*codes 6, 6, 7).
Seed: seed set unknown.
Clump History: orig. seedling obtained from originator; 5 yrs old; Kernersville, NC.

Notable Characteristics: upright blue-gray leaves with purple petioles, stippling up into leaf blade, white wax on leaf back. [*H. 'Riptide'* × unknown]

H. 'Peking' D. Stone (O), H. Payne (NI), P. & J. Ruh (R)
Plant: 21.5 in. (54.6 cm) diameter; 9 in. (22.9 cm) high; mound-like slow growth rate.

Leaf: 5.375 in. (13.7 cm) long; 4.375 in. (11.1 cm) wide; 9 pairs of veins; greenish yellow; flat edge; cupped, folded, lightly corrugated; dull on top and underneath; ovate; cordate base; petiole thin.

Scape: 23.25 in. (59.1 cm) long; greenish-yellow.

Flower: 2 in. (5.1 cm) long; pale lavender; faint striped; bell; Chesterland, OH; July 15 to Aug 31; 7/22-8/12-8/24; (*codes 3, 3, 5); inflorescence leaves.

Seed: seed set unknown.

Clump History: orig. seedling obtained from originator; 14 yrs old; Chesterland, OH.

Notable Characteristics: open spreading habit, reverse cupping. [Parentage Unknown]

H. 'Picadilly Circus' C. Hanson (OI), P. Ruh (NR), J. Ruh (R)
Plant: 40 in. (101.6 cm) diameter; 15 in. (38.1 cm) high; mound-like; medium growth rate.

Leaf: 8 in. (20.3 cm) long; 3.75 in. (9.5 cm) wide; 9 pairs of veins; dark green; slightly rippled; twisted, moderately wavy, flat; slightly shiny on top; very shiny underneath; lance; flat base; petiole lightly red spotted.

Scape: 18 to 24 in. (45.7 to 61 cm) long; light green.

Flower: 2 in. (5.1 cm) long; pale purple; striped; tubular; Chesterland, OH; 8/20-9/2-9/16; (*codes 6, 7, 9).

Seed: seed set unknown.

Clump History: division of orig. seedling obtained from a nursery; 10 yrs old; Chesterland, OH.

Notable Characteristics: compact, dark green, one of last to bloom.

[Parentage Unknown]

H. 'Pineapple Punch' Walters Gardens, Inc. (OIR),
A. Bergeron (N)

Plant: 24 in. (61 cm) diameter; 13 in. (33 cm) high; mound-like; fast growth rate.

Leaf: 10 in. (25.4 cm) long; 3 in. (7.6 cm) wide; 4 to 5 pairs of veins; dark green; .25 in. (.6 cm) heavily rippled, creamy yellow to creamy white margin; intensely wavy; dull on top; slightly shiny underneath; lance; tapered base; petiole tall green.

Scape: 30 to 38 in. (76.2 to 96.5 cm); dark green.

Flower: 2.5 in. (6.4 cm) long; medium lavender; tubular; Zee-land, MI; Aug 15 to Oct 1; 8/12-8/17-8/31; (*codes 6, 6, 8).

Seed: sets viable seeds; green seed pod.

Clump History: orig. sport obtained from TC; 3 yrs old; Zee-land, MI.

Notable Characteristics: intensely wavy margin with dark green center and creamy yellow edge.

Seasonal Variation: emerges with yellow margin.

[sport of *H. 'Pineapple Upsidedown Cake'*]

H. 'Pistachio Cream' M. Zilis (OIR); E. Stratton (N)

Plant: 28 in. (71.1 cm) diameter; 13 in. (33 cm) high; mound-like; medium growth rate.

Leaf: 6 in. (15.2 cm) long; 4.75 in. (12.1 cm) wide; 10 to 12 pairs of veins; medium green; flat; moderately cupped lightly wavy, moderately corrugated; dull on top, thin glaucous bloom underneath; broadly ovate; cordate base.

Scape: 20 to 24 in. (50.8 to 61 cm) long; green.

Flower: 2.25 in. (5.7 cm) long; pale lavender; Rochelle, IL; July 15 to Aug 15; 7/10-7/16-7/25; (*codes 4, 4, 5).

Seed: sets viable seeds.

Clump History: orig. sport obtained from TC; 3 yrs old; Rochelle, IL.

[sport of *H. 'Wylde Green Cream'*]

H. 'Planet X' E. & J. Deckert (ONIR)

Plant: 33 in. (83.8 cm) diameter; 12 in. (30.5 cm) high; upright; medium growth rate.

Leaf: 7 in. (17.8 cm) long; 5.75 in. (14.6 cm) wide; 12 pairs of veins; medium green; 1 to 2 in. (2.5 to 5.1 cm) slightly rippled, intensely blue-green margin; moderately cupped, lightly corrugated; dull on top; glaucous bloom underneath; broadly ovate; cordate base.

Scape: 15 to 16 in. (38.1 to 40.6 cm) long; blue-green

Flower: 1.5 in. (3.8 cm) long; near white; lightly striped; tubular; Hampstead, MD; July 15 to Aug 15; 7/22-8/1-8/6; inflorescence leaves.

Seed: viability unknown; blue-green seed pod.

Clump History: orig. seedling; 6 yrs old; Hampstead, MD.

Notable Characteristics: unique green center with hazy blue margin, thick substance, cupped and puckered, blooms appear at several levels.

[Parentage Unknown]

H. 'Prairie Lightning' P. A. Kedl (ONIR)

Plant: 34 in. (86.4 cm) diameter; 20 in. (50.8 cm) high; upright; medium growth rate.

Leaf: 11 in. (27.9 cm) long; 8 in. (20.4 cm) wide; 11 pairs of veins; pale yellow, green and gold streaked; heavily rippled; lightly wavy, dull on top and underneath; ovate; rounded base; petiole streaked.

Scape: 24 to 36 in. (61 to 91.4 cm) long.

Flower: 2 to 2.5 in. (5.1 to 6.4 cm) long; pale lavender, white striped; bell; Roseville, MN; 7/1-7/7-7/14; (*codes 3, 3, 5).

Seed: seed set unknown.

Clump History: orig. seedling; 5 yrs old; Roseville, MN.

Notable Characteristics: 3 colors on each leaf, veins also show green.

Seasonal Variation: starts gold in spring, streaking appears in early June

[*H. 'Prairie Glow'* × unknown]

H. 'Prairie Sky' H. Hansen (ONIR)

Plant: 36 in. (91.4 cm) diameter; 14 in. (35.6 cm) high; mound-like; medium growth rate.

Leaf: 7 in. (17.8 cm) long; 6 in. (15.3 cm) wide; 9 to 11 pairs of veins; powdery blue; flat edge; lightly cupped; glaucous bloom on top and underneath; broadly ovate; cordate base.

Scape: 18 to 24 in. (45.7 to 61 cm) long; blue-green.

Flower: 2 in. (5.1 cm) long; pale lavender inner sepals, white with lavender center inner petals; tubular; Waseca, MN; July 15 to Aug 15; 7/24-8/16-

Clump History: orig. seedling; 6 yrs old; Waseca, MN.

[(seedling of *H. rupifraga* × *H. 'Maruba Iwa'*) × *H. 'Blue Jay'*]

H. 'Prime Meridian' M. Chastain (O)

G. R. Goodwin (ONIR)

Plant: 60 in. (152.4 cm) diameter; 20 in. (50.8 cm) high; upright to mound-like; medium growth rate.

Leaf: 12 in. (30.5 cm) long; 10 in. (25.4 cm) wide; 14 pairs of veins; creamy white; 3 to 4 in. (7.6 to 10.1 cm) slightly rippled, medium green margin; moderately cupped, moderately twisted,

moderately folded, moderately wavy, deeply corrugated, flat; slightly shiny on top and underneath; broadly ovate; cordate base; petiole streaked.
Scape: 25 to 40 in. (63.5 to 101.6 cm) long; creamy white.
Flower: 2.5 (6.4 cm) long; pale lavender; almost tubular; Indianapolis, IN; June 1 to July 15; 6/25-7/7-7/17; (*codes 3, 4, 4); small inflorescence leaves.
Seed: viability unknown; green or streaked seed pod..
Clump History: orig. seedling obtained from originator; 10 yrs old; Indianapolis, IN.
Notable Characteristics: large sieboldiana type; very thin center variegation pattern.
 [Parentage Unknown]

H. 'Purbeck Mist' E. Smith (ON), J. Morss (NI), R. Bowden (I), P. & J. Ruh (R)
Plant: 14 in. (35.6 cm) diameter; 10.5 in. (26.7 cm) high; mound-like; medium growth rate.
Leaf: 4 in. (10.2 cm) long; 2.75 in. (7 cm) wide; 8 pairs of veins; medium blue-green, flat edge; cupped, wavy, flat; dull on top and underneath; ovate; flat base; short petioles.
Scape: 17 in. (43.2 cm) long; glaucous green.
Flower: 1.5 in. (3.8 cm) long; pale lavender; striped; bell; Chesterland, OH; July 15 to Aug 15; 7/14-7/26-8/4; (*codes 4, 5, 5).
Seed: seed set unknown.
Clump History: orig. seedling obtained from originator; 4 yrs old; Chesterland, OH.
Notable Characteristics: miniature size, compact, white hair-line on edge.
 [H. Tardiana Group seedling × H. Tardiana Group seedling]

H. 'Purple Essence' M. Zilis (ONI), P. & J. Ruh (R)
Plant: 27 in. (68.6 cm) diameter; 12.5 in. (31.8 cm) high; mound-like; medium growth rate.
Leaf: 6.5 in. (16.5 cm) long; 3.75 in. (9.5 cm) wide; 6 pairs of veins; medium green; flat edge; lightly cupped, twisted, lightly folded, lightly wavy, flat; slightly shiny on top; very shiny underneath; ovate; rounded base; lightly cupped, petiole long, thin, purple at base.
Scape: 23 to 28 in. (58.4 to 71.1 cm) long; green.
Flower: 2 in. (5.1 cm) long; pale purple, faint striped; tubular; Chesterland, OH; July 15 to Aug 31; 8/5-8/16-8/28; (*codes 5, 5, 6); inflorescence leaves; fragrant.
Seed: seed set unknown.
Clump History: division of orig. obtained from originator; 8 yrs old; Chesterland, OH.
Notable Characteristics: flowers on one side.
 [H. 'Sweet Susan' × H. *rupifraga*]

H. 'Purple Passion' H. Benedict (ONI), P. & J. Ruh (R)
Plant: 22 in. (55.9 cm) diameter; 17 in. (43.2 cm) high; mound-like; medium growth rate
Leaf: 5 in. (12.7 cm) long; 2.625 in. (6.7 cm) wide; 6 pairs of veins; medium green; slightly rippled; lightly cupped, moderately folded, moderately wavy, flat; glaucous bloom on top; very shiny underneath; ovate; rounded base; petiole thin.
Scape: 24 in. (61 cm) long; dark green.
Flower: 1.75 in. (4.4 cm) long; lavender purple; striped; tubular; Chesterland, OH; 6/24-7/7-7/20; (*codes 2, 3, 5).
Seed: seed set unknown.
Clump History: orig. seedling obtained from other source; 6 yrs old; Chesterland, OH.
Notable Characteristics: heavy flowering, purple seed pods.
 [Parentage Unknown]

H. 'Queen of the Hill' E. Elslager (ONIR)
Plant: 39 in. (99.1 cm) diameter; 33 in. (83.8 cm) high; upright; medium growth rate.
Leaf: 13 in. (33 cm) long; 9.5 in. (24.1 cm) wide; 14 to 15 pairs of veins; dark green streaked with light green, medium green, blue green, yellow, greenish-yellow, heavily rippled; lightly folded, deeply corrugated; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole greenish-yellow with creamy white.
Scape: 37 to 39 in. (94 to 99.1 cm) long; glaucous green.
Flower: 2.1 in. (5.3 cm); near white; pale lavender striping, tubular; Ann Arbor, MI; July 15 to Aug 15; 7/19-8/1-8/15; (*codes 4, 5, 5); inflorescence leaves.
Seed: sets viable seeds; glaucous green seed pod.
Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.
Notable Characteristics: large white backed multicolored streaked leaves on thick 22 inch petioles.
 [seedling of H. 'Galaxy' × unknown]

H. 'Queue' F. Nyikos (ONIR)
Plant: 18 in. (45.7 cm) diameter; 10 in. (25.4 cm) high; mound-like; medium growth rate.
Leaf: 3 in. (7.6 cm) long; 2 in. (5.1 cm) wide; 6 pairs of veins; medium grayish green; heavily rippled and serrated; lightly cupped, lightly folded, moderately wavy; lightly shiny on top; slightly shiny underneath; broadly ovate; cordate base
Scape: 18 to 19 in. (45.7 to 48.3 cm) long; grayish green.
Flower: 1.5 in. (3.8 cm) long; medium purple; striped; tubular; Unionville, IN; June 1 to July 15; 6/17-6/23-7/1; (*codes 3, 3, 3).
Seed: sets viable seeds; green seed pod.
Clump History: orig. seedling; 5 yrs old; Unionville, IN.
Notable Characteristics: small compact plant with serrated leaf edge.
 [H. *venusta* × H. 'Teaspoon']

H. 'Rachel' Kuk's Forest (ONI), B. Kuk (R)
Plant: 34 in. (86.4 cm) diameter; 20 in. (50.8 cm) high; mound-like; medium growth rate.
Leaf: 9 in. (22.9 cm) long; 8 in. (20.4 cm) wide; 10 pairs of veins; dark green; .5 to 1 in. (1.3 to 2.5 cm) slightly rippled, variable golden yellow margin; lightly cupped, moderately corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base.
Scape: 26 to 29 in. (66 to 73.7 cm) long; medium green.
Flower: 2 in. (5.1 cm) long; deep purple; bell; Brecksville, OH; 7/18-7/23-8/8; (*codes 4, 4, 4); inflorescence leaves.
Seed: sets viable seeds; medium green seed pod.
Clump History: orig. seedling; 6 yrs old; Brecksville, OH.
Notable Characteristics: outstanding color contrast with dark purple flowers, large, plump seed pods.
 [H. 'Heartache' × H. *ventricosa*]

H. 'Racing Stripes' E. Elslager (ONIR)
Plant: 27 in. (68.6 cm) diameter; 14 in. (35.6 cm) high; mound-like; fast growth rate.
Leaf: 8.5 in. (21.6 cm) long; 7 in. (17.8 cm) wide; 13 pairs of veins; medium green streaked with golden yellow, yellow, creamy white; slightly rippled; lightly cupped, moderately corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole green with golden yellow edges.
Scape: 17 to 22 in. (43.2 to 55.9 cm) long; green.
Flower: 1.8 in. (4.8 cm); medium lavender; tubular; Ann Arbor, MI; 7/13-7/22-8/8; (*codes 3, 4, 4); inflorescence leaves.
Seed: sets viable seeds; medium green seed pod.
Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.

Notable Characteristics: leaves reminiscent of brightly illuminated racetrack.

[seedling of *H.* 'William Lachman' × unknown]

***H.* 'Rainbow's End'** H. Hansen (ONIR)

Plant: 21 in. (53.3 cm) diameter; 11 in. (27.9 cm) high; mound-like; slow growth rate.

Leaf: 6 in. (15.2 cm) long; 4 in. (10.2 cm) wide; 8 pairs of veins; yellow to creamy white; .25 to 1.25 in. (.6 to 3.2 cm) flat edge; shades of medium and dark green margin; flat; dull on top; slightly shiny underneath; elliptic; rounded base.

Scape: 16 to 19 in. (40.6 to 48.3 cm) long; red.

Flower: 2.25 in. (5.7 cm) long; pale lavender; darker lavender center on petals; tubular; Waseca, MN; July 15 to Sept 5; 8/3-9/5; inflorescence leaves.

Seed: seed set unknown.

Clump History: orig. sport; 5 yrs old; Waseca, MN.

Notable Characteristics: *H.* 'Obsession' sport, yellow center. [sport of *H.* 'Obsession']

***H.* 'Rainbow Glenn'** R. Kuenster (ONIR)

Plant: 24 in. (61 cm) diameter, 18 in. (45.7 cm) high, mound-like, medium growth rate.

Leaf: 8 in. (20.3 cm) long, 5 in. (12.7 cm) wide; 10 to 12 pairs of veins; greenish-yellow streaked with creamy white, slightly rippled margin; very shiny on top and dull underneath; lightly cupped, lightly folded, moderately corrugated, broadly ovate with a cordate base.

Scape: 23 to 26 in. (58.4 to 66 cm) in length, green streaked, inflorescence leaves.

Flower: 1.5 in. (3.8 cm) long, pale lavender; lightly striped; tubular; Iowa City, IA: 7/4-7/15-7/24, (*codes 3, 4, 4).

Seed: sets viable seeds; pod is green streaked with white.

Clump History: orig. seedling, 5 years old, Iowa City, IA.

Notable Characteristics: streaked, puckered and white backed. [*H.* 'Dorothy Benedict' × *H.* 'Outrageous' seedling]

***H.* 'Ray of Hope'** A. Tower (ONI), R. Solberg (NIR)

Plant: 14 in. (35.6 cm) diameter; 5 in. (12.7 cm) high; mound-like; medium growth rate.

Leaf: 5.25 in. (13.3 cm) long; 2 in. (5.1 cm) wide; 3 to 4 pairs of veins; medium green with streaks of cream throughout; heavily rippled; moderately shiny on top and underneath; lance; tapered base; petiole wide and wavy.

Scape: 24 to 32 in. (61 to 81.3 cm) long; green with streaks.

Flower: 2 in. (5.1 cm) long; medium lavender; spider; Chapel Hill, NC; July 15 to Aug 15; 7/20-8/5-8/15; (*codes 5, 6, 7).

Seed: sets viable seeds; green with streaks.

Clump History: orig. sport obtained from originator; 2 yrs old; Chapel Hill, NC.

Notable Characteristics: narrow wavy leaves with good substance, with streaked variegation.

[sport of *H. laevigata*]

***H.* 'Red Cadet'** D. Van Eecheute (ONIR)

Plant: 13.3 in. (34 cm) diameter; 5.9 in. (15 cm) high; mound-like; fast growth rate.

Leaf: 3 in. (7.6 cm) long; 1.9 in. (4.9 cm) wide; 6 pairs of veins; slightly blue-green; flat to slightly rippled margin; lightly wavy, dull on top glaucous bloom underneath; ovate; cordate base; red petioles.

Scape: 7.8 to 12.9 in. (20 to 33 cm) long; purple.

Flower: 1.2 in. (3.1 cm) long; pale lavender; tubular; Deinze, Belgium; July 15 to Aug 15; 7/15-8/12-9/3; (*codes 5, 6, 7).

Seed: seed viability unknown; green seed pod.

Clump History: orig. seedling; 4 yrs old; Deinze, Belgium.

Notable Characteristics: like a *H.* 'Blue Cadet' with purple petioles, leaf has a white back.

[*H.* 'Riptide' × *H.* 'Blue Cadet']

***H.* 'Red Hot Poker'** S. Asch (ONIR)

Plant: 40 in. (101.6 cm) diameter; 16 in. (40.6 cm) high; mound-like; medium to fast growth rate.

Leaf: 6.5 in. (16.5 cm) long; 4.5 in. (11.4 cm) wide; 9 pairs of veins; dark green; .5 to .75 in. (1.3 to 1.9 cm) slightly rippled; creamy white margin; moderately cupped, moderately wavy, lightly corrugated; slightly shiny on top and underneath; broadly ovate; cordate base.

Scape: 18 to 35 in. (45.7 to 88.9 cm); red.

Flower: 1.75 in. (4.4 cm) long; pale lavender; lavender striped; tubular; Clawson, MI; July 15 to Aug 15; 8/8-8/18-9/6; inflorescence leaves.

Seed: sets viable seeds; red seed pod.

Clump History: orig. seedling; 9 yrs old; Clawson, MI.

Notable Characteristics: shiny, wavy cupped leaves with creamy white edge, red scapes little or no burn, slug resistant.

[*H.* 'Dorothy Benedict' × seedling of *H.* 'Dorothy Benedict']

***H.* 'Reflections'** G. R. Goodwin (ONIR)

Plant: 40 in. (101.6 cm) diameter; 16 in. (40.6 cm) high; mound-like; medium growth rate.

Leaf: 8 in. (20.3 cm) long; 6 in. (15.3 cm); wide; 9 to 10 pairs of veins; dark glossy green; 1 in. (2.5 cm) flat, creamy white; very shiny on top; lightly cupped, lightly twisted, lightly folded, lightly wavy, lightly corrugated, moderately flat; nearly round; cordate base.

Scape: 12 to 22 in. (30.5 to 55.9 cm) long.

Flower: 2 in. (5.1 cm) long; medium lavender; tubular; Indianapolis, IN; June 1 to July 15; 7/10-7/20-7/30

Seed: sets viable seeds; green seed pod.

Clump History: orig. sport, second generation; 10 yrs old; Indianapolis, IN.

Notable Characteristics: heart-shaped, glossy leaf that appears to reflect light, thick substance

[sport of a seedling of unknown parentage]

***H.* 'Ringtail'** K. Terpening (OIR), J. Maier (N)

Plant: 28 in. (71.1 cm) diameter; 16 in. (40.6 cm) high; mound-like.

Leaf: 10 in. (25.4 cm) long; 4 in. (10.2 cm) wide; 6 to 7 pairs of veins; medium green; heavily rippled; lance; tapered.

Scape: 28 to 30 in. (71.1 to 76.2 cm) long; green.

Flower: pale lavender; Middle Grove, NY; Aug 15 to Oct 1; 8/20-9/7-9/20.

Seed: seed set unknown.

Clump History: orig. seedling; 6 yrs old; Middle Grove, NY.

Notable Characteristics: rippled leaf; curled tip.

[*H.* 'Green Fountain' × unnamed seedling]

***H.* 'Rip Curl'** P. Lynch (ONIR)

Plant: 30 in. (76.2 cm) diameter; 14 in. (35.6 cm) high; mound-like; slow growth rate.

Leaf: 6 in. (15.2 cm) long; 3.75 in. (9.5 cm) wide; 10 pairs of veins; medium green; flat edge; lightly folded, wavy, slightly shiny on top and underneath; ovate; tapered; petiole med. green.

Scape: 17 to 20 in. (43.2 to 50.8 cm) long; medium green.

Flower: 1.75 in. (4.4 cm) long; pale lavender; white striped; tubular; Beltsville, MD; June 1 to July 15; 6/12-6/21-6/30; (*codes 3, 3, 3); inflorescence leaves.

Seed: viability unknown; green.

Clump History: orig. seedling; 8 yrs old; Beltsville, MD.
Notable Characteristics: open mound with intensely folded and wavy leaves with sunken veins, reblooms.
 [H. 'Sun Power' × H. 'King Michael']

H. 'Rippled Honey' H. Benedict (ONI), P. & J. Ruh (R)
Plant: 31 in. (78.7 cm) diameter; 18 in. (45.7 cm) high; upright; fast growth rate.

Leaf: 5.25 in. (13.3 cm) long; 2.5 in. (6.4 cm) wide; 6 pairs of veins; light green; heavily rippled; moderately cupped, lightly twisted, lightly folded, densely wavy, flat; slightly shiny on top; very shiny underneath; ovate; tapered; petiole long, thin.

Scape: 28 to 34 in. (71.1 to 86.4 cm) long; light green.

Flower: 1.5 in. (3.8 cm) long; deep lavender; striped; tubular; Chesterland, OH; Aug 1 to Aug 31; 8/9-8/18-8/27; (*codes 5, 6, 6); inflorescence leaves.

Seed: seed set unknown.

Clump History: division of orig. obtained from a nursery; 7 yrs old; Chesterland, OH.

Notable Characteristics: dense mound.
 [Parentage Unknown]

H. 'Robust Giant' unknown (O) P. & J. Ruh (NIR)

Plant: 31 in. (78.7 cm) diameter; 18 in. (45.7 cm) high; mound-like; medium growth rate.

Leaf: 11 in. (27.9 cm) long; 6.625 in. (16.8 cm) wide; 13 pairs of veins; light to medium green; slightly rippled; cupped, folded, wavy, slightly corrugated; dull on top and underneath; ovate; cordate base.

Scape: 35 to 46 in. (88.9 to 116.8 cm) long; glaucous green.

Flower: 2.5 in. (6.4 cm) long; pale lavender; striped; tubular; Chesterland, OH; 6/24-7/4-7/13; (*codes 3, 3, 4).

Seed: seed set unknown.

Clump History: division of orig. obtained from L. Englerth and E. Fisher; 20 yrs old.

Notable Characteristics: former name Fortunei Robusta, heavy flower scape.
 [Parentage Unknown]

H. 'Roller Coaster Ride' M. Zilis (OIR); R. Solberg (NI)

Plant: 18 in. (45.7 cm) diameter; 6 in. (15.2 cm) high; mound-like; medium growth rate.

Leaf: 6 in. (15.2 cm) long; 2.25 in. (5.7 cm) wide; 3 to 4 pairs of veins; medium green; .125 in. (.3 cm) heavily rippled, creamy white margin; slightly shiny on top and underneath; lance; tapered base.

Scape: 36 to 38 in. (91.4 to 96.5 cm) long.

Flower: pale lavender; spider; Rochelle, IL; Aug 15 to Oct 1; 8/10-9/1-9/7; (*codes 6, 7, 7).

Seed: viability unknown.

Clump History: orig. sport obtained from TC; 2 yrs old; Rochelle, IL.

Notable Characteristics: white margined *H. laevigata*.
 [sport of H. 'Ray of Hope']

H. 'Route 66' M. Zilis (OR); ECGC Distributors, Ltd. (NI)

Plant: 45 in. (114.3 cm) diameter; 20 in. (50.8 cm) high; mound-like.

Leaf: 10 in. (25.4 cm) long; 8 in. (20.3 cm) wide; 12 pairs of veins; medium gold; flat; lightly cupped; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base.

Scape: 24 to 36 in. (61 to 91.4 cm) long.

Flower: pale lavender; Rochelle, IL; July 15 to Aug 15; 7/20-8/1-8/10; (*codes 4, 5, 6).

Seed: seed set unknown.

Clump History: orig. sport obtained from TC; 3 yrs old; Rochelle, IL.

[sport of H. 'Three Sisters']

H. 'Roxsanne' G. Heemskerck (ONIR)

Plant: 23.5 in. (59.7 cm) diameter; 19.5 in. (49.5 cm) high; upright; medium growth rate.

Leaf: 7.875 in. (20 cm) long; 5.875 in. (15 cm) wide; 9 pairs of veins; greenish yellow; slightly rippled; lightly wavy; slightly shiny on top glaucous bloom underneath; ovate; cordate base.

Scape: 31.5 in. (80 cm) long; light green, dark green.

Flower: 1.375 in. (3.5 cm) long; pale lavender; bell; The Netherlands; July 15 to Aug 15 inflorescence leaves.

Seed: seed set unknown.

Clump History: orig. sport; 3 yrs old; The Netherlands.

Notable Characteristics: sun resistant.

Seasonal Variation: light green changing to yellow.

[sport of H. 'Birchwood Parky's Gold']

H. 'Royal Rhubarb' P. Ruh (OIR), D. Pallone (ON), J. Ruh (R)

Plant: 38.25 in. (97.2 cm) diameter; 26 in. (66 cm) high; upright; medium growth rate.

Leaf: 8.25 in. (20.9 cm) long; 5 in. (12.7 cm) wide; 8 pairs of veins; medium green; flat; lightly folded, lightly wavy, lightly corrugated, flat; dull on top; very shiny underneath; ovate; tapered base; lightly folded, petiole carmine red.

Scape: 34.75 in. (88.5 cm) long; red to green.

Flower: 2.5 in. (6.4 cm) long; pale purple; striped; tubular;

Chesterland, OH; 7/24-8/3-8/12(*codes 5, 5, 5).

Seed: seed set unknown.

Clump History: orig. seedling obtained from other source; 10 yrs old; Chesterland, OH.

Notable Characteristics: color of petiole and its length spotted carmine red.

[H. 'Regal Rhubarb' × seedling]

H. 'Sarah Katherine' R. Simmering (O), E. Kelley (NIR)

Plant: 24 in. (61 cm) diameter; 10 in. (25.4 cm) high; mound-like; medium growth rate.

Leaf: 8 in. (20.3 cm) long; 3 in. (7.6 cm) wide; 6 pairs of veins; light green; heavily rippled; slightly shiny on top; dull underneath; lance; tapered.

Scape: 16 in. (40.6 cm) long.

Flower: 1.5 in. (3.8 cm) long; pale lavender; striped; Bettendorf, IA; July 15 to Aug 15.

Seed: viability unknown; green.

Clump History: orig. seedling obtained from originator; 8 yrs old; Bettendorf, IA.

Notable Characteristics: very ruffled edge.

[H. 'Spritzer' × unknown]

H. 'Shade Finale' G. R. Goodwin (ONIR)

Plant: 18 in. (45.7 cm) diameter; 12 in. (30.5 cm) high; mound-like; medium growth rate.

Leaf: 5 in. (12.7 cm) long; 3 in. (7.8 cm) wide; 6 pairs of veins dark green; .5 (1.3 cm) flat; creamy white; lightly cupped, lightly twisted, lightly wavy, moderately flat; very shiny on top; slightly shiny underneath; ovate; flat to cordate; petiole reddish.

Scape: 12 to 18 in. (30.5 to 45.7 cm) long; light green.

Flower: 2.5 in. (6.4 cm) long; pale purple; tubular; Indianapolis, IN; July 15 to Aug 15; 7/25-8/10-8/15; (*codes 5, 6, 6).

Seed: sets viable seeds; light green.

Clump History: orig. sport; 8 yrs old; Indianapolis, IN.

Notable Characteristics: small, strong colored, good contrast between colors, very shiny leaf blade, reddish petioles are not distracting.

[sport of splashed seedling of unknown parentage]

H. 'Shade Parade' G. R. Goodwin (ONIR)

Plant: 12 in. (30.5 cm) diameter; 8 in. (20.3 cm) wide; mound-like; medium growth rate.

Leaf: 3 in. (7.6 cm) long; 3 in. (7.6 cm) wide; 6 to 9 pairs of veins; yellow; .25 to .5 in. (.6 to 1.3 cm) slightly rippled, light green to creamy white margin; moderately cupped, deeply corrugated; slightly shiny on top and underneath; nearly round; cordate base.

Scape: 15 in. (38.1 cm) long; green.

Flower: 1 in. (2.5 cm) long; near white to pale lavender; tubular; Indianapolis, IN; 6/5-6/15-6/20; (*codes 2, 3, 3).

Seed: sets viable seeds.

Clump History: orig. sport; 10 yrs old; Indianapolis, IN.

Notable Characteristics: small cupped corrugated with bicoloration.

[sport of a seedling of *H. 'Sea Prize'*]

H. 'Shady Lover' G. R. Goodwin (ONIR)

Plant: 20 in. (50.8 cm) diameter; 8 in. (20.3 cm) high; mound-like; medium growth rate.

Leaf: 5 in. (12.7 cm) long; 4.5 in. (11.4 cm) wide; 9 to 10 pairs of veins; medium green; .25 to .5 in. (.6 to 1.3 cm) flat to slightly rippled, creamy white margin; lightly wavy, moderately corrugated; very shiny on top; broadly ovate; flat base; petiole white edged.

Flower: 1.5 in. (3.8 cm) long; pale purple; striped; tubular; Indianapolis, IN; June 1 to July 15; 7/1-7/15-7/25; (*codes 3, 4, 4).

Seed: sets viable seeds; medium green seed pod.

Clump History: orig. sport; 7 yrs old; Indianapolis, IN.

Notable Characteristics: nice small to medium with compact growth habit.

[stable sport of a splashed seedling of unknown parentage]

H. 'Shark's Tooth' F. Nyikos (ONIR)

Plant: 18 in. (45.7 cm) diameter; 6 in. (12.5 cm) high; rhizomatous; medium growth rate.

Leaf: 2 in. (5.1 cm) long; 2 in. (5.1 cm) wide; 5 to 6 pairs of veins; medium grayish green; slightly serrated; lightly cupped, lightly folded, lightly wavy; dull on top; slightly shiny underneath; broadly ovate; rounded base.

Scape: 16 to 18 in. (40.6 to 45.7 cm) long.

Flower: 1.5 in. (3.8 cm) long; whitish; purple striped; tubular; Unionville, IN; June 1 to July 15; 6/20-6/24-7/4; (*codes 3, 3, 3).

Seed: sets viable seeds; whitish green seed pod.

Clump History: orig. seedling; 5 yrs old; Unionville, IN.

Notable Characteristics: small rhizomatous ground cover with serrated leaf edge.

[*H. venusta* × *H. 'Teaspoon'*]

H. 'Sharp Dressed Man' R. Solberg (ONIR)

Plant: 36 in. (91.4 cm) diameter; 15 in. (38.1 cm) high; mound-like; medium growth rate.

Leaf: 10.5 in. (26.7 cm) long; 6 in. (15.3 cm) wide; 11 to 12 pairs of veins; pure white; 1.5 to 2 in. (3.8 to 5.1 cm) flat, medium green margin; moderately folded; dull on top; glaucous bloom underneath; ovate; cordate base.

Scape: 20 to 22 in. (50.8 to 55.9 cm) long.

Flower: pale lavender; tubular; Chapel Hill, NC; June 1 to July 15; 6/20-7/1-7/15; (*codes 4, 5, 6).

Seed: seed set unknown.

Clump History: orig. seedling; 4 yrs old; Chapel Hill, NC.

Notable Characteristics: unusual large, good substance with high vein count, white center that does not melt out

Seasonal Variation: center may become greenish.

[*H. 'Francee'* × unknown]

H. 'Sherborne Swallow' E. Smith (ONI), BHHS (R) 1988

Plant: sized, 22 in. (55.9 cm.) diameter, 9.5 in. (24.1 cm.) high; mound-like; slow growth rate.

Leaf: 5 in. (12.7 cm.) long, 3 in. (7.6 cm.) wide; 8 prominent pairs of veins; medium blue-green; slightly rippled margin; lightly cupped, lightly wavy; dull on top; glaucous underneath; ovate; rounded base.

Scape: green

Flower: pale lavender, tubular; lightly striped; Chesterland, OH.

Seed: seed set unknown.

Clump History: division of the original obtained from other source; 17 yrs old; Chesterland, OH.

[(TF1 × 1) × (TF1 × 4)]

H. 'Silberpfeil' H. Klose (ONI), P. & J. Ruh (R)

Plant: 15 in. (38.1 cm) diameter; 5.5 in. (14 cm) high; mound-like; medium growth rate.

Leaf: 4 in. (10.2 cm) long; 2.25 in. (5.7 cm) wide; 6 pairs of veins; medium blue-green; slightly rippled; lightly cupped, lightly folded, lightly wavy, flat; slightly shiny on top; glaucous bloom underneath; ovate; rounded base.

Scape: 5.5 in. (14 cm) long; green.

Flower: 1.5 in. (3.8 cm) long; pale lavender; striped; tubular; Chesterland, OH; Aug 15 to Oct 1; 9/1-9/9-9/17; (*codes 6, 7, 8); small inflorescence leaves.

Seed: seed set unknown.

Clump History: division of orig. obtained from a nursery; 6 yrs old; Chesterland, OH.

Notable Characteristics: nice blue cast, German *H. Tardiana* Group.

[Parentage Unknown]

H. 'Silver Chalice' E. Elslager (ONIR)

Plant: 30 in. (76.2 cm) diameter; 25 in. (63.5 cm) high; mound-like; medium growth rate.

Leaf: 10.5 in. (26.7 cm) long; 8.75 in. (22.2 cm) wide; 13 pairs of veins; light green; .5 to 1.5 in. (1.3 to 3.8 cm) slightly rippled, creamy white margin; moderately cupped, deeply corrugated; slightly shiny on top and underneath; nearly round; cordate base; petiole light green with cupped, deeply creamy white edges.

Scape: 27 to 34 in. (68.6 to 86.4 cm) long; greenish-yellow.

Flower: 2 in. (5.1 cm) long; pale lavender; translucent edge; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/2-7/16-7/27; (*codes 3, 4, 4); inflorescence leaves.

Seed: viability unknown; green seed pod.

Clump History: orig. sport; 8 yrs old; Ann Arbor, MI.

Notable Characteristics: unusual light green cupped with wide creamy white margins, corrugated, heavy substance.

[sport of *H. 'Chalice of Gold'*]

H. 'Sir Lancelot' E. Elslager (ONIR)

Plant: 10 in. (25.4 cm) diameter; 9 in. (22.9 cm) high; mound-like; fast growth rate.

Leaf: 3.75 in. (9.5 cm) long; 1.75 in. (4.4 cm) wide; 5 pairs of veins; dark green streaked with greenish-yellow and creamy white; slightly rippled; moderately cupped, lightly twisted; slightly shiny on top; glaucous bloom underneath; lance; rounded base; petiole dark green with cream streaks and edges.

Scape: 15 to 19 in. (38.1 to 48.3 cm) long.

2005 REGISTRATIONS

Flower: 1.85 in. (4.8 cm) long; medium lavender; pale purple striped with translucent edges; tubular; Ann Arbor, MI; July 15 to Oct 1; 8/3-8/18-8/30; (*codes 4, 5, 6).

Seed: sets viable seeds; green seed pod.

Clump History: orig. sport; 7 yrs old; Ann Arbor, MI.

Notable Characteristics: diminutive heavily streaked, glaucous, lance-shaped pod parent, tall scapes. [sport of *H.* 'Little Tykes']

H. 'Sky Blue Waters' E. Elslager (ONIR)

Plant: 30 in. (76.2 cm) diameter; 33 in. (83.8 cm) high; upright; medium growth rate.

Leaf: 11.5 in. (29.2 cm) long; 9.75 in. (24.8 cm) wide; 15 to 16 pairs of veins; blue-green; .5 to 2 in. (1.3 to 5.1 cm) slightly rippled, pale yellow margin; lightly cupped, moderately corrugated, slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole glaucous yellow with green edges.

Scape: 32 to 37 in. (81.3 to 94 cm) long; glaucous green.

Flower: 1.9 in. (4.9 cm) long; pale purple; tubular; Ann Arbor, MI; 7/16-7/29-8/10; (*codes 4, 4, 4); inflorescence leaves.

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.

Notable Characteristics: large sky blue corrugated leaves with wide pale yellow margins, white backs, good substance. [seedling of *H.* 'Foxy Doxy' × unknown]

H. 'Sky High' E. Elslager (ONIR)

Plant: 47 in. (119.4 cm) diameter; 39 in. (99 cm) high; upright medium growth rate.

Leaf: 12.5 in. (31.8 cm) long; 12.5 in. (31.8 cm) wide; 15 to 16 pairs of veins; blue-green; slightly rippled; moderately cupped, deeply corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole glaucous green.

Scape: 41 to 48 in. (104.1 to 121.9 cm) long; glaucous green.

Flower: 2 in. (5.1 cm) long; pale lavender; light purple striped, translucent; tubular; Ann Arbor, MI; July 15 to Oct 1; 7/30-8/13-8/22; (*codes 3, 4, 5); inflorescence leaves.

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 9 yrs old; Ann Arbor, MI.

Notable Characteristics: very erect, giant sky high clump of glaucous blue green leaves.

[F₁ seedling of *H.* 'Dorothy Benedict' × unknown]

H. 'Snake Eyes' A. Torvinen (ONIR)

Plant: 36 in. (91.4 cm) diameter; 15 in. (38.1 cm) high; mound-like; fast growth rate.

Leaf: 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 8 to 10 pairs of veins; light green; 1.5 to 2 in. (3.8 to 5.1 cm) flat, medium green margin; dull on top; glaucous bloom underneath; ovate; rounded base; tip twisted, petiole light green, medium green, and white down the petiole.

Scape: 23 to 27 in. (58.4 to 68.6 cm) long.

Flower: med. lav.; tubular; Royal Oak, MI; July 15 to Aug 15.

Seed: seed set unknown.

Clump History: orig. sport; 6 yrs old; Royal Oak, MI.

Notable Characteristics: .125 to .25 inch white flash (line) between margin and center. [sport of *H.* 'Striptease']

H. 'Songbird' E. Elslager (ONIR)

Plant: 12 in. (30.5 cm) diameter; 7 in. (17.8 cm) high; upright medium growth rate.

Leaf: 4 in. (10.2 cm) long; 2.5 in. (6.4 cm) wide; 8 pairs of veins; blue-green streaked with green, greenish-yellow, pale yellow, cream white; slightly rippled; moderately cupped, lightly

twisted, moderately corrugated; slightly shiny on top; glaucous bloom underneath; ovate; rounded base; petiole creamy white with green edges.

Scape: 12 to 15 in. (30.5 to 38.1 cm) long; glaucous green.

Flower: 1.6 in. (4 cm) long; medium lavender; light purple striped; tubular; Ann Arbor, MI; June 1 to Aug 15; 6/20-7/2-7/18; (*codes 3, 4, 4); inflorescence leaves.

Seed: sets viable seeds; glaucous green seed pod.

Clump History: orig. seedling; 8 yrs old; Ann Arbor, MI. [*H.* 'Flowersong' × unknown]

H. 'Spellbound' D. & J. Ward (ONIR)

Plant: 24 in. (61 cm) diameter; 10 in. (25.4 cm) high; mound-like; medium growth rate.

Leaf: 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 7 pairs of veins; medium yellow; 5 in. (1.3 cm) slightly rippled, white margin; wavy; dull on top and underneath; ovate; cordate base.

Scape: 25 to 27 in. (63.5 to 68.6 cm); green.

Flower: .5 in. (1.3 cm) long; near white; tubular; Bellville, OH; 7/7-7/15-7/20; (*codes 3, 4, 4); inflorescence leaves.

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 4 yrs old; Bellville, OH. [*H.* 'Pinstripe Sister' × unknown]

H. 'Splendid Sarah' D. & J. Ward (ONIR)

Plant: 30 in. (76.2 cm) diameter; 18 in. (45.7 cm) high; mound-like.

Leaf: 10 in. (25.4 cm) long; 9 in. (22.9 cm) wide; 13 to 14 pairs of veins; light green; .5 in. (1.3 cm) slightly rippled, creamy white; moderately wavy; dull on top and underneath; broadly ovate; cordate base.

Scape: 22 to 25 in. (56 to 63.5 cm) long; green.

Flower: .75 in. (1.9 cm) long; near white; bell; Columbus, OH; June 1 to July 15; 7/7-7/14-7/21; (*codes 4, 4, 4).

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 4 yrs old; Columbus, OH.

Notable Characteristics: striking variegation, large size. [*H.* 'Pinstripe Sister' × unknown]

H. 'Spring Fever' J. Van Ostrand (ONIR)

Plant: 26 in. (66 cm) diameter; 12 in. (30.5 cm) high; upright.

Leaf: 11.25 in. (28.6 cm) long; 6.75 in. (17.1 cm) wide; 12 pairs of veins; yellow becoming chartreuse; heavily rippled; slightly shiny on top; very shiny underneath; elliptic; narrowly cordate base; intensely wavy at tip.

Scape: 20.5 in. (52.1 cm) long; chartreuse.

Flower: 2.0 in. (5.1 cm) long; pale lavender; bell; Hawthorn Woods, IL; June 1 to July 15; -7/4- ; (*codes 3, 3, 3); inflorescence leaves.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 4 yrs old; Hawthorn Woods, IL.

Notable Characteristics: fiery yellow in spring, wavy edged, upright. Changes to a medium chartreuse by July.

[*H.* 'William Lachman' × unknown]

H. 'Squash Blossom' C. Tompkins (ONI), P. & J. Ruh (R)

Plant: 24.5 in. (62.2 cm) diameter; 15 in. (38.1 cm) high; mound-like; medium growth rate.

Leaf: 9 in. (22.9 cm) long; 7.25 in. (18.4 cm) wide; 13 pairs of veins; medium blue-green; .25 to .5 in. (.6 to 1.3 cm) slightly rippled, greenish yellow margin; lightly cupped, lightly twisted, lightly wavy, lightly corrugated; dull on top and underneath; broadly ovate; cordate base; petiole yellow edged.

Scape: 26.5 in. (67.3 cm) long; dark green.

Flower: 2.5 in. (6.4 cm); pure white; bell; Chesterland, OH;

6/3-6/13-6/24; (*codes 2, 2, 3); inflorescence leaves.

Seed: seed set unknown.

Clump History: division of orig. obtained from a nursery; 3 yrs old; Chesterland, OH.

Notable Characteristics: edge of leaf irregular with lighter green indentations.

[Parentage Unknown]

H. 'Stand-up America' E. Elslager (ONIR)

Plant: 36 in. (91.4 cm) diameter; 27 in. (68.6 cm) high; upright; medium growth rate.

Leaf: 10.75 in. (27.6 cm) long; 9.25 in. (23.5 cm) wide; 16 pairs of veins; dark green; .5 to 2.5 in. (1.3 to 6.4 cm) heavily rippled, greenish-yellow margin; lightly twisted, lightly wavy, moderately corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole glaucous green with green edges.

Scape: 32 to 37 in. (81.3 to 94 cm) long; glaucous green.

Flower: 1.9 in. (4.9 cm) long; pale lavender; pale purple striping, tubular; Ann Arbor, MI; June 1 to Aug 15; 6/24-7/11-7/29; (*codes 3, 3, 4); inflorescence leaves.

Seed: viability unknown; green seed pod.

Clump History: orig. seedling; 8 yrs old; Ann Arbor, MI.

[H. 'Dorothy Benedict' × unknown]

H. 'Streaking Party' E. Elslager (ONIR)

Plant: 22 in. (55.9 cm) diameter; 21 in. (53.3 cm) high; upright fast growth rate.

Leaf: 11.25 in. (28.6 cm) long; 7.75 in. (19.7 cm) wide; 10 pairs of veins; medium green; .5 to 1.75 in. (1.3 to 4.4 cm) slightly rippled, bright yellow margin; moderately cupped, moderately corrugated; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole greenish-yellow with green edges.

Scape: 23 to 29 in. (58.4 to 73.7 cm) long; glaucous green.

Flower: 1.9 in. (4.9 cm) long; pale lavender; tubular; Ann Arbor, MI; 6/22-7/10-7/19; (*codes 3, 3, 4); inflorescence leaves.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 4 yrs old; Ann Arbor, MI.

Notable Characteristics: large green leaves with bright yellow margins, splashed throughout, pod parent of substance.

[seedling of H. 'Pin Stripe Sister' × unknown]

H. 'Sturtevant' G. Sturtevant (ONI), F. Williams (NI)
T. Donahue/A. Summers (I) P. & J. Ruh (R)

Plant: 33 in. (83.8 cm.) diameter, 19 in. (48.3 cm.) high; mound-like, medium growth rate.

Leaf: 12.75 in. (32.4 cm.) long, 9.5 in. (24.1 cm.) wide; 16 prominent pairs of veins; medium blue-green; slightly rippled margin; moderately wavy, moderately corrugated, lightly twisted lightly folded; dull on top and underneath; ovate; cordate base.

Scape: 17 to 19 in. (43.2 to 48.3 cm.) long; blue-green.

Flower: near white; Chesterland, OH, 6/11-6/22, (*codes 1, 2, 3); inflorescence leaves

Seed: seed set unknown.

Clump History: a division of the original obtained from other source; 14 yrs old; Chesterland, OH.

Notable Characteristics: historic variety dating to 1930's; large size; good blue; good texture.

[Parentage unknown]

H. 'Sum Streaker' E. Elslager (ONIR)

Plant: 23 in. (58.4cm) diameter; 11 in. (27.9 cm) high; mound-like; medium growth rate.

Leaf: 8 in. (20.3 cm) long; 4.5 in. (11.4 cm) wide; 9 pairs of veins; bright golden yellow streaked with light green, greenish-yellow, pale yellow, creamy white; slightly rippled; lightly cupped, lightly twisted, lightly corrugated; slightly shiny on top; glaucous bloom underneath; ovate; rounded base; petiole light green with yellow edges.

Scape: 16 to 21 in. (40.6 to 53.3 cm); golden yellow.

Flower: 2.4 in. (6.1 cm) long; medium lavender; purple striping and translucent edges; tubular; Ann Arbor, MI; July 15 to Aug 15; 7/28-8/12-8/21; (*codes 4, 4, 5); inflorescence leaves.

Seed: sets viable seeds; green or streaked seed pod.

Clump History: orig. sport; 6 yrs old; Ann Arbor, MI.

Notable Characteristics: an unusual streaked ovate sport of H. 'Sum and Substance'.

[sport of H. 'Sum and Substance']

H. 'Sundowner' E. Elslager (ONIR)

Plant: 34 in. (86.4cm) diameter; 33 in. (83.8 cm); high; upright.

Leaf: 10.25 in. (26 cm) long; 7.5 in. (19 cm) wide; 12 to 13 pairs of veins; blue-green; slightly rippled; very shiny on top; slightly shiny, glaucous bloom underneath; moderately cupped, moderately corrugated; broadly ovate; rounded base; petiole greenish-yellow with green edges.

Scape: 38 to 45 in. (96.5 to 114.3 cm) long; green.

Flower: 2.2 in. (5.6 cm) long; pale lavender; translucent edge; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/7-7/21-8/2; (*codes 3, 4, 4); inflorescence leaves.

Seed: viability unknown; green seed pod.

Clump History: orig. sport; 4 yrs old; Ann Arbor, MI

Notable Characteristics: shiny blue-green leathery, ripple glaucous leaves of substance.

[sport of H. 'Sunset Strip']

H. 'Sunset Strip' E. Elslager (ONIR)

Plant: 30 in. (76.2 cm) diameter; 30 in. (76.2 cm) high; upright; fast growth rate.

Leaf: 8.75 in. (22.2 cm) long; 7 in. (17.8 cm) wide; 11 to 12 pairs of veins; blue-green streaked with light green, greenish-yellow, light yellow, golden yellow; slightly rippled; moderately cupped, lightly twisted, lightly wavy, moderately corrugated, deeply smooth; very shiny on top; glaucous bloom; broadly ovate; cordate base; petiole yellow with dark green edges.

Scape: 36 to 43 in. (91.4 to 109.2 cm) long; glaucous green.

Flower: 2.1 in. (5.3 cm); pale lavender; translucent edge; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/12-7/26-8/8; (*codes 3, 4, 4); inflorescence leaves.

Seed: sets viable seeds; green seed pod.

Clump History: orig. sport; 5 yrs old; Ann Arbor, MI.

Notable Characteristics: glossy, smooth dark blue-green leaves with luminous multicolor streaking, white backs.

[unknown sport]

H. 'Super Hero' S. Tylinski (O), A. Malloy (NIR)

Plant: 24 in. (61 cm) diameter; 12 in. (30.5 cm) high; mound-like medium growth rate.

Leaf: 7 in. (17.8 cm) long; 5 in. (12.7 cm) wide; 9 to 10 pairs of veins; dark green; .5 in. (1.3 cm) white margin; lightly wavy; slightly shiny on top and underneath; broadly ovate; flat base; petiole green.

Scape: 15 in. (38.1 cm) long; green.

Flower: white; tubular; South Salem, NY; July 15 to Aug 15; 7/4- 7/17; fragrant.

Seed: does not set seed.

Clump History: orig. seedling; 5 yrs old; South Salem, NY.

Notable Characteristics: fragrant, green with white edge, medium sized hosta.

[seedling × *H.* ‘Filagree’]

***H.* ‘Surrender’** G. R. Goodwin (ONIR)

Plant: 24 in. (61 cm) diameter; 12 in. (30.5 cm) high; mound-like; slow to medium growth rate.

Leaf: 6 in. (15.2 cm) long; 4 in. (10.2 cm) wide; 5 pairs of veins; medium green; 1 in. (2.5 cm) flat upturned, creamy to pure white margin; lightly cupped and twisted, moderately folded, lightly wavy, lightly corrugated, moderately flat; very shiny on top; slightly shiny underneath; elliptic; tapered; petiole variegated.

Scape: 8 to 12 in. (20.3 to 30.5 cm) long; green.

Flower: 2 in. (5.1 cm) long; pale purple; tubular, Indianapolis, IN; July 15 to Aug 15; 8/10-8/20-8/30; (*codes 5, 6, 7).

Seed: viability unknown; green seed pod.

Clump History: orig. sport; 6 yrs old; Indianapolis, IN.

Notable Characteristics: very wide white margin, so wide it causes cupping on sides of the leaf blade.

[sport of a splashed seedling of unknown parentage]

***H.* ‘Swamp Thing’** T. Avent (ONIR)

Plant: 45 in. (114.3 cm) diameter; 18 in. (45.7 cm) high; mound-like; fast growth rate.

Leaf: 9 in. (22.9 cm) long; 5.5 in. (14 cm) wide; 6 to 7 pairs of veins; medium green .5 in. (1.3 cm) slightly rippled, golden yellow margin; lightly folded, moderately corrugated; very shiny on top and underneath; elliptic; flat base; petiole variegated wings.

Flower: deep purple; spider; Raleigh, NC; June 1 to July 15; - 7/15- .

Seed: viability unknown.

Clump History: orig. seedling; 12 yrs old; Raleigh, NC.

Notable Characteristics: very glossy leaves, spider flowers. [(blue *H. sieboldiana* seedling × open-pollinated seedling) × *H. yingeri*]

***H.* ‘Swiss Lady’** M. Dietwyler (ONI), L. Hirsbrunner (R)

Plant: 19.7 in. (50 cm) diameter; 11.8 in. (30.5 cm) high; mound-like; slow growth rate.

Leaf: 6.3 in. (16 cm) long; 4.3 (11 cm) wide; 10 to 12 pairs of veins; white; 1.2 to 3.2 in. (3 to 8 cm) slightly rippled; irregular, intensely blue-green with light green streaks; wavy, corrugated dull on top, some glaucous bloom on margin; glaucous bloom underneath; broadly ovate; cordate base.

Scape: 7.9 to 11.8 (20 to 30 cm) long; blue-gray.

Flower: 1.6 (4 cm) long; near white; tubular; Chesieres, Switzerland; June 1 to July 15; 7/1-7/15-8/1; (*codes 2, 3, 4).

Seed: viability unknown, green.

Clump History: orig. sport obtained from originator; 5 yrs old; Chesieres, Switzerland.

Notable Characteristics: wavy wrinkled leaves, exhibits the shirred look of *H.* ‘Embroidery’.

[sport of *H.* ‘Elegans’]

***H.* ‘T Rex’** D. & J. Ward (ONIR) 1999

Plant: 80 in. (203.2 cm.) diameter, 30 in. (76.2 cm.) high; mound-like; medium growth rate.

Leaf: 18 in. (45.7 cm.) long, 14 in. (35.6 cm.) wide; 12 pairs of veins; medium green; dull on top and underneath; lightly wavy, broadly ovate; cordate base.

Scape: 34 to 38 in. (86.4 to 96.5 cm.) in length; green.

Flower: 0.5 in. (1.3 cm.) long, near-white, tubular; Bellville OH: 6/15 - 6/21 - 6/30 (*codes: 2, 2, 2).

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 7 yrs old; Bellville OH.

[*H. montana macrophylla* ([incorrectly reported as *H.* ‘Praeflorens’)] × *H.* ‘Big John’]

Synonym: *H.* ‘Tom Rex’.

***H.* ‘Tango’** G. Heemskerck (ONIR)

Plant: 21.5 in. (54.6 cm) diameter; 12 in. (30.5 cm) high; mound-like.

Leaf: 5.125 in. (13 cm) long; 3 in. (7.6 cm) wide; 8 pairs of veins; dark green with grey spots; .25 to .5 in. (.6 to 1.3 cm) slightly rippled, greenish yellow margin; lightly wavy; dull on top and underneath; elliptic; cordate base.

Scape: 23.5 in. (59.7 cm) long; slightly reddish.

Flower: 1.125 in. (3 cm); medium lavender; The Netherlands; June 1 to July 15; inflorescence leaves.

Seed: seed set unknown.

Clump History: orig. sport; 3 yrs old; The Netherlands.

[sport of *H.* ‘Pastures New’]

***H.* ‘Tears of Joy’** P. Black & T. Johnson (ON)

Sebright Gardens (IR)

Plant: 13 in. (33 cm) diameter; 4 in. (10.2 cm) high; mound-like; fast growth rate.

Leaf: 2 in. (5.1 cm) long; .5 in. (1.3 cm) wide; 4 pairs of veins; medium green; slightly rippled; moderately twisted, lightly folded, moderately wavy; dull on top; slightly shiny underneath; lance; tapered base; petiole very narrow, green.

Scape: 5 to 10 in. (12.7 to 25.4 cm) long; green.

Flower: .75 in. (1.9 cm) long; medium lavender; spider; Salem, OR; June 1 to July 15; 6/15-6/22-6/30; inflorescence leaves.

Seed: seed set unknown.

Clump History: orig. sport; 5 yrs old; Salem, OR.

[sport of *H.* ‘Tiny Tears’]

***H.* ‘Technicolor’** E. Elslager (ONIR)

Plant: 22 in. (55.9 cm) diameter; 22 in. (55.9 cm) high; upright; medium growth rate.

Leaf: 10 in. (25.4 cm) long; 7 in. (17.8 cm) wide; 13 to 14 pairs of veins; medium green streaked with light green, greenish yellow, pale yellow, creamy white; heavily rippled; lightly wavy, lightly corrugated; slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole glaucous green with yellow edges.

Scape: 25 to 29 in. (63.5 to 73.7 cm) long; glaucous green.

Flower: 2 in. (5.1 cm); pale lavender; tubular; Ann Arbor, MI; 6/29-7/12-7/25; (*codes 3, 3, 4); inflorescence leaves.

Seed: sets viable seeds; glaucous green seed pod.

Clump History: orig. seedling; 4 yrs old; Ann Arbor, MI.

Notable Characteristics: heavily rippled mom, multicolored glaucous leaves of good substance.

[F₁ seedling of *H.* ‘Dorothy Benedict’ × unknown]

***H.* ‘The Perfect Storm’** A. Wrede (ONIR)

Plant: 14 in. (35.6 cm) diameter; 9 in. (22.9 cm) high; upright.

Leaf: 5 in. (12.7 cm) long; 4 in. (10.2 cm) wide; 6 to 8 pairs of veins; dark green streaked yellow; flat, very shiny on top and underneath; nearly round; cordate base; flat; petiole red purple.

Scape: 16 to 18 in. (40.6 to 45.7 cm); red purple.

Flower: near white; striped; Joppa, MD; Aug 15 to Oct 1;

Seed: seed set unknown.

Clump History: orig. seedling; 5 yrs old; Joppa, MD.

Notable Characteristics: irregular streaking and red petiole combination.

[*H.* ‘Sailor’s Warning’ × unknown]

H. 'Timothy C. Morgan' S. Chamberlain (ONIR)

Plant: 32 in. (81.3 cm) diameter; 13 in. (33 cm); high; mound-like; fast growth rate.

Leaf: 8 in. (20.3 cm) long; 5.5 in. (14 cm) wide; 9 pairs of veins; creamy white; .25 to 1.25 (.6 to 3.2) flat, medium blue-green margin; lightly wavy, lightly corrugated; glaucous bloom on top and underneath; broadly ovate; cordate base; petiole creamy white with thin medium green edges.

Scape: 15 to 17 in. (38.1 to 43.2 cm) long; light green.

Flower: 1.5 in. (3.8 cm) long; pale lavender; purple striped; tubular; Manlius, NY; 7/15-7/31-8/4; (*codes 5, 5, 5).

Seed: does not set seed.

Clump History: orig. sport; 3 yrs old; Manlius, NY.

Notable Characteristics: vigorous, creamy white centered, rugose, blue-green edged.

[sport of an unnamed streaked seedling]

H. 'Tom Gannon' S. & S. Zolock (ONIR)

Plant: 30 in. (76.2 cm) diameter; 14 in. (35.6 cm) high; upright; medium growth rate.

Leaf: 8 in. (20.3 cm) long; 4.75 in. (12.1 cm) wide; 8 to 10 pairs of veins; medium green, pale yellow streaked; slightly rippled; lightly wavy, mostly flat; slightly shiny on top and underneath; ovate; rounded base; petiole green, cream streaked to base back midrib cream.

Scape: 26 to 30 in. (66 to 76.2 cm); green cream streaked.

Flower: 1.75 in. (4.4 cm) long; near white; tubular; Belle Vernon, PA; June 1 to July 15; 6/20-6/30-7/10; (*codes 2, 3, 3); inflorescence leaves.

Seed: sets viable seeds; green cream streaked seed pod.

Clump History: orig. seedling; 5 yrs old; Belle Vernon, PA.

Notable Characteristics: sharp, clean, clear consistent streaking, rosette flower buds at top of scape.

[H. 'Christmas Tree' × seedling]

H. 'Tomo Yuki' K. Terpening (ONIR)

Plant: 40 in. (101.6 cm) diameter; 15 in. (38.1 cm) high; mound-like.

Leaf: 12 in. (30.5 cm) long; 8 in. (20.4 cm) wide; 10 to 12 pairs of veins; medium to dark green; .5 to 1.5 in. (1.3 to 3.8 cm) pure white margin; ovate; rounded base.

Flower: near white; N. Syracuse, NY; July 15 to Aug 15.

Seed: seed set unknown.

Clump History: orig. sport; 8 yrs old; N. Syracuse, NY.

Notable Characteristics: stable, wide edged version of H. 'Mountain Snow'.

[sport of H. 'Mountain Snow']

H. 'Top Hat and Tails' E. Elslager (ONIR)

Plant: 35 in. (88.9 cm) diameter; 29 in. (73.7 cm) high; upright; medium growth rate.

Leaf: 13.5 in. (34.3 cm) long; 13 in. (33 cm) wide; 15 to 16 pairs of veins; blue green streaked with medium green, light green, greenish-yellow, yellow, light yellow, creamy white; slightly rippled; moderately wavy, deeply corrugated; slightly shiny on top; glaucous bloom underneath; nearly round; cordate base; petiole glaucous creamy white with green.

Scape: 29 to 33 in. (73.7 to 83.8 cm) long; green with yellow streaks.

Flower: 2.2 in. (5.6 cm) long; medium lavender; translucent edge; tubular; Ann Arbor, MI; June 1 to Aug 15; 6/22-7/5-7/17; (*codes 3, 3, 4); inflorescence leaves.

Seed: sets viable seeds; green or streaked seed pod.

Clump History: orig. seedling; 6 yrs old; Ann Arbor, MI.

Notable Characteristics: giant hosta with multicolored top hat and white tails, deeply corrugated, wavy, good substance.

[seedling of H. 'Christmas Tree Gala' × unknown]

H. 'Touché' R. Solberg (O) J. Schwarz (NIR)

Plant: 24 in. (61 cm) diameter; 15 in. (38.1 cm) high; upright; medium growth rate.

Leaf: 10 in. (25.4 cm) long; 4 in. (10.2 cm) wide; 9 pairs of veins; medium green streaked creamy white; twisted, folded; heavily rippled, serrated; slightly shiny on top and underneath; ovate; tapered base.

Scape: 32 to 36 in. (81.3 to 91.4 cm) long; green.

Flower: pure white; tubular; Dubuque, IA; July 15 to Aug 15; 7/10-8/1-8/15; (*codes 5, 6, 7).

Seed: viability unknown; green seed pod.

Clump History: division obtained from originator; 3 yrs old; Dubuque, IA.

Notable Characteristics: fountain shaped clump, wavy, streaked green creamy white foliage with serrated margin.

[sport of H. 'Machete']

H. 'Trafalgar Square' P. Ruh (ONIR), J. Ruh (R)

Plant: 32 in. (81.3 cm) diameter; 13.5 in. (34.3 cm) high; mound-like; medium growth rate.

Leaf: 4.75 in. (12.1 cm) long; 2.75 in. (7 cm) wide; 6 pairs of veins; dark green; slightly rippled; lightly cupped, lightly folded, lightly wavy, flat; slightly shiny on top and underneath; ovate; rounded base; petiole base spotted red.

Scape: 23 in. (58.4 cm) long; greenish red.

Flower: 1.5 in. (3.8 cm) long; deep lavender; striped; tubular; Chesterland, OH; Aug 11 to Aug 31; 8/9-8/18-8/28; (*codes 6, 6, 7); small inflorescence leaves.

Seed: seed set unknown.

Clump History: division of orig. obtained from other source; 7 yrs old; Chesterland, OH.

Notable Characteristics: dense, dark green, late flowering.

[Parentage Unknown]

H. 'Triple Ripple' E. Elslager (ONIR)

Plant: 45 in. (114.3 cm) diameter; 24 in. (61 cm) high; mound-like fast growth rate.

Leaf: 9.75 in. (24.8 cm) long; 7.75 in. (19.7 cm) wide; 14 pairs of veins; blue-green; .25 to 1 in. (.6 to 2.5 cm); heavily rippled, greenish yellow margin; lightly cupped, lightly wavy, moderately corrugated, slightly shiny on top; glaucous bloom underneath; broadly ovate; cordate base; petiole greenish-yellow with green edges.

Scape: 27 to 34 in. (68.6 to 86.4 cm); glaucous green.

Flower: 1.9 in. (4.9 cm); near white; pink striped, translucent edges; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/5-7/19-7/30; (*codes 6, 6, 7); inflorescence leaves.

Seed: viability unknown, green.

Clump History: orig. seedling; 9 yrs old; Ann Arbor, MI.

Notable Characteristics: massive, fast growing, heavily rippled glaucous with substance.

[seedling of H. 'Dorothy Benedict' × unknown]

H. 'Tunisian Dream' K. Terpening (ONIR)

Plant: 36 in. (91.4 cm) diameter; 12 in. (30.5 cm) high; mound-like.

Leaf: 12 in. (30.5 cm) long; 9 in. (22.9 cm) wide; 8 to 10 pairs of veins; blue-green; heavily rippled, serrated; wavy; slightly shiny on top; dull underneath; broadly ovate; cordate base.

Flower: near white; tubular; N. Syracuse, NY; July 15 to Aug 15; 7/15-8/1-8/15.

2005 REGISTRATIONS

Seed: viability unknown; green.

Clump History: orig. seedling; 8 yrs old; N. Syracuse, NY.

Notable Characteristics: strong rippled edge, white back
[*H.* 'Azure Snow' × unknown]

***H.* 'Tyre'** A. Malloy (ONIR)

Plant: 17 in. (43.2 cm) diameter; 9 in. (22.9 cm) high; mound-like medium growth rate.

Leaf: 5 in. (12.7 cm) long; 2 in. (5.1 cm) wide; 5 pairs of veins; streaked white and green; flat; shiny on top and underneath; ovate; rounded base; petiole green.

Scape: 18 in. (45.7 cm) long; light green.

Flower: 1.5 in. (3.8 cm); lavender; tubular; South Salem, NY; July 15 to Aug 15; 7/27-8/6-8/15.

Seed: sets viable seeds; streaked seed pod.

Clump History: orig. seedling; 6 yrs old; South Salem, NY.

Notable Characteristics: small streaked, sets seeds.
[Parentage Unknown]

***H.* 'Unexpected Company'** G. Herold (ONIR)

Plant: 18 (45.7 cm) diameter; 9 in. (22.9 cm) high; mound-like; slow growth rate.

Leaf: 6 in. (15.2 cm) long; 5 in. (12.7 cm) wide; 10 to 12 pairs of veins; greenish yellow; .5 in. (1.3 cm) slightly rippled, dark green margin; moderately corrugated; slightly shiny on top and underneath; broadly ovate; cordate base.

Scape: 10 to 12 in. (25.4 to 30.5 cm) long; pale green.

Flower: 2 in. (5.1 cm); pure white; tubular; Peoria, IL; June 1 to July 15; 6/18.

Seed: seed set unknown.

Clump History: orig. seedling; 6 yrs; Peoria, IL.

Notable Characteristics: medium-sized, thick substance, puckered leaf with variable green margin.
[*H.* 'Great Expectations' × unknown]

***H.* 'Vivid'** E. Elslager (ONIR)

Plant: 32 in. (81.3 cm) diameter; 28 in. (71.1 cm) high; upright; medium growth rate.

Leaf: 13.25 in. (33.7 cm) long; 9.5 in. (24.1 cm) wide; 12 pairs of veins; medium green streaked with dark green, blue-green, greenish-yellow, yellow, greenish-white, creamy white; heavily rippled; slightly shiny on top; glaucous bloom underneath; ovate; cordate base; petiole medium green with creamy yellow streaks.

Scape: 35 to 43 in. (88.9 to 109.2 cm) long; glaucous green.

Flower: 2.25 in. (5.7 cm) long; pale lavender; pale purple; striped, translucent; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/12-7/21-8/2; (*codes 3, 4, 5); inflorescence leaves.

Seed: sets viable seeds; green seed pod.

Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.

Notable Characteristics: large, heavily rippled glaucous ovate leaves with multicolor streaking, tall scapes.
[seedling of *H.* 'William Lachman' × unknown]

***H.* 'War Paint'** Naylor Creek Nursery (ONIR)

Plant: large.

Leaf: 15 in (38.1 cm) long; 9 in. (22.9 cm) wide; golden yellow, 2 in. (5.1 cm) medium green margin.

Flower: pale lavender; Chimacum, WA; July 15 to Aug 15.

Seed: seed set unknown.

Clump History: orig. sport; 7 years old; Chimacum, WA.

Seasonal Variation: center darkens to light green as season progresses.

Notable Characteristics: a viridescent Niagara Falls with irregular variegation.

[sport of *H.* 'Niagara Falls']

***H.* 'War Path'** G. R. Goodwin (ONIR)

Plant: 18 in. (45.7 cm) diameter; 8 in. (20.3 cm) high; upright; fast growth rate.

Leaf: 4.5 in. (11.4 cm) long; 3 in. (7.6 cm) wide; 5 to 6 pairs of veins; dark green; slightly rippled; moderately cupped, lightly twisted, lightly folded, lightly wavy, lightly corrugated, moderately flat; very shiny on top and underneath; ovate; rounded base.

Scape: 14 to 18 in. (35.6 to 45.7 cm) long; green.

Flower: 2 in. (5.1 cm) long; pale lavender; tubular; Indianapolis, IN; July 15 to Aug 15; 7/20-7/30-8/15; (*codes 5, 5, 6).

Seed: sets viable seeds; green seed pod.

Clump History: 2nd generation division of original sport; 7 yrs old; Indianapolis, IN.

Notable Characteristics: small with dark green glossy leaves, slightly cupped allows reflected light.

[sport of a seedling from *H.* 'Splashed Leather']

***H.* 'Watermark'** D. Van Eecheute (ONIR)

Plant: 40.6 in. (104 cm) diameter; 16 in. (40.9 cm) high; mound-like; fast growth rate.

Leaf: 7.1 in. (18.3 cm) long; 5.9 in. (15.2 cm) wide; 10 pairs of veins; greenish yellow; .25 (.6 cm) slightly rippled, yellow margin with a darker green band between leaf center and the margin; moderately corrugated; dull on top and underneath; broadly ovate; rounded base; greenish petioles.

Scape: 19.1 to 25 in. (49 to 64 cm); green.

Flower: 1.1 in. (2.7 cm) long; pale lavender; tubular; Deinze, Belgium; July 15 to Aug 15; 7/15-7/27-8/10; (*codes 5, 5, 6).

Seed: seed viability unknown; green seed pod.

Clump History: orig. sport; 5 yrs old; Deinze, Belgium.

Notable Characteristics: darker green band between leaf center and the margin similar to *H.* 'Tattoo' but on a larger leaf.

[sport of *H.* 'August Moon']

***H.* 'White Feather'** G. Heemskerck (ONIR)

Plant: 12 in. (30.5 cm) diameter; 7.875 in. (20 cm) high; mound-like; medium growth rate.

Leaf: 6 in. (15.2 cm) long; 2 in. (5.1 cm) wide; 6 pairs of veins; creamy white; slightly rippled; moderately wavy; slightly shiny; lance; tapered base.

Scape: 21.5 to 25.5 in. (54.6 to 64.8 cm) long; green.

Flower: 1.375 in. (3.5 cm) long; medium lavender; tubular; The Netherlands; June 1 to July 15; inflorescence leaves.

Seed: seed set unknown.

Clump History: orig. sport; 6 yrs old; The Netherlands.

Notable Characteristics: snow white leaves in spring, strong grower, looks beautiful after it streaks up green with white stripes.

[sport of *H.* 'Undulata']

***H.* 'Winter Warrior'** G. R. Goodwin (ONIR)

Plant: 48 in. (121.9 cm) diameter; 18 in. (45.7 cm) high; mound-like medium growth rate.

Leaf: 8 in. (20.3 cm) long; 6 in. (15.3 cm) wide; 10 to 12 pairs of veins; dark green; 2 in. (5.1 cm) flat to slightly rippled; creamy white margin; lightly twisted, lightly corrugated, moderately flat; dull on top and underneath; broadly ovate; cordate base.

Scape: 18 to 24 in. (45.7 to 61 cm) long.

Flower: 2 in. (5.1 cm) long; near white; light lavender striped; tubular; Indianapolis, IN; June 1 to July 15; 7/1-7/15-7/30;

(*codes 3, 4, 4).

Seed: seed set unknown.

Clump History: orig. sport; 6 yrs old; Indianapolis, IN.

Notable Characteristics: almost white leaf; doesn't melt; lives.
[sport of a splashed seedling of unknown parentage]

2005 REGISTRATIONS

H. 'Wonderful' G. R. Goodwin (ONIR)
Plant: 6 in. (15.2 cm) diameter; 3 in. (7.6 cm) high; mound-like; medium growth rate.
Leaf: 2.5 in. (6.4 cm) long; 1 in. (4 cm) wide; 4 pairs of veins; yellow; flat edge; lightly wavy, lightly flat; dull on top and underneath; lance to elliptic; tapered base.
Scape: 4 to 6 in. (10.2 to 15.2 cm); light green.
Flower: pale purple; striped; tubular; Indianapolis, IN; July 15 to Aug 15; 7/10-7/20-7/25; (*codes 3, 3, 3).
Seed: sets viable seeds.
Clump History: orig. seedling; 7 yrs old; Indianapolis, IN.
Notable Characteristics: blunt end to the leaf blade.
Seasonal Variation: yellow changes to greenish-yellow.
 [H. 'Little Wonder' × unknown]

H. 'Wonderland' A. Malloy (ONIR)
Plant: 14 in. (35.6 cm) diameter; 7.5 in. (19.1 cm) high; mound-like; medium growth rate.
Leaf: 4.5 in. (11.4 cm) long; 3 in. (7.6 cm) wide; 7 pairs of veins; medium green; .5 to 1 (1.3 to 2.5 cm) cream margin with some streaks; lightly wavy; very shiny on top; shiny underneath; ovate; rounded base; petiole green.
Scape: 9 in. (22.9 cm) long; green.
Flower: 2 in. (5.1 cm) long; purple; tubular; South Salem, NY; July 15 to Aug 15; 7/5-7/16-7/25
Seed: sets viable seeds; green.
Clump History: orig. sport; 6 yrs old; South Salem, NY.
Notable Characteristics: small, heavy substance, cream edge with greenish streaks.
 [sport of H. 'Magic Colors']

H. 'Woodland Elf' D. Dean (ONIR)
Plant: 10 in. (25.4 cm) diameter; 1.75 in. (4.4 cm) high; mound-like fast growth rate.
Leaf: 1.5 in. (3.8 cm) long; 1 in. (2.4 cm) wide; 4 pairs of veins; light green; .2 to .25 (.5 to .6 cm) flat, creamy white; dull on top; slightly shiny underneath; ovate; tapered; lightly twisted, lightly folded, lightly wavy; petiole edge continues down to base.
Scape: 5 to 6 in. (12.7 to 15.2 cm) long.
Flower: medium lavender; tubular; Ramsey, MN; June 1 to July 15; 6/15-6/22-6/29; (*codes 2, 2, 3).
Seed: viability unknown, light green.
Clump History: orig. seedling; 4 yrs old; Ramsey, MN.
Notable Characteristics: rapid growing miniature, edge continues down petiole, to base, very flat mound.
 [H. 'Little Wonder' × H. 'Popo']

H. 'Worldly Treasure' G. R. Goodwin (ONIR)
Plant: 24 in. (61 cm) diameter; 12 in. (30.5 cm) high; mound-like medium growth rate.
Leaf: 6 in. (15.2 cm) long; 6 in. (15.3 cm) wide; 10 pairs of veins; dark green; flat; intensely cupped, moderately twisted and folded, lightly wavy, moderately corrugated, lightly flat; slightly shiny on top; very shiny underneath; nearly round; cordate base;
Scape: 15 to 18 in. (38.1 to 45.7 cm); green.
Flower: 1.5 in. (3.8 cm) long; pale lavender; lightly striped; tubular; Indianapolis, IN; 7/5-7/15-7/25; (*codes 3, 4, 4).
Seed: sets viable seeds; green seed pod
Clump History: orig. seedling; 6 yrs old; Indianapolis, IN.
Notable Characteristics: cupped, glossy, distinctive green.
 [H. 'Gaijin' × unknown]

H. 'Wrede, White and Blue' A. Wrede (O), A. Pollock (NIR)
Plant: 21 in. (53.3 cm) diameter; 8 in. (20.3 cm) high; mound-like; medium growth rate.

Leaf: 6 in. (15.2 cm) long; 4.5 in. (11.4 cm) wide; 8 to 9 pairs of veins; slightly blue-green; slightly rippled; lightly twisted; slightly shiny on top; glaucous bloom underneath; broadly ovate; rounded base; petiole pinky red.
Scape: 15 to 17 in. (38.1 to 43.2 cm) long; brownish green.
Flower: 1 in. (2.5 cm) long; medium lavender; faintly striped; bell; Wilmington, DE; 8/6-9/7-9/20; (*codes 6, 8, 8).
Seed: sets viable seeds; green seed pod.
Clump History: orig. seedling obtained from originator; 6 yrs old; Wilmington, DE.
Notable Characteristics: red petioles, white bloom on back of leaf, bluish cast to leaves.
 [H. 'Miss Susie' × unknown]

H. 'Yellow Polka Dot Bikini' L. Jones (ONIR)
Plant: 17 in. (43.2 cm) diameter; 9 in. (22.9 cm) high; mound-like.
Leaf: 5 in. (12.7 cm) long; 2.5 in. (6.4 cm) wide; 7 pairs of veins; medium green .75 (1.9 cm) flat, light green margin; lightly cupped and twisted dull on top and underneath; ovate; tapered base.
Flower: med. lavender; tubular; Advance, NC; June 1 to July 15.
Seed: seed set unknown.
Clump History: division; 3 yrs old; Advance, NC.
Notable Characteristics: bright yellow margins gradually turn to an apple green with white lines dividing the center and margin. Slightly twisted and cupped.
Seasonal Variation: bright yellow margins gradually turn to an apple green.
 [sport of H. 'Striptease']

H. 'Yellowtail' E. Elslager (ONIR)
Plant: 28 in. (71.1 cm) diameter; 13 in. (33 cm) high; mound-like; fast growth rate.
Leaf: 7.5 in. (19.1 cm) long; 5.5 in. (14 cm) wide; 11 pairs of veins; golden yellow; 1.25 to 1.75 (3.1 to 4.4 cm) flat, blue-green margin; lightly cupped, lightly twisted, slightly shiny on top underneath; broadly ovate; rounded base; petiole yellow with dark green edges.
Scape: 16 to 21 in. (40.6 to 53.3 cm) long; greenish-yellow.
Flower: 2 in. (5.1 cm) long; medium lavender; purple striped; tubular; Ann Arbor, MI; June 1 to Aug 15; 7/5-7/19-8/1; (*codes 3, 4, 4); inflorescence leaves.
Seed: viability unknown; green seed pod.
Clump History: orig. seedling; 7 yrs old; Ann Arbor, MI.
Notable Characteristics: fast growing with broad bright yellow centers and contrasting blue-green margins.
 [seedling of H. 'Galaxy' × unknown]

H. 'Yesterday's Memories' H. Hansen (ONR), Shady Oaks (I)
Plant: 48 in. (121.9 cm) diameter; 20 in. (50.8 cm) high; mound-like; fast growth rate.
Leaf: 11 in. (27.9 cm) long; 8 in. (20.4 cm) wide; 12 pairs of veins; greenish-yellow; .25 to 1.25 in. (.6 to 3.2 cm) heavily rippled, dark green margin; wavy; dull on top; glaucous bloom underneath; broadly ovate; cordate base.
Scape: 35 to 39 in. (88.9 to 99.1 cm) long.
Flower: 2 in. (5.1 cm) long; pale purple; white striped; bell; Waseca, MN; July 15 to Aug 15; 7/20- -8/4.
Seed: sets viable seed.
Clump History: orig. sport; 7 yrs old; Waseca, MN.
Notable Characteristics: third green color streaks into leaf
 [sport of H. 'Squash Casserole']

2005 REGISTRATIONS

H. 'Yorick' K. Squires (ON), Lantis Collection (O),
P. Ruh (I), P. & J. Ruh (R)

Plant: 18 in. (45.7 cm) diameter; 20 in. (50.8 cm) high; upright;
medium growth rate.

Leaf: 7 in. (17.8 cm) long; 4 in. (10.2 cm) wide; 7 pairs of veins;
dark green with grey-green; .375 to .5 in. (1 to 1.3 cm) slightly
rippled, cream green; lightly folded, lightly wavy, flat; slightly
shiny on top; very shiny underneath; ovate; flat; petiole color
extends on petiole edge.

Scape: 21 in. (53.3 cm) long; light green.

Flower: 2.5 in. (6.4 cm) long; deep lavender; striped; tubular;
Chesterland, OH; 7/28-8/6-8/15; (*codes 4, 5, 5).

Seed: seed set unknown.

Clump History: division of orig. obtained from originator; 5 yrs
old; Chesterland, OH.

Notable Characteristics: dark colored center, cream edge.

[Parentage Unknown]

H. 'Zebra Stripes' T. Avent (ONIR)

Plant: 28 in. (71.1 cm) diameter; 10 in. (25.4 cm); mound-like;
medium growth rate.

Leaf: 6 in. (15.2 cm) long; 3.5 in. (8.9 cm) wide; 8 pairs of
veins; pure white mottled with green; flat edge; lightly twisted,
moderately flat; dull on top and underneath; ovate; flat base;
asymmetric at petiole

Flower: medium lavender; spider; Raleigh, NC; July 15 to Aug
15; 6/15-7/1-7/15

Seed: seed set unknown

Clump History: orig. seedling; 10 years old; Raleigh, NC

Notable Characteristics: pure white mottled with green speck-
les and veins.

[(*H. 'Outhouse Delight'* × open-pollinated seedling) ×

H. 'Abba Dabba Do']

INDEX TO REGISTRATIONS

The following is a comprehensive index of cultivars described in *The Genus Hosta List of Registered Cultivars* (Silver Book), *The Genus Hosta List of Registered Cultivars Supplement I*, *The Hosta Journal* Vol. 31 No. R (Registration Issue), through *The Hosta Journal* Vol. 35 No. R. These publications are abbreviated in the index as “LRC”, “LRC Sup.,” “HJ 31:R”, “HJ 32:R”, etcetera.

<i>H.</i> ‘A 1-A-Day Delight’	HJ 35:R	4	<i>H.</i> ‘Academy Verdant Verge’	HJ 35:R	5	<i>H.</i> ‘Ann Kulpa’	HJ 31:R	6
<i>H.</i> ‘A B-1 Bomber’	HJ 34:R	4	<i>H.</i> ‘Academy Weathertop’	HJ 37:R	6	<i>H.</i> ‘Anna Lindh’	LRC Sup.	HJ B7:R
<i>H.</i> ‘A Big Splash’	HJ 36:R	5	<i>H.</i> ‘Achy Breaky Heart’	LRC Sup.	1	<i>H.</i> ‘Anna Lindh’	HJ 37:R	7
<i>H.</i> ‘A Blue Streak’	HJ 33:R	4	<i>H.</i> ‘Ada Reed’	LRC	3	<i>H.</i> ‘Anne’	HJ 37:R	7
<i>H.</i> ‘A Lady in Blue’	HJ 36:R	5	<i>H.</i> ‘Aesop’	HJ 37:R	6	<i>H.</i> ‘Annex Festival’	LRC Sup.	LRC
<i>H.</i> ‘A Many-splendored Thing’	HJ 31:R	4	<i>H.</i> ‘Afternoon Delight’	HJ 35:R	5	<i>H.</i> ‘Antioch’	LRC	4
<i>H.</i> ‘A Very Good Boy’	HJ 37:R	5	<i>H.</i> ‘Ahamo Gold’	LRC	3	<i>H.</i> ‘Antoinette’	HJ 32:R	5
<i>H.</i> ‘Aachen’	HJ 37:R	5	<i>H.</i> ‘Ahwaneeh’	LRC	3	<i>H.</i> ‘Aoki’	LRC	27
<i>H.</i> ‘Aardvark’	LRC	1	<i>H.</i> ‘Aksarben’	LRC	3	<i>H.</i> ‘Appalachian Beauty’	HJ 35:R	6
<i>H.</i> ‘Abba Alive’	LRC	1	<i>H.</i> ‘Alabama Bowl’	LRC	3	<i>H.</i> ‘Appalachian Spring’	HJ 36:R	6
<i>H.</i> ‘Abba Aloft’	LRC	1	<i>H.</i> ‘Alabama Gold’	LRC	3	<i>H.</i> ‘Apple Court’	LRC Sup.	3
<i>H.</i> ‘Abba at Large’	LRC	1	<i>H.</i> ‘Aladdin’s Lamp’	LRC Sup.	1	<i>H.</i> ‘Apple Green’	LRC	4
<i>H.</i> ‘Abba Blue Plus’	LRC	1	<i>H.</i> ‘Alaskan Halo’	LRC Sup.	2	<i>H.</i> ‘Aqua Velve’	LRC	4
<i>H.</i> ‘Abba Dabba Do’	LRC Sup.	1	<i>H.</i> ‘Albert Lea’	HJ 31:R	5	<i>H.</i> ‘Arc de Triomphe’	HJ 32:R	5
<i>H.</i> ‘Abba Dew’	HJ 31:R	4	<i>H.</i> ‘Alex Summers’	LRC	3	<i>H.</i> ‘Arch Duke’	HJ 32:R	5
<i>H.</i> ‘Abba Fit’	LRC	1	<i>H.</i> ‘Alexizz Madison’	HJ 37:R	6	<i>H.</i> ‘Arctic Blue Gown’	HJ 34:R	6
<i>H.</i> ‘Abba Fragrant Cloud’	LRC	1	<i>H.</i> ‘Alice Gladden’	LRC Sup.	2	<i>H.</i> ‘Arctic Circle’	HJ 34:R	5
<i>H.</i> ‘Abba Little Showoff’	LRC	1	<i>H.</i> ‘Alice in Wonderland’	HJ 33:R	4	<i>H.</i> ‘Arctic Rim’	LRC Sup.	3
<i>H.</i> ‘Abba Nova’	LRC	1	<i>H.</i> ‘Alinghi’	HJ 35:R	5	<i>H.</i> ‘Arctic Sunset’	HJ 37:R	7
<i>H.</i> ‘Abba Spellbinder’	LRC	1	<i>H.</i> ‘Alison’	HJ 32:R	4	<i>H.</i> ‘Arett’s Wonder’	LRC	4
<i>H.</i> ‘Abba Tops’	LRC	1	<i>H.</i> ‘Aliyah’s Grace’	HJ 36:R	5	<i>H.</i> ‘Aristocrat’	LRC Sup.	3
<i>H.</i> ‘Abbey Pond Cascades’	HJ 36:R	5	<i>H.</i> ‘All Jazzed Up’	HJ 32:R	4	<i>H.</i> ‘Arkansas Lad’	HJ 37:R	7
<i>H.</i> ‘Abby’	LRC	2	<i>H.</i> ‘All Star’	HJ 37:R	6	<i>H.</i> ‘Arnold Biscuit Heaven Too’	HJ 35:R	65
<i>H.</i> ‘Abiqua Ambrosia’	LRC	2	<i>H.</i> ‘Allan P. McConnell’	LRC	3	<i>H.</i> ‘Artemis’	HJ 33:R	5
<i>H.</i> ‘Abiqua Ariel’	HJ 31:R	4	<i>H.</i> ‘Allegan Emperor’	HJ 32:R	4	<i>H.</i> ‘Artist’s Palette’	LRC	4
<i>H.</i> ‘Abiqua Aries’	HJ 31:R	4	<i>H.</i> ‘Allegan Fog’	HJ 32:R	4	<i>H.</i> ‘Asahi Comet’	LRC	4
<i>H.</i> ‘Abiqua Blue Crinkles’	HJ 31:R	4	<i>H.</i> ‘Allegan Gent’	HJ 32:R	4	<i>H.</i> ‘Asahi Sunray’	LRC	4
<i>H.</i> ‘Abiqua Blue Edger’	LRC	2	<i>H.</i> ‘Allegheny River’	HJ 37:R	6	<i>H.</i> ‘Asahi Sunrise’	HJ 36:R	5
<i>H.</i> ‘Abiqua Blue Jay’	LRC	2	<i>H.</i> ‘Alley Oop’	HJ 33:R	4	<i>H.</i> ‘Athena’	HJ 37:R	7
<i>H.</i> ‘Abiqua Blue Madonna’	LRC	2	<i>H.</i> ‘Alleyne Cook’	HJ 35:R	5	<i>H.</i> ‘Atlantis’	HJ 36:R	6
<i>H.</i> ‘Abiqua Blue Shield’	LRC	2	<i>H.</i> ‘Alma’	LRC Sup.	2	<i>H.</i> ‘August Moon’	LRC Sup.	3
<i>H.</i> ‘Abiqua Delight’	HJ 31:R	4	<i>H.</i> ‘Almost’	HJ 37:R	6	<i>H.</i> ‘Aurora Borealis’	LRC	5
<i>H.</i> ‘Abiqua Drinking Gourd’	LRC	2	<i>H.</i> ‘Alpine Dream’	LRC	4	<i>H.</i> ‘Aurora Borealis’	LRC	5
<i>H.</i> ‘Abiqua Elephant Ears’	HJ 31:R	4	<i>H.</i> ‘Alston Glenn’	LRC Sup.	2	<i>H.</i> ‘Austin Dickinson’	LRC Sup.	3
<i>H.</i> ‘Abiqua Gold Shield’	LRC	2	<i>H.</i> ‘Alvatine Taylor’	LRC	4	<i>H.</i> ‘Avalanche’	HJ 32:R	5
<i>H.</i> ‘Abiqua Ground Cover’	LRC	2	<i>H.</i> ‘Am I Blue’	LRC Sup.	2	<i>H.</i> ‘Avery Angel’	HJ 37:R	7
<i>H.</i> ‘Abiqua Hallucination’	HJ 31:R	4	<i>H.</i> ‘Amanuma’	HJ 34:R	4	<i>H.</i> ‘Avocado’	LRC Sup.	3
<i>H.</i> ‘Abiqua Miniature’	LRC	2	<i>H.</i> ‘Amazing Grace’	HJ 31:R	5	<i>H.</i> ‘Awakening Angel’	HJ 37:R	8
<i>H.</i> ‘Abiqua Moonbeam’	LRC	2	<i>H.</i> ‘Amazing Matthew’	HJ 35:R	5	<i>H.</i> ‘Awesome Illusion’	HJ 34:R	5
<i>H.</i> ‘Abiqua Pagoda’	LRC	2	<i>H.</i> ‘Amber Maiden’	LRC	4	<i>H.</i> ‘Aztec Treasure’	LRC	5
<i>H.</i> ‘Abiqua Parasol’	LRC	3	<i>H.</i> ‘Amber Tiara’	LRC Sup.	2	<i>H.</i> ‘Azure Chalice’	LRC Sup.	4
<i>H.</i> ‘Abiqua Recluse’	LRC	3	<i>H.</i> ‘Amber Waves of Grain’	HJ 35:R	5	<i>H.</i> ‘Azure Cherub’	HJ 34:R	5
<i>H.</i> ‘Abiqua Trumpet’	LRC	3	<i>H.</i> ‘American Beauty’	HJ 32:R	4	<i>H.</i> ‘Azure Mediterranean’	HJ 31:R	7
<i>H.</i> ‘Academy Ametrine’	HJ 37:R	5	<i>H.</i> ‘American Dark Angel’	HJ 31:R	5	<i>H.</i> ‘Azure Snow’	LRC	5
<i>H.</i> ‘Academy Another’	HJ 36:R	5	<i>H.</i> ‘American Dream’	HJ 31:R	5	<i>H.</i> ‘Baby Boomer’	HJ 34:R	5
<i>H.</i> ‘Academy Blue Titan’	HJ 31:R	5	<i>H.</i> ‘American Eagle’	HJ 31:R	5	<i>H.</i> ‘Baby Bunting’	LRC	5
<i>H.</i> ‘Academy Blushing Recluse’	HJ 31:R	5	<i>H.</i> ‘American Glory Be’	HJ 31:R	6	<i>H.</i> ‘Bacchanal’	LRC	5
<i>H.</i> ‘Academy Bonfire Glade’	HJ 35:R	4	<i>H.</i> ‘American Gold Edge’	HJ 31:R	6	<i>H.</i> ‘Bacon and Eggs’	HJ 33:R	5
<i>H.</i> ‘Academy Celeborn’	HJ 32:R	4	<i>H.</i> ‘American Halo’	HJ 31:R	6	<i>H.</i> ‘Ballerina’	LRC	5
<i>H.</i> ‘Academy Chetwood’	HJ 37:R	5	<i>H.</i> ‘American Icon’	HJ 36:R	6	<i>H.</i> ‘Balloons’	LRC Sup.	4
<i>H.</i> ‘Academy Devon Moor’	HJ 33:R	4	<i>H.</i> ‘American Idol’	HJ 37:R	6	<i>H.</i> ‘Banana Bread Masterpiece’	LRC 31:R	56
<i>H.</i> ‘Academy Dimholt’	HJ 37:R	5	<i>H.</i> ‘American Misty’	HJ 37:R	6	<i>H.</i> ‘Banana Muffins’	LRC Sup.	4
<i>H.</i> ‘Academy Fangorn Forest’	HJ 35:R	4	<i>H.</i> ‘American Mohican Halo’	HJ 32:R	5	<i>H.</i> ‘Banana Pudding’	HJ 37:R	8
<i>H.</i> ‘Academy Fire’	LRC Sup.	1	<i>H.</i> ‘American Ruffled Heart’	HJ 32:R	5	<i>H.</i> ‘Banana Sundae’	LRC	5
<i>H.</i> ‘Academy Flaxen Spades’	HJ 34:R	4	<i>H.</i> ‘American Sweetheart’	HJ 34:R	4	<i>H.</i> ‘Band of Gold’	HJ 31:R	7
<i>H.</i> ‘Academy Flora’	HJ 31:R	5	<i>H.</i> ‘American Tisch Breeder’	HJ 34:R	4	<i>H.</i> ‘Banyai’s Dancing Girl’	LRC	5
<i>H.</i> ‘Academy Galadriel’	HJ 32:R	4	<i>H.</i> ‘Amethyst Blue’	LRC Sup.	2	<i>H.</i> ‘Barbara’	LRC	6
<i>H.</i> ‘Academy Golden Papoose’	HJ 36:R	5	<i>H.</i> ‘Amethyst Chip’	HJ 32:R	5	<i>H.</i> ‘Barbara Elizabeth Hoover’	HJ 34:R	5
<i>H.</i> ‘Academy Grass Clippings’	HJ 37:R	5	<i>H.</i> ‘Amethyst Facet’	HJ 35:R	6	<i>H.</i> ‘Barbara May’	HJ 36:R	6
<i>H.</i> ‘Academy Isengard’	HJ 35:R	4	<i>H.</i> ‘Amethyst Jewel’	LRC Sup.	3	<i>H.</i> ‘Barbara White’	LRC	6
<i>H.</i> ‘Academy Kakistocracy’	HJ 37:R	5	<i>H.</i> ‘Amethyst Joy’	HJ 31:R	6	<i>H.</i> ‘Barbarosa’	HJ 34:R	5
<i>H.</i> ‘Academy Lothlórien’	HJ 36:R	5	<i>H.</i> ‘Amy Aden’	LRC	4	<i>H.</i> ‘Barney Fife’	LRC Sup.	4
<i>H.</i> ‘Academy Mallorn’	HJ 35:R	4	<i>H.</i> ‘Amy Elizabeth’	HJ 35:R	6	<i>H.</i> ‘Bea’s Colossus’	HJ 32:R	6
<i>H.</i> ‘Academy Mavrodaphne’	HJ 32:R	4	<i>H.</i> ‘Amy’s Green’	HJ 31:R	6	<i>H.</i> ‘Beat This Blue’	HJ 34:R	5
<i>H.</i> ‘Academy Mirkwood’	HJ 35:R	4	<i>H.</i> ‘Amy’s Hope’	HJ 32:R	5	<i>H.</i> ‘Beaulah’	LRC	6
<i>H.</i> ‘Academy Muse’	LRC Sup.	1	<i>H.</i> ‘An Old Smoothie’	HJ 35:R	6	<i>H.</i> ‘Beckoning’	HJ 34:R	5
<i>H.</i> ‘Academy Nazgul’	HJ 35:R	4	<i>H.</i> ‘Andrew Jackson’	HJ 33:R	4	<i>H.</i> ‘Bedazzled’	HJ 31:R	7
<i>H.</i> ‘Academy Palantir’	HJ 35:R	4	<i>H.</i> ‘Andy Taylor’	LRC Sup.	3	<i>H.</i> ‘Behemoth’	LRC	6
<i>H.</i> ‘Academy Redundant’	LRC Sup.	1	<i>H.</i> ‘Angel Harp Strings’	HJ 37:R	7	<i>H.</i> ‘Belinda’	HJ 35:R	6
<i>H.</i> ‘Academy Rivendell’	HJ 37:R	5	<i>H.</i> ‘Angelic Wings Shiny Vase’	LRC Sup.	34	<i>H.</i> ‘Bell Bottom Blues’	HJ 36:R	6
<i>H.</i> ‘Academy Tousled Turkey’	HJ 33:R	4	<i>H.</i> ‘Anglo Saxon’	HJ 33:R	4	<i>H.</i> ‘Belle of the Ball’	LRC Sup.	4
<i>H.</i> ‘Academy Verdant Spades’	HJ 35:R	5	<i>H.</i> ‘Ani Machi’	HJ 34:R	4	<i>H.</i> ‘Bells of Edinborough’	LRC Sup.	4

INDEX TO REGISTRATIONS

H. 'Benedict Arnold'	LRC Sup.	4	H. 'Blooming Fool'	HJ 34:R	6	H. 'Bluegrass Country'	HJ 33:R	6
H. 'Bengee'	HJ 31:R	7	H. 'Blue Angel'	LRC	8	H. 'Blues in the Night'	HJ 36:R	7
H. 'Bennie McRae'	LRC	6	H. 'Blue Arrow'	LRC	9	H. 'Blütenspiel'	HJ 35:R	9
H. 'Bestman'	HJ 36:R	6	H. 'Blue Baron'	HJ 37:R	9	H. 'Blythe Spirit'	LRC	12
H. 'Betcher's Blue'	LRC	6	H. 'Blue Bayou'	LRC	9	H. 'Bob Koffler'	HJ 37:R	9
H. 'Bethel Big Leaf'	LRC	6	H. 'Blue Beauty'	LRC	9	H. 'Bob Olson'	LRC Sup.	6
H. 'Betsy King'	LRC	6	H. 'Blue Beetle'	HJ 37:R	9	H. 'Bob Sanders'	LRC Sup.	7
H. 'Bette Davis Eyes'	LRC	6	H. 'Blue Belle'	LRC	9	H. 'Bobbie Sue'	LRC Sup.	7
H. 'Betty'	LRC	6	H. 'Blue Betty Lou'	LRC	9	H. 'Bocka'	HJ 31:R	8
H. 'Betty Darling'	LRC	6	H. 'Blue Blazes'	LRC	9	H. 'Bodacious Blue'	HJ 31:R	8
H. 'Bewitched'	HJ 33:R	5	H. 'Blue Blush'	LRC	9	H. 'Bojangles'	HJ 31:R	8
H. 'Beyond Measure'	HJ 33:R	5	H. 'Blue Boy'	LRC	9	H. 'Bold and Beautiful'	HJ 34:R	7
H. 'Big and Blue'	HJ 32:R	6	H. 'Blue Cadet'	LRC	9	H. 'Bold Edger'	LRC	12
H. 'Big Bad John'	HJ 37:R	8	H. 'Blue Canoe'	HJ 31:R	8	H. 'Bold One'	LRC	12
H. 'Big Boy'	LRC	6	H. 'Blue Canopy'	HJ 32:R	6	H. 'Bold Ribbons'	LRC	12
H. 'Big Daddy'	LRC	7	H. 'Blue Chip'	LRC Sup.	5	H. 'Bold Ruffles'	LRC	12
H. 'Big Dipper'	LRC Sup.	4	H. 'Blue Clown'	LRC Sup.	5	H. 'Bon Voyage'	LRC	12
H. 'Big Hearted'	LRC	7	H. 'Blue Danube'	LRC	9	H. 'Bonanza'	LRC Sup.	7
H. 'Big John'	LRC	7	H. 'Blue Delight'	LRC Sup.	5	H. 'Bonnie'	LRC	12
H. 'Big Mama'	LRC	7	H. 'Blue Diamond'	LRC	9	H. 'Bonnie's Bounty'	HJ 32:R	7
H. 'Big Mamma's House'	HJ 35:R	7	H. 'Blue Dimples'	LRC	9	H. 'Boogie Blues'	HJ 37:R	9
H. 'Big Mo'	LRC	7	H. 'Blue Dome'	LRC	10	H. 'Boogie Woogie'	LRC Sup.	7
H. 'Big Old Bob'	HJ 37:R	8	H. 'Blue Dragon Wings'	HJ 34:R	6	H. 'Booka'	LRC	12
H. 'Big Pizza Pie'	HJ 33:R	5	H. 'Blue Eyes'	LRC Sup.	5	H. 'Boots and Saddles'	LRC	12
H. 'Big Sam'	LRC	7	H. 'Blue Fan Dancer'	LRC	10	H. 'Border Bandit'	LRC Sup.	7
H. 'Big Shot'	LRC Sup.	5	H. 'Blue Flame'	HJ 36:R	7	H. 'Border Favourite'	HJ 36:R	7
H. 'Big Top'	HJ 35:R	7	H. 'Blue for You'	LRC	10	H. 'Borsch 1'	HJ 31:R	8
H. 'Big Zach'	HJ 34:R	6	H. 'Blue Freckles'	HJ 36:R	7	H. 'Borsch 4'	HJ 37:R	9
H. 'Bigfoot'	LRC Sup.	5	H. 'Blue Frost'	LRC	10	H. 'Borwick Beauty'	LRC	13
H. 'Bigga Luigi'	HJ 34:R	6	H. 'Blue Gown'	LRC Sup.	6	H. 'Bottom Line'	HJ 35:R	9
H. 'Biggie'	HJ 35:R	7	H. 'Blue Haired Lady'	HJ 36:R	7	H. 'Boundary Waters'	HJ 31:R	9
H. 'Biggie's Breeder'	HJ 36:R	7	H. 'Blue Hawaii'	HJ 31:R	8	H. 'Bountiful'	LRC	13
H. 'Bilben Little Atlantis'	LRC Sup.	5	H. 'Blue Heaven'	LRC	10	H. 'Bows and Arrows'	HJ 34:R	7
H. 'Bill and Eleanor'	HJ 33:R	5	H. 'Blue Horizon'	LRC	10	H. 'Brandi Nicole'	HJ 34:R	7
H. 'Bill Brincka'	LRC	7	H. 'Blue Ice'	LRC	10	H. 'Brandywine'	LRC Sup.	7
H. 'Bill Dress's Blue'	HJ 31:R	7	H. 'Blue Jay'	LRC	10	H. 'Brass Horn'	HJ 31:R	9
H. 'Bill Modrak'	HJ 34:R	6	H. 'Blue June'	LRC	10	H. 'Brass Ring'	HJ 32:R	7
H. 'Bingo'	LRC Sup.	5	H. 'Blue Lace'	LRC	10	H. 'Brave Amherst'	LRC Sup.	7
H. 'Birchwood Blue'	LRC	7	H. 'Blue Lady'	LRC Sup.	6	H. 'Bravo'	LRC	13
H. 'Birchwood Elegance'	LRC	7	H. 'Blue Lagoon'	LRC	10	H. 'Brazen Hussy'	HJ 32:R	7
H. 'Birchwood Gem'	LRC	7	H. 'Blue Lightning'	HJ 37:R	9	H. 'Bread Crumbs'	HJ 35:R	9
H. 'Birchwood Gold'	LRC	7	H. 'Blue Line'	LRC	10	H. 'Break Dance'	HJ 33:R	6
H. 'Birchwood Green'	LRC	7	H. 'Blue Max'	LRC Sup.	6	H. 'Breeder's Choice'	LRC	13
H. 'Birchwood Parky's Blue'	LRC	8	H. 'Blue Mist'	HJ 35:R	8	H. 'Brenda's Beauty'	LRC Sup.	7
H. 'Birchwood Parky's Gold'	LRC	8	H. 'Blue Monday'	LRC Sup.	6	H. 'Brenner Pass'	LRC	13
H. 'Birchwood Ruffled Queen'	LRC	8	H. 'Blue Moon'	LRC	10	H. 'Bressingham Blue'	LRC	13
H. 'Birds of Happiness'	HJ 31:R	7	H. 'Blue Mouse Ears'	HJ 32:R	6	H. 'Bridal Veil'	HJ 35:R	9
H. 'Birth of the Blues'	HJ 37:R	8	H. 'Blue Music'	HJ 33:R	5	H. 'Bridegroom'	LRC	13
H. 'Bitsy Blue'	HJ 32:R	6	H. 'Blue My Mind'	HJ 35:R	8	H. 'Bridgeville'	HJ 31:R	9
H. 'Bitsy Gold'	LRC	8	H. 'Blue Ox'	HJ 31:R	8	H. 'Brigadier'	HJ 35:R	9
H. 'Bitsy Green'	LRC	8	H. 'Blue Pearl'	LRC Sup.	6	H. 'Brigham Blue'	HJ 34:R	7
H. 'Bix Blues'	HJ 32:R	6	H. 'Blue Picrust'	LRC	11	H. 'Bright Eagle'	LRC Sup.	8
H. 'Bizarre'	LRC	8	H. 'Blue Plisse'	LRC	11	H. 'Bright Glow'	LRC	13
H. 'Black Beauty'	LRC	8	H. 'Blue Ridge Mountains'	HJ 33:R	6	H. 'Brilliance'	HJ 33:R	6
H. 'Black Forest'	HJ 37:R	8	H. 'Blue River'	LRC Sup.	6	H. 'Brilliant Sunset'	HJ 37:R	9
H. 'Black Hills'	LRC	8	H. 'Blue Rock'	LRC	11	H. 'Brim Cup'	LRC	13
H. 'Black Jack Chew'	HJ 37:R	8	H. 'Blue Saucers'	LRC	11	H. 'Broad Ripple'	LRC Sup.	8
H. 'Black Pearl'	HJ 33:R	5	H. 'Blue Shadows'	LRC	11	H. 'Broadway Frances'	LRC Sup.	8
H. 'Blackfoot'	LRC Sup.	4	H. 'Blue Skies'	LRC	11	H. 'Brooke'	LRC	13
H. 'Blackjack'	LRC	8	H. 'Blue Skirt'	LRC	11	H. 'Brookwood Blue'	LRC	13
H. 'Blast Off'	LRC Sup.	5	H. 'Blue Sophistication'	HJ 35:R	9	H. 'Brother Bunyan'	HJ 34:R	7
H. 'Blaue Ruh'	HJ 35:R	7	H. 'Blue Spanish Eyes'	HJ 34:R	6	H. 'Brother Ronald'	LRC	13
H. 'Blaue Venus'	HJ 35:R	7	H. 'Blue Splendor'	HJ 34:R	6	H. 'Brother Stefan'	LRC Sup.	8
H. 'Blaufink'	HJ 35:R	7	H. 'Blue Star'	LRC Sup.	6	H. 'Bruce'	HJ 34:R	7
H. 'Blauglut'	HJ 35:R	7	H. 'Blue Suede Shoes'	HJ 33:R	6	H. 'Bruce's Blue'	LRC	14
H. 'Blaugold'	HJ 35:R	8	H. 'Blue Tiers'	LRC	11	H. 'Bryce'	HJ 34:R	8
H. 'Blaumeise'	HJ 35:R	8	H. 'Blue Troll'	LRC	11	H. 'Bubba'	LRC Sup.	8
H. 'Blauspecht'	HJ 35:R	8	H. 'Blue Umbrellas'	LRC	11	H. 'Buckanon'	LRC	14
H. 'Blaze of Glory'	HJ 31:R	7	H. 'Blue Velvet'	LRC	11	H. 'Buckeye'	HJ 32:R	7
H. 'Blazer'	HJ 37:R	8	H. 'Blue Vision'	LRC	11	H. 'Buckeye Blue'	LRC Sup.	8
H. 'Blazing Saddles'	HJ 32:R	6	H. 'Blue Wedgwood'	LRC	12	H. 'Buckshaw Blue'	LRC	14
H. 'Blessings'	LRC	8	H. 'Blue Whirls'	LRC	12	H. 'Buckwheat Honey'	LRC	14
H. 'Blissful'	HJ 36:R	7	H. 'Blue without You'	HJ 32:R	6	H. 'Buffy'	LRC	14
H. 'Blizzard'	HJ 35:R	8	H. 'Bluebeard's Castle'	HJ 35:R	9	H. 'Buggy Wheels'	HJ 37:R	10
H. 'Blockbuster'	HJ 35:R	8	H. 'Blueberry Pancakes'	HJ 34:R	7	H. 'Bumblebee'	HJ 32:R	7
H. 'Blondie'	LRC	8	H. 'Blueberry Patch'	HJ 33:R	6	H. 'Bunker Hill'	HJ 33:R	6
H. 'Blood, Sweat and Tears'	HJ 32:R	6	H. 'Blueberry Tart'	HJ 37:R	9	H. 'Butter and Eggs'	HJ 32:R	7
H. 'Bloody Mary'	HJ 31:R	8	H. 'Bluebird'	LRC	12	H. 'Butter Rim'	LRC	14

INDEX TO REGISTRATIONS

<i>H.</i> 'Butter Yellow'	LRC	14	<i>H.</i> 'Chartreuse Wedge'	LRC	17	<i>H.</i> 'Coquette'	LRC	18
<i>H.</i> 'Butternut Hill'	HJ 33:R	7	<i>H.</i> 'Chartreuse Wiggles'	LRC	17	<i>H.</i> 'Cordelia'	LRC	18
<i>H.</i> 'Buzzard's Bay'	HJ 31:R	9	<i>H.</i> 'Cheatin Heart'	LRC Sup.	10	<i>H.</i> 'Corduoy'	LRC	18
<i>H.</i> 'Cadillac'	LRC Sup.	8	<i>H.</i> 'Chelsea Babe'	LRC	17	<i>H.</i> 'Corkscrew'	HJ 35:R	10
<i>H.</i> 'Caesar'	HJ 31:R	9	<i>H.</i> 'Chelsea Ore'	LRC	17	<i>H.</i> 'Corona'	LRC Sup.	11
<i>H.</i> 'Cajun Sunrise'	HJ 32:R	7	<i>H.</i> 'Cherish'	HJ 34:R	9	<i>H.</i> 'Cory's Beauty'	HJ 36:R	9
<i>H.</i> 'Calamity Jane'	HJ 33:R	7	<i>H.</i> 'Cherries Jubilee'	HJ 33:R	7	<i>H.</i> 'Cotillion'	LRC Sup.	11
<i>H.</i> 'Calypso'	LRC	15	<i>H.</i> 'Cherry Berry'	LRC	17	<i>H.</i> 'Count Dracula'	LRC Sup.	11
<i>H.</i> 'Camelot'	LRC	15	<i>H.</i> 'Cherry Bomb'	HJ 36:R	8	<i>H.</i> 'Counter Point'	LRC	19
<i>H.</i> 'Cameo'	HJ 34:R	8	<i>H.</i> 'Cherub'	LRC	17	<i>H.</i> 'Country Road'	HJ 32:R	9
<i>H.</i> 'Canadian Foreign Affairs'	HJ 34:R	8	<i>H.</i> 'Chesapeake Bay'	HJ 36:R	8	<i>H.</i> 'Country Park'	LRC	19
<i>H.</i> 'Canadian Shield'	LRC Sup.	8	<i>H.</i> 'Chesieres Green Christmas'	HJ 34:R	8	<i>H.</i> 'Courtsey'	HJ 35:R	11
<i>H.</i> 'Canby'	HJ 35:R	9	<i>H.</i> 'Chesieres Jasmin's Hope'	HJ 34:R	9	<i>H.</i> 'Cracker Crumbs'	HJ 34:R	9
<i>H.</i> 'Candle Glow'	LRC	15	<i>H.</i> 'Chesieres Mountain Lights'	HJ 34:R	9	<i>H.</i> 'Craig Harlequin Bells'	LRC Sup.	11
<i>H.</i> 'Candle Wax'	LRC	15	<i>H.</i> 'Chesieres September Frost'	HJ 34:R	9	<i>H.</i> 'Craig's Temptation'	HJ 34:R	10
<i>H.</i> 'Candlelight'	HJ 37:R	10	<i>H.</i> 'Chesterland Gold'	LRC Sup.	10	<i>H.</i> 'Crater Lake'	LRC Sup.	11
<i>H.</i> 'Candlewood'	HJ 36:R	7	<i>H.</i> 'Childhood Sweetheart'	HJ 37:R	11	<i>H.</i> 'Cream Cheese'	LRC	19
<i>H.</i> 'Candy Cane'	LRC Sup.	9	<i>H.</i> 'China Doll'	LRC	17	<i>H.</i> 'Crème Brûlée'	HJ 36:R	9
<i>H.</i> 'Candy Dish'	HJ 35:R	10	<i>H.</i> 'Chinese Sunrise'	LRC Sup.	10	<i>H.</i> 'Crème Solaire'	HJ 36:R	9
<i>H.</i> 'Candy Hearts'	LRC Sup.	9	<i>H.</i> 'Chippewa'	LRC	17	<i>H.</i> 'Crepe Suzette'	LRC	19
<i>H.</i> 'Candy Striper'	HJ 32:R	7	<i>H.</i> 'Chiquita'	LRC	17	<i>H.</i> 'Crescendo'	HJ 33:R	8
<i>H.</i> 'Cantabi'	HJ 33:R	7	<i>H.</i> 'Chivalry'	HJ 33:R	7	<i>H.</i> 'Crescent Moon'	LRC	19
<i>H.</i> 'Canterbury Tales'	HJ 34:R	8	<i>H.</i> 'Chodai Ginyo'	HJ 35:R	10	<i>H.</i> 'Crested Reef'	LRC	19
<i>H.</i> 'Capitol Dome'	LRC	15	<i>H.</i> 'Choo Choo Train'	HJ 31:R	10	<i>H.</i> 'Crested Surf'	LRC	19
<i>H.</i> 'Capitol Hill'	HJ 37:R	10	<i>H.</i> 'Christmas Candy'	HJ 34:R	9	<i>H.</i> 'Crinkle Cup'	LRC	19
<i>H.</i> 'Captain Atom'	HJ 31:R	9	<i>H.</i> 'Christmas Charm'	HJ 35:R	10	<i>H.</i> 'Crimoline Petticoats'	LRC	19
<i>H.</i> 'Captain Kirk'	HJ 31:R	9	<i>H.</i> 'Christmas Cookies'	HJ 35:R	10	<i>H.</i> 'Crispula'	HJ 33:R	8
<i>H.</i> 'Captain Teach'	HJ 33:R	7	<i>H.</i> 'Christmas Cup'	HJ 32:R	8	<i>H.</i> 'Crocodile Rock'	HJ 32:R	9
<i>H.</i> 'Carder Blue'	LRC	15	<i>H.</i> 'Christmas Pageant'	HJ 32:R	8	<i>H.</i> 'Crocodile Smile'	HJ 33:R	8
<i>H.</i> 'Cardwell Yellow'	LRC	15	<i>H.</i> 'Christmas Tree'	LRC	17	<i>H.</i> 'Cross Stitch'	LRC Sup.	12
<i>H.</i> 'Carefree'	LRC	15	<i>H.</i> 'Christmas Tree Gala'	HJ 32:R	8	<i>H.</i> 'Crossroads Bling Bling'	HJ 35:R	11
<i>H.</i> 'Carisa Nichole'	HJ 32:R	7	<i>H.</i> 'Chutzpah'	HJ 34:R	9	<i>H.</i> 'Crossroads Budgie'	HJ 35:R	11
<i>H.</i> 'Carl A. Francis'	HJ 36:R	8	<i>H.</i> 'Cinderella'	HJ 36:R	8	<i>H.</i> 'Crossroads Hurricane'	HJ 35:R	11
<i>H.</i> 'Carl'	LRC	15	<i>H.</i> 'Circle of Light'	LRC Sup.	10	<i>H.</i> 'Crossroads Oscar'	HJ 35:R	11
<i>H.</i> 'Carnival'	LRC	15	<i>H.</i> 'Circus Clown'	LRC	18	<i>H.</i> 'Crossroads Parrot'	HJ 35:R	11
<i>H.</i> 'Carol'	LRC	15	<i>H.</i> 'Citation'	LRC	18	<i>H.</i> 'Crossroads Rowdy'	HJ 35:R	11
<i>H.</i> 'Carolina Blue'	HJ 32:R	8	<i>H.</i> 'City Lights'	LRC	18	<i>H.</i> 'Crossroads Steve'	HJ 35:R	11
<i>H.</i> 'Carolina Moon'	LRC Sup.	9	<i>H.</i> 'City Slicker'	LRC Sup.	10	<i>H.</i> 'Crossroads Whirlpool'	HJ 35:R	11
<i>H.</i> 'Carolina Sunshine'	HJ 31:R	9	<i>H.</i> 'Clambake'	HJ 32:R	8	<i>H.</i> 'Croutons'	HJ 35:R	12
<i>H.</i> 'Carolingian'	HJ 35:R	10	<i>H.</i> 'Clarence'	LRC Sup.	10	<i>H.</i> 'Crow's Nest'	LRC Sup.	12
<i>H.</i> 'Carousel'	LRC	16	<i>H.</i> 'Clarence Owens'	HJ 33:R	7	<i>H.</i> 'Crown Jewel'	LRC	19
<i>H.</i> 'Carrie Ann'	LRC	16	<i>H.</i> 'Classic Delight'	LRC	18	<i>H.</i> 'Crown Prince'	LRC	19
<i>H.</i> 'Cartwheels'	HJ 34:R	8	<i>H.</i> 'Clayton Burkey'	HJ 37:R	11	<i>H.</i> 'Crown Royalty'	LRC	19
<i>H.</i> 'Cascades'	LRC Sup.	9	<i>H.</i> 'Clearfork Green'	HJ 31:R	10	<i>H.</i> 'Crowned Imperial'	LRC	20
<i>H.</i> 'Cascading Waters'	HJ 37:R	10	<i>H.</i> 'Clifford's Broken Heart'	HJ 32:R	8	<i>H.</i> 'Crumples'	LRC Sup.	12
<i>H.</i> 'Cassandra'	LRC	16	<i>H.</i> 'Clifford's Comet'	HJ 32:R	8	<i>H.</i> 'Crusader'	LRC	20
<i>H.</i> 'Cat's Meow'	LRC Sup.	9	<i>H.</i> 'Clifford's Forest Fire'	HJ 32:R	8	<i>H.</i> 'Cry Baby'	HJ 31:R	10
<i>H.</i> 'Cathedral'	HJ 34:R	8	<i>H.</i> 'Clifford's Polar Moon'	HJ 32:R	8	<i>H.</i> 'Crystal Charm'	HJ 33:R	8
<i>H.</i> 'Cathedral Windows'	HJ 37:R	10	<i>H.</i> 'Clifford's Stingray'	HJ 32:R	8	<i>H.</i> 'Crystal Chimes'	HJ 32:R	9
<i>H.</i> 'Catherine Ann'	HJ 31:R	9	<i>H.</i> 'Climax'	HJ 32:R	9	<i>H.</i> 'Crystal Fountain'	HJ 31:R	11
<i>H.</i> 'Cavalcade'	LRC	16	<i>H.</i> 'Cloud Sweeper'	HJ 35:R	10	<i>H.</i> 'Crystal Glaze'	HJ 32:R	9
<i>H.</i> 'Celebration'	LRC	16	<i>H.</i> 'Clovelly'	HJ 37:R	11	<i>H.</i> 'Crystal Moon'	HJ 34:R	10
<i>H.</i> 'Celebrity'	LRC Sup.	9	<i>H.</i> 'Clown's Collar'	HJ 36:R	8	<i>H.</i> 'Crystal Tiara'	LRC Sup.	12
<i>H.</i> 'Celery Satin'	HJ 33:R	7	<i>H.</i> 'Cody'	LRC Sup.	11	<i>H.</i> 'Cubby Bear'	HJ 32:R	9
<i>H.</i> 'Celestial Lightning'	HJ 37:R	10	<i>H.</i> 'Cogleywood'	HJ 31:R	10	<i>H.</i> 'Cupid's Arrow'	LRC	20
<i>H.</i> 'Celestial'	HJ 32:R	8	<i>H.</i> 'Colesburg Blue'	HJ 36:R	9	<i>H.</i> 'Cupid's Dart'	LRC Sup.	12
<i>H.</i> 'Celtic Uplands'	HJ 37:R	10	<i>H.</i> 'Colonel Murphy'	HJ 33:R	8	<i>H.</i> 'Curlew'	LRC	20
<i>H.</i> 'Centennial'	LRC Sup.	9	<i>H.</i> 'Color a la Mode'	HJ 32:R	9	<i>H.</i> 'Curlicue'	HJ 33:R	8
<i>H.</i> 'Center of Attention'	HJ 31:R	10	<i>H.</i> 'Color Accord'	LRC	18	<i>H.</i> 'Curly'	LRC	20
<i>H.</i> 'Center Stage'	LRC	16	<i>H.</i> 'Color Fantasy'	LRC	18	<i>H.</i> 'Curly Locks'	LRC	20
<i>H.</i> 'Centerfold'	LRC Sup.	9	<i>H.</i> 'Color Glory'	LRC	18	<i>H.</i> 'Curly'	LRC	20
<i>H.</i> 'Century One'	LRC	16	<i>H.</i> 'Color Parade'	HJ 35:R	10	<i>H.</i> 'Curly Top'	LRC	20
<i>H.</i> 'Chado'	HJ 36:R	8	<i>H.</i> 'Colorado River'	HJ 37:R	11	<i>H.</i> 'Curtain Call'	LRC Sup.	12
<i>H.</i> 'Chain Lightning'	HJ 31:R	10	<i>H.</i> 'Colossal'	LRC	18	<i>H.</i> 'Curves'	HJ 37:R	12
<i>H.</i> 'Chalice of Gold'	HJ 36:R	8	<i>H.</i> 'Compassance'	LRC	18	<i>H.</i> 'Cutie Pie'	HJ 37:R	12
<i>H.</i> 'Challenger'	LRC	16	<i>H.</i> 'Compass Point'	HJ 36:R	9	<i>H.</i> 'Cutting Edge'	HJ 31:R	11
<i>H.</i> 'Chameleon'	LRC	16	<i>H.</i> 'Con Te Partiro'	HJ 36:R	9	<i>H.</i> 'Cyberstar'	HJ 34:R	10
<i>H.</i> 'Champagne'	LRC Sup.	9	<i>H.</i> 'Concord'	HJ 32:R	9	<i>H.</i> 'Cyclone'	HJ 34:R	10
<i>H.</i> 'Champagne and Caviar'	HJ 31:R	10	<i>H.</i> 'Concordia Petite'	LRC Sup.	11	<i>H.</i> 'Cyclops'	HJ 37:R	12
<i>H.</i> 'Champion'	LRC	16	<i>H.</i> 'Condor'	HJ 34:R	9	<i>H.</i> 'Cynthia'	LRC	20
<i>H.</i> 'Change of Tradition'	LRC	16	<i>H.</i> 'Confused'	HJ 31:R	10	<i>H.</i> 'Daddy Boomer'	HJ 37:R	12
<i>H.</i> 'Changeling'	HJ 37:R	11	<i>H.</i> 'Confused Angel'	HJ 37:R	11	<i>H.</i> 'Daily Joy'	LRC	21
<i>H.</i> 'Changing Moods'	LRC	17	<i>H.</i> 'Connecticut River'	HJ 37:R	11	<i>H.</i> 'Daisy Doolittle'	HJ 35:R	12
<i>H.</i> 'Chante's Dark Emerald'	HJ 37:R	11	<i>H.</i> 'Connie'	LRC	18	<i>H.</i> 'Dale's Blue Gray'	LRC Sup.	12
<i>H.</i> 'Chantilly Lace'	LRC	17	<i>H.</i> 'Connie Sun'	HJ 33:R	8	<i>H.</i> 'Dalton's Pick'	HJ 37:R	12
<i>H.</i> 'Chariots of Fire'	HJ 36:R	8	<i>H.</i> 'Cookie Crumbs'	HJ 34:R	10	<i>H.</i> 'Dance with Me'	HJ 34:R	10
<i>H.</i> 'Chartreuse'	LRC Sup.	10	<i>H.</i> 'Cool Cat'	HJ 37:R	12	<i>H.</i> 'Dancing Cobra'	HJ 35:R	12
<i>H.</i> 'Chartreuse Piecrust'	LRC	17	<i>H.</i> 'Cool Change'	LRC Sup.	11	<i>H.</i> 'Dancing in the Rain'	HJ 36:R	9

INDEX TO REGISTRATIONS

H. 'Dancing Queen'	HJ 37:R	12	H. 'Doctor Reath'	LRC Sup.	14	H. 'Emerald Gem'	LRC	24
H. 'Dancing with the Stars'	HJ 37:R	12	H. 'Domaine De Courson'	LRC Sup.	14	H. 'Emerald Green'	LRC Sup.	17
H. 'Dandy Randy'	HJ 36:R	9	H. 'Don Quixote'	HJ 36:R	10	H. 'Emerald Mist'	HJ 35:R	14
H. 'Dandy's Pride'	HJ 31:R	11	H. 'Don Stevens'	HJ 36:R	10	H. 'Emerald Necklace'	LRC Sup.	17
H. 'Daniel'	LRC	21	H. 'Donahue Piecrust'	HJ 31:R	12	H. 'Emerald Ripples'	LRC	24
H. 'Dapper Jim'	HJ 31:R	11	H. 'Dorothy Benedict'	LRC	22	H. 'Emerald Ruff Cut'	HJ 35:R	14
H. 'Dapra's Delight'	HJ 32:R	10	H. 'Dorothy'	LRC	22	H. 'Emerald Scepter'	HJ 35:R	14
H. 'Dark Ages'	HJ 36:R	10	H. 'Dorset Blue'	LRC	22	H. 'Emerald Tiara'	LRC	24
H. 'Dark Forest'	HJ 37:R	12	H. 'Dorset Charm'	LRC	22	H. 'Emerald Treasure'	HJ 32:R	11
H. 'Dark Nebula'	HJ 31:R	11	H. 'Dorset Flair'	LRC	22	H. 'Emeralds and Rubies'	LRC Sup.	17
H. 'Dark Shadows'	HJ 36:R	10	H. 'Dorset Glenn'	HJ 37:R	15	H. 'Emily Dickinson'	LRC	24
H. 'Dark Star'	HJ 31:R	11	H. 'Double Eagle'	HJ 32:R	10	H. 'Emma'	HJ 31:R	13
H. 'Dark Tower'	LRC Sup.	12	H. 'Double Edge'	LRC	22	H. 'Emma Foster'	LRC	25
H. 'Dark Victory'	LRC	21	H. 'Doublemint'	HJ 33:R	9	H. 'Emotion'	HJ 37:R	15
H. 'Dark Waters'	HJ 37:R	13	H. 'Doubloons'	HJ 35:R	12	H. 'Enchantress'	LRC	25
H. 'Dartmoor Forest'	HJ 37:R	13	H. 'Dragon Fire'	HJ 37:R	15	H. 'Encore'	LRC Sup.	17
H. 'Dauntless'	HJ 34:R	11	H. 'Dragon Wings'	LRC Sup.	14	H. 'English Sunrise'	HJ 35:R	14
H. 'David A. Haskell'	HJ 31:R	11	H. 'Dragon's Blood'	LRC Sup.	15	H. 'Eola Salad Bowl'	HJ 36:R	11
H. 'David F. Mahoney'	HJ 33:R	8	H. 'Drawn Butter'	LRC Sup.	15	H. 'Eola Sapphire'	HJ 36:R	11
H. 'David Reath'	LRC Sup.	13	H. 'Dream Angel'	HJ 35:R	13	H. 'Eric Smith'	LRC	25
H. 'Dawes'	HJ 37:R	13	H. 'Dream Weaver'	LRC Sup.	15	H. 'Eric's Gold'	HJ 36:R	11
H. 'Dawn'	HJ 32:R	10	H. 'Dreamland'	HJ 35:R	13	H. 'Erie Magic'	HJ 31:R	13
H. 'Dawn Treader'	HJ 32:R	10	H. 'Dress Blues'	LRC Sup.	15	H. 'Error Apparent'	HJ 37:R	15
H. 'Dawn's Early Light'	LRC Sup.	13	H. 'Dressed in Green'	HJ 36:R	10	H. 'Ersatz'	LRC Sup.	17
H. 'Day Dream'	LRC Sup.	13	H. 'Drip Drop'	LRC	22	H. 'Eskimo Pie'	HJ 36:R	11
H. 'Day's End'	HJ 31:R	11	H. 'Drummer Boy'	LRC	22	H. 'Essence of Summer'	HJ 36:R	11
H. 'Daybreak'	LRC	21	H. 'Ducet'	HJ 36:R	11	H. 'Estelle Aden'	LRC	25
H. 'Dazzling'	HJ 33:R	9	H. 'Duchess'	LRC	22	H. 'Estrellita'	LRC Sup.	17
H. 'Deane's Dream'	HJ 32:R	10	H. 'Duke'	LRC	23	H. 'Eternal Father'	HJ 31:R	13
H. 'Dear Heart'	LRC	21	H. 'Dumb Blonde'	HJ 33:R	9	H. 'Eternal Flame'	HJ 31:R	13
H. 'Debutante'	LRC	21	H. 'DuPage Delight'	LRC	23	H. 'Eternity'	LRC Sup.	17
H. 'Deceiver'	HJ 35:R	12	H. 'Dust Devil'	HJ 31:R	12	H. 'Eunice Choice'	LRC	25
H. 'Decorata'	HJ 34:R	10	H. 'Dustin More'	HJ 35:R	13	H. 'Eunice Fisher'	LRC	25
H. 'Dee's Golden Jewel'	LRC Sup.	13	H. 'Dustin'	LRC	23	H. 'Euphoria'	HJ 34:R	11
H. 'Deep Blue Sea'	LRC Sup.	13	H. 'Eagle Spirit'	HJ 35:R	13	H. 'Eureka Lodestar'	HJ 36:R	11
H. 'Deep Pockets'	HJ 37:R	13	H. 'Eagle's Nest'	HJ 32:R	10	H. 'Evelyn McCafferty'	LRC	25
H. 'Déjà Blu'	HJ 37:R	13	H. 'Earth Angel'	HJ 34:R	11	H. 'Evening Gown'	HJ 36:R	11
H. 'Delaware River'	HJ 37:R	13	H. 'Earth, Wind, and Fire'	HJ 35:R	13	H. 'Evening Magic'	LRC	25
H. 'Delia'	LRC Sup.	13	H. 'Ebb Tide'	LRC Sup.	15	H. 'Evening Star'	HJ 33:R	9
H. 'Deliverance'	HJ 37:R	13	H. 'Ebony Knight'	HJ 32:R	10	H. 'Eventide'	LRC Sup.	17
H. 'Delta Desire'	HJ 35:R	12	H. 'Ebony Spires'	HJ 31:R	12	H. 'Everglades'	LRC	25
H. 'Delta Pride'	HJ 35:R	12	H. 'Ebony Towers'	HJ 37:R	15	H. 'Everlasting Love'	HJ 36:R	12
H. 'Deluxe Edition'	HJ 31:R	12	H. 'Edge of Might'	HJ 34:R	11	H. 'Excalibur'	LRC	25
H. 'Demetriou's Gold'	HJ 33:R	9	H. 'Edge of Night'	LRC	23	H. 'Excitation'	LRC	25
H. 'Denali'	HJ 37:R	14	H. 'Edina Heritage'	LRC	23	H. 'Extreme'	HJ 37:R	16
H. 'Density'	LRC	21	H. 'Edina Hornet'	LRC Sup.	15	H. 'Eye Candy'	HJ 37:R	16
H. 'Designer Genes'	HJ 37:R	14	H. 'Edward Wargo'	LRC	23	H. 'Eye Catcher'	LRC Sup.	18
H. 'Destiny'	HJ 36:R	10	H. 'Eggs Benedict'	HJ 33:R	9	H. 'Eye Declare'	HJ 37:R	16
H. 'Devon Blue'	LRC	21	H. 'Egret'	LRC	23	H. 'Fagan'	HJ 37:R	16
H. 'Devon Discovery'	HJ 37:R	14	H. 'Eireann'	LRC	23	H. 'Fair Dinkum'	LRC Sup.	18
H. 'Devon Gold'	HJ 37:R	14	H. 'El Capitan'	LRC	23	H. 'Fair Maiden'	LRC Sup.	18
H. 'Devon Green'	HJ 37:R	14	H. 'El Niño' (PPAF/CPBRA)	HJ 35:R	13	H. 'Fairway Green'	LRC	26
H. 'Devon Mist'	HJ 37:R	14	H. 'Elata'	HJ 34:R	11	H. 'Fairy Frolic'	LRC Sup.	18
H. 'Devon Tor'	HJ 37:R	14	H. 'Elatior'	HJ 34:R	11	H. 'Faith'	HJ 31:R	13
H. 'Dew Drop'	LRC	21	H. 'Eleanor J. Reath'	LRC	24	H. 'Faithful Heart'	HJ 31:R	13
H. 'Dewline'	HJ 34:R	11	H. 'Eleanor Lachman'	LRC Sup.	15	H. 'Fall Bouquet'	LRC	26
H. 'Diadem'	HJ 34:R	11	H. 'Electra'	HJ 31:R	12	H. 'Fall Emerald'	LRC Sup.	18
H. 'Diamond Tiara'	LRC	21	H. 'Electrifying'	LRC Sup.	16	H. 'Fallen Angel'	HJ 32:R	11
H. 'Diana Remembered'	LRC Sup.	13	H. 'Electrocution'	HJ 37:R	15	H. 'Fan Dance'	LRC	26
H. 'Dianne'	LRC	21	H. 'Electrum Stater'	LRC Sup.	16	H. 'Fantabulous'	HJ 31:R	13
H. 'Dick Ward'	LRC	21	H. 'Elegans'	LRC	72	H. 'Fantasia'	LRC Sup.	18
H. 'Dick's Delight'	LRC Sup.	13	H. 'Elephant Burgers'	LRC Sup.	16	H. 'Fantastic'	LRC	26
H. 'Diddily-squat'	HJ 36:R	10	H. 'Elf Bonnet'	HJ 35:R	13	H. 'Fantasy Island'	HJ 34:R	12
H. 'Dim Sum'	LRC Sup.	14	H. 'Elfin Cup'	LRC	24	H. 'Fascination'	LRC	26
H. 'Dimension X'	HJ 35:R	12	H. 'Elfin Power'	LRC	24	H. 'Fascinator'	LRC	26
H. 'Dimity'	LRC Sup.	14	H. 'Elisabeth'	LRC	24	H. 'Fat Cat'	LRC Sup.	18
H. 'Dimpled Chad'	HJ 33:R	9	H. 'Elizabeth Campbell'	LRC	24	H. 'Fat Checks'	HJ 37:R	16
H. 'Dionysos'	HJ 32:R	10	H. 'Elizabeth DeBird'	HJ 37:R	15	H. 'Fatal Attraction'	HJ 31:R	13
H. 'Dippity Dew'	HJ 31:R	12	H. 'Elkhorn Prize'	HJ 37:R	15	H. 'Faux Finish'	HJ 35:R	14
H. 'Dipsy Doodle'	HJ 32:R	10	H. 'Ellen'	LRC	24	H. 'Faye Coble'	HJ 31:R	14
H. 'Distinction'	LRC Sup.	14	H. 'Ellen F. Weissenberger'	LRC	24	H. 'Feather Boa'	LRC	26
H. 'Diva'	HJ 31:R	12	H. 'Ellerbroek'	LRC Sup.	16	H. 'Fernwood'	LRC	26
H. 'Dixie Chick'	HJ 31:R	12	H. 'Ellie Bee'	LRC Sup.	16	H. 'Fertile Crescent'	HJ 36:R	12
H. 'Dixie Joy'	LRC	22	H. 'Elvis Lives'	LRC Sup.	16	H. 'Festival'	LRC Sup.	18
H. 'Dixie Pixie'	HJ 36:R	10	H. 'Emerald Carpet'	LRC Sup.	16	H. 'Ffred'	HJ 37:R	16
H. 'Dixie Queen'	LRC	22	H. 'Emerald City'	LRC Sup.	16	H. 'Fickle Blue Genes'	HJ 32:R	11
H. 'Do Little'	HJ 37:R	14	H. 'Emerald Crown'	LRC	24	H. 'Fiddlesticks'	HJ 31:R	14
H. 'Doctor Fu Manchu'	LRC Sup.	14	H. 'Emerald Crust'	LRC	24	H. 'Field of Dreams'	HJ 36:R	12

INDEX TO REGISTRATIONS

<i>H.</i> 'Fiesta'	HJ 31:R	14	<i>H.</i> 'Fragrant Candelabra'	LRC	28	<i>H.</i> 'Gil Jones'	LRC	31
<i>H.</i> 'Fifth Element'	HJ 32:R	11	<i>H.</i> 'Fragrant Flame'	LRC	28	<i>H.</i> 'Gilded Cage'	HJ 37:R	17
<i>H.</i> 'Filigree Necklace'	HJ 35:R	14	<i>H.</i> 'Fragrant Gold'	LRC	28	<i>H.</i> 'Gilded Cup'	HJ 31:R	16
<i>H.</i> 'Final Answer'	HJ 32:R	11	<i>H.</i> 'Fragrant Light'	HJ 34:R	12	<i>H.</i> 'Gilded Teacup'	HJ 35:R	17
<i>H.</i> 'Finlandia'	LRC Sup.	19	<i>H.</i> 'Fragrant Tot'	LRC	28	<i>H.</i> 'Gilded Tiara'	LRC Sup.	22
<i>H.</i> 'Fire and Brimstone'	HJ 35:R	14	<i>H.</i> 'Fran and Jan'	LRC	28	<i>H.</i> 'Gilt by Association'	HJ 32:R	12
<i>H.</i> 'Fire and Ice'	HJ 31:R	14	<i>H.</i> 'Fran Godfrey'	HJ 36:R	12	<i>H.</i> 'Gilt Edge'	HJ 34:R	13
<i>H.</i> 'Fire Island'	LRC Sup.	19	<i>H.</i> 'Francee'	LRC	28	<i>H.</i> 'Ginbuchi Tachi'	HJ 34:R	13
<i>H.</i> 'Fire Opal'	HJ 35:R	14	<i>H.</i> 'Frances Williams'	LRC	29	<i>H.</i> 'Gingee'	LRC	31
<i>H.</i> 'Firefighter's Angel'	HJ 34:R	12	<i>H.</i> 'Frances Williams' Baby'	LRC	29	<i>H.</i> 'Ginko Craig'	LRC	31
<i>H.</i> 'Firefly'	LRC Sup.	19	<i>H.</i> 'Frank Fetch'	HJ 36:R	12	<i>H.</i> 'Ginsu Knife'	HJ 34:R	13
<i>H.</i> 'Fireworks'	HJ 33:R	10	<i>H.</i> 'Frank's Rocket'	LRC Sup.	20	<i>H.</i> 'Ginsu Knife Supreme'	HJ 37:R	17
<i>H.</i> 'First Class'	HJ 33:R	10	<i>H.</i> 'Freedom'	HJ 31:R	15	<i>H.</i> 'Glacial Lake'	HJ 31:R	17
<i>H.</i> 'First Frost'	HJ 34:R	12	<i>H.</i> 'French Kiss'	HJ 36:R	13	<i>H.</i> 'Glacier Cascade'	HJ 31:R	17
<i>H.</i> 'First Impressions'	LRC	26	<i>H.</i> 'Friar Tuck'	HJ 32:R	12	<i>H.</i> 'Gladiator'	HJ 33:R	10
<i>H.</i> 'First Mate'	HJ 35:R	14	<i>H.</i> 'Fried Bananas'	LRC Sup.	20	<i>H.</i> 'Glen Tiara'	HJ 35:R	17
<i>H.</i> 'First Strike'	HJ 35:R	15	<i>H.</i> 'Fried Green Tomatoes'	LRC Sup.	20	<i>H.</i> 'Gloria Jean'	HJ 31:R	17
<i>H.</i> 'Fisher's Cream Edge'	LRC Sup.	19	<i>H.</i> 'Frisilly Puckers'	LRC	29	<i>H.</i> 'Gloriosa'	LRC	31
<i>H.</i> 'Fisher's Green Magic'	LRC Sup.	19	<i>H.</i> 'Front Forty'	LRC Sup.	20	<i>H.</i> 'Glorious Gold'	HJ 33:R	10
<i>H.</i> 'Five O'Clock Shadow'	HJ 32:R	11	<i>H.</i> 'Frostbite'	HJ 36:R	13	<i>H.</i> 'Glory'	LRC	31
<i>H.</i> 'Five O'Clock Somewhere'	HJ 36:R	12	<i>H.</i> 'Frosted Dimples'	HJ 31:R	15	<i>H.</i> 'Glossy Glory'	HJ 35:R	17
<i>H.</i> 'Flagship'	HJ 32:R	11	<i>H.</i> 'Frosted Jade'	LRC	29	<i>H.</i> 'Glowing Sparklers'	HJ 37:R	18
<i>H.</i> 'Flamboyant'	LRC	26	<i>H.</i> 'Frosted Mini-muffins'	HJ 32:R	12	<i>H.</i> 'Go for Broke'	HJ 32:R	13
<i>H.</i> 'Flame Stitch'	LRC	26	<i>H.</i> 'Frosted Waves'	HJ 32:R	12	<i>H.</i> 'Goddess of Athena'	LRC	31
<i>H.</i> 'Flame Tiara'	HJ 36:R	12	<i>H.</i> 'Frosty Morn'	LRC Sup.	20	<i>H.</i> 'Godzilla'	LRC Sup.	22
<i>H.</i> 'Flaming Arrow'	HJ 31:R	14	<i>H.</i> 'Frosty the Snowman'	HJ 32:R	12	<i>H.</i> 'Go-Go Mom'	HJ 35:R	17
<i>H.</i> 'Flash Dance'	HJ 31:R	14	<i>H.</i> 'Frozen Margarita'	HJ 35:R	16	<i>H.</i> 'Gold Braid'	HJ 36:R	13
<i>H.</i> 'Flat Clyde'	LRC Sup.	19	<i>H.</i> 'Fruit Punch'	HJ 31:R	15	<i>H.</i> 'Gold Bug'	HJ 32:R	13
<i>H.</i> 'Fleeta Brownell Woodroffe'	LRC	27	<i>H.</i> 'Fukurin Ko Mame'	HJ 37:R	17	<i>H.</i> 'Gold Cadet'	LRC	31
<i>H.</i> 'Fleeta's Blue'	HJ 31:R	14	<i>H.</i> 'Fukurin Toso Yama'	HJ 34:R	13	<i>H.</i> 'Gold Coast'	LRC	31
<i>H.</i> 'Fleeta's Fantasy'	HJ 31:R	14	<i>H.</i> 'Fulda'	HJ 35:R	16	<i>H.</i> 'Gold Cover'	LRC	31
<i>H.</i> 'Flemish Sky'	HJ 36:R	12	<i>H.</i> 'Full Moon'	LRC	29	<i>H.</i> 'Gold Cup'	LRC	31
<i>H.</i> 'Flickering Flames'	HJ 35:R	15	<i>H.</i> 'Fumiko'	HJ 35:R	16	<i>H.</i> 'Gold Dorothy of Richland'	LRC Sup.	22
<i>H.</i> 'Flint Hill'	HJ 31:R	15	<i>H.</i> 'Fury of Flame'	LRC	29	<i>H.</i> 'Gold Drop'	LRC	31
<i>H.</i> 'Floppy Disk'	HJ 35:R	15	<i>H.</i> 'Fused Veins'	LRC	29	<i>H.</i> 'Gold Edger'	LRC	32
<i>H.</i> 'Floradora'	LRC	27	<i>H.</i> 'G String'	LRC Sup.	21	<i>H.</i> 'Gold Edger Supreme'	HJ 35:R	17
<i>H.</i> 'Flow Swirls'	LRC	27	<i>H.</i> 'Gadzooks'	HJ 36:R	13	<i>H.</i> 'Gold Edger Surprise'	HJ 34:R	13
<i>H.</i> 'Flower Power'	LRC	27	<i>H.</i> 'Gaiety'	LRC	30	<i>H.</i> 'Gold Flush'	LRC	32
<i>H.</i> 'Fluted Fountain'	HJ 31:R	15	<i>H.</i> 'Gaijin'	LRC Sup.	21	<i>H.</i> 'Gold Glory'	LRC Sup.	22
<i>H.</i> 'Fond Farewell'	HJ 34:R	12	<i>H.</i> 'Gala'	LRC	30	<i>H.</i> 'Gold Haze'	LRC	32
<i>H.</i> 'Fond Hope'	LRC	27	<i>H.</i> 'Galactic Starburst'	HJ 31:R	15	<i>H.</i> 'Gold Leaf'	LRC	32
<i>H.</i> 'Fond Memory'	HJ 32:R	11	<i>H.</i> 'Galaxy Light'	LRC	30	<i>H.</i> 'Gold Pan'	LRC	32
<i>H.</i> 'Foolish Heart'	HJ 34:R	12	<i>H.</i> 'Galaxy'	LRC	30	<i>H.</i> 'Gold Piece'	LRC	32
<i>H.</i> 'Fool's Gold'	HJ 34:R	12	<i>H.</i> 'Gamma Ray'	HJ 31:R	15	<i>H.</i> 'Gold Regal'	LRC	32
<i>H.</i> 'Footlights'	LRC Sup.	19	<i>H.</i> 'Gandalf'	HJ 31:R	16	<i>H.</i> 'Gold Ribbon'	HJ 34:R	14
<i>H.</i> 'Forest Fireworks'	HJ 32:R	12	<i>H.</i> 'Garden Bouquet'	LRC	30	<i>H.</i> 'Gold Spring'	HJ 31:R	17
<i>H.</i> 'Forest Moon'	HJ 37:R	16	<i>H.</i> 'Garden Center'	HJ 35:R	16	<i>H.</i> 'Gold Standard'	LRC	32
<i>H.</i> 'Forest Paintbrush'	HJ 32:R	12	<i>H.</i> 'Garden Gate'	HJ 33:R	10	<i>H.</i> 'Gold Vein'	LRC	32
<i>H.</i> 'Forest Shadows'	HJ 31:R	15	<i>H.</i> 'Garden Magic'	LRC	30	<i>H.</i> 'Gold Waves'	LRC Sup.	22
<i>H.</i> 'Forever Frances'	LRC Sup.	20	<i>H.</i> 'Garden Party'	HJ 34:R	13	<i>H.</i> 'Goldbrook'	LRC	32
<i>H.</i> 'Forever Green'	LRC Sup.	20	<i>H.</i> 'Garden Treasure'	LRC Sup.	21	<i>H.</i> 'Goldbrook Genie'	LRC	32
<i>H.</i> 'Formal Attire'	LRC	27	<i>H.</i> 'Garnet Prince'	LRC	30	<i>H.</i> 'Goldbrook Gold'	LRC	32
<i>H.</i> 'Fort Knox'	LRC	27	<i>H.</i> 'Garnet Spires'	HJ 37:R	17	<i>H.</i> 'Goldbrook Grace'	LRC	32
<i>H.</i> 'Fort Salonga'	HJ 35:R	15	<i>H.</i> 'Gathering of Eagles'	HJ 37:R	17	<i>H.</i> 'Goldee'	HJ 31:R	17
<i>H.</i> 'Fortunei Albomarginata'	LRC	27	<i>H.</i> 'Gay Blade'	LRC	30	<i>H.</i> 'Golden Age'	LRC	32
<i>H.</i> 'Fortunei Albopicta'	LRC	27	<i>H.</i> 'Gay Feather'	LRC	30	<i>H.</i> 'Golden Anniversary'	LRC Sup.	22
<i>H.</i> 'Fortunei Aurea'	LRC	27	<i>H.</i> 'Gay Nineties'	LRC Sup.	21	<i>H.</i> 'Golden Arrow'	LRC Sup.	22
<i>H.</i> 'Fortunei Aureomarginata'	LRC	27	<i>H.</i> 'Gay Search'	HJ 36:R	13	<i>H.</i> 'Golden Ballerina'	LRC Sup.	23
<i>H.</i> 'Fortunei Gigantea'	LRC	27	<i>H.</i> 'Gaynor Miller'	LRC Sup.	21	<i>H.</i> 'Golden Bullion'	LRC	32
<i>H.</i> 'Fortunei Hyacinthina'	LRC	28	<i>H.</i> 'Gazpacho'	HJ 35:R	16	<i>H.</i> 'Golden Cascade'	LRC	33
<i>H.</i> 'Fortunei Obscura'	LRC	28	<i>H.</i> 'Geisha'	LRC	30	<i>H.</i> 'Golden Chimes'	LRC	33
<i>H.</i> 'Fortunei Rugosa'	LRC	28	<i>H.</i> 'Geissler's Edge'	HJ 37:R	17	<i>H.</i> 'Golden Circles'	LRC Sup.	23
<i>H.</i> 'Fortunei Stenantha'	LRC	28	<i>H.</i> 'Gekko'	HJ 34:R	13	<i>H.</i> 'Golden Decade'	HJ 35:R	17
<i>H.</i> 'Fortunei Viridis'	LRC	28	<i>H.</i> 'Gemstone'	HJ 37:R	17	<i>H.</i> 'Golden Delight'	LRC Sup.	23
<i>H.</i> 'Foundling'	LRC	28	<i>H.</i> 'Gene Summers'	LRC	30	<i>H.</i> 'Golden Dome'	HJ 37:R	18
<i>H.</i> 'Fountain of Youth'	HJ 35:R	15	<i>H.</i> 'Genesee Genco'	HJ 32:R	12	<i>H.</i> 'Golden Eagle'	LRC Sup.	23
<i>H.</i> 'Fountain'	LRC	28	<i>H.</i> 'Genesee Gypsy'	HJ 31:R	16	<i>H.</i> 'Golden Empress'	LRC	33
<i>H.</i> 'Fourth of July'	LRC Sup.	20	<i>H.</i> 'Genesee Splashing'	HJ 31:R	16	<i>H.</i> 'Golden Fascination'	LRC	33
<i>H.</i> 'Fox Lake'	HJ 34:R	12	<i>H.</i> 'Genesee Watchtower'	HJ 31:R	16	<i>H.</i> 'Golden Flame'	LRC	33
<i>H.</i> 'Foxfire Bamm Bamm'	HJ 35:R	15	<i>H.</i> 'Geneva Remembrance'	LRC Sup.	21	<i>H.</i> 'Golden Fountain'	LRC Sup.	23
<i>H.</i> 'Foxfire Irish Moon'	HJ 35:R	15	<i>H.</i> 'Geneva Stark'	HJ 31:R	16	<i>H.</i> 'Golden Friendship'	LRC	33
<i>H.</i> 'Foxfire Rose Red'	HJ 35:R	15	<i>H.</i> 'Gentle Giant'	HJ 37:R	17	<i>H.</i> 'Golden Gate'	LRC Sup.	23
<i>H.</i> 'Foxfire Snake Eyes'	HJ 35:R	16	<i>H.</i> 'George Smith'	LRC	31	<i>H.</i> 'Golden Gem'	HJ 37:R	18
<i>H.</i> 'Foxfire Zulu'	HJ 35:R	16	<i>H.</i> 'George W.'	HJ 33:R	10	<i>H.</i> 'Golden Girl'	LRC	33
<i>H.</i> 'Foxy Cat'	HJ 37:R	16	<i>H.</i> 'Ghost Spirit'	HJ 31:R	16	<i>H.</i> 'Golden Gloves'	HJ 32:R	13
<i>H.</i> 'Foxy Doxy'	LRC Sup.	20	<i>H.</i> 'Ghostface'	HJ 32:R	12	<i>H.</i> 'Golden Guernsey'	LRC Sup.	23
<i>H.</i> 'Fragrant Blue'	LRC	28	<i>H.</i> 'Giant Streaker'	HJ 36:R	13	<i>H.</i> 'Golden Hawk'	LRC	33
<i>H.</i> 'Fragrant Bouquet'	LRC	28	<i>H.</i> 'Gig Harbor'	LRC Sup.	21	<i>H.</i> 'Golden Jubilee'	LRC Sup.	23

INDEX TO REGISTRATIONS

H. 'Golden Maple'	LRC	33	H. 'Grecian Green'	LRC	36	H. 'Handy Hatfield'	LRC Sup.	26
H. 'Golden Medallion'	LRC	33	H. 'Green Acres'	LRC	36	H. 'Hank Panky'	HJ 36:R	14
H. 'Golden Melody'	HJ 33:R	10	H. 'Green Angel'	LRC	36	H. 'Hannah Hanson'	LRC Sup.	26
H. 'Golden Nugget'	LRC	33	H. 'Green Army Man'	HJ 35:R	18	H. 'Happily Ever After'	HJ 34:R	15
H. 'Golden Oriole'	LRC	33	H. 'Green Aspen'	LRC	36	H. 'Happiness'	LRC	39
H. 'Golden Pearls'	HJ 35:R	17	H. 'Green Beatrice'	LRC	36	H. 'Happy Hearts'	LRC	39
H. 'Golden Picture'	LRC Sup.	23	H. 'Green Beret'	HJ 34:R	14	H. 'Happy Valley'	LRC Sup.	26
H. 'Golden Piecrust'	HJ 32:R	13	H. 'Green Cups'	HJ 35:R	18	H. 'Harmonica'	HJ 31:R	19
H. 'Golden Plum'	LRC Sup.	24	H. 'Green Dome'	LRC	36	H. 'Harmony'	LRC	39
H. 'Golden Prayers'	LRC	33	H. 'Green Dragonet'	HJ 31:R	18	H. 'Harpoon'	HJ 32:R	14
H. 'Golden Rajah'	LRC	33	H. 'Green Eclipse'	HJ 34:R	14	H. 'Harriette Ward'	HJ 32:R	14
H. 'Golden Ripples'	HJ 31:R	17	H. 'Green Eyes'	LRC	36	H. 'Harrison'	LRC	39
H. 'Golden Ruffles'	LRC	34	H. 'Green Fingers'	HJ 34:R	15	H. 'Harry A. Jacobsen'	LRC	39
H. 'Golden Samurai'	HJ 32:R	13	H. 'Green Formal'	LRC	36	H. 'Harry Torbert'	HJ 35:R	19
H. 'Golden Scepter'	LRC	34	H. 'Green Fountain'	LRC	37	H. 'Hart's Tongue'	LRC	39
H. 'Golden Sculpture'	LRC	34	H. 'Green Furrows'	LRC	37	H. 'Harvest Dandy'	LRC Sup.	26
H. 'Golden Simplicity'	HJ 37:R	18	H. 'Green Gables'	LRC Sup.	25	H. 'Harvest Dawn'	LRC Sup.	27
H. 'Golden Spades'	LRC	34	H. 'Green Gold'	LRC	37	H. 'Harvest Delight'	LRC Sup.	27
H. 'Golden Spider'	LRC	34	H. 'Green Jeans'	HJ 37:R	18	H. 'Harvest Desire'	LRC Sup.	27
H. 'Golden Sunburst'	LRC	34	H. 'Green Kabitan'	HJ 35:R	18	H. 'Harvest Glow'	LRC	40
H. 'Golden Surprise'	LRC	34	H. 'Green Lama'	HJ 32:R	14	H. 'Hawkeye'	HJ 31:R	19
H. 'Golden Teacup'	LRC	34	H. 'Green Lantern'	LRC Sup.	25	H. 'Hawkeye Gold'	HJ 32:R	14
H. 'Golden Tiara'	LRC	34	H. 'Green Line'	LRC	37	H. 'Hazel'	LRC	40
H. 'Golden Tiers'	LRC	34	H. 'Green Marmalade'	LRC	37	H. 'Headliner'	LRC	40
H. 'Golden Torch'	LRC	34	H. 'Green Mouse Ears'	HJ 36:R	14	H. 'Heart and Soul'	HJ 32:R	14
H. 'Golden Tusk'	HJ 36:R	13	H. 'Green Nymph'	HJ 31:R	18	H. 'Heart Broken'	HJ 34:R	15
H. 'Golden Waffles'	LRC	34	H. 'Green Piecrust'	LRC	37	H. 'Heart of Chan'	LRC	40
H. 'Golden Wheels'	LRC	34	H. 'Green Platter'	LRC Sup.	25	H. 'Heart of Gold'	LRC Sup.	27
H. 'Golden Years'	HJ 35:R	17	H. 'Green Power'	HJ 35:R	18	H. 'Heart Throb'	LRC	40
H. 'Goldeneye'	HJ 32:R	13	H. 'Green Ripples'	LRC	37	H. 'Heartbeat'	HJ 31:R	19
H. 'Goldfinch'	HJ 36:R	13	H. 'Green River'	HJ 31:R	18	H. 'Heartleaf'	LRC	40
H. 'Goldilocks'	LRC	35	H. 'Green Saucers'	LRC	37	H. 'Heart's Desire'	HJ 34:R	15
H. 'Goldsmith'	LRC	35	H. 'Green Sheen'	LRC	37	H. 'Heartsong'	LRC	40
H. 'Goliath'	LRC	35	H. 'Green Smash'	LRC	37	H. 'Heaven Scent'	LRC	40
H. 'Gondola'	HJ 32:R	13	H. 'Green Spot'	LRC Sup.	25	H. 'Heavenly Constellation'	HJ 32:R	14
H. 'Good Golly Miss Molly'	HJ 36:R	14	H. 'Green Valley'	LRC	37	H. 'Heavenly Green'	LRC Sup.	27
H. 'Good Lovin''	HJ 34:R	14	H. 'Green Velvetene'	HJ 31:R	18	H. 'Heavenly Tiara'	LRC Sup.	27
H. 'Good Night Irene'	HJ 37:R	18	H. 'Green Wedge'	LRC	37	H. 'Heavy Metal'	LRC Sup.	27
H. 'Good Vibrations'	HJ 35:R	18	H. 'Green Wiggles'	LRC	38	H. 'Helen Doriot'	LRC	40
H. 'Goody Goody'	LRC	35	H. 'Green with Envy'	HJ 32:R	14	H. 'Helen Field Fischer'	LRC	40
H. 'Goosebumps'	LRC Sup.	24	H. 'Greenback'	HJ 33:R	11	H. 'Heliarc'	LRC	40
H. 'Gorgeous George'	HJ 34:R	14	H. 'Greensleeves'	HJ 31:R	18	H. 'Helios'	HJ 32:R	15
H. 'Gorgon'	HJ 35:R	18	H. 'Greenwood'	LRC Sup.	25	H. 'Helonioides Albopicta'	LRC	40
H. 'Gosan Gold Midget'	LRC	35	H. 'Grey Beauty'	LRC	38	H. 'Henry Payne'	LRC Sup.	28
H. 'Gosan Gold Sword'	LRC	35	H. 'Grey Ghost'	HJ 32:R	14	H. 'Her Grace'	LRC	41
H. 'Gosan Hildegard'	LRC	35	H. 'Grey Goose'	LRC	38	H. 'Herb Altman'	HJ 34:R	16
H. 'Grace McClure'	LRC Sup.	24	H. 'Grey Piecrust'	LRC	38	H. 'Herb Benedict'	LRC	41
H. 'Granada'	LRC Sup.	24	H. 'Grey Poupon'	LRC Sup.	25	H. 'Herbert'	LRC Sup.	28
H. 'Granary Gold'	HJ 34:R	14	H. 'Grim Grinning Ghost'	HJ 35:R	19	H. 'Herbie'	LRC Sup.	28
H. 'Granary Gold'	LRC	35	H. 'Grimes Golden'	HJ 36:R	14	H. 'Herbie Rocks'	HJ 37:R	19
H. 'Grand Canyon'	LRC Sup.	24	H. 'Ground Master'	LRC	38	H. 'Herkules'	HJ 35:R	19
H. 'Grand Finale'	LRC Sup.	24	H. 'Ground Sulphur'	LRC	38	H. 'Herman's Pride'	HJ 37:R	19
H. 'Grand Marquee'	HJ 33:R	10	H. 'Grover Cleveland'	HJ 33:R	11	H. 'Hermes'	HJ 36:R	14
H. 'Grand Master'	LRC	35	H. 'Grünspecht'	HJ 35:R	19	H. 'Hertha'	LRC	41
H. 'Grand Maw JoAnn'	HJ 35:R	18	H. 'Guacamole'	LRC Sup.	26	H. 'Hi Ho Silver'	LRC Sup.	28
H. 'Grand Prize'	LRC Sup.	24	H. 'Guardian Angel'	LRC Sup.	26	H. 'Hiawatha'	HJ 34:R	15
H. 'Grand Slam'	LRC	35	H. 'Guiding Light'	HJ 33:R	11	H. 'Hidden Agenda'	HJ 37:R	19
H. 'Grand Tiara'	LRC	35	H. 'Gum Drop'	LRC	38	H. 'Hidden Cove'	LRC Sup.	28
H. 'Grand Total'	HJ 35:R	18	H. 'Gummy Bear'	HJ 31:R	18	H. 'Hideko Gowen'	LRC	41
H. 'Grandchild'	HJ 31:R	17	H. 'Gunsmoke'	HJ 32:R	14	H. 'Hideko Tajima'	HJ 36:R	15
H. 'Grandeur'	HJ 33:R	11	H. 'Gypsy Rose'	HJ 35:R	19	H. 'High and Mighty'	HJ 35:R	20
H. 'Grandma's Gem'	HJ 33:R	11	H. 'Gypsy's Boa'	HJ 31:R	18	H. 'High Country'	HJ 36:R	15
H. 'Grasshopper'	HJ 32:R	13	H. 'H. D. Thoreau'	HJ 31:R	19	H. 'High Diver'	HJ 37:R	19
H. 'Gray Cole'	LRC	35	H. 'Hadspen Blue'	LRC	39	H. 'High Fat Cream'	LRC	41
H. 'Gray Fox'	LRC Sup.	25	H. 'Hadspen Hawk'	LRC	39	H. 'High Five'	HJ 34:R	15
H. 'Gray Streaked Squiggles'	LRC	35	H. 'Hadspen Heron'	LRC	39	H. 'High Heels'	HJ 34:R	16
H. 'Greased Lightning'	HJ 37:R	18	H. 'Hadspen Mystique'	HJ 35:R	19	H. 'High Kicker'	LRC	41
H. 'Great American Expectations'	HJ 31:R	18	H. 'Hadspen Pink'	LRC	39	H. 'High Noon'	HJ 36:R	15
H. 'Great Arrival'	HJ 35:R	18	H. 'Hadspen Samphire'	LRC Sup.	26	H. 'High Society'	HJ 36:R	15
H. 'Great Caesar's Ghost'	HJ 34:R	14	H. 'Hadspen White'	HJ 33:R	11	H. 'High Style'	LRC	41
H. 'Great Desire'	LRC	36	H. 'Hairline Fracture'	HJ 35:R	19	H. 'High Tide'	HJ 37:R	19
H. 'Great Expectations'	LRC	36	H. 'Haku Chu Han'	LRC	39	H. 'High Wire'	LRC Sup.	28
H. 'Great Lakes Gold'	HJ 32:R	13	H. 'Hakuyo'	HJ 34:R	15	H. 'High, Wide, and Handsome'	HJ 35:R	20
H. 'Great Lakes'	LRC	36	H. 'Halcyon'	LRC	39	H. 'High-rise'	HJ 35:R	20
H. 'Great Plains'	LRC Sup.	25	H. 'Halcyon Harmony'	HJ 32:R	14	H. 'Hilda Wassmann'	LRC	41
H. 'Great River Sonata'	HJ 36:R	14	H. 'Hallie's Honor'	HJ 31:R	19	H. 'Hillbilly Blues'	HJ 31:R	19
H. 'Great White Way'	HJ 36:R	14	H. 'Halo'	LRC	39	H. 'Hime Ogon Iwa'	HJ 34:R	16
H. 'Grecian Gold'	LRC	36	H. 'Hampshire County'	LRC Sup.	26	H. 'Hime Tokudama'	HJ 34:R	16

INDEX TO REGISTRATIONS

<i>H.</i> 'Hippodrome'	HJ 33:R	11	<i>H.</i> 'Ice Cream'	LRC Sup.	31	<i>H.</i> 'Jason'	HJ 34:R	17
<i>H.</i> 'Hirao Elite'	LRC Sup.	28	<i>H.</i> 'Ice Palace'	HJ 35:R	22	<i>H.</i> 'Java'	HJ 35:R	23
<i>H.</i> 'Hirao Grande'	LRC Sup.	28	<i>H.</i> 'Iceberg'	HJ 32:R	15	<i>H.</i> 'Javelin'	HJ 33:R	13
<i>H.</i> 'Hirao Imperial'	LRC Sup.	29	<i>H.</i> 'Iced Lemon'	HJ 37:R	20	<i>H.</i> 'Jay B. Abendroth'	HJ 33:R	13
<i>H.</i> 'Hirao Majesty'	LRC Sup.	29	<i>H.</i> 'Ichi-ban'	HJ 35:R	22	<i>H.</i> 'Jay Jay'	LRC Sup.	33
<i>H.</i> 'Hirao Monument'	HJ 33:R	12	<i>H.</i> 'Illicit Affair'	HJ 35:R	22	<i>H.</i> 'Jay P. Warren'	HJ 36:R	16
<i>H.</i> 'Hirao Splendor'	LRC Sup.	29	<i>H.</i> 'Immense'	LRC	43	<i>H.</i> 'Jaz'	HJ 36:R	16
<i>H.</i> 'Hirao Supreme'	LRC Sup.	29	<i>H.</i> 'Imperial Majesty'	HJ 35:R	22	<i>H.</i> 'Jazz Matazz'	HJ 32:R	16
<i>H.</i> 'Hirao Zeus'	LRC Sup.	29	<i>H.</i> 'Imperial Moth'	HJ 36:R	15	<i>H.</i> 'Jazzy'	HJ 32:R	16
<i>H.</i> 'His Honor'	HJ 32:R	15	<i>H.</i> 'Imperial Potentate'	HJ 31:R	20	<i>H.</i> 'Jean Ferris Ruh'	HJ 37:R	21
<i>H.</i> 'Hoarfrost'	LRC	41	<i>H.</i> 'In the Chips'	HJ 32:R	15	<i>H.</i> 'Jelly Bean'	LRC	45
<i>H.</i> 'Holiday White'	LRC	41	<i>H.</i> 'Inaho'	HJ 37:R	20	<i>H.</i> 'Jelly Roll Blues'	HJ 35:R	23
<i>H.</i> 'Holly's Dazzler'	LRC	41	<i>H.</i> 'Inca Sun'	HJ 32:R	15	<i>H.</i> 'Jen'	HJ 32:R	16
<i>H.</i> 'Holly's Gold'	LRC	41	<i>H.</i> 'Incoming'	HJ 36:R	15	<i>H.</i> 'Jennifer'	HJ 31:R	21
<i>H.</i> 'Holly's Green and Gold'	LRC Sup.	29	<i>H.</i> 'Incredible Hunk'	LRC Sup.	31	<i>H.</i> 'Jennifer Bailey'	HJ 33:R	13
<i>H.</i> 'Holly's Honey'	LRC	42	<i>H.</i> 'Independence'	HJ 33:R	12	<i>H.</i> 'Jennifer's Angel'	HJ 32:R	16
<i>H.</i> 'Holly's Hybrid'	HJ 34:R	16	<i>H.</i> 'Independence Day'	LRC Sup.	32	<i>H.</i> 'Jessica Lynn'	HJ 37:R	21
<i>H.</i> 'Holly's Shine'	LRC	42	<i>H.</i> 'Indian Feather'	LRC Sup.	32	<i>H.</i> 'Jewel of the Nile'	HJ 32:R	16
<i>H.</i> 'Holly's Velvet Piecrust'	LRC Sup.	30	<i>H.</i> 'Indian Hills'	LRC	43	<i>H.</i> 'Jim Cooper'	LRC	45
<i>H.</i> 'Hollywood Lights'	HJ 37:R	19	<i>H.</i> 'Indian Princess'	LRC Sup.	32	<i>H.</i> 'Jim Matthews'	LRC Sup.	34
<i>H.</i> 'Holy Grail'	HJ 36:R	15	<i>H.</i> 'Indiana Knight'	LRC	43	<i>H.</i> 'Jim Watkins'	HJ 36:R	16
<i>H.</i> 'Holy Molé'	HJ 35:R	20	<i>H.</i> 'Indiana Moonshine'	LRC Sup.	32	<i>H.</i> 'Jim Wilkins'	LRC	45
<i>H.</i> 'Homestead'	LRC Sup.	30	<i>H.</i> 'Indigo'	LRC	43	<i>H.</i> 'Jiminy Cricket'	HJ 37:R	21
<i>H.</i> 'Honey'	LRC	42	<i>H.</i> 'Indy Finish Line'	HJ 37:R	20	<i>H.</i> 'Jingle Bells'	LRC	45
<i>H.</i> 'Honey Do'	LRC Sup.	30	<i>H.</i> 'Indy Parade Lap'	HJ 37:R	20	<i>H.</i> 'Jo Jo'	LRC	45
<i>H.</i> 'Honey Hill Balloon Bouquet'	HJ 31:R	19	<i>H.</i> 'Inland Sea'	LRC Sup.	32	<i>H.</i> 'Joanne Johnson'	HJ 31:R	21
<i>H.</i> 'Honey Hill Blue Blood'	HJ 35:R	20	<i>H.</i> 'Inniswood'	LRC Sup.	32	<i>H.</i> 'Johanne'	LRC	45
<i>H.</i> 'Honey Hill Bubble Up'	HJ 35:R	20	<i>H.</i> 'Innovation'	LRC Sup.	32	<i>H.</i> 'John Kulpa'	HJ 31:R	21
<i>H.</i> 'Honey Hill Eureka'	HJ 35:R	20	<i>H.</i> 'Intrigue'	LRC	43	<i>H.</i> 'John Metzgar'	HJ 36:R	16
<i>H.</i> 'Honey Hill Night Light'	HJ 31:R	19	<i>H.</i> 'Invincible'	LRC	43	<i>H.</i> 'John Q. Adams'	HJ 35:R	23
<i>H.</i> 'Honey Hill Pearl Essence'	HJ 35:R	20	<i>H.</i> 'Iona'	LRC	43	<i>H.</i> 'John Wargo'	LRC	45
<i>H.</i> 'Honey Hill Piece o' Pie'	HJ 35:R	21	<i>H.</i> 'Iowa Moon'	HJ 32:R	15	<i>H.</i> 'John Wells'	HJ 34:R	17
<i>H.</i> 'Honey Hill Pinking Shears'	HJ 35:R	21	<i>H.</i> 'Irische See'	LRC Sup.	32	<i>H.</i> 'Johnny Angel'	HJ 35:R	24
<i>H.</i> 'Honey Hill Pins and Needles'	HJ 31:R	20	<i>H.</i> 'Irish Eyes'	HJ 31:R	21	<i>H.</i> 'Johnny Oh'	HJ 35:R	24
<i>H.</i> 'Honey Hill Pledge Allegiance'	HJ 35:R	21	<i>H.</i> 'Irish Hills'	LRC Sup.	33	<i>H.</i> 'Jolly Green Giant'	LRC	45
<i>H.</i> 'Honey Hill Pucker Up'	HJ 31:R	20	<i>H.</i> 'Irish Mist'	LRC Sup.	33	<i>H.</i> 'Joseph'	LRC	45
<i>H.</i> 'Honey Hill Shimmer and Shimmy'	HJ 31:R	20	<i>H.</i> 'Irish Moss'	HJ 36:R	16	<i>H.</i> 'Josephine'	LRC	45
<i>H.</i> 'Honey Hill Sidewalk Chalk'	HJ 35:R	21	<i>H.</i> 'Irish Ribbons'	LRC Sup.	33	<i>H.</i> 'Journey's End'	HJ 36:R	16
<i>H.</i> 'Honey Hill Stainless Steel'	HJ 35:R	21	<i>H.</i> 'Irish Spring'	LRC	43	<i>H.</i> 'Joybells'	LRC	46
<i>H.</i> 'Honey Hill Tokens'	HJ 35:R	21	<i>H.</i> 'Iron Curtain'	HJ 32:R	15	<i>H.</i> 'Joyce Trott'	LRC	46
<i>H.</i> 'Honey Hill Water Ladle'	HJ 31:R	20	<i>H.</i> 'Iron Gate Bouquet'	LRC	43	<i>H.</i> 'Joyful'	HJ 35:R	24
<i>H.</i> 'Honey Hill Wayward Heart'	HJ 35:R	21	<i>H.</i> 'Iron Gate Delight'	LRC	43	<i>H.</i> 'Jubilation'	HJ 32:R	16
<i>H.</i> 'Honey Hill Wrinkled Rainslicker'	HJ 31:R	20	<i>H.</i> 'Iron Gate Glamour'	LRC	43	<i>H.</i> 'Judi's Joy'	HJ 35:R	24
<i>H.</i> 'Honey Moon'	LRC	42	<i>H.</i> 'Iron Gate Supreme'	LRC	43	<i>H.</i> 'Judy Rocco'	HJ 36:R	17
<i>H.</i> 'Honeybells'	LRC	42	<i>H.</i> 'Island Charm'	LRC Sup.	33	<i>H.</i> 'Judy's Surprise'	LRC Sup.	34
<i>H.</i> 'Honeycomb'	HJ 32:R	15	<i>H.</i> 'Isle Royal'	HJ 32:R	16	<i>H.</i> 'Jujen'	HJ 34:R	17
<i>H.</i> 'Hoosier Dome'	LRC Sup.	30	<i>H.</i> 'It Rocks'	HJ 36:R	16	<i>H.</i> 'Julia'	LRC Sup.	34
<i>H.</i> 'Hoosier Harmony'	LRC Sup.	30	<i>H.</i> 'Itasca'	LRC	43	<i>H.</i> 'Julia Ariana'	HJ 35:R	24
<i>H.</i> 'Hope'	HJ 31:R	20	<i>H.</i> 'Itsy Bitsy Spider'	HJ 36:R	16	<i>H.</i> 'Julia Gaede'	LRC Sup.	34
<i>H.</i> 'Hoplite'	HJ 32:R	15	<i>H.</i> 'Iva Delight'	HJ 35:R	23	<i>H.</i> 'Julia Hardy'	LRC	46
<i>H.</i> 'Hot Button'	HJ 37:R	19	<i>H.</i> 'Ivory Coast'	HJ 31:R	21	<i>H.</i> 'Julie Ann'	LRC Sup.	34
<i>H.</i> 'Hot Diggity Dog'	LRC Sup.	30	<i>H.</i> 'Ivory Necklace'	HJ 35:R	23	<i>H.</i> 'Julie Morss'	LRC	46
<i>H.</i> 'Hot Flash'	LRC	42	<i>H.</i> 'Ivory Pixie'	LRC	44	<i>H.</i> 'Jumbo'	LRC Sup.	34
<i>H.</i> 'Hot Lips'	LRC Sup.	30	<i>H.</i> 'Ivory Tower'	LRC Sup.	33	<i>H.</i> 'June'	LRC	46
<i>H.</i> 'Hot Wheels'	HJ 35:R	21	<i>H.</i> 'Ivy Parody'	HJ 35:R	23	<i>H.</i> 'June Beauty'	LRC	46
<i>H.</i> 'Hottie'	HJ 34:R	16	<i>H.</i> 'J. D.'s Luck'	HJ 33:R	12	<i>H.</i> 'June Bug'	HJ 31:R	21
<i>H.</i> 'Hottsy Tottsy'	HJ 36:R	15	<i>H.</i> 'Jack and Margaret's Keynote'	HJ 33:R	12	<i>H.</i> 'June Dove'	HJ 31:R	22
<i>H.</i> 'Housatonic'	LRC	42	<i>H.</i> 'Jack Frost'	LRC	44	<i>H.</i> 'June Fever'	HJ 36:R	17
<i>H.</i> 'Hub City'	HJ 35:R	21	<i>H.</i> 'Jack of Diamonds'	LRC	44	<i>H.</i> 'June Moon'	LRC	46
<i>H.</i> 'Hubba-hubba'	HJ 37:R	19	<i>H.</i> 'Jackpot'	LRC Sup.	33	<i>H.</i> 'June's Gold'	HJ 32:R	16
<i>H.</i> 'Hudson River'	HJ 33:R	12	<i>H.</i> 'Jacqueline's Banner'	HJ 31:R	21	<i>H.</i> 'Junior Miss'	HJ 31:R	22
<i>H.</i> 'Hulkster'	HJ 35:R	22	<i>H.</i> 'Jade Beauty'	LRC	44	<i>H.</i> 'Jupiter'	HJ 35:R	24
<i>H.</i> 'Humdinger'	LRC Sup.	30	<i>H.</i> 'Jade Lancer'	HJ 33:R	12	<i>H.</i> 'Just So'	LRC	46
<i>H.</i> 'Humility'	LRC Sup.	31	<i>H.</i> 'Jade Point'	LRC	44	<i>H.</i> 'Justa Gigolo'	HJ 35:R	24
<i>H.</i> 'Hummingbird Wings'	LRC Sup.	31	<i>H.</i> 'Jade Scepter'	LRC	44	<i>H.</i> 'Justice'	HJ 35:R	25
<i>H.</i> 'Humor'	LRC Sup.	31	<i>H.</i> 'Jadette'	LRC	44	<i>H.</i> 'Justinian'	HJ 34:R	17
<i>H.</i> 'Hunters Ridge'	HJ 34:R	16	<i>H.</i> 'Jambeliah'	LRC	45	<i>H.</i> 'Kabitan'	LRC	47
<i>H.</i> 'Huron Blue'	LRC	42	<i>H.</i> 'James A. Garfield'	HJ 35:R	23	<i>H.</i> 'Kabuki'	HJ 36:R	17
<i>H.</i> 'Hurrah'	LRC	42	<i>H.</i> 'James Buchanan'	HJ 37:R	20	<i>H.</i> 'Kaitlyn'	LRC Sup.	34
<i>H.</i> 'Hush Puppie'	HJ 37:R	20	<i>H.</i> 'James Madison'	HJ 37:R	20	<i>H.</i> 'Karen'	HJ 31:R	22
<i>H.</i> 'Hutch'	LRC Sup.	31	<i>H.</i> 'James Monroe'	HJ 37:R	20	<i>H.</i> 'Karin'	HJ 37:R	21
<i>H.</i> 'Hydon Gleam'	LRC Sup.	31	<i>H.</i> 'James River'	HJ 37:R	21	<i>H.</i> 'Kasseler Gold'	HJ 35:R	25
<i>H.</i> 'Hydon Sunset'	LRC	42	<i>H.</i> 'Jane Ward'	HJ 31:R	21	<i>H.</i> 'Kathleen'	LRC	47
<i>H.</i> 'I'm My Kid's Mom'	HJ 35:R	22	<i>H.</i> 'Janet'	LRC	45	<i>H.</i> 'Kathy-O'	LRC Sup.	35
<i>H.</i> 'I'm So Blue'	HJ 31:R	20	<i>H.</i> 'Janet Day'	LRC Sup.	33	<i>H.</i> 'Katie Q'	HJ 35:R	25
<i>H.</i> 'I'm So Pretty'	HJ 35:R	22	<i>H.</i> 'Janet Rugh'	HJ 33:R	12	<i>H.</i> 'Katrina Jo'	LRC Sup.	35
<i>H.</i> 'Ice Age'	HJ 34:R	16	<i>H.</i> 'Janet's Joy'	HJ 33:R	12	<i>H.</i> 'Kayak'	HJ 31:R	22
<i>H.</i> 'Ice Age Trail'	HJ 35:R	22	<i>H.</i> 'Jarett H. Park'	HJ 35:R	23	<i>H.</i> 'Kelsey'	LRC Sup.	35

INDEX TO REGISTRATIONS

H. 'Kerplunk'	HJ 37:R	21	H. 'Krossa Cream Edge'	LRC Sup.	36	H. 'Lakeside Frosted Mint'	LRC Sup.	39
H. 'Keuka Kiss'	HJ 34:R	17	H. 'Krossa Regal'	LRC	47	H. 'Lakeside Fruit Loops'	HJ 33:R	14
H. 'Keuka Love'	HJ 34:R	17	H. 'Kuk's Concoction'	HJ 31:R	26	H. 'Lakeside Full Tide'	HJ 33:R	14
H. 'Kevin Kelley'	LRC Sup.	35	H. 'Kyoto'	HJ 33:R	13	H. 'Lakeside Gold Point'	LRC Sup.	39
H. 'Key Lime'	LRC	47	H. 'La Vista'	LRC	49	H. 'Lakeside Grandee'	LRC Sup.	40
H. 'Key Lime Pie'	HJ 35:R	25	H. 'Lac de Bretaye'	HJ 35:R	26	H. 'Lakeside Happy Talk'	LRC Sup.	40
H. 'Key West'	HJ 31:R	22	H. 'Lac Leman'	HJ 34:R	18	H. 'Lakeside Hazy Morn'	HJ 34:R	20
H. 'Ki Nakafu Otome'	HJ 35:R	25	H. 'Lacy Belle'	LRC Sup.	36	H. 'Lakeside Hoopa Hoop'	HJ 35:R	27
H. 'Kifukurin Hyuga'	HJ 34:R	17	H. 'Lady Godiva'	HJ 36:R	17	H. 'Lakeside Iron Man'	HJ 35:R	27
H. 'Kifukurin Ko Mame'	HJ 34:R	17	H. 'Lady Guinevere'	HJ 37:R	22	H. 'Lakeside Jazzy Jane'	HJ 34:R	20
H. 'Kifukurin Ubatake'	HJ 34:R	18	H. 'Lady Helen'	LRC Sup.	36	H. 'Lakeside Kaleidoscope'	LRC Sup.	40
H. 'Kilauaea'	HJ 33:R	13	H. 'Lady in Waiting'	LRC	48	H. 'Lakeside Keepsake'	HJ 33:R	14
H. 'Kilowatt'	LRC	47	H. 'Lady Isobel Barnett'	LRC Sup.	36	H. 'Lakeside Knickknack'	LRC Sup.	40
H. 'Kinbotan'	HJ 34:R	18	H. 'Lady Jane'	HJ 37:R	22	H. 'Lakeside Ladyfinger'	LRC Sup.	40
H. 'Kinbuchi Tachi'	HJ 34:R	18	H. 'Lady Liberty's Flame'	HJ 32:R	17	H. 'Lakeside Lagoon'	LRC Sup.	40
H. 'Kind of Blue'	HJ 31:R	22	H. 'Lady Michelle'	HJ 35:R	26	H. 'Lakeside Legal Tender'	HJ 31:R	26
H. 'King Croesus'	HJ 35:R	25	H. 'Ladybug'	LRC Sup.	36	H. 'Lakeside Leprechaun'	LRC	48
H. 'King David'	HJ 33:R	13	H. 'Lahn'	HJ 37:R	22	H. 'Lakeside Lime Tart'	HJ 34:R	20
H. 'King James'	LRC Sup.	35	H. 'Lake Chautauqua'	LRC Sup.	36	H. 'Lakeside Lime Time'	LRC Sup.	40
H. 'King Lizard'	HJ 35:R	25	H. 'Lake Erie'	LRC Sup.	36	H. 'Lakeside Little Gem'	LRC Sup.	40
H. 'King Michael'	LRC Sup.	35	H. 'Lake Huron'	HJ 33:R	13	H. 'Lakeside Little Tuft'	LRC Sup.	41
H. 'King of the Hill'	HJ 37:R	21	H. 'Lake Louise'	LRC	48	H. 'Lakeside Lollipop'	LRC Sup.	41
H. 'King Tut'	LRC	47	H. 'Lake Michigan'	HJ 33:R	13	H. 'Lakeside Looking Glass'	LRC Sup.	41
H. 'King's Ransom'	HJ 31:R	22	H. 'Lake Ontario'	LRC Sup.	37	H. 'Lakeside Love Affaire'	LRC Sup.	41
H. 'Kingfisher'	LRC	47	H. 'Lake Superior'	HJ 33:R	14	H. 'Lakeside Maestro'	LRC Sup.	41
H. 'Kingwood Center'	LRC Sup.	35	H. 'Lakeport Blue'	LRC	48	H. 'Lakeside Main Man'	HJ 34:R	20
H. 'Kinki'	HJ 34:R	18	H. 'Lakeside a Go Go'	HJ 35:R	26	H. 'Lakeside Masterpiece'	LRC Sup.	41
H. 'Kira'	HJ 31:R	22	H. 'Lakeside Accolade'	LRC	48	H. 'Lakeside Maverick'	HJ 32:R	18
H. 'Kissing Cousin'	LRC Sup.	35	H. 'Lakeside Alex Andra'	HJ 34:R	19	H. 'Lakeside Meadow Ice'	HJ 34:R	20
H. 'Kit Kat'	LRC Sup.	35	H. 'Lakeside April Snow'	LRC Sup.	37	H. 'Lakeside Meter Maid'	LRC Sup.	41
H. 'Kite'	LRC	47	H. 'Lakeside Baby Face'	LRC Sup.	37	H. 'Lakeside Metered Light'	HJ 37:R	23
H. 'Kitty Hawk'	HJ 32:R	16	H. 'Lakeside Banana Bay'	HJ 37:R	22	H. 'Lakeside Miss Muffett'	LRC Sup.	41
H. 'Kiwi Black Magic'	HJ 31:R	23	H. 'Lakeside Beach Bum'	HJ 33:R	14	H. 'Lakeside Missy Little'	HJ 34:R	20
H. 'Kiwi Blue Baby'	HJ 31:R	23	H. 'Lakeside Beach Captain'	HJ 35:R	26	H. 'Lakeside Mom'	HJ 31:R	26
H. 'Kiwi Blue Flash'	HJ 32:R	17	H. 'Lakeside Beloved'	HJ 31:R	26	H. 'Lakeside Neat Petite'	LRC	48
H. 'Kiwi Blue Ruffles'	HJ 31:R	23	H. 'Lakeside Big Scoop'	HJ 34:R	19	H. 'Lakeside Ninita'	LRC Sup.	42
H. 'Kiwi Blue Sky'	HJ 31:R	23	H. 'Lakeside Black Mama'	HJ 35:R	26	H. 'Lakeside Old Smokey'	HJ 36:R	17
H. 'Kiwi Blue Sunrise'	HJ 31:R	23	H. 'Lakeside Black Satin'	LRC Sup.	37	H. 'Lakeside Paddywack'	LRC Sup.	42
H. 'Kiwi Canoe'	HJ 31:R	23	H. 'Lakeside Blue Cherub'	LRC	48	H. 'Lakeside Party Dress'	LRC Sup.	42
H. 'Kiwi Dreadlocks'	HJ 32:R	17	H. 'Lakeside Blue Confusion'	LRC Sup.	37	H. 'Lakeside Pebbles'	LRC Sup.	42
H. 'Kiwi Emerald'	HJ 31:R	23	H. 'Lakeside Blue Jeans'	LRC Sup.	37	H. 'Lakeside Penny Pincher'	LRC Sup.	42
H. 'Kiwi Forest'	HJ 31:R	23	H. 'Lakeside Blushing Gold'	LRC Sup.	37	H. 'Lakeside Peppermint Sticks'	HJ 37:R	23
H. 'Kiwi Full Monty'	HJ 32:R	17	H. 'Lakeside Breaking News'	HJ 32:R	17	H. 'Lakeside Pillow Talk'	HJ 36:R	18
H. 'Kiwi Gold Rush'	HJ 31:R	24	H. 'Lakeside Breaking Waves'	HJ 35:R	26	H. 'Lakeside Pin Cushion'	HJ 34:R	20
H. 'Kiwi Gold Star'	HJ 31:R	24	H. 'Lakeside Bugaboo'	HJ 32:R	18	H. 'Lakeside Premier'	LRC Sup.	42
H. 'Kiwi Hippo'	HJ 31:R	24	H. 'Lakeside Butter Ball'	HJ 34:R	19	H. 'Lakeside Prime Time'	HJ 34:R	20
H. 'Kiwi Jordan'	HJ 32:R	17	H. 'Lakeside Cha Cha'	LRC Sup.	37	H. 'Lakeside Prissy Miss'	LRC Sup.	42
H. 'Kiwi Kanierie Gold'	HJ 31:R	24	H. 'Lakeside Charm'	LRC Sup.	38	H. 'Lakeside Prophecy'	HJ 34:R	20
H. 'Kiwi Milky Way'	HJ 32:R	17	H. 'Lakeside Chatterbox'	LRC Sup.	38	H. 'Lakeside Ragtime'	HJ 32:R	18
H. 'Kiwi Minnie Blue'	HJ 31:R	24	H. 'Lakeside Cindy Cee'	HJ 34:R	19	H. 'Lakeside Rhapsody'	LRC Sup.	43
H. 'Kiwi Minnie Gold'	HJ 31:R	24	H. 'Lakeside Circle O'	HJ 37:R	22	H. 'Lakeside Ring Master'	LRC Sup.	43
H. 'Kiwi Pacific Blue'	HJ 31:R	24	H. 'Lakeside Coal Miner'	LRC Sup.	38	H. 'Lakeside Ripples'	LRC	48
H. 'Kiwi Parasol'	HJ 31:R	24	H. 'Lakeside Cogwheel'	LRC Sup.	38	H. 'Lakeside Rocky Top'	HJ 31:R	26
H. 'Kiwi Spearmint'	HJ 31:R	25	H. 'Lakeside Color Blue'	HJ 35:R	26	H. 'Lakeside Round Table'	HJ 34:R	21
H. 'Kiwi Splash'	HJ 31:R	25	H. 'Lakeside Contender'	LRC Sup.	38	H. 'Lakeside Roy El'	LRC Sup.	43
H. 'Kiwi Sunlover'	HJ 31:R	25	H. 'Lakeside Cricket'	HJ 35:R	26	H. 'Lakeside San Kao'	LRC Sup.	43
H. 'Kiwi Sunshine'	HJ 31:R	25	H. 'Lakeside Cup Up'	LRC Sup.	38	H. 'Lakeside Sapphire Pleats'	LRC Sup.	43
H. 'Kiwi Tease'	HJ 32:R	17	H. 'Lakeside Cupcake'	LRC Sup.	38	H. 'Lakeside Sassy Sally'	HJ 34:R	21
H. 'Kiwi Treasure Trove'	HJ 31:R	25	H. 'Lakeside Cupid's Cup'	LRC Sup.	38	H. 'Lakeside Scamp'	HJ 37:R	23
H. 'Kiwi Waves'	HJ 31:R	25	H. 'Lakeside Dark Dancer'	HJ 34:R	19	H. 'Lakeside Shadows'	LRC	48
H. 'Klaus von Klitzing'	HJ 35:R	25	H. 'Lakeside Delight'	LRC Sup.	39	H. 'Lakeside Shockwave'	HJ 33:R	14
H. 'Klopping Variegated'	LRC	47	H. 'Lakeside Dimpled Darling'	HJ 37:R	22	H. 'Lakeside Shore Master'	LRC Sup.	43
H. 'Knickerbocker Holiday'	HJ 36:R	17	H. 'Lakeside Dividing Line'	HJ 32:R	18	H. 'Lakeside Sir Logan'	HJ 34:R	21
H. 'Knights Journey'	HJ 34:R	18	H. 'Lakeside Dixie Doll'	HJ 33:R	14	H. 'Lakeside Slick Chick'	HJ 36:R	18
H. 'Knockout'	LRC	47	H. 'Lakeside Doodad'	LRC Sup.	39	H. 'Lakeside Small Fry'	LRC Sup.	43
H. 'Ko Mame'	HJ 34:R	18	H. 'Lakeside Dot Com'	HJ 31:R	26	H. 'Lakeside Sophistication'	LRC Sup.	43
H. 'Ko Seto'	HJ 34:R	18	H. 'Lakeside Down Sized'	HJ 35:R	26	H. 'Lakeside Sparkle Plenty'	LRC Sup.	44
H. 'Kokuryu'	HJ 32:R	17	H. 'Lakeside Dragonfly'	LRC Sup.	39	H. 'Lakeside Spellbinder'	LRC Sup.	44
H. 'Komodo Dragon'	HJ 36:R	17	H. 'Lakeside Ebony Echoes'	HJ 34:R	19	H. 'Lakeside Spruce Goose'	LRC Sup.	44
H. 'Koneko'	HJ 31:R	25	H. 'Lakeside Elfin Fire'	HJ 32:R	18	H. 'Lakeside Storm Watch'	HJ 35:R	27
H. 'Kong'	LRC	47	H. 'Lakeside Elite'	HJ 32:R	18	H. 'Lakeside Surf Rider'	LRC Sup.	44
H. 'Konkubine'	HJ 37:R	21	H. 'Lakeside Emerald Lights'	LRC Sup.	39	H. 'Lakeside Swan Pon'	HJ 33:R	14
H. 'Korean Snow'	HJ 31:R	25	H. 'Lakeside Explosion'	LRC Sup.	39	H. 'Lakeside Symphony'	LRC	48
H. 'Krinkle Sister'	HJ 37:R	22	H. 'Lakeside Expo'	HJ 34:R	19	H. 'Lakeside Triple Crown'	HJ 32:R	18
H. 'Krinkle Twist'	HJ 37:R	22	H. 'Lakeside Fancy Pants'	HJ 37:R	23	H. 'Lakeside Tiddle Dee'	LRC Sup.	44
H. 'Krinkled Joy'	LRC	47	H. 'Lakeside Feather Light'	LRC Sup.	39	H. 'Lakeside Tycoon'	HJ 34:R	21
H. 'Krista'	HJ 31:R	26	H. 'Lakeside Foaming Sea'	HJ 34:R	19	H. 'Lakeside Un Huh'	HJ 36:R	18
H. 'Krossa Broad Band'	LRC	47	H. 'Lakeside Fresh Prince'	HJ 36:R	17	H. 'Lakeside Waltz King'	HJ 37:R	23

INDEX TO REGISTRATIONS

<i>H.</i> 'Lakeside Waterfall'	LRC Sup.	44	<i>H.</i> 'Little Dipper'	HJ 37:R	24	<i>H.</i> 'Machete'	HJ 36:R	19
<i>H.</i> 'Lakeside Whispering Leaves'	HJ 37:R	23	<i>H.</i> 'Little Dragon'	HJ 31:R	27	<i>H.</i> 'Mack the Knife'	LRC Sup.	48
<i>H.</i> 'Lakeside Whizzit'	HJ 37:R	23	<i>H.</i> 'Little Fellow'	LRC	50	<i>H.</i> 'Madame Butterfly'	HJ 31:R	27
<i>H.</i> 'Lakeside Zesty Zeno'	HJ 36:R	18	<i>H.</i> 'Little Green Griffonage'	HJ 37:R	24	<i>H.</i> 'Made from Scratch'	HJ 37:R	25
<i>H.</i> 'Lakeside Zinger'	LRC Sup.	44	<i>H.</i> 'Little Hobber'	HJ 33:R	15	<i>H.</i> 'Made You Look'	HJ 32:R	20
<i>H.</i> 'Lap Dance'	HJ 36:R	18	<i>H.</i> 'Little Jay'	HJ 36:R	18	<i>H.</i> 'Mademoiselle'	HJ 31:R	28
<i>H.</i> 'LaPaloma'	HJ 34:R	21	<i>H.</i> 'Little Jim'	LRC	51	<i>H.</i> 'Maggie May'	HJ 33:R	15
<i>H.</i> 'Larry Englerth'	LRC	48	<i>H.</i> 'Little John'	HJ 32:R	19	<i>H.</i> 'Magic Carpet'	LRC Sup.	48
<i>H.</i> 'Lars of Mars'	HJ 34:R	21	<i>H.</i> 'Little Lemon Drop'	HJ 37:R	24	<i>H.</i> 'Magic Colors'	HJ 37:R	25
<i>H.</i> 'Last Dance'	HJ 31:R	26	<i>H.</i> 'Little Lites'	LRC Sup.	46	<i>H.</i> 'Magic Fire'	HJ 36:R	19
<i>H.</i> 'Lasting Impressions'	HJ 34:R	21	<i>H.</i> 'Little Lulu'	HJ 35:R	28	<i>H.</i> 'Magic Mountain'	HJ 35:R	29
<i>H.</i> 'Lauman Garden Blue'	HJ 34:R	21	<i>H.</i> 'Little Miss Magic'	HJ 36:R	18	<i>H.</i> 'Magna Carta'	HJ 33:R	15
<i>H.</i> 'Laura'	HJ 32:R	18	<i>H.</i> 'Little Orphan Annie'	HJ 37:R	24	<i>H.</i> 'Magnificent Michele'	HJ 37:R	25
<i>H.</i> 'Laura and Darrell'	LRC Sup.	45	<i>H.</i> 'Little Ralph'	HJ 34:R	22	<i>H.</i> 'Magnificent Obsession'	HJ 31:R	28
<i>H.</i> 'Laura Lanier'	HJ 34:R	22	<i>H.</i> 'Little Razor'	LRC	51	<i>H.</i> 'Maid Marian'	HJ 32:R	20
<i>H.</i> 'Lauren'	LRC	48	<i>H.</i> 'Little Red Joy'	HJ 36:R	19	<i>H.</i> 'Maize and Blue'	HJ 32:R	20
<i>H.</i> 'Lauren's Delight'	HJ 37:R	23	<i>H.</i> 'Little Red Rooster'	HJ 34:R	22	<i>H.</i> 'Majestic'	HJ 37:R	26
<i>H.</i> 'Lavender Doll'	LRC Sup.	45	<i>H.</i> 'Little Sister'	HJ 35:R	28	<i>H.</i> 'Majestic Glow'	LRC	53
<i>H.</i> 'Lavender Lady'	LRC	49	<i>H.</i> 'Little Sunspot'	LRC Sup.	46	<i>H.</i> 'Majesty'	HJ 31:R	28
<i>H.</i> 'Lavender Stocking'	LRC Sup.	45	<i>H.</i> 'Little Tykes'	HJ 37:R	24	<i>H.</i> 'Majordomo'	HJ 36:R	19
<i>H.</i> 'Leading Lady'	LRC Sup.	45	<i>H.</i> 'Little White Lines'	LRC	51	<i>H.</i> 'Mama's Gold'	HJ 31:R	28
<i>H.</i> 'Leather Belt'	HJ 33:R	14	<i>H.</i> 'Little Wiggler'	HJ 37:R	24	<i>H.</i> 'Mañana'	HJ 33:R	16
<i>H.</i> 'Leather Coat'	LRC Sup.	45	<i>H.</i> 'Little Wonder'	LRC	51	<i>H.</i> 'Manhattan'	LRC Sup.	48
<i>H.</i> 'Leather Sheen'	LRC	49	<i>H.</i> 'Littlechop'	HJ 36:R	19	<i>H.</i> 'Maple Leaf'	LRC	53
<i>H.</i> 'Leatherneck'	LRC Sup.	45	<i>H.</i> 'Livonia'	LRC Sup.	46	<i>H.</i> 'Maraschino Cherry'	HJ 31:R	28
<i>H.</i> 'Ledi Lantis'	LRC	49	<i>H.</i> 'Lochness'	LRC	51	<i>H.</i> 'Marble Rim'	LRC	53
<i>H.</i> 'Lee Armiger'	LRC	49	<i>H.</i> 'Lochness Blue'	HJ 31:R	27	<i>H.</i> 'Marbled Bouquet'	LRC	53
<i>H.</i> 'Lemon Chiffon'	LRC	49	<i>H.</i> 'Lochness Smoke and Fire'	HJ 37:R	25	<i>H.</i> 'Marbled Cream'	LRC	53
<i>H.</i> 'Lemon Crust'	HJ 34:R	22	<i>H.</i> 'Locomotion'	LRC Sup.	46	<i>H.</i> 'Marbled Cream Elite'	HJ 31:R	28
<i>H.</i> 'Lemon Delight'	HJ 37:R	23	<i>H.</i> 'Lodestar'	HJ 31:R	27	<i>H.</i> 'Marcella'	HJ 34:R	23
<i>H.</i> 'Lemon Frost'	HJ 34:R	22	<i>H.</i> 'Loleta Powell'	LRC	51	<i>H.</i> 'March for Life'	HJ 33:R	16
<i>H.</i> 'Lemon Lime'	LRC	49	<i>H.</i> 'Lollapalooza'	LRC Sup.	46	<i>H.</i> 'Mardi Gras'	HJ 33:R	16
<i>H.</i> 'Lemon Meringue'	LRC	49	<i>H.</i> 'Lonesome Dove'	HJ 37:R	25	<i>H.</i> 'Margaret'	LRC	53
<i>H.</i> 'Lemon Sorbet'	HJ 35:R	27	<i>H.</i> 'Lonesome Pine'	LRC Sup.	47	<i>H.</i> 'Margaret Mary Tiara'	HJ 33:R	16
<i>H.</i> 'Lemonade'	LRC	49	<i>H.</i> 'Longboard Stringer'	HJ 35:R	28	<i>H.</i> 'Marge'	LRC Sup.	48
<i>H.</i> 'Leola Fraim'	LRC	49	<i>H.</i> 'Longjohn'	HJ 32:R	19	<i>H.</i> 'Margey'	LRC Sup.	48
<i>H.</i> 'Leon'	LRC Sup.	45	<i>H.</i> 'Look See'	LRC	51	<i>H.</i> 'Margie Weissenberger'	LRC	53
<i>H.</i> 'Leopard Frog'	HJ 32:R	18	<i>H.</i> 'Lorelei'	HJ 35:R	28	<i>H.</i> 'Margin of Error'	LRC Sup.	49
<i>H.</i> 'Leprechaun'	LRC	49	<i>H.</i> 'Loretta's Lavender'	HJ 37:R	25	<i>H.</i> 'Margrit Anna'	HJ 31:R	28
<i>H.</i> 'Let Me Entertain You'	HJ 35:R	27	<i>H.</i> 'Lorikeet'	HJ 37:R	25	<i>H.</i> 'Marie Curie'	HJ 34:R	23
<i>H.</i> 'Leviathan'	LRC	49	<i>H.</i> 'Lorna'	LRC	51	<i>H.</i> 'Marilyn'	LRC	53
<i>H.</i> 'Li'l Abner'	HJ 35:R	27	<i>H.</i> 'Lost at Sea'	HJ 35:R	28	<i>H.</i> 'Marilyn Monroe'	HJ 37:R	26
<i>H.</i> 'Libby'	HJ 35:R	27	<i>H.</i> 'Lost World'	HJ 35:R	28	<i>H.</i> 'Marion Bachman'	LRC Sup.	49
<i>H.</i> 'Liberty'	HJ 32:R	19	<i>H.</i> 'Lottie Daa'	HJ 36:R	19	<i>H.</i> 'Mark Anthony'	HJ 36:R	20
<i>H.</i> 'Liberty Bell'	LRC	49	<i>H.</i> 'Lotus Woods'	HJ 34:R	22	<i>H.</i> 'Marla'	HJ 35:R	29
<i>H.</i> 'Light in the Forest'	HJ 32:R	19	<i>H.</i> 'Louie'	LRC Sup.	47	<i>H.</i> 'Marquette Park'	HJ 35:R	29
<i>H.</i> 'Light Show'	HJ 37:R	24	<i>H.</i> 'Louisa'	LRC	51	<i>H.</i> 'Marquis'	LRC	53
<i>H.</i> 'Lighthouse'	HJ 35:R	27	<i>H.</i> 'Louise Ryan'	LRC Sup.	47	<i>H.</i> 'Martin Van Buren'	HJ 37:R	26
<i>H.</i> 'Lights Up'	LRC	50	<i>H.</i> 'Love Bug'	HJ 33:R	15	<i>H.</i> 'Mary Jo'	LRC	53
<i>H.</i> 'Like Butta'	HJ 33:R	15	<i>H.</i> 'Love Burst'	LRC Sup.	47	<i>H.</i> 'Mary Lou'	LRC	53
<i>H.</i> 'Lilac Giant'	LRC	50	<i>H.</i> 'Love Joy'	LRC	51	<i>H.</i> 'Mary Marie Ann'	LRC	53
<i>H.</i> 'Lilac Love'	HJ 31:R	26	<i>H.</i> 'Love Nest'	HJ 36:R	19	<i>H.</i> 'Mary Scholl'	HJ 31:R	28
<i>H.</i> 'Lillie'	HJ 31:R	27	<i>H.</i> 'Love of Life'	LRC Sup.	47	<i>H.</i> 'Matrix'	HJ 35:R	29
<i>H.</i> 'Lily Pad'	HJ 32:R	19	<i>H.</i> 'Love Pat'	LRC	51	<i>H.</i> 'Matthew J. Walton'	HJ 33:R	16
<i>H.</i> 'Lime Fizz'	HJ 37:R	24	<i>H.</i> 'Lovelight'	LRC Sup.	47	<i>H.</i> 'Maui Blue Surf'	HJ 36:R	20
<i>H.</i> 'Lime Krinkles'	LRC	50	<i>H.</i> 'Lovely Lauren'	LRC Sup.	47	<i>H.</i> 'Maui Buttercups'	LRC	54
<i>H.</i> 'Lime Meringue'	HJ 35:R	27	<i>H.</i> 'Lovely Loretta'	HJ 34:R	22	<i>H.</i> 'Maui Hana'	LRC	54
<i>H.</i> 'Lime Picrust'	LRC	50	<i>H.</i> 'Lovely to Behold'	HJ 32:R	20	<i>H.</i> 'Maui Rains'	LRC	54
<i>H.</i> 'Limelight'	LRC	50	<i>H.</i> 'Lover's Leap'	LRC Sup.	47	<i>H.</i> 'May'	HJ 31:R	29
<i>H.</i> 'Limelighter's Glow'	HJ 32:R	19	<i>H.</i> 'Lovey Dovey'	HJ 34:R	23	<i>H.</i> 'May Moon'	HJ 31:R	29
<i>H.</i> 'Limestone Lover'	HJ 34:R	22	<i>H.</i> 'Loving Cup'	LRC	51	<i>H.</i> 'May T. Watts'	LRC	54
<i>H.</i> 'Limited Edition'	HJ 33:R	15	<i>H.</i> 'Loyalist'	LRC Sup.	48	<i>H.</i> 'Maya'	LRC Sup.	49
<i>H.</i> 'Limon'	LRC	50	<i>H.</i> 'Lucille'	HJ 33:R	15	<i>H.</i> 'Mayville'	HJ 35:R	29
<i>H.</i> 'Linda Sue'	HJ 31:R	27	<i>H.</i> 'Lucille Simperts'	LRC	52	<i>H.</i> 'Me and My Shadow'	HJ 35:R	29
<i>H.</i> 'Linde'	LRC	50	<i>H.</i> 'Lucky Charm'	LRC	52	<i>H.</i> 'Mean Mama'	LRC Sup.	49
<i>H.</i> 'Little Ann'	LRC	50	<i>H.</i> 'Lucy Vitols'	LRC	52	<i>H.</i> 'Medieval Age'	HJ 36:R	20
<i>H.</i> 'Little Aurora'	LRC	50	<i>H.</i> 'Lucy's Breeder'	LRC	52	<i>H.</i> 'Medusa'	LRC Sup.	49
<i>H.</i> 'Little Bit'	HJ 31:R	27	<i>H.</i> 'Lucy's Crinkles'	LRC	52	<i>H.</i> 'Megacup'	HJ 32:R	20
<i>H.</i> 'Little Black Scape'	LRC Sup.	45	<i>H.</i> 'Lullabye'	HJ 36:R	19	<i>H.</i> 'Melissa Anne'	HJ 32:R	20
<i>H.</i> 'Little Blue'	LRC	50	<i>H.</i> 'Lumberjack'	HJ 37:R	25	<i>H.</i> 'Memento'	HJ 33:R	16
<i>H.</i> 'Little Bo Peep'	LRC	50	<i>H.</i> 'Lunar Eclipse'	LRC	52	<i>H.</i> 'Memories'	HJ 34:R	23
<i>H.</i> 'Little Boy Blue'	HJ 36:R	18	<i>H.</i> 'Lunar Magic'	LRC Sup.	48	<i>H.</i> 'Memories of Dorothy'	HJ 34:R	23
<i>H.</i> 'Little Boy'	HJ 33:R	15	<i>H.</i> 'Lunar Night'	LRC Sup.	48	<i>H.</i> 'Mentor Gold'	LRC	54
<i>H.</i> 'Little Caesar'	HJ 32:R	19	<i>H.</i> 'Lunar Orbit'	LRC	52	<i>H.</i> 'Merlin'	HJ 35:R	29
<i>H.</i> 'Little Chickadee'	HJ 32:R	19	<i>H.</i> 'Lydia Scheu'	HJ 31:R	27	<i>H.</i> 'Merry Christmas'	HJ 35:R	29
<i>H.</i> 'Little Cyn'	LRC Sup.	46	<i>H.</i> 'Lynne'	LRC	52	<i>H.</i> 'Merry Men'	HJ 34:R	23
<i>H.</i> 'Little Darling'	LRC Sup.	46	<i>H.</i> 'M. Owen Papuga'	HJ 35:R	28	<i>H.</i> 'Merry Sunshine'	LRC Sup.	49
<i>H.</i> 'Little Dart'	LRC Sup.	46	<i>H.</i> 'MacBenedict'	HJ 34:R	23	<i>H.</i> 'Merry-Go-Round'	HJ 31:R	29

INDEX TO REGISTRATIONS

<i>H.</i> 'Mesa Fringe'	HJ 32:R	20	<i>H.</i> 'Monopoly'	LRC Sup.	52	<i>H.</i> 'Nesmith's Giant'	LRC Sup.	54
<i>H.</i> 'Mesa Verde'	HJ 36:R	20	<i>H.</i> 'Monsoon'	HJ 37:R	27	<i>H.</i> 'New Moon'	LRC Sup.	54
<i>H.</i> 'Metallic Sheen'	HJ 31:R	29	<i>H.</i> 'Monster Babe'	HJ 32:R	21	<i>H.</i> 'New Tradition'	LRC	57
<i>H.</i> 'Metallica'	LRC	54	<i>H.</i> <i>montana</i> 'Aureomarginata'	LRC	55	<i>H.</i> 'New Wave'	LRC	57
<i>H.</i> 'Metropolis'	HJ 36:R	20	<i>H.</i> 'Montreal'	LRC	55	<i>H.</i> 'Newberry Gold'	LRC Sup.	54
<i>H.</i> 'Michael T. Rozanski'	HJ 36:R	20	<i>H.</i> 'Monument Circle'	LRC Sup.	52	<i>H.</i> 'Niagara Falls'	LRC	57
<i>H.</i> 'Michael's Legacy'	HJ 31:R	29	<i>H.</i> 'Mood Indigo'	LRC Sup.	52	<i>H.</i> 'Niagara on the Lake'	HJ 35:R	31
<i>H.</i> 'Michael's Mud Pie'	HJ 34:R	24	<i>H.</i> 'Moon Glow'	LRC	55	<i>H.</i> 'Nicholas James'	LRC Sup.	54
<i>H.</i> 'Michigan Gold'	LRC	54	<i>H.</i> 'Moon Lily'	LRC Sup.	52	<i>H.</i> 'Nick Balash'	LRC Sup.	54
<i>H.</i> 'Midas Touch'	LRC	54	<i>H.</i> 'Moon over Lake Erie'	HJ 37:R	27	<i>H.</i> 'Nickelodeon'	LRC Sup.	54
<i>H.</i> 'Middle Ridge'	LRC	54	<i>H.</i> 'Moon River'	LRC	56	<i>H.</i> 'Nicola'	LRC	57
<i>H.</i> 'Midnight Express'	LRC Sup.	49	<i>H.</i> 'Moon Shadow'	LRC	56	<i>H.</i> 'Nifty Fifty'	LRC	57
<i>H.</i> 'Midnight Moon'	HJ 37:R	26	<i>H.</i> 'Moon Waves'	LRC Sup.	52	<i>H.</i> 'Night and Day'	HJ 32:R	21
<i>H.</i> 'Midnight Oil'	HJ 36:R	20	<i>H.</i> 'Moongate Flying Saucer'	LRC Sup.	52	<i>H.</i> 'Night before Christmas'	LRC Sup.	55
<i>H.</i> 'Midnight Ride'	HJ 36:R	20	<i>H.</i> 'Moongate Little Dipper'	LRC Sup.	52	<i>H.</i> 'Night Shades'	HJ 32:R	21
<i>H.</i> 'Midnight Storm'	HJ 37:R	26	<i>H.</i> 'Moonlight'	LRC	56	<i>H.</i> 'Night Shift'	LRC	58
<i>H.</i> 'Midnight Sun'	LRC Sup.	49	<i>H.</i> 'Moonlight Madness'	HJ 31:R	30	<i>H.</i> 'Night Train'	HJ 37:R	28
<i>H.</i> 'Midori-no-ya'	HJ 36:R	21	<i>H.</i> 'Moonlight Mirage'	HJ 34:R	24	<i>H.</i> 'Nightlife'	HJ 36:R	21
<i>H.</i> 'Midwest Gold'	LRC	54	<i>H.</i> 'Moonlight Sonata'	HJ 36:R	21	<i>H.</i> 'No Frills'	LRC	58
<i>H.</i> 'Midwest Magic'	HJ 31:R	29	<i>H.</i> 'Moonshine'	LRC	56	<i>H.</i> 'Noah's Rainbow'	LRC Sup.	55
<i>H.</i> 'Midwest Majesty'	LRC	54	<i>H.</i> 'More Elegant'	HJ 33:R	17	<i>H.</i> 'Nobility'	HJ 32:R	21
<i>H.</i> 'Mighty Mite'	HJ 36:R	21	<i>H.</i> 'Morning Angel'	HJ 32:R	21	<i>H.</i> 'Noble Eagle'	HJ 36:R	21
<i>H.</i> 'Mikado'	LRC	54	<i>H.</i> 'Morning Glow'	HJ 36:R	21	<i>H.</i> 'Noel'	LRC	58
<i>H.</i> 'Mikawa-no-yuki'	LRC Sup.	50	<i>H.</i> 'Morning Light'	HJ 32:R	21	<i>H.</i> 'None Lovelier'	HJ 35:R	31
<i>H.</i> 'Mike Shadrack'	HJ 33:R	16	<i>H.</i> 'Moscow Blue'	LRC	56	<i>H.</i> 'Nonsuch'	LRC Sup.	55
<i>H.</i> 'Miki'	LRC	54	<i>H.</i> 'Mother Lode'	HJ 35:R	30	<i>H.</i> 'Nooner'	LRC	58
<i>H.</i> 'Mildred Seaver'	LRC	55	<i>H.</i> 'Mount Daisen'	HJ 37:R	27	<i>H.</i> 'Nordatlantik'	LRC Sup.	55
<i>H.</i> 'Milk and Honey'	HJ 35:R	29	<i>H.</i> 'Mount Everest'	LRC Sup.	52	<i>H.</i> 'Nordic Racer'	HJ 31:R	31
<i>H.</i> 'Millennium'	LRC Sup.	50	<i>H.</i> 'Mount Fuji'	LRC	56	<i>H.</i> 'North Hills'	LRC	58
<i>H.</i> 'Millennium Magic'	HJ 31:R	29	<i>H.</i> 'Mount Hood'	LRC	56	<i>H.</i> 'North Pacific High'	HJ 33:R	17
<i>H.</i> 'Millie's Memoirs'	HJ 31:R	29	<i>H.</i> 'Mount Hope'	LRC Sup.	53	<i>H.</i> 'North Point'	LRC Sup.	55
<i>H.</i> 'Million Dollar Baby'	HJ 37:R	26	<i>H.</i> 'Mount Royal'	LRC	56	<i>H.</i> 'Northern Exposure'	LRC Sup.	55
<i>H.</i> 'Ming Dynasty'	HJ 31:R	30	<i>H.</i> 'Mount Tom'	LRC Sup.	53	<i>H.</i> 'Northern Halo'	LRC	58
<i>H.</i> 'Ming Jade'	LRC	55	<i>H.</i> 'Mountain Dew'	HJ 35:R	30	<i>H.</i> 'Northern Heritage'	HJ 31:R	31
<i>H.</i> 'Ming Treasure'	HJ 31:R	30	<i>H.</i> 'Mountain Haze'	LRC	56	<i>H.</i> 'Northern Lights'	LRC	58
<i>H.</i> 'Minimoon'	LRC Sup.	50	<i>H.</i> 'Mountain Snow'	LRC	56	<i>H.</i> 'Northern Mist'	LRC	58
<i>H.</i> 'Minna Blue'	LRC Sup.	50	<i>H.</i> 'Mountain Sunrise'	HJ 31:R	31	<i>H.</i> 'Northern Star'	LRC Sup.	55
<i>H.</i> 'Minnesota Nice'	LRC Sup.	50	<i>H.</i> 'Mountaineer'	HJ 34:R	24	<i>H.</i> 'Northern Sunray'	LRC	58
<i>H.</i> 'Minnesota Weather'	LRC	55	<i>H.</i> 'Mourning Dove'	HJ 37:R	28	<i>H.</i> 'Northland Queen'	HJ 36:R	22
<i>H.</i> 'Minnie Bell'	LRC	55	<i>H.</i> 'Mr Blue'	HJ 37:R	28	<i>H.</i> 'Norwalk Chartreuse'	LRC Sup.	55
<i>H.</i> 'Minnie Klopping'	LRC	55	<i>H.</i> 'Mrs Minky'	LRC Sup.	53	<i>H.</i> 'Nougat'	HJ 36:R	22
<i>H.</i> 'Mint Julep'	HJ 32:R	20	<i>H.</i> 'Muffie'	LRC Sup.	53	<i>H.</i> 'Number One'	LRC	58
<i>H.</i> 'Minuet'	LRC	55	<i>H.</i> 'Mumsie'	HJ 31:R	31	<i>H.</i> 'Nutty Professor'	HJ 36:R	22
<i>H.</i> 'Minuteman'	LRC Sup.	50	<i>H.</i> 'Munchkin'	HJ 35:R	30	<i>H.</i> 'NYPD Blue'	HJ 36:R	22
<i>H.</i> 'Mira'	HJ 34:R	24	<i>H.</i> 'Muriel Seaver Brown'	LRC	56	<i>H.</i> 'Oakview'	LRC	59
<i>H.</i> 'Mirth'	HJ 33:R	16	<i>H.</i> 'Murmurs'	HJ 32:R	21	<i>H.</i> 'Obsession'	LRC Sup.	56
<i>H.</i> 'Mischief'	LRC Sup.	50	<i>H.</i> 'Murphy's Golden Marge'	HJ 33:R	17	<i>H.</i> 'Odd Ball'	LRC Sup.	56
<i>H.</i> 'Miss Grace'	HJ 37:R	27	<i>H.</i> 'Mustang'	HJ 34:R	24	<i>H.</i> 'Ode to Joy'	HJ 36:R	22
<i>H.</i> 'Miss Halley'	HJ 35:R	30	<i>H.</i> 'Muted Moon'	LRC Sup.	53	<i>H.</i> 'Odyssey'	HJ 31:R	32
<i>H.</i> 'Miss Maddie'	HJ 31:R	30	<i>H.</i> 'Mutley's Rest'	HJ 33:R	17	<i>H.</i> 'Ogon Hime Tokudama'	HJ 34:R	24
<i>H.</i> 'Miss Ruby'	HJ 37:R	27	<i>H.</i> 'My Blue Heaven'	LRC Sup.	53	<i>H.</i> 'Ogon Sudare'	HJ 34:R	25
<i>H.</i> 'Miss Saigon'	HJ 31:R	30	<i>H.</i> 'My Child Insook'	LRC Sup.	53	<i>H.</i> 'Ogon Tachi'	HJ 34:R	25
<i>H.</i> 'Miss Tokyo'	HJ 36:R	21	<i>H.</i> 'My Claire'	HJ 37:R	28	<i>H.</i> 'Ogon Tsushima'	HJ 34:R	25
<i>H.</i> 'Missie Mouse'	LRC Sup.	51	<i>H.</i> 'My Cup of Tea'	HJ 34:R	24	<i>H.</i> 'Oh by Gosh'	HJ 32:R	21
<i>H.</i> 'Mississippi Delta'	LRC Sup.	51	<i>H.</i> 'My Darling'	HJ 33:R	17	<i>H.</i> 'Oh My Heart'	HJ 33:R	17
<i>H.</i> 'Mississippi Gold'	HJ 35:R	30	<i>H.</i> 'My Fair Katie'	LRC Sup.	53	<i>H.</i> 'Oh! Them Golden Slippers'	HJ 34:R	25
<i>H.</i> 'Mississippi Mud'	HJ 32:R	20	<i>H.</i> 'My Friend Nancy'	LRC	56	<i>H.</i> 'Okazaki'	HJ 34:R	25
<i>H.</i> 'Mississippi River'	HJ 37:R	27	<i>H.</i> 'My Love Dorothy'	LRC Sup.	54	<i>H.</i> 'Old Black Magic'	HJ 31:R	32
<i>H.</i> 'Missouri River'	HJ 37:R	27	<i>H.</i> 'My Marianne'	HJ 31:R	31	<i>H.</i> 'Old Cadillac'	LRC Sup.	56
<i>H.</i> 'Missy'	LRC Sup.	51	<i>H.</i> 'My Secret'	HJ 31:R	31	<i>H.</i> 'Old Coot'	HJ 36:R	22
<i>H.</i> 'Mister Gee'	LRC Sup.	51	<i>H.</i> 'Mystery Mom'	HJ 37:R	28	<i>H.</i> 'Old Faithful'	LRC	59
<i>H.</i> 'Mister Watson'	HJ 31:R	30	<i>H.</i> 'Mystic'	HJ 32:R	21	<i>H.</i> 'Old Glory'	HJ 31:R	32
<i>H.</i> 'Mistress Mabel'	LRC Sup.	51	<i>H.</i> 'Mystic Star'	HJ 36:R	21	<i>H.</i> 'Old Hump Back'	HJ 31:R	32
<i>H.</i> 'Misty Dawn'	HJ 36:R	21	<i>H.</i> 'Nakaïmo'	LRC	57	<i>H.</i> 'Olga's Shiny Leaf'	HJ 36:R	22
<i>H.</i> 'Misty Gold'	LRC Sup.	51	<i>H.</i> 'Nanc'	HJ 35:R	31	<i>H.</i> 'Olive Bailey Langdon'	HJ 31:R	32
<i>H.</i> 'Misty Mary Ann'	HJ 32:R	21	<i>H.</i> 'Nancy'	HJ 37:R	28	<i>H.</i> 'Olive Oil'	LRC Sup.	56
<i>H.</i> 'Misty Morning'	LRC	55	<i>H.</i> 'Nancy Lindsay'	LRC	57	<i>H.</i> 'Olympic Edger'	HJ 31:R	32
<i>H.</i> 'Misty Regal'	LRC Sup.	51	<i>H.</i> 'Nancy Minks'	LRC	57	<i>H.</i> 'Olympic Glacier'	HJ 37:R	28
<i>H.</i> 'Misty Waters'	LRC	55	<i>H.</i> 'Natalie'	HJ 34:R	24	<i>H.</i> 'Olympic Gold'	LRC	59
<i>H.</i> 'Moby Dick'	HJ 31:R	30	<i>H.</i> 'Nate the Great'	HJ 35:R	31	<i>H.</i> 'Olympic Sunrise'	HJ 37:R	28
<i>H.</i> 'Mogul'	LRC	55	<i>H.</i> 'Nathan Nirvana'	HJ 35:R	31	<i>H.</i> 'Omatsu-san Nishiki'	HJ 34:R	25
<i>H.</i> 'Mohegan'	LRC Sup.	51	<i>H.</i> 'National Velvet'	LRC	57	<i>H.</i> 'On Golden Pond'	HJ 37:R	28
<i>H.</i> 'Molly'	HJ 37:R	27	<i>H.</i> 'Neat and Tidy'	LRC	57	<i>H.</i> 'On Parade'	HJ 35:R	31
<i>H.</i> 'Mom's Girl'	HJ 35:R	30	<i>H.</i> 'Neat Splash'	LRC	57	<i>H.</i> 'On Stage'	LRC	59
<i>H.</i> 'Mona Lisa'	HJ 37:R	27	<i>H.</i> 'Neat Splash Rim'	LRC	57	<i>H.</i> 'On the Marc'	HJ 31:R	32
<i>H.</i> 'Money Honey'	HJ 35:R	30	<i>H.</i> 'Neeta'	HJ 31:R	31	<i>H.</i> 'Once upon a Time'	HJ 34:R	25
<i>H.</i> 'Monica's Golden Crinkles'	HJ 31:R	30	<i>H.</i> 'Nefertiti'	HJ 35:R	31	<i>H.</i> 'One Man's Treasure'	HJ 31:R	32
<i>H.</i> 'Monkey Fist'	HJ 31:R	30	<i>H.</i> 'Nellie Grey'	HJ 34:R	24	<i>H.</i> 'Ooh La La'	HJ 32:R	22

INDEX TO REGISTRATIONS

<i>H.</i> 'Open Hearted'	HJ 31:R	33	<i>H.</i> 'Peepshow'	HJ 34:R	26	<i>H.</i> 'President's Choice'	LRC	63
<i>H.</i> 'Opipara'	HJ 34:R	26	<i>H.</i> 'Peerless'	HJ 33:R	18	<i>H.</i> 'Pretty Kitty'	HJ 31:R	34
<i>H.</i> 'Ops'	HJ 33:R	17	<i>H.</i> 'Pegasus'	HJ 33:R	18	<i>H.</i> 'Pretty Peggy'	HJ 31:R	34
<i>H.</i> 'Oracle'	HJ 35:R	31	<i>H.</i> 'Peking'	HJ 37:R	30	<i>H.</i> 'Prima Donna'	LRC Sup.	60
<i>H.</i> 'Orange Crush'	HJ 32:R	22	<i>H.</i> 'Pelham Blue Tump'	LRC	61	<i>H.</i> 'Prime Meridian'	HJ 37:R	30
<i>H.</i> 'Orange Joy'	LRC	59	<i>H.</i> 'People's Choice'	LRC Sup.	58	<i>H.</i> 'Prince Michael'	HJ 35:R	33
<i>H.</i> 'Orange Marmalade' (PPAF)	HJ 34:R	26	<i>H.</i> 'Peppermint Ice'	LRC Sup.	58	<i>H.</i> 'Princess Anastasia'	LRC Sup.	60
<i>H.</i> 'Orange Slices'	HJ 35:R	32	<i>H.</i> 'Peridot'	LRC Sup.	58	<i>H.</i> 'Princess Diana'	LRC Sup.	60
<i>H.</i> 'Orinoco Flow'	HJ 34:R	26	<i>H.</i> 'Perky'	HJ 31:R	33	<i>H.</i> 'Princess Hannah'	HJ 35:R	34
<i>H.</i> 'Orion's Belt'	HJ 35:R	32	<i>H.</i> 'Permanent Wave'	LRC	61	<i>H.</i> 'Princess of Karafuto'	LRC	63
<i>H.</i> 'Orphan Child'	HJ 32:R	22	<i>H.</i> 'Perry's True Blue'	LRC	61	<i>H.</i> 'Principal's List'	HJ 35:R	34
<i>H.</i> 'Osprey'	LRC	59	<i>H.</i> 'Persephone'	HJ 31:R	34	<i>H.</i> 'Promised Land'	HJ 36:R	24
<i>H.</i> 'Otome-no-ka'	HJ 34:R	26	<i>H.</i> 'Pete's Passion'	LRC Sup.	58	<i>H.</i> 'Psalms'	HJ 36:R	24
<i>H.</i> 'Ototo San'	LRC	59	<i>H.</i> 'Peter Pan'	LRC	61	<i>H.</i> 'Puck'	HJ 35:R	34
<i>H.</i> 'Out of the Blue'	HJ 35:R	32	<i>H.</i> 'Peter Ruh'	HJ 35:R	32	<i>H.</i> 'Puckered Giant'	LRC	63
<i>H.</i> 'Outer Limits'	HJ 32:R	22	<i>H.</i> 'Peter the Rock'	LRC	61	<i>H.</i> 'Pugie's Pride'	HJ 33:R	18
<i>H.</i> 'Outer Space'	HJ 35:R	32	<i>H.</i> 'Petite Gold'	LRC	61	<i>H.</i> 'Pulsar'	HJ 32:R	23
<i>H.</i> 'Outhouse Delight'	LRC Sup.	56	<i>H.</i> 'Petticoat Pink'	HJ 33:R	18	<i>H.</i> 'Punky'	HJ 31:R	34
<i>H.</i> 'Outrigger'	HJ 32:R	22	<i>H.</i> 'Pewter Frost'	LRC Sup.	58	<i>H.</i> 'Purbeck Mist'	HJ 37:R	31
<i>H.</i> 'Over the Rainbow'	HJ 37:R	29	<i>H.</i> 'Pewterware'	HJ 31:R	34	<i>H.</i> 'Purbeck Ridge'	LRC	63
<i>H.</i> 'Owen Online'	LRC Sup.	56	<i>H.</i> 'Phantom'	LRC Sup.	58	<i>H.</i> 'Purple and Gold'	LRC	63
<i>H.</i> 'Oxheart'	LRC	59	<i>H.</i> 'Photo Finish'	LRC	62	<i>H.</i> 'Purple Boots'	HJ 36:R	24
<i>H.</i> 'Ozark Welcome'	HJ 36:R	23	<i>H.</i> 'Phyllis Campbell'	LRC	62	<i>H.</i> 'Purple Bouquet'	LRC	63
<i>H.</i> 'Pacer'	HJ 32:R	22	<i>H.</i> 'Pianissimo'	HJ 36:R	23	<i>H.</i> 'Purple Charming'	LRC Sup.	61
<i>H.</i> 'Pacific Sunlight'	LRC Sup.	56	<i>H.</i> 'Picadello'	LRC Sup.	59	<i>H.</i> 'Purple Dwarf'	LRC	63
<i>H.</i> 'Pacific Sunset'	HJ 35:R	32	<i>H.</i> 'Picadilly Circus'	HJ 37:R	30	<i>H.</i> 'Purple Essence'	HJ 37:R	31
<i>H.</i> 'Pacifica'	HJ 36:R	23	<i>H.</i> 'Pie in the Sky'	HJ 35:R	32	<i>H.</i> 'Purple Flame Forever'	LRC	64
<i>H.</i> 'Pagoda'	LRC	60	<i>H.</i> 'Piecrust Promise'	HJ 32:R	23	<i>H.</i> 'Purple Lady Finger'	LRC	64
<i>H.</i> 'Paintbrush'	LRC	60	<i>H.</i> 'Pied Piper'	LRC Sup.	59	<i>H.</i> 'Purple Mountain Majesties'	HJ 34:R	27
<i>H.</i> 'Painted Lady'	LRC	60	<i>H.</i> 'Piedmont Gold'	LRC	62	<i>H.</i> 'Purple Passion'	HJ 37:R	31
<i>H.</i> 'Pale Gold'	LRC Sup.	57	<i>H.</i> 'Piedmont Special'	HJ 35:R	33	<i>H.</i> 'Purple Profusion'	LRC	64
<i>H.</i> 'Pamela San Martin'	LRC	60	<i>H.</i> 'Pilgrim'	LRC Sup.	59	<i>H.</i> 'Purple Robe'	LRC	64
<i>H.</i> 'Panache'	HJ 31:R	33	<i>H.</i> 'Pilgrim's Progress'	HJ 32:R	23	<i>H.</i> 'Purple Verticulated Elf'	HJ 35:R	34
<i>H.</i> 'Pandora's Box'	LRC Sup.	57	<i>H.</i> 'Pin Stripe'	LRC	62	<i>H.</i> 'Quaker Lady'	HJ 31:R	35
<i>H.</i> 'Papa's Gold'	HJ 32:R	22	<i>H.</i> 'Pineapple Juice'	HJ 35:R	33	<i>H.</i> 'Qualifying Queen'	HJ 31:R	35
<i>H.</i> 'Paradigm'	HJ 31:R	33	<i>H.</i> 'Pineapple Poll'	LRC	62	<i>H.</i> 'Queen Josephine'	LRC	64
<i>H.</i> 'Parhelion'	LRC Sup.	57	<i>H.</i> 'Pineapple Punch'	HJ 37:R	30	<i>H.</i> 'Queen of Hearts'	LRC	64
<i>H.</i> 'Parky's Perfection'	HJ 34:R	26	<i>H.</i> 'Pineapple Upsidedown Cake'	HJ 31:R	34	<i>H.</i> 'Queen of Islip'	LRC	64
<i>H.</i> 'Parky's Prize'	HJ 31:R	33	<i>H.</i> 'Pink Lemonade'	HJ 36:R	23	<i>H.</i> 'Queen of the Hill'	HJ 37:R	31
<i>H.</i> 'Partridge Gold'	HJ 36:R	23	<i>H.</i> 'Pink Panther'	LRC Sup.	59	<i>H.</i> 'Queen of the Seas'	HJ 33:R	18
<i>H.</i> 'Party Favor'	HJ 32:R	22	<i>H.</i> 'Pinky'	LRC	62	<i>H.</i> 'Quest'	HJ 36:R	24
<i>H.</i> 'Party Time'	LRC Sup.	57	<i>H.</i> 'Pinwheel'	LRC	62	<i>H.</i> 'Question Mark'	HJ 31:R	35
<i>H.</i> 'Passionate Purple'	HJ 37:R	29	<i>H.</i> 'Pioneer'	LRC	62	<i>H.</i> 'Queue'	HJ 37:R	31
<i>H.</i> 'Pastures New'	LRC Sup.	57	<i>H.</i> 'Piper Cub'	HJ 34:R	26	<i>H.</i> 'Quicksilver'	HJ 32:R	23
<i>H.</i> 'Patent Leather'	HJ 33:R	17	<i>H.</i> 'Pipin the Short'	HJ 35:R	33	<i>H.</i> 'Quiet Water Disturbed'	HJ 34:R	27
<i>H.</i> 'Pathfinder'	HJ 31:R	33	<i>H.</i> 'Pistachio Cream'	HJ 37:R	30	<i>H.</i> 'Quilted Cup'	LRC	64
<i>H.</i> 'Patience Plus'	HJ 31:R	33	<i>H.</i> 'Pistachio Glow'	LRC	62	<i>H.</i> 'Quilted Hearts'	LRC	64
<i>H.</i> 'Patricia'	HJ 37:R	29	<i>H.</i> 'Pixie Vamp'	LRC Sup.	59	<i>H.</i> 'Quilted Skies'	LRC	64
<i>H.</i> 'Patricia's Paragon'	HJ 31:R	33	<i>H.</i> 'Pizzazz'	LRC	62	<i>H.</i> 'Quilting Bee'	HJ 31:R	35
<i>H.</i> 'Patrician'	HJ 31:R	33	<i>H.</i> 'Placemat'	LRC	62	<i>H.</i> 'Quilting Party'	LRC	65
<i>H.</i> 'Patriot'	LRC	60	<i>H.</i> 'Planet X'	HJ 37:R	30	<i>H.</i> 'Quinnipiac'	HJ 36:R	24
<i>H.</i> 'Patriot Colors'	HJ 37:R	29	<i>H.</i> 'Planetary Streaker'	HJ 35:R	33	<i>H.</i> 'Rachel'	HJ 37:R	31
<i>H.</i> 'Patriot's Fire'	LRC Sup.	57	<i>H.</i> 'Platinum Tiara'	LRC	62	<i>H.</i> 'Racing Stripes'	HJ 37:R	31
<i>H.</i> 'Paul Revere'	HJ 35:R	32	<i>H.</i> 'Plebe's Blues'	HJ 36:R	23	<i>H.</i> 'Radiance'	LRC	65
<i>H.</i> 'Paul's Glory'	LRC	60	<i>H.</i> 'Plug Nickel'	HJ 35:R	33	<i>H.</i> 'Radiant Edger'	LRC	65
<i>H.</i> 'Pauline'	LRC	60	<i>H.</i> 'Polished Jade'	LRC Sup.	59	<i>H.</i> 'Radio Waves'	HJ 36:R	24
<i>H.</i> 'Pauline Brac'	LRC	60	<i>H.</i> 'Polly Bishop'	LRC	63	<i>H.</i> 'Rain Forest'	LRC Sup.	61
<i>H.</i> 'Pay Day'	HJ 35:R	32	<i>H.</i> 'Polly Mae'	LRC	63	<i>H.</i> 'Rainbow Falls'	HJ 33:R	18
<i>H.</i> 'Peace'	LRC	60	<i>H.</i> 'Pollyanna'	LRC	63	<i>H.</i> 'Rainbow Glenn'	HJ 37:R	32
<i>H.</i> 'Peace Pipe'	HJ 37:R	29	<i>H.</i> 'Polychrome'	LRC Sup.	59	<i>H.</i> 'Rainbow's End'	HJ 37:R	32
<i>H.</i> 'Peacock'	HJ 37:R	29	<i>H.</i> 'Pooh Bear'	LRC	63	<i>H.</i> 'Rainforest Sunrise'	HJ 35:R	34
<i>H.</i> 'Peacock Strut'	HJ 37:R	29	<i>H.</i> 'Popcorn'	HJ 31:R	34	<i>H.</i> 'Raleigh Remembrance'	HJ 35:R	34
<i>H.</i> 'Peanut'	HJ 34:R	26	<i>H.</i> 'Popo'	LRC Sup.	60	<i>H.</i> 'Ralph's Legacy'	HJ 32:R	23
<i>H.</i> 'Pearl Lake'	LRC	60	<i>H.</i> 'Porcelain Vase'	LRC	63	<i>H.</i> 'Rapture'	HJ 32:R	23
<i>H.</i> 'Pearl Necklace'	HJ 36:R	23	<i>H.</i> 'Potomac Glory'	HJ 34:R	27	<i>H.</i> 'Rascal'	LRC	65
<i>H.</i> 'Pebble Beach'	LRC	60	<i>H.</i> 'Potomac Pride'	LRC Sup.	60	<i>H.</i> 'Raspberries and Cream'	HJ 36:R	24
<i>H.</i> 'Pee-dee Absinth'	LRC	60	<i>H.</i> 'Powder Blue'	LRC Sup.	60	<i>H.</i> 'Raspberry Beauty'	HJ 31:R	35
<i>H.</i> 'Pee-dee Apollo'	LRC Sup.	57	<i>H.</i> 'Powderpuff'	HJ 34:R	27	<i>H.</i> 'Raspberry Meringue'	HJ 35:R	34
<i>H.</i> 'Pee-dee Dew Catcher'	LRC Sup.	57	<i>H.</i> 'Power of Prayer'	HJ 34:R	27	<i>H.</i> 'Raspberry Parfait'	LRC Sup.	61
<i>H.</i> 'Pee-dee Elfin Bells'	LRC	61	<i>H.</i> 'Prairie Angel'	HJ 32:R	23	<i>H.</i> 'Raspberry Sorbet'	HJ 31:R	35
<i>H.</i> 'Pee-dee Gold Flash'	LRC	61	<i>H.</i> 'Prairie Fire'	LRC Sup.	60	<i>H.</i> 'Raven'	LRC Sup.	61
<i>H.</i> 'Pee-dee Granny Smith'	LRC Sup.	58	<i>H.</i> 'Prairie Glow'	HJ 34:R	27	<i>H.</i> 'Raving Beauty'	HJ 35:R	35
<i>H.</i> 'Pee-dee Graymulkin'	LRC	61	<i>H.</i> 'Prairie Lightning'	HJ 37:R	30	<i>H.</i> 'Ray of Hope'	HJ 37:R	32
<i>H.</i> 'Pee-dee Laughing River'	LRC Sup.	58	<i>H.</i> 'Prairie Magic'	HJ 35:R	33	<i>H.</i> 'Rays of Sunshine'	LRC	65
<i>H.</i> 'Pee-dee Picotee'	LRC Sup.	58	<i>H.</i> 'Prairie Sky'	HJ 37:R	30	<i>H.</i> 'Razzle Dazzle'	LRC	65
<i>H.</i> 'Pee-dee Spring Fever'	LRC	61	<i>H.</i> 'Prairieland Memories'	HJ 35:R	33	<i>H.</i> 'Rebecca'	HJ 36:R	25
<i>H.</i> 'Pee-dee Treasure'	LRC	61	<i>H.</i> 'Prawdzik Sunfish'	HJ 36:R	24	<i>H.</i> 'Red Baron'	HJ 33:R	18
<i>H.</i> 'Peek-A-Boo'	LRC	61	<i>H.</i> 'Praying Hands'	LRC Sup.	60	<i>H.</i> 'Red Cadet'	HJ 37:R	32

INDEX TO REGISTRATIONS

H. 'Red Hot Flash'	HJ 36:R	25	H. 'Rod's Gold'	HJ 36:R	25	H. 'Rosedale Rip Van Winkle'	HJ 31:R	42
H. 'Red Hot Poker'	HJ 37:R	32	H. 'Roller Coaster'	HJ 33:R	19	H. 'Rosedale Robert Hackbarth'	HJ 31:R	42
H. 'Red Legs'	HJ 31:R	35	H. 'Roller Coaster Ride'	HJ 37:R	32	H. 'Rosedale Rosette'	HJ 31:R	42
H. 'Red Neck Heaven'	LRC Sup.	61	H. 'Ron Damant'	HJ 36:R	25	H. 'Rosedale Scrambled Eggs'	HJ 31:R	42
H. 'Red Ryder'	HJ 33:R	19	H. 'Roostertail'	HJ 34:R	28	H. 'Rosedale Shady Lady'	HJ 32:R	26
H. 'Red Sails in the Sunset'	HJ 36:R	25	H. 'Rosanne'	HJ 31:R	37	H. 'Rosedale Soup Bowl'	HJ 32:R	26
H. 'Red Stepper'	LRC Sup.	61	H. 'Roscoe'	HJ 31:R	37	H. 'Rosedale Spoons'	HJ 31:R	42
H. 'Red-hot Mama'	HJ 33:R	19	H. 'Rosebud'	LRC Sup.	63	H. 'Rosedale Stitched in Silk'	HJ 31:R	42
H. 'Redolent Nosegay'	HJ 31:R	35	H. 'Rosedale Alligator Tail'	HJ 31:R	37	H. 'Rosedale Streaked Zipper'	HJ 32:R	26
H. 'Reefed Sails'	LRC Sup.	61	H. 'Rosedale Babe'	HJ 32:R	24	H. 'Rosedale Sugar Time'	HJ 31:R	42
H. 'Reflections'	HJ 37:R	32	H. 'Rosedale Barnie'	HJ 31:R	37	H. 'Rosedale Tablespoons'	HJ 32:R	26
H. 'Regal Chameleon'	HJ 32:R	23	H. 'Rosedale Big Bopper'	HJ 31:R	37	H. 'Rosedale Terraced Hills'	HJ 31:R	42
H. 'Regal Glory'	HJ 33:R	19	H. 'Rosedale Black Hole'	HJ 32:R	24	H. 'Rosedale Thunderheads'	HJ 32:R	26
H. 'Regal Heir'	HJ 35:R	35	H. 'Rosedale Black Ice'	HJ 31:R	38	H. 'Rosedale Tie-dyed'	HJ 32:R	26
H. 'Regal Promenade'	LRC Sup.	61	H. 'Rosedale Blend Master'	HJ 32:R	24	H. 'Rosedale Tractor Seat'	HJ 31:R	42
H. 'Regal Providence'	LRC Sup.	62	H. 'Rosedale Blunder Bus'	HJ 32:R	25	H. 'Rosedale Viagra'	HJ 31:R	43
H. 'Regal Rhubarb'	LRC	66	H. 'Rosedale Bright and Sassy'	HJ 31:R	38	H. 'Rosedale Waterwheel'	HJ 32:R	26
H. 'Regal Ruffles'	LRC	66	H. 'Rosedale Brush Marks'	HJ 31:R	38	H. 'Rosedale Yellow Brick Road'	HJ 31:R	43
H. 'Regal Rumor'	HJ 35:R	35	H. 'Rosedale Buddy Holly'	HJ 31:R	38	H. 'Rosie Posie'	LRC Sup.	63
H. 'Regal Skies'	HJ 31:R	36	H. 'Rosedale Butter Run'	HJ 31:R	38	H. 'Rossing's Pride'	LRC Sup.	63
H. 'Regal Splendor'	LRC	66	H. 'Rosedale Catcher's Mitt'	HJ 32:R	24	H. 'Rotunda'	LRC	67
H. 'Regalia'	LRC Sup.	62	H. 'Rosedale Daisy Mae'	HJ 31:R	38	H. 'Rough and Ready'	HJ 36:R	26
H. 'Reginald Kaye'	HJ 35:R	35	H. 'Rosedale Dandy Brandy'	HJ 31:R	38	H. 'Rough Waters'	LRC	67
H. 'Rembrandt Blue'	LRC	66	H. 'Rosedale Dewy'	HJ 31:R	38	H. 'Roundabout'	LRC	67
H. 'Remember Me'	HJ 33:R	19	H. 'Rosedale Dough Boy'	HJ 31:R	38	H. 'Roundhouse Blues'	LRC Sup.	63
H. 'Renaissance'	LRC	66	H. 'Rosedale Elizabeth Stratton'	HJ 31:R	39	H. 'Route 66'	HJ 37:R	33
H. 'Resonance'	LRC	66	H. 'Rosedale for Pete's Sake'	HJ 31:R	39	H. 'Roxsanne'	HJ 37:R	33
H. 'Resurrection Galaxy'	HJ 31:R	36	H. 'Rosedale Frosted Malt'	HJ 31:R	39	H. 'Royal Accolade'	LRC	67
H. 'Retread'	HJ 32:R	23	H. 'Rosedale Gee Wilikers'	HJ 32:R	25	H. 'Royal Bells'	HJ 31:R	43
H. 'Revelations'	LRC Sup.	62	H. 'Rosedale Gee-whiz'	HJ 32:R	25	H. 'Royal Charm'	HJ 35:R	36
H. 'Reverie'	HJ 35:R	35	H. 'Rosedale Genevieve'	HJ 31:R	39	H. 'Royal Flush'	LRC	67
H. 'Reversed'	LRC	66	H. 'Rosedale Glacier Ice'	HJ 31:R	39	H. 'Royal Golden Jubilee'	HJ 36:R	26
H. 'Revolution'	HJ 32:R	24	H. 'Rosedale Golden Arches'	HJ 31:R	39	H. 'Royal Lady'	LRC	67
H. 'Rhapsody in Blue'	LRC Sup.	62	H. 'Rosedale Golden Arches'	HJ 31:R	39	H. 'Royal Mouse Ears'	HJ 36:R	26
H. 'Rhein'	HJ 35:R	35	H. 'Rosedale Golden Candlestick'	HJ 31:R	39	H. 'Royal Quilt'	LRC	68
H. 'Rhinestone Cowboy'	HJ 32:R	24	H. 'Rosedale Golden Chalice'	HJ 31:R	39	H. 'Royal Rainbow'	LRC	68
H. 'Rhino'	HJ 32:R	24	H. 'Rosedale Golden Chips'	HJ 31:R	39	H. 'Royal Rhubarb'	HJ 37:R	33
H. 'Rhubarb Pie'	HJ 33:R	19	H. 'Rosedale Golden City'	HJ 31:R	39	H. 'Royal Standard'	LRC	68
H. 'Rhythm and Blues'	HJ 36:R	25	H. 'Rosedale Golden Cufflinks'	HJ 31:R	39	H. 'Royal Super'	HJ 32:R	26
H. 'Rich Uncle'	HJ 34:R	27	H. 'Rosedale Golden Dipper'	HJ 31:R	39	H. 'Royal Tapestry'	HJ 34:R	28
H. 'Richland Charmer'	HJ 32:R	24	H. 'Rosedale Golden Egg'	HJ 31:R	40	H. 'Royal Tiara'	LRC	68
H. 'Richland Gold'	LRC	66	H. 'Rosedale Golden Fleece'	HJ 31:R	40	H. 'Royal Tiara'	LRC	68
H. 'Richland Gold's Moonlight'	HJ 31:R	36	H. 'Rosedale Golden Goose'	HJ 31:R	40	H. 'Royal Wave'	HJ 36:R	26
H. 'Richland Green Splish'	HJ 31:R	36	H. 'Rosedale Golden Hercules'	HJ 31:R	40	H. 'Royalty'	LRC	68
H. 'Richland Royal Princess'	HJ 31:R	36	H. 'Rosedale Golden June Bug'	HJ 31:R	40	H. 'Rubber Ducky'	LRC Sup.	63
H. 'Richland Royal Purple'	HJ 31:R	36	H. 'Rosedale Golden Lining'	HJ 31:R	40	H. 'Ruby Benedict'	LRC	68
H. 'Richland Surprise'	HJ 31:R	36	H. 'Rosedale Golden Lining'	HJ 31:R	40	H. 'Ruby Slippers'	HJ 31:R	43
H. 'Richland White Edge'	HJ 31:R	36	H. 'Rosedale Golden Teapot'	HJ 32:R	25	H. 'Ruffled Petticoats'	LRC Sup.	63
H. 'Richmond'	HJ 36:R	25	H. 'Rosedale Golden Trout'	HJ 31:R	40	H. 'Ruffled Pale Face'	HJ 34:R	28
H. 'Rickrack'	HJ 31:R	37	H. 'Rosedale Golden Unicorn'	HJ 31:R	40	H. 'Ruffles'	LRC	68
H. 'Righteous Rays'	HJ 35:R	35	H. 'Rosedale Golden Washboard'	HJ 31:R	40	H. 'Rumpelstiltskin'	LRC Sup.	63
H. 'Rim Rock'	LRC	66	H. 'Rosedale Grant Wood'	HJ 32:R	25	H. 'Russ O'Harra'	HJ 31:R	43
H. 'Ring Around the Moon'	HJ 36:R	25	H. 'Rosedale High Flyer'	HJ 31:R	40	H. 'Russell Lee'	HJ 31:R	43
H. 'Ring of Fire'	HJ 31:R	37	H. 'Rosedale Houdini'	HJ 32:R	25	H. 'Rusty Bee'	LRC Sup.	63
H. 'Ringtail'	HJ 37:R	32	H. 'Rosedale Jack of Hearts'	HJ 32:R	25	H. 'Ryan's Big One'	LRC	68
H. 'Rip Curl'	HJ 37:R	32	H. 'Rosedale Jack of Spades'	HJ 32:R	25	H. 'Sabertooth'	HJ 32:R	26
H. 'Rippled Honey'	HJ 37:R	33	H. 'Rosedale John Stratton'	HJ 31:R	40	H. 'Sadi'	HJ 32:R	26
H. 'Rippling Rhythm'	LRC Sup.	62	H. 'Rosedale Knox'	HJ 31:R	40	H. 'Sagae'	LRC Sup.	64
H. 'Rippling Waves'	LRC	66	H. 'Rosedale Leaping Lizards'	HJ 32:R	25	H. 'Sailors' Warning'	LRC Sup.	64
H. 'Riptide'	LRC	66	H. 'Rosedale Lela Mae'	HJ 31:R	41	H. 'Sails at Sunset'	HJ 33:R	19
H. 'Rising Sun'	LRC	66	H. 'Rosedale Lion's Mane'	HJ 32:R	25	H. 'Sails Ho'	LRC Sup.	64
H. 'Rising Tide'	LRC	67	H. 'Rosedale Little Puddle'	HJ 32:R	25	H. 'Saint Elmo's Fire'	LRC Sup.	64
H. 'Risky Business'	HJ 34:R	28	H. 'Rosedale Lost Dutchman'	HJ 31:R	41	H. 'Saishu Jima'	HJ 34:R	28
H. 'River Nile'	LRC	67	H. 'Rosedale Marbled Swirl'	HJ 31:R	41	H. 'Salem'	HJ 32:R	26
H. 'Robert Frost'	LRC	67	H. 'Rosedale Marsha Axmear Erb'	HJ 31:R	41	H. 'Sally and Bob'	LRC Sup.	64
H. 'Robert's Rapier'	LRC Sup.	62	H. 'Rosedale Misty Pathways'	HJ 32:R	25	H. 'Salsa'	HJ 34:R	28
H. 'Robin Hood'	HJ 32:R	24	H. 'Rosedale Mixmaster'	HJ 31:R	41	H. 'Salty Dog'	HJ 35:R	36
H. 'Robin's Pride'	HJ 32:R	24	H. 'Rosedale Moonshine Delight'	HJ 31:R	41	H. 'Salus'	HJ 36:R	26
H. 'Robust Giant'	HJ 37:R	33	H. 'Rosedale Mr. Blue Jeans'	HJ 31:R	41	H. 'Salute'	LRC Sup.	64
H. 'Rock and Roll'	HJ 31:R	37	H. 'Rosedale Mrs. President'	HJ 31:R	41	H. 'Sam Spade'	HJ 34:R	28
H. 'Rock Happy'	LRC Sup.	62	H. 'Rosedale My Love'	HJ 31:R	41	H. 'Sam-Tina Gold'	LRC Sup.	64
H. 'Rock Island Line'	HJ 33:R	19	H. 'Rosedale Old Maid'	HJ 32:R	25	H. 'Samual Blue'	LRC	69
H. 'Rock Master'	LRC	67	H. 'Rosedale Oriole'	HJ 32:R	25	H. 'Sandhill Crane'	HJ 36:R	26
H. 'Rocknoll Blue Dwarf'	LRC Sup.	62	H. 'Rosedale Paddy Wagon'	HJ 32:R	25	H. 'Santa Claus'	HJ 35:R	36
H. 'Rocky Fork'	HJ 35:R	35	H. 'Rosedale Pebbles'	HJ 31:R	41	H. 'Sara'	LRC Sup.	65
H. 'Rocky Mountain High'	LRC	67	H. 'Rosedale Pickles'	HJ 31:R	41	H. 'Sara's Sensation'	LRC Sup.	65
H. 'Rocky Road'	LRC	67	H. 'Rosedale Pie-eyed'	HJ 32:R	25	H. 'Sarah Farmer'	LRC	69
H. 'Roderick'	HJ 31:R	37	H. 'Rosedale Queen Mum'	HJ 32:R	25	H. 'Sarah Jane'	LRC Sup.	65
			H. 'Rosedale Rain Catcher'	HJ 32:R	26	H. 'Sarah Katherine'	HJ 37:R	33
			H. 'Rosedale Richie Vallens'	HJ 31:R	42			

INDEX TO REGISTRATIONS

<i>H.</i> 'Sarah Kennedy'	HJ 36:R	26	<i>H.</i> 'Shawmut'	HJ 31:R	44	<i>H.</i> 'Snow Flurry'	LRC	74
<i>H.</i> 'Sasquatch'	LRC Sup.	65	<i>H.</i> 'Sheila Macqueen'	HJ 32:R	27	<i>H.</i> 'Snow Mound'	LRC Sup.	69
<i>H.</i> 'Sassy'	LRC	69	<i>H.</i> 'Shell Bell'	HJ 31:R	44	<i>H.</i> 'Snow White'	LRC	74
<i>H.</i> 'Satin Beauty'	LRC	69	<i>H.</i> 'Shelleys'	LRC	72	<i>H.</i> 'Snowbird'	HJ 32:R	27
<i>H.</i> 'Satin Flare'	LRC	69	<i>H.</i> 'Shells at Sea'	LRC	72	<i>H.</i> 'Snowbound'	HJ 34:R	29
<i>H.</i> 'Satisfaction'	HJ 32:R	27	<i>H.</i> 'Shenandoah Abbey'	HJ 32:R	27	<i>H.</i> 'Snowden'	HJ 34:R	30
<i>H.</i> 'Savannah'	HJ 31:R	43	<i>H.</i> 'Sherborne Profusion'	LRC	72	<i>H.</i> 'Snowden'	LRC	74
<i>H.</i> 'Savannah Emerald'	HJ 35:R	36	<i>H.</i> 'Sherborne Songbird'	LRC	72	<i>H.</i> 'Snowdrift'	LRC	74
<i>H.</i> 'Savannah Supreme'	HJ 35:R	36	<i>H.</i> 'Sherborne Swallow'	HJ 37:R	34	<i>H.</i> 'Snowstorm'	LRC	74
<i>H.</i> 'Saw Mill'	HJ 31:R	43	<i>H.</i> 'Sherborne Swan'	LRC	72	<i>H.</i> 'So Sweet'	LRC	74
<i>H.</i> 'Saybrook Surprise'	LRC Sup.	65	<i>H.</i> 'Sherborne Swift'	LRC	72	<i>H.</i> 'Soaring Eagle'	HJ 34:R	30
<i>H.</i> 'Scally Cap'	HJ 35:R	36	<i>H.</i> 'Shere Khan'	LRC Sup.	66	<i>H.</i> 'Soft Shoulders'	LRC Sup.	69
<i>H.</i> 'Scarlet O'Hara'	LRC Sup.	65	<i>H.</i> 'Sherwood Forest'	LRC Sup.	66	<i>H.</i> 'Soft Touch'	LRC	74
<i>H.</i> 'Scarlet Ribbons'	HJ 34:R	28	<i>H.</i> 'Shimmering Silk'	LRC Sup.	67	<i>H.</i> 'Solar Flare'	LRC	75
<i>H.</i> 'Scooter'	LRC	69	<i>H.</i> 'Shining Tot'	LRC	72	<i>H.</i> 'Solo Flight'	HJ 33:R	20
<i>H.</i> 'Sea Beacon'	HJ 36:R	27	<i>H.</i> 'Shiny Penny'	LRC Sup.	67	<i>H.</i> 'Sombrero'	LRC	75
<i>H.</i> 'Sea Blue'	LRC	69	<i>H.</i> 'Shirley Levy'	HJ 31:R	44	<i>H.</i> 'Something Blue'	LRC	75
<i>H.</i> 'Sea Bunny'	LRC	69	<i>H.</i> 'Shirley'	LRC Sup.	67	<i>H.</i> 'Something Different'	LRC	75
<i>H.</i> 'Sea Current'	HJ 33:R	20	<i>H.</i> 'Shirofukurin Hime Iwa'	HJ 34:R	29	<i>H.</i> 'Something Good'	HJ 32:R	27
<i>H.</i> 'Sea Dream'	LRC	69	<i>H.</i> 'Shocking Chartreuse'	LRC	72	<i>H.</i> 'Song Sung Blues'	HJ 36:R	28
<i>H.</i> 'Sea Drift'	LRC	69	<i>H.</i> 'Short and Sweet'	HJ 36:R	28	<i>H.</i> 'Songbird'	HJ 37:R	35
<i>H.</i> 'Sea Ebony'	LRC	69	<i>H.</i> 'Show Piece'	LRC Sup.	67	<i>H.</i> 'Sookai'	HJ 34:R	30
<i>H.</i> 'Sea Fire'	HJ 36:R	27	<i>H.</i> 'Showboat'	LRC Sup.	67	<i>H.</i> 'Sophisticated Lady'	HJ 32:R	27
<i>H.</i> 'Sea Foam'	LRC	70	<i>H.</i> 'Showtime'	LRC	72	<i>H.</i> 'Soul Brother'	HJ 34:R	30
<i>H.</i> 'Sea Frolic'	HJ 36:R	27	<i>H.</i> <i>sieboldiana</i> 'Elegans'	HJ 34:R	29	<i>H.</i> 'Southern Comfort'	LRC Sup.	69
<i>H.</i> 'Sea Gold'	LRC	70	<i>H.</i> <i>sieboldiana</i> 'Semperaurea'	HJ 35:R	37	<i>H.</i> 'Southern Pride'	LRC	75
<i>H.</i> 'Sea Gold Star'	LRC	70	<i>H.</i> 'Silberfeil'	HJ 37:R	34	<i>H.</i> 'Space Odyssey'	LRC Sup.	69
<i>H.</i> 'Sea Grotto'	LRC	70	<i>H.</i> 'Silent Witness'	LRC Sup.	67	<i>H.</i> 'Spacious Skies'	HJ 31:R	45
<i>H.</i> 'Sea Gulf Stream'	HJ 31:R	43	<i>H.</i> 'Silk Kimono'	HJ 31:R	44	<i>H.</i> 'Sparkling Burgundy'	LRC	75
<i>H.</i> 'Sea Gull'	HJ 36:R	27	<i>H.</i> 'Silver and Gold'	LRC Sup.	67	<i>H.</i> 'Sparky'	LRC	75
<i>H.</i> 'Sea Lightning'	LRC	70	<i>H.</i> 'Silver Anniversary'	HJ 31:R	44	<i>H.</i> 'Spartan Arrow'	HJ 32:R	28
<i>H.</i> 'Sea Lotus Leaf'	LRC	70	<i>H.</i> 'Silver Award'	LRC	73	<i>H.</i> 'Spartan Flash'	LRC Sup.	69
<i>H.</i> 'Sea Monster'	LRC	70	<i>H.</i> 'Silver Bay'	HJ 31:R	44	<i>H.</i> 'Spartan Gem'	LRC	75
<i>H.</i> 'Sea Octopus'	LRC	70	<i>H.</i> 'Silver Bowl'	LRC	73	<i>H.</i> 'Spartan Glory'	HJ 32:R	28
<i>H.</i> 'Sea Sprite'	LRC	70	<i>H.</i> 'Silver Chalice'	HJ 37:R	34	<i>H.</i> 'Special Gift'	LRC	75
<i>H.</i> 'Sea Sunrise'	LRC	70	<i>H.</i> 'Silver Creek Sunshine'	LRC Sup.	67	<i>H.</i> 'Special Item'	HJ 31:R	45
<i>H.</i> 'Sea White Gold'	HJ 31:R	44	<i>H.</i> 'Silver Dust'	LRC Sup.	68	<i>H.</i> 'Special Occasion'	HJ 35:R	37
<i>H.</i> 'Sea Wiggles'	LRC	71	<i>H.</i> 'Silver Giant'	LRC	73	<i>H.</i> 'Spellbound'	HJ 37:R	35
<i>H.</i> 'Sea Yellow Sunrise'	LRC	71	<i>H.</i> 'Silver Lance'	LRC	73	<i>H.</i> 'Spike Jones'	HJ 34:R	30
<i>H.</i> 'Searchlight'	HJ 33:R	20	<i>H.</i> 'Silver Load'	HJ 31:R	45	<i>H.</i> 'Spilt Milk'	HJ 31:R	45
<i>H.</i> 'Seaside Splendor'	HJ 35:R	36	<i>H.</i> 'Silver Mine'	HJ 31:R	45	<i>H.</i> 'Spingarn's Japan'	HJ 32:R	28
<i>H.</i> 'Second Wind'	LRC	71	<i>H.</i> 'Silver Rim'	LRC	73	<i>H.</i> 'Spinnaker'	LRC Sup.	69
<i>H.</i> 'Secret Love'	HJ 36:R	27	<i>H.</i> 'Silver Spoon'	LRC	73	<i>H.</i> 'Spinners'	LRC	75
<i>H.</i> 'Seducer'	HJ 36:R	27	<i>H.</i> 'Silver Spray'	LRC	73	<i>H.</i> 'Spit Shine'	LRC	75
<i>H.</i> 'See Saw'	LRC	71	<i>H.</i> 'Silver Streak'	LRC	73	<i>H.</i> 'Spitfire'	HJ 34:R	30
<i>H.</i> 'Seersucker'	HJ 36:R	27	<i>H.</i> 'Silver Tiara'	LRC	73	<i>H.</i> 'Splashed Leather'	LRC Sup.	70
<i>H.</i> 'Semperaurea'	HJ 35:R	37	<i>H.</i> 'Silverado'	LRC	73	<i>H.</i> 'Splendid Reign'	HJ 33:R	20
<i>H.</i> 'Seneca'	HJ 32:R	27	<i>H.</i> 'Silverdale'	HJ 35:R	37	<i>H.</i> 'Splendid Sarah'	HJ 37:R	35
<i>H.</i> 'Sentimental Journey'	HJ 36:R	27	<i>H.</i> 'Silvery Slugproof'	LRC Sup.	68	<i>H.</i> 'Splendor'	HJ 32:R	28
<i>H.</i> 'Sentinels'	LRC	71	<i>H.</i> 'Simply Sharon'	HJ 36:R	28	<i>H.</i> 'Spish Splash'	LRC	75
<i>H.</i> 'September Sun'	LRC	71	<i>H.</i> 'Sir Lancelot'	HJ 37:R	34	<i>H.</i> 'Sportscaster'	HJ 36:R	28
<i>H.</i> 'September Surprise'	LRC Sup.	65	<i>H.</i> 'Sir Richard'	HJ 34:R	29	<i>H.</i> 'Sporty'	HJ 36:R	28
<i>H.</i> 'Serapis'	HJ 32:R	27	<i>H.</i> 'Sitting Pretty'	LRC	73	<i>H.</i> 'Spotlight'	LRC Sup.	70
<i>H.</i> 'Serendipity'	LRC	71	<i>H.</i> 'Sizzler'	HJ 34:R	29	<i>H.</i> 'Spring Break'	HJ 32:R	28
<i>H.</i> 'Serendipity Singer'	HJ 36:R	28	<i>H.</i> 'Skookumchuck'	LRC Sup.	68	<i>H.</i> 'Spring Fever'	HJ 37:R	35
<i>H.</i> 'Serene'	LRC	71	<i>H.</i> 'Sky Blue Waters'	HJ 37:R	35	<i>H.</i> 'Spring Fling'	HJ 32:R	28
<i>H.</i> 'Serenity'	LRC	71	<i>H.</i> 'Sky Dancer'	HJ 35:R	37	<i>H.</i> 'Spring Grove'	HJ 34:R	30
<i>H.</i> 'Sergeant Pepper'	HJ 33:R	20	<i>H.</i> 'Sky High'	HJ 37:R	35	<i>H.</i> 'Spring Ivory'	LRC	75
<i>H.</i> 'Seto-no-aki'	HJ 34:R	29	<i>H.</i> 'Sky Kissed'	LRC	74	<i>H.</i> 'Spring Lace'	LRC Sup.	70
<i>H.</i> 'Seven-Eleven'	LRC Sup.	66	<i>H.</i> 'Skylight'	HJ 33:R	20	<i>H.</i> 'Spring Sensation'	LRC	76
<i>H.</i> 'Seventh Heaven'	LRC Sup.	66	<i>H.</i> 'Skyrocket'	HJ 31:R	45	<i>H.</i> 'Spritzer'	LRC	76
<i>H.</i> 'Shade Beauty'	LRC	71	<i>H.</i> 'Skyward'	HJ 32:R	27	<i>H.</i> 'Spumoni'	HJ 36:R	28
<i>H.</i> 'Shade Fanfare'	LRC	71	<i>H.</i> 'Sleeping Beauty'	LRC Sup.	68	<i>H.</i> 'Spun Silk'	LRC	76
<i>H.</i> 'Shade Finale'	HJ 37:R	33	<i>H.</i> 'Sleepy Hollow'	HJ 35:R	37	<i>H.</i> 'Spun Sulphur'	LRC	76
<i>H.</i> 'Shade Master'	LRC	71	<i>H.</i> 'Slick Willie'	LRC Sup.	68	<i>H.</i> 'Squash Blossom'	HJ 37:R	35
<i>H.</i> 'Shade Parade'	HJ 37:R	34	<i>H.</i> 'Slightly Royal'	HJ 36:R	28	<i>H.</i> 'Squash Casserole'	LRC Sup.	70
<i>H.</i> 'Shades of Mercy'	LRC Sup.	66	<i>H.</i> 'Slim Polly'	LRC	74	<i>H.</i> 'Squash Edge'	HJ 33:R	20
<i>H.</i> 'Shadow Waltz'	LRC Sup.	66	<i>H.</i> 'Small Sum'	LRC Sup.	68	<i>H.</i> 'Squiggles'	LRC	76
<i>H.</i> 'Shadow's Web'	HJ 32:R	27	<i>H.</i> 'Small Talk'	LRC	74	<i>H.</i> 'Squire Rich'	LRC	76
<i>H.</i> 'Shady Affair'	HJ 35:R	36	<i>H.</i> 'Smiling Sailor'	LRC Sup.	68	<i>H.</i> 'Stained Glass'	HJ 31:R	45
<i>H.</i> 'Shady Choice'	LRC Sup.	66	<i>H.</i> 'Smokerie Frosted Vase'	LRC Sup.	69	<i>H.</i> 'Standard Deviation'	LRC Sup.	70
<i>H.</i> 'Shady Lover'	HJ 37:R	34	<i>H.</i> 'Smoky Tokey'	LRC Sup.	69	<i>H.</i> 'Standing Ovation'	LRC	76
<i>H.</i> 'Shalimar'	LRC	72	<i>H.</i> 'Smooth Sailing'	HJ 34:R	29	<i>H.</i> 'Standing Tall'	HJ 36:R	29
<i>H.</i> 'Shapur's Sceptre'	HJ 35:R	37	<i>H.</i> 'Smoothie'	HJ 31:R	45	<i>H.</i> 'Stand-up America'	HJ 37:R	36
<i>H.</i> 'Shark's Tooth'	HJ 37:R	34	<i>H.</i> 'Snake Eyes'	HJ 37:R	35	<i>H.</i> 'Star Spangled Banner'	HJ 34:R	30
<i>H.</i> 'Sharmon'	LRC	72	<i>H.</i> 'Snow Cap'	LRC	74	<i>H.</i> 'Star Struck'	LRC Sup.	70
<i>H.</i> 'Sharp Dressed Man'	HJ 37:R	34	<i>H.</i> 'Snow Crust'	LRC	74	<i>H.</i> 'Starboard Light'	LRC Sup.	70
<i>H.</i> 'Sharp Shooter'	LRC Sup.	66	<i>H.</i> 'Snow Flakes'	LRC	74	<i>H.</i> 'Starburst'	LRC	76

INDEX TO REGISTRATIONS

H. 'Stardust'	LRC Sup.	70	H. 'Sun Banner'	HJ 31:R	46	H. 'Tarnished'	LRC	80
H. 'Starker Yellow Leaf'	LRC	76	H. 'Sun Catcher'	HJ 36:R	31	H. 'Tassels'	HJ 34:R	31
H. 'Starlight'	LRC	76	H. 'Sun Chaser'	HJ 36:R	31	H. 'Tatted Lace'	LRC	80
H. 'Starry Starry Night'	HJ 32:R	28	H. 'Sun Disk'	HJ 36:R	31	H. 'Tattletale Gray'	HJ 32:R	30
H. 'Stars and Stripes'	HJ 32:R	28	H. 'Sun Drop'	HJ 31:R	46	H. 'Tattoo'	LRC Sup.	73
H. 'Starship'	HJ 36:R	29	H. 'Sun Glow'	LRC	78	H. 'Teacher's Pet'	HJ 32:R	30
H. 'Steam's Beauty'	LRC Sup.	71	H. 'Sun Kissed'	HJ 35:R	38	H. 'Tears of Joy'	HJ 37:R	37
H. 'Steel Canopy'	HJ 32:R	29	H. 'Sun Power'	LRC	78	H. 'Teaspoon'	LRC Sup.	73
H. 'Stefan Edward'	LRC Sup.	71	H. 'Sunami'	LRC	78	H. 'Technicolor'	HJ 37:R	37
H. 'Stellar by Starlight'	HJ 32:R	29	H. 'Sundance'	LRC	78	H. 'Teeny-bopper'	HJ 33:R	22
H. 'Stephen'	LRC	76	H. 'Sundowner'	HJ 37:R	36	H. 'Teeny-weeny Bikini'	HJ 32:R	30
H. 'Stetson'	LRC Sup.	71	H. 'Sunfish Bett'	HJ 36:R	32	H. 'Telly's Treasure'	HJ 34:R	32
H. 'Steve Moldovan'	HJ 36:R	29	H. 'Sunfish Blue'	HJ 36:R	32	H. 'Templar Gold'	HJ 36:R	33
H. 'Steven P. Register'	HJ 36:R	29	H. 'Sunfish Stripe'	HJ 36:R	32	H. 'Temple Bells'	LRC Sup.	74
H. 'Stiletto'	LRC	77	H. 'Sunlight'	HJ 33:R	21	H. 'Temple Great'	LRC	81
H. 'Stingray'	HJ 32:R	29	H. 'Sunlight Child'	LRC	78	H. 'Tenryu'	HJ 34:R	32
H. 'Stirfry'	LRC	77	H. 'Sunlight Cinderella'	HJ 32:R	29	H. 'Tentacles'	LRC Sup.	74
H. 'Stitch in Time'	HJ 36:R	29	H. 'Sunlight Sister'	LRC	78	H. 'Tequila Sunrise'	HJ 36:R	33
H. 'Stone's Valentine'	LRC	77	H. 'Sunny Delight'	HJ 32:R	29	H. 'Terminator'	HJ 35:R	38
H. 'Stone's Yellow Leaf'	HJ 36:R	29	H. 'Sunny Disposition'	HJ 33:R	21	H. 'Terry'	HJ 34:R	32
H. 'Stonewall'	HJ 33:R	20	H. 'Sunny Isle'	LRC Sup.	72	H. 'Thai Brass'	LRC	81
H. 'Stormy Seas'	HJ 36:R	29	H. 'Sunny Smiles'	HJ 33:R	21	H. 'Thanksgiving'	HJ 32:R	30
H. 'Stormy Weather'	HJ 36:R	30	H. 'Sunnybrook'	LRC	78	H. 'The Godfather'	LRC Sup.	74
H. 'Straight Flush'	HJ 36:R	30	H. 'Sunnybrook Sunshine'	HJ 31:R	47	H. 'The Green Hornet'	HJ 36:R	33
H. 'Straka Gold'	LRC Sup.	71	H. 'Sunrise Crinkles'	HJ 32:R	30	H. 'The Hulk'	LRC Sup.	74
H. 'Stratosphere'	HJ 33:R	21	H. 'Sunset Strip'	HJ 37:R	36	H. 'The Leading Edge'	HJ 34:R	32
H. 'Strawberry Delight'	LRC Sup.	71	H. 'Sunshine Glory'	LRC	78	H. 'The Mamas and the Papas'	HJ 34:R	32
H. 'Strawberry Parfait'	HJ 36:R	30	H. 'Sunshine Kid'	LRC	78	H. 'The Perfect Storm'	HJ 37:R	37
H. 'Strawberry Ripple'	HJ 36:R	30	H. 'Sunspray'	HJ 34:R	31	H. 'The Right Stuff'	HJ 33:R	22
H. 'Streaker Ahoy'	HJ 36:R	30	H. 'Super Hero'	HJ 37:R	36	H. 'The Sun King'	HJ 31:R	47
H. 'Streaking Frenzy'	HJ 36:R	30	H. 'Super Nova'	HJ 31:R	47	H. 'The Twister'	LRC	81
H. 'Streaking Party'	HJ 37:R	36	H. 'Super Star'	HJ 32:R	30	H. 'Thea'	LRC	81
H. 'Streaky Streak'	HJ 31:R	46	H. 'Super Streak'	LRC	79	H. 'Thelma M. Pierson'	LRC	81
H. 'Striker'	HJ 32:R	29	H. 'Supersonic'	LRC Sup.	72	H. 'Theodore Roosevelt'	HJ 33:R	22
H. 'String Bikini'	HJ 32:R	29	H. 'Supreme Expectations'	HJ 34:R	31	H. 'These Colors Don't Run'	HJ 34:R	32
H. 'String of Pearls'	HJ 33:R	21	H. 'Surf and Turf'	HJ 31:R	47	H. 'Thomas Jefferson'	HJ 33:R	22
H. 'Strip Poker'	HJ 36:R	30	H. 'Surfer Girl'	HJ 32:R	30	H. 'Thor'	LRC Sup.	74
H. 'Striped Canvas'	LRC Sup.	71	H. 'Surprise'	LRC	79	H. 'Three Coins'	HJ 32:R	30
H. 'Stripped Naked'	HJ 36:R	30	H. 'Surprised by Joy'	LRC Sup.	73	H. 'Thumb Nail'	LRC	81
H. 'Stripper'	HJ 34:R	31	H. 'Surrender'	HJ 37:R	37	H. 'Thumbelina'	LRC Sup.	74
H. 'Striptease'	LRC	77	H. 'Susan-elizabeth'	HJ 33:R	21	H. 'Thumbs Up'	HJ 31:R	47
H. 'Sturtevant'	HJ 37:R	36	H. 'Susy'	LRC	79	H. 'Tic Tac'	HJ 36:R	33
H. 'Subcrocea'	LRC	77	H. 'Suzuki Thumbnail'	LRC	79	H. 'Tidal Pool'	HJ 34:R	32
H. 'Subterranean Pool'	HJ 31:R	46	H. 'Swamp Monster'	LRC	79	H. 'Tiddlywinks'	LRC	81
H. 'Subtlety'	HJ 35:R	37	H. 'Swamp Thing'	HJ 37:R	37	H. 'Tidewater'	HJ 35:R	39
H. 'Sue'	HJ 31:R	46	H. 'Swan Lake'	LRC Sup.	73	H. 'Tiffney's Darth Vader'	HJ 31:R	47
H. 'Sugar and Cream'	LRC	77	H. 'Sweet and Low'	HJ 36:R	32	H. 'Tiffney's Godzilla'	LRC Sup.	74
H. 'Sugar and Spice'	HJ 35:R	37	H. 'Sweet Christy'	HJ 31:R	47	H. 'Tiffney's Gold Digger'	HJ 31:R	47
H. 'Sugar Babe'	LRC Sup.	71	H. 'Sweet Diversion'	HJ 36:R	32	H. 'Tigger'	HJ 32:R	31
H. 'Sugar Daddy'	HJ 35:R	38	H. 'Sweet Home Chicago'	HJ 34:R	31	H. 'Tijuana Brass'	LRC	81
H. 'Sugar Mama'	HJ 36:R	31	H. 'Sweet Jill'	LRC	79	H. 'Time Tunnel'	HJ 33:R	22
H. 'Sugar Pie'	LRC Sup.	72	H. 'Sweet Lucy'	HJ 32:R	30	H. 'Timothy C. Morgan'	HJ 37:R	38
H. 'Sugar Plum Fairy'	LRC	77	H. 'Sweet Marjorie'	LRC	79	H. 'Timothy'	LRC Sup.	74
H. 'Sultan's Smoke'	HJ 33:R	21	H. 'Sweet Serenity'	LRC	79	H. 'Tinker Bell'	LRC	81
H. 'Sultana'	LRC	77	H. 'Sweet Standard'	LRC	79	H. 'Tiny Tears'	LRC	81
H. 'Sum and Substance'	LRC	77	H. 'Sweet Sunshine'	LRC Sup.	73	H. 'Tisch'	HJ 34:R	33
H. 'Sum Cup-o-Joe'	HJ 32:R	29	H. 'Sweet Susan'	LRC	79	H. 'Titanic'	HJ 31:R	48
H. 'Sum It Up'	HJ 31:R	46	H. 'Sweet Tater Pie'	LRC Sup.	73	H. 'Titanium'	HJ 32:R	31
H. 'Sum Like it Hot'	HJ 35:R	38	H. 'Sweet Thing'	HJ 36:R	32	H. 'Tokudama Aureonebulosa'	LRC	81
H. 'Sum of All'	HJ 35:R	38	H. 'Sweet William'	HJ 36:R	32	H. 'Tokudama Flavocircinalis'	LRC	81
H. 'Sum Piccrust'	HJ 31:R	46	H. 'Sweet Winifred'	LRC	79	H. 'Tokudama Flavoplanata'	LRC	82
H. 'Sum Streaker'	HJ 37:R	36	H. 'Sweetie'	LRC	79	H. 'Tom Gannon'	HJ 37:R	38
H. 'Sum Sunfish'	HJ 36:R	31	H. 'Sweetness'	HJ 35:R	38	H. 'Tom Schmid'	LRC Sup.	75
H. 'Sum Total'	LRC	77	H. 'Swirling Hearts'	HJ 34:R	31	H. 'Tom's Baby'	HJ 35:R	39
H. 'Sum Upper Crust'	HJ 36:R	31	H. 'Swiss Lady'	HJ 37:R	37	H. 'Tom's Dream'	HJ 35:R	39
H. 'Sumi'	LRC	77	H. 'Swoosh'	LRC	80	H. 'Tomo Yuki'	HJ 37:R	38
H. 'Summer Breeze'	HJ 31:R	46	H. 'Sybil'	HJ 34:R	31	H. 'Tomoko'	HJ 35:R	39
H. 'Summer Dress'	LRC	78	H. 'T Rex'	HJ 37:R	37	H. 'Tonto'	HJ 34:R	33
H. 'Summer Fragrance'	LRC	78	H. 'Table Six'	HJ 35:R	38	H. 'Toots'	LRC Sup.	75
H. 'Summer Gold'	LRC Sup.	72	H. 'Taffeta'	LRC	80	H. 'Top Banana'	LRC	82
H. 'Summer Joy'	LRC Sup.	72	H. 'Tall Boy'	LRC	80	H. 'Top Hat and Tails'	HJ 37:R	38
H. 'Summer Lovin'	HJ 36:R	31	H. 'Tall Twister'	LRC	80	H. 'Top Number'	LRC	82
H. 'Summer Music'	LRC Sup.	72	H. 'Tambourine'	LRC	80	H. 'Topaz Tiara'	LRC Sup.	75
H. 'Summer Olympics'	HJ 36:R	31	H. 'Tangerine'	LRC Sup.	73	H. 'Topaz'	HJ 36:R	33
H. 'Summer Rapture'	HJ 35:R	38	H. 'Tango'	HJ 37:R	37	H. 'Topsy-turvy'	HJ 32:R	31
H. 'Summer Serenade'	LRC Sup.	72	H. 'Tappen Zee'	HJ 36:R	33	H. 'Torchlight'	LRC	82
H. 'Summer Snow'	LRC	78	H. 'Tara'	HJ 32:R	30	H. 'Torchy'	LRC Sup.	75
H. 'Summer Warrior'	HJ 32:R	29	H. 'Tardiflora Hybrida'	LRC Sup.	73	H. 'Tortifrons'	HJ 34:R	33

INDEX TO REGISTRATIONS

<i>H.</i> 'Tortilla Chip'	HJ 34:R	33	<i>H.</i> 'Van Wade'	LRC	84	<i>H.</i> 'White Vision'	LRC	86
<i>H.</i> 'Tot Tot'	LRC	82	<i>H.</i> 'Van Wade Blue'	HJ 35:R	40	<i>H.</i> 'White Wall Tire'	LRC Sup.	79
<i>H.</i> 'Totally Awe Sum'	HJ 35:R	39	<i>H.</i> 'Vanguard'	HJ 35:R	40	<i>H.</i> 'Whitewater'	HJ 34:R	34
<i>H.</i> 'Totally Wacky'	HJ 34:R	33	<i>H.</i> 'Vanilla Cream'	LRC	84	<i>H.</i> 'Whoopee'	LRC	86
<i>H.</i> 'Touch of Class'	HJ 31:R	48	<i>H.</i> 'Velvet Moon'	HJ 35:R	40	<i>H.</i> 'Whopper'	HJ 34:R	34
<i>H.</i> 'Touch the Sky'	HJ 33:R	22	<i>H.</i> 'Venessa'	HJ 31:R	49	<i>H.</i> 'Wide Brim'	LRC	87
<i>H.</i> 'Touche'	HJ 37:R	38	<i>H.</i> 'Venetian Blue'	HJ 35:R	40	<i>H.</i> 'Wild Blue Yonder'	HJ 33:R	23
<i>H.</i> 'Tough Hombre'	HJ 35:R	39	<i>H. ventricosa</i> 'Aureomaculata'	LRC	84	<i>H.</i> 'Wild World of Sportsman'	HJ 36:R	35
<i>H.</i> 'Toutatis'	HJ 36:R	33	<i>H. ventricosa</i> 'Aureomarginata'	LRC	85	<i>H.</i> 'Wildfire'	HJ 31:R	50
<i>H.</i> 'Towering Inferno Remembered'	HJ 33:R	22	<i>H.</i> 'Venusosa'	LRC	85	<i>H.</i> 'Will of Fortune'	HJ 35:R	41
<i>H.</i> 'Toy Soldier'	HJ 32:R	31	<i>H.</i> 'Venus'	LRC Sup.	77	<i>H.</i> 'Willamette'	HJ 35:R	41
<i>H.</i> 'Tracy's Emerald Cup'	LRC Sup.	75	<i>H.</i> 'Vera Verde'	LRC	85	<i>H.</i> 'William Bedard'	HJ 36:R	35
<i>H.</i> 'Trade Wind'	LRC Sup.	75	<i>H.</i> 'Verkade's One'	HJ 32:R	32	<i>H.</i> 'William Lachman'	LRC	87
<i>H.</i> 'Trafalgar Square'	HJ 37:R	38	<i>H.</i> 'Verkade's Two'	HJ 32:R	32	<i>H.</i> 'Willy Nilly'	LRC Sup.	79
<i>H.</i> 'Trail of Tears'	HJ 31:R	48	<i>H.</i> 'Verna Jean'	LRC	85	<i>H.</i> 'Wily Willy'	LRC Sup.	79
<i>H.</i> 'Trail's End'	LRC	82	<i>H.</i> 'Veronica Lake'	LRC Sup.	77	<i>H.</i> 'Winfield Blue'	HJ 31:R	50
<i>H.</i> 'Trailblazer'	HJ 31:R	48	<i>H.</i> 'Versailles Blue'	HJ 32:R	32	<i>H.</i> 'Winfield Gold'	HJ 34:R	34
<i>H.</i> 'Tranquility'	LRC Sup.	75	<i>H.</i> 'Vicki Aden'	LRC	85	<i>H.</i> 'Winfield Mist'	HJ 35:R	41
<i>H.</i> 'Treasure'	LRC	82	<i>H.</i> 'Victory'	HJ 35:R	40	<i>H.</i> 'Wings of Faith'	HJ 31:R	50
<i>H.</i> 'Treasure Island'	LRC Sup.	76	<i>H.</i> 'Viette's Yellow Edge'	LRC	85	<i>H.</i> 'Winner's Circle'	HJ 36:R	35
<i>H.</i> 'Triple Ripple'	HJ 37:R	38	<i>H.</i> 'Vilmoriniana'	HJ 31:R	49	<i>H.</i> 'Winning Edge'	LRC	87
<i>H.</i> 'Triumph'	HJ 34:R	33	<i>H.</i> 'Vim and Vigor'	HJ 32:R	32	<i>H.</i> 'Winsome'	LRC Sup.	79
<i>H.</i> 'True Blue'	LRC	82	<i>H.</i> 'Viva Las Vegas'	HJ 36:R	34	<i>H.</i> 'Winter Snow'	HJ 35:R	41
<i>H.</i> 'True Love'	LRC	82	<i>H.</i> 'Vivian'	LRC Sup.	77	<i>H.</i> 'Winter Warrior'	HJ 37:R	39
<i>H.</i> 'Tucker Blues'	LRC	82	<i>H.</i> 'Vivid'	HJ 37:R	39	<i>H.</i> 'Wintergreen'	LRC Sup.	79
<i>H.</i> 'Tucker Charm'	LRC Sup.	76	<i>H.</i> 'Wagner's Petite'	LRC	85	<i>H.</i> 'Witches Brew'	LRC	87
<i>H.</i> 'Tucker Friendly Folk'	LRC	82	<i>H.</i> 'Wagon Wheels'	LRC	85	<i>H.</i> 'Wizard's Turban'	LRC Sup.	79
<i>H.</i> 'Tucker Irish Heart'	LRC Sup.	76	<i>H.</i> 'Wagtail'	LRC	85	<i>H.</i> 'Wogon'	LRC	87
<i>H.</i> 'Tucker Pucker'	LRC Sup.	76	<i>H.</i> 'Wahoo'	LRC	85	<i>H.</i> 'Wolcott'	LRC	87
<i>H.</i> 'Tucker Tigers'	LRC Sup.	76	<i>H.</i> 'Walden Green'	HJ 31:R	49	<i>H.</i> 'Wolverine'	LRC Sup.	79
<i>H.</i> 'Tucker Tiny Tot'	LRC Sup.	76	<i>H.</i> 'Wallstreet Classic'	HJ 32:R	32	<i>H.</i> 'Wonderful'	HJ 37:R	40
<i>H.</i> 'Tucker Tommy Little'	LRC	83	<i>H.</i> 'Waning Moon'	HJ 31:R	49	<i>H.</i> 'Wonderland'	HJ 37:R	40
<i>H.</i> 'Tucker Top Cat'	LRC Sup.	76	<i>H.</i> 'War Paint'	HJ 37:R	39	<i>H.</i> 'Wooden Nickel'	HJ 31:R	50
<i>H.</i> 'Tucker Valentine'	LRC	83	<i>H.</i> 'War Party'	HJ 32:R	33	<i>H.</i> 'Woodland Blue'	LRC Sup.	79
<i>H.</i> 'Tucker Wave'	LRC Sup.	76	<i>H.</i> 'War Path'	HJ 37:R	39	<i>H.</i> 'Woodland Elf'	HJ 37:R	40
<i>H.</i> 'Tucker Welcome'	LRC	83	<i>H.</i> 'Warwick Choice'	LRC Sup.	77	<i>H.</i> 'Woodland Green'	LRC	87
<i>H.</i> 'Tunisian Dream'	HJ 37:R	38	<i>H.</i> 'Warwick Comet'	HJ 31:R	49	<i>H.</i> 'Woolly Mammoth'	HJ 35:R	41
<i>H.</i> 'Turbo Blue'	HJ 36:R	33	<i>H.</i> 'Warwick Cup'	LRC Sup.	77	<i>H.</i> 'Work of Art'	HJ 34:R	34
<i>H.</i> 'Turbulent Seas'	HJ 31:R	48	<i>H.</i> 'Warwick Edge'	LRC Sup.	77	<i>H.</i> 'Worldly Treasure'	HJ 37:R	40
<i>H.</i> 'Turnabout'	HJ 33:R	22	<i>H.</i> 'Warwick Essence'	LRC Sup.	77	<i>H.</i> 'Wrede, White and Blue'	HJ 37:R	40
<i>H.</i> 'Turner Junction'	HJ 35:R	39	<i>H.</i> 'Wassup'	HJ 32:R	33	<i>H.</i> 'Wrinkles and Crinkles'	LRC	87
<i>H.</i> 'Turtle Dove'	HJ 32:R	31	<i>H.</i> 'Watercolours'	HJ 32:R	33	<i>H.</i> 'Wylde Green Cream'	LRC Sup.	80
<i>H.</i> 'Tutti-frutti'	HJ 32:R	31	<i>H.</i> 'Waterford'	LRC	85	<i>H.</i> 'Xanadu'	HJ 32:R	33
<i>H.</i> 'Tweeny'	LRC	83	<i>H.</i> 'Watermark'	HJ 37:R	39	<i>H.</i> 'Xanadu Paisley'	HJ 32:R	33
<i>H.</i> 'Tweety Bird'	LRC Sup.	76	<i>H.</i> 'Waterworks'	HJ 35:R	40	<i>H.</i> 'Xela'	HJ 35:R	41
<i>H.</i> 'Twilight'	LRC Sup.	77	<i>H.</i> 'Waving Winds'	LRC	85	<i>H.</i> 'Xerxes'	HJ 34:R	34
<i>H.</i> 'Twilight Time'	HJ 36:R	34	<i>H.</i> 'Waving Wuffles'	LRC Sup.	78	<i>H.</i> 'Xmas'	HJ 32:R	33
<i>H.</i> 'Twilight Zone'	HJ 31:R	48	<i>H.</i> 'Wayne'	HJ 31:R	49	<i>H.</i> 'X-rated'	HJ 33:R	23
<i>H.</i> 'Twinkle Toes'	LRC	83	<i>H.</i> 'Wayside Blue'	LRC	86	<i>H.</i> 'X-ray'	HJ 32:R	33
<i>H.</i> 'Twist and Shout'	LRC	83	<i>H.</i> 'Website'	HJ 31:R	50	<i>H.</i> 'Yang'	HJ 34:R	34
<i>H.</i> 'Twist of Fate'	HJ 32:R	31	<i>H.</i> 'Weihenstephan'	HJ 35:R	40	<i>H.</i> 'Yankee Blue'	HJ 31:R	51
<i>H.</i> 'Twist of Lime'	LRC	83	<i>H.</i> 'Weser'	HJ 35:R	40	<i>H.</i> 'Yellow Bird'	LRC	88
<i>H.</i> 'Two Step'	LRC	83	<i>H.</i> 'Wheaton Blue'	HJ 31:R	50	<i>H.</i> 'Yellow Boa'	LRC	88
<i>H.</i> 'Tyler's Treasure'	HJ 31:R	48	<i>H.</i> 'Whimsey'	HJ 32:R	33	<i>H.</i> 'Yellow Emperor'	LRC	88
<i>H.</i> 'Tyre'	HJ 37:R	39	<i>H.</i> 'Whipped Cream'	LRC	86	<i>H.</i> 'Yellow Eyes'	HJ 31:R	51
<i>H.</i> 'Ugly Duckling'	HJ 31:R	49	<i>H.</i> 'Whippersnapper'	LRC Sup.	78	<i>H.</i> 'Yellow Flame'	HJ 31:R	51
<i>H.</i> 'Ultramarine'	HJ 35:R	40	<i>H.</i> 'Whirlaway'	HJ 36:R	34	<i>H.</i> 'Yellow Flash'	LRC Sup.	80
<i>H.</i> 'Ultraviolet Light'	LRC	84	<i>H.</i> 'Whirling Dervish'	HJ 35:R	41	<i>H.</i> 'Yellow Highness'	LRC	88
<i>H.</i> 'Ulysses S. Grant'	HJ 33:R	23	<i>H.</i> 'Whirlwind'	LRC	86	<i>H.</i> 'Yellow Jacket'	LRC Sup.	80
<i>H.</i> 'Unbridled Passion'	HJ 36:R	34	<i>H.</i> 'Whiskey Sour'	HJ 34:R	33	<i>H.</i> 'Yellow Polka Dot Bikini'	HJ 37:R	40
<i>H.</i> 'Unchained Melody'	HJ 32:R	31	<i>H.</i> 'White Bikini'	HJ 34:R	33	<i>H.</i> 'Yellow Ribbons'	HJ 31:R	51
<i>H.</i> 'Uncle John'	HJ 32:R	31	<i>H.</i> 'White Charger'	LRC	86	<i>H.</i> 'Yellow River'	LRC Sup.	80
<i>H.</i> 'Unducosa'	LRC	84	<i>H.</i> 'White Christmas'	HJ 31:R	50	<i>H.</i> 'Yellow Splash'	LRC	88
<i>H.</i> 'Undulata'	HJ 33:R	23	<i>H.</i> 'White Colossus'	LRC	86	<i>H.</i> 'Yellow Splash Rim'	LRC	88
<i>H.</i> 'Undulata Albomarginata'	LRC	84	<i>H.</i> 'White Dove'	LRC Sup.	78	<i>H.</i> 'Yellow Surprise'	LRC	88
<i>H.</i> 'Undulata Erromena'	LRC	84	<i>H.</i> 'White Feather'	HJ 37:R	39	<i>H.</i> 'Yellow Waves'	LRC	88
<i>H.</i> 'Undulata Univittata'	LRC	84	<i>H.</i> 'White Heron'	HJ 33:R	23	<i>H.</i> 'Yellowtail'	HJ 37:R	40
<i>H.</i> 'Unexpected Company'	HJ 37:R	39	<i>H.</i> 'White Hot'	LRC Sup.	78	<i>H.</i> 'Yesterday's Memories'	HJ 37:R	40
<i>H.</i> 'Unexpected Pleasure'	HJ 32:R	32	<i>H.</i> 'White Knight'	HJ 36:R	34	<i>H.</i> 'Yikes! More Strikes'	HJ 36:R	35
<i>H.</i> 'Unexpected Song'	HJ 32:R	32	<i>H.</i> 'White Lightning'	LRC Sup.	78	<i>H.</i> 'Yin'	HJ 34:R	34
<i>H.</i> 'Unforgettable'	HJ 31:R	49	<i>H.</i> 'White Magic'	LRC	86	<i>H.</i> 'Yojimbo'	HJ 35:R	41
<i>H.</i> 'Unique'	LRC	84	<i>H.</i> 'White Mule'	LRC Sup.	78	<i>H.</i> 'Yorick'	HJ 37:R	41
<i>H.</i> 'Upbeat'	HJ 32:R	32	<i>H.</i> 'White Necklace'	HJ 31:R	50	<i>H.</i> 'You Light Up My Life'	HJ 35:R	42
<i>H.</i> 'Upper Crust'	HJ 36:R	34	<i>H.</i> 'White Ray'	LRC	86	<i>H.</i> 'Yucca Ducka Do'	HJ 32:R	33
<i>H.</i> 'Va Va Voom'	HJ 36:R	34	<i>H.</i> 'White Shoulders'	LRC	86	<i>H.</i> 'Za Za Zoom'	HJ 35:R	42
<i>H.</i> 'Valencia'	LRC Sup.	77	<i>H.</i> 'White Surprise'	LRC Sup.	78	<i>H.</i> 'Zackary Taylor'	HJ 33:R	23
<i>H.</i> 'Valentine Lace'	LRC	84	<i>H.</i> 'White Swan'	LRC Sup.	78	<i>H.</i> 'Zager Blue'	LRC	89
<i>H.</i> 'Valerie's Vanity'	LRC	84	<i>H.</i> 'White Trumpets'	LRC	86	<i>H.</i> 'Zager Giant Puckered'	LRC	89

INDEX TO REGISTRATIONS

<i>H.</i> 'Zager Green'	LRC	89
<i>H.</i> 'Zager Green Rim'	LRC	89
<i>H.</i> 'Zager's Pride'	LRC	89
<i>H.</i> 'Zager's Tokudama'	HJ 35:R	42
<i>H.</i> 'Zager's White Edge'	LRC	89
<i>H.</i> 'Zebra Stripes'	HJ 37:R	41
<i>H.</i> 'Zebson'	LRC Sup.	80
<i>H.</i> 'Zeus' Fury'	HJ 34:R	34
<i>H.</i> 'Zipper'	HJ 36:R	35
<i>H.</i> 'Zippity Do Dah'	HJ 32:R	33
<i>H.</i> 'Zippy Zepps'	HJ 35:R	42
<i>H.</i> 'Zitronenfalter'	HJ 35:R	42
<i>H.</i> 'Zodiac'	HJ 32:R	34
<i>H.</i> 'Zounds'	LRC	89
<i>H.</i> 'Zowie'	HJ 32:R	34
<i>H.</i> 'Zuzu's Petals'	HJ 31:R	51
<i>H.</i> 'Zydeco'	HJ 35:R	42
<i>H.</i> 'ZZZZ, a Sleeping Beauty'	HJ 34:R	35

PLANT PATENTS, PLANT BREEDER'S RIGHTS AND ESTABLISHMENT

Cultivar Name	Legal Protections	
<i>H. plantaginea</i> --White Margin variety		<i>PP</i>
<i>H. 'Anne'</i>	<i>PP</i>	
<i>H. 'Aristocrat'</i>	<i>PP</i>	
<i>H. 'Atlantis'</i>	<i>EBRAF</i>	
<i>H. 'Bersun'</i>	<i>PPAF</i>	
<i>H. 'Blue Circle'</i>	<i>EBRAF</i>	
<i>H. 'Christmas Candy'</i>	<i>EBRAF</i>	
<i>H. 'Dancing in the Rain'</i>	<i>PP, EBRAF</i>	
<i>H. 'El Nino'</i>	<i>PP, CPBRAAF, EBR</i>	
<i>H. 'Eskimo Pie'</i>	<i>PPAF, EBRAF</i>	
<i>H. 'Fireworks'</i>	<i>PP, EBRAF</i>	
<i>H. 'Forest Fire'</i>	<i>EBRAF</i>	
<i>H. 'Gold Rush'</i>	<i>EBR</i>	
<i>H. 'Golden Meadows'</i>	<i>EBR</i>	
<i>H. 'Grand Marquee'</i>	<i>PP, EBRAF</i>	
<i>H. 'Hanky Panky'</i>	<i>EBRAF</i>	
<i>H. 'High Society'</i>	<i>EBRAF</i>	
<i>H. 'Independence'</i>	<i>PPAF, EBRAF</i>	
<i>H. 'June'</i>	<i>APBR, EBR</i>	
<i>H. 'June Fever'</i>	<i>PP, CPBRAAF, EBRAF</i>	
<i>H. 'Karin'</i>	<i>PP</i>	
<i>H. 'Lady Guineverre'</i>	<i>PP, EBRAF</i>	
<i>H. 'Liberty'</i>	<i>PP, EBR</i>	
<i>H. 'Magic Fire'</i>	<i>EBRAF</i>	
<i>H. 'Moonstruck'</i>	<i>EBRAF</i>	
<i>H. 'Morning Light'</i>	<i>PPAF, EBR</i>	
<i>H. 'Nougat'</i>	<i>EBRAF</i>	
<i>H. 'Old Glory'</i>	<i>PP, EBR</i>	
<i>H. 'Orange Marmalade'</i>	<i>PPAF</i>	
<i>H. 'Paradise Joyce'</i>	<i>PP, CPBR, EBR</i>	
<i>H. 'Paradise Power'</i>	<i>PP, CPBR, EBR</i>	
<i>H. plantaginea</i> --Gold Margin variety		<i>PP</i>
		<i>H. 'Remember Me'</i> <i>EBR</i>
		<i>H. 'Revolution'</i> <i>EBR</i>
		<i>H. 'Royal Standard'</i> <i>PP</i>
		<i>H. 'Secret Love'</i> <i>EBRAF</i>
		<i>H. 'Solar Flare'</i> <i>PP</i>
		<i>H. 'Sundancer'</i> <i>CPBRAAF</i>
		<i>H. 'Tango'</i> <i>EBR</i>
		<i>H. 'Tattoo'</i> <i>PP, EBR</i>
		<i>H. 'Thunderbolt'</i> <i>PP, CPBRAAF</i>
		<i>H. 'Time Tunnel'</i> <i>EBRAF</i>
		<i>H. 'Titanic'</i> <i>PP, EBR</i>
		<i>H. 'Touch of Class'</i> <i>PP, EBR</i>
		<i>H. 'Twilight'</i> <i>PP</i>
		<i>H. 'White Triumphator'</i> <i>PP</i>

APBR = Australian Plant Breeder's Rights granted
CPBR = Canadian Plant Breeder's Rights granted
CPBRAAF = Canadian Plant Breeder's Rights Applied For
EBR = European Plant Breeder's Rights granted
EBRAF = European Plant Breeder's Rights Applied For
PP = Plant Patent granted
PPAF = Plant Patent Applied For
EBRAF = European Plant Breeder's

Bold faced cultivar names are also registered. Those not in bold face, have not been registered with the ICRA for the Genus Hosta

AHS FOLIAR NEMATODE POLICY STATEMENT

History

Nematodes are one of the largest families of multicellular animals on earth. They are categorized as beneficial or promoting plant health by fighting off other pests, and parasitic, or causing harm to the health of plants. Since 1991-1992, a parasitic form of nematode, the foliar nematode has been increasingly detected to infect Hosta plants. *Aphelenchoides fragariae* or the strawberry nematode, and *Ditylenchus dipsaci* the stem bulb nematode are the common culprits. Foliar nematodes are worm-like creatures that are less than 2 mm in length and have been found to infect over 250 species of plants. It is necessary to use a 10 or 20 power magnifying lens or microscope to view the worms. They eat the tissue between the veins of a Hosta leaf and within the upper and lower epidermal layers of the leaf. This removal of the inter-cellular tissue causes the epidermal layers of the leaf to turn brown and deteriorate, leaving holes in the leaf, and exit points for the worms to be spread throughout the garden. Nematodes need moisture to survive and move on a film of water, or by splashing from one plant to another, or on a host moving from plant to plant, whether on a gardeners clothes, tools, or by an animal. So any Hosta within a six foot radius of an infected plant is subject to infestation. Symptoms appear in Hosta plants usually beginning in June in southern states, and later in the growing season the farther north one lives. Plants may exhibit symptoms in only a few leaves per plant, to damage appearing on several to all the leaves on a plant. If one leaf displays symptoms, the entire plant is subject to infestation as the worms are distributed throughout the plant. It is recommended infected leaves be removed at the base, which will reduce populations, but will not cure an infestation.

Treatments

There is agreement that dormant nematodes over winter in the crown of the plant and plant debris. Dr. Parwinder Grewal from Ohio State University conducted research on foliar nematode lifecycles and concluded that the nematodes can live within the soil, existing on soil fungi. Bob Solberg from Green Hill Farm in Chapel Hill, North Carolina believes that while it may be possible for foliar nematodes to survive in the soil, in almost all cases they live in the crowns of plants. He has removed infected Hostas and planted other Hostas in the same area and not observed any damage to the newly planted Hostas. W. George Schmidt agrees the worms over winter in or near the rhizome of a Hosta. It was first thought foliar nematodes would not survive cold northern winters, but Dr. Grewal has found they will survive temperatures of -112°F. It appears the problem is two-fold, worms and eggs. Worms can survive desiccation, lying dormant for decades before rehydrating and coming back to life. Likewise the eggs can survive decades before coming to life when conditions are right.

One thing is true that both worms and eggs seem to be killed at temperatures of about 120-130°F. One remedy appears to be to the leaves and dispose of them and then immerse the roots and crown of a plant in water maintained at a temperature of approximately 125°F for about ten minutes. This may also kill a plant so it may only be practical as a last resort to attempt to save a valuable plant. Another heating option suggested by Mark Zilis from Q & Z Nursery in Rochelle, Illinois is a hot air treatment where plants are planted in black plastic pots, leaving as much of the crown of the Hosta exposed as possible and placing them in a sealed greenhouse for several days, keeping the plants watered. The temperature within the greenhouse should reach 110-120°F killing the nematodes and eggs. For the gardener without a greenhouse, a closed automobile parked in the sun can readily reach these temperatures. It may take two seasons to be sure the treatment was successful. The best solution to remove foliar nematodes is to remove an infected plant from the garden and any plant within 3-4 feet of the infected plant and a 4-6 foot radius in a nursery setting because of irrigation. Any plant that is removed should be burned or disposed of in the trash and not composted as the eggs and worms will survive composting.

Several gardening chemicals have been tried with limited success. While they may reduce worm populations there is no chemical to control the eggs. These include systemic insecticides that are absorbed by a plant and distributed throughout the plant, and impact worms feeding on that plant, translaminar chemicals, that are applied to the surface of the leaf and are distributed through the leaf to the other side, and contact insecticides, that kill on contact. All of these will have an impact on live worms however they rarely kill all the worms and have no effect on the eggs therefore it will be necessary to observe the plants for several years reapplying as eggs hatch and symptoms appear. It is important to use chemical in accordance with their instructions. A very thorough article written by Warren Pollock appeared in *The Hosta Journal*, volume 35 number 1, on pages 70-80.

Membership Request

With this information in mind, the purpose of this policy is to persuade our members to do the following:

- A. Understand what symptoms of nematode infestation look like.
- B. Destroy any plant they have in their collection to avoid spreading foliar nematodes.
- C. Purchase plants from reputable dealers that guarantee their plants to be nematode free.
- D. Help inform others who may have infected plants so they are aware of the problem and don't spread nematodes to others.

AHS FOLIAR NEMATODE POLICY STATEMENT

- E. Don't bring Hostas known to be infected, suspected of being infected or growing near plants infected with foliar nematodes to auctions or sales at Hosta society meetings.

This policy discussion should be featured prominently on the AHS Web site and in *The Hosta Journal* and mailed to all newsletter editors, regional directors, speakers, Internet lists, and others who relay information to the general membership. We also intend to work closely with the AHGA in monitoring and addressing the foliar nematode issue. The AHS will assemble a package that at least points to available information, including photos of infected plants, on the Web or in other publications and make this package available to all, either separately or as part of a unified pest and disease package.

AHS Recommendations

- It is recommended that all new Hosta plants, regardless of from where plants were obtained, be planted in an area separate from the main Hosta garden for at least one season, preferably two seasons, before being introduced into the main Hosta garden. This will provide an opportunity to monitor the plant for a season or more being able to observe whether or not the plant exhibits the sign of nematode infestation.
- Nematode infected hosta leaves should not be entered in a Hosta Show to be judged. Leaves that exhibit nematode characteristics should be disqualified by the show chair. However, these leaves may be entered in the educational section to educate attendees about nematode infection and what to look for, along with information on the risks associated with planting them in the garden. Leaves or live plants showing nematode infection should not be entered with other live plants to avoid their spread to non-infected plants.
- Plants exhibiting nematode infestation should not be sold at vending tables at AHS functions. Any vender selling plants at AHS functions should guarantee plants to the best of their knowledge to be free of foliar nematodes. If symptoms of foliar nematodes appear on plants purchased at an AHS event by September 1 of the same year purchased the purchaser should contact the vendor immediately to resolve the issue.
- No plants exhibiting symptoms of foliar nematode infestation will be sold at AHS auctions. Any plants donated to AHS auctions should be guaranteed to the best of the donor's knowledge to be free of foliar nematodes. If symptoms of

foliar nematodes appear on plants purchased at an AHS auction by September 1 of the same year purchased, the entire plant in question should be returned to the donor and if symptoms are showing, the donor of the plant should replace the plant, or the AHS should refund the price paid for the plant if the donor is unable to provide a plant free of foliar nematode symptoms. Refund is limited to the original price paid for the plant from the auction.

- Nurseries should guarantee their plants to be foliar nematode free to the best of their knowledge. Customers should contact a nursery before purchasing plants to inquire about guarantees and what recourse there will be if a plant is found, within the same growing season, to have foliar nematodes. If plants purchased are found later that same season to show symptoms of foliar nematodes, customers should contact the nursery to see what the owner will do about replacement or a refund. Nurseries should destroy all infected plants and those within a 6 foot radius.
- Any plants that are observed to show symptoms of foliar nematodes should be removed from the garden to avoid the spread to other plants. To be on the safe side infected plants should be destroyed and all plants within a 3 to 4 foot radius should also be destroyed. Short of digging up ones entire garden, infected plants can be quarantined to areas of the garden away from Hosta collections and attempts can be made to clean the plants of nematodes trying any chemical means or heat treatment as suggested above. Plants should remain in quarantine for several seasons to observe for reoccurrence of symptoms. It is recommended that no plants leave an infected garden for any reason, even with a warning to other gardeners that there is a problem.
- Clean up of debris and dead Hosta plant parts should be undertaken in the fall each year to avoid over wintering sites for nematodes and eggs.

Summary

It is important to scout plants in the garden, particularly later in the growing season to be on the lookout for foliar nematode infested plants, and remove all plants that show symptoms and all plants within a 3-4 foot radius of infected plants. Various treatments can be attempted to clean plants of foliar nematodes, but to date only heat treatment has been shown to clean plants of foliar nematodes, and these plants should be observed for several sea-

AHS FOLIAR NEMATODE POLICY STATEMENT

sons after cleanup attempts to be sure plants are clean. Also there are no chemical treatments readily available to gardeners that have been shown to kill all nematodes within a plant, or more importantly to kill eggs. Fortunately studies are being conducted to find better methods of control and elimination of foliar nematodes, so there is hope for the future.

Nursery owners should destroy all infected plants, and it is recommended that gardeners do likewise. Short of destroying all infected plants gardeners should not allow any plants out of a garden infected with foliar nematodes. We all must be responsible and control ourselves to avoid spreading this pest to others.

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

The following is the *minimum* required for registration:

- This form with the front page completed in its entirety.
- One photographic print or slide of the clump, with leaf detail discernable.
- Written permission from the originator if other than the registrant.

The following is optional but strongly requested:

- Any information requested on the back side of the form now or as soon as available.
- A different photo showing leaf detail.
- A \$5 registration fee. Check payable to The American Hosta Society (unpaid fees will be paid by The American Hosta Society).

Forms, fee, photos, etc. should be mailed to: Hosta Registrar, **Kevin P. Walek, 9122 John Way, Fairfax Station, VA 22039-3042 or email to: ahsregistrar@aol.com**. Terms used on this form can be found in *The American Hosta Society Glossary of Terms*. Questions can be answered by calling 703-798-5501 (evenings and weekends) or emailing ahsregistrar@aol.com. **Please note:** Un-established cultivar names submitted for registration do not become established until they are published in *The Hosta Journal* accompanied by their description and thus could become established outside of registration prior to that publishing date. **Feel free to photocopy this form for additional copies and distribution.**

Cultivar Name:

Name of Registrant:

Address/Phone/Email:

Originator:

Introducer:

Nominant (namer):

All measurements provided on the form are: (check one) ___ inches ___ centimeters

Is the cultivar currently being grown or sold under a different name or number? (details):

Has this cultivar name ever been published? Please provide the publication name (catalogs included) and date:

Is/will the cultivar be patented?(Y/N) Is the cultivar currently being sold under a trademark name and is that name a registered trademark? (provide trademark and details):

Is the cultivar a seedling or sport (circle one)?

“Parent” of Sport: _____ Seedling Pod Parent: _____ Seedling Pollen Parent: _____

The clump being described is ___ years old and is/was/has (circle all that apply): 1) the original seedling/the original sport/a ___ generation division/tissue cultured/an unknown history 2) obtained from the originator/a nursery/other source:

The clump described is growing in (city/state/country):

Plant Size (circle one): miniature-----small-----medium-----large-----giant

Leaf Color (choose from the adjacent list):

Center: _____ Margin (include width): _____

Seasonal Color Change/Other (describe): _____

Is the variegation pattern stable? (explain):

Leaf Size: Width: _____ Length: _____

Flower Time (check one): ___ before June 1 ___ June 1 to July 15 ___ July 15 to Aug 15 ___ Aug 15 to Oct 1 ___ after Oct 1

Flower Color (circle one): pure white--near white--pale lavender--med. lavender--pale purple--deep purple--other:

What diagnostic characters make this cultivar unique from other hosta?

- light green
- medium green
- dark green
- slightly blue-green
- medium blue-green
- intensely blue-green
- greenish-yellow
- pale yellow
- yellow
- golden yellow
- greenish white
- creamy white
- pure white
- green speckling
- white speckling
- streaked with (colors above)
- mottled with (colors above)

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Plant Size: Width _____ Height _____

Plant Habit: (circle one) upright---mound-like---rhizomatous Growth Rate: (circle one) slow---medium---fast

Leaf Detail:

Number of vein pairs (range): _____

Appearance of the margin: (circle one) flat---slightly rippled---heavily rippled--- "serrated"


Unique Petiole [leaf stalk] Characteristics (describe):

Leaf Texture: Top Surface (circle one): dull---slightly shiny---very shiny---glaucous bloom

Bottom Surface (circle one): dull---slightly shiny---very shiny---glaucous bloom

Leaf Appearance: (indicate a modifier) [L]ightly, [M]oderately, [D]eeply, [I]ntensely
 ___ cupped ___ twisted ___ folded ___ wavy ___ corrugated ___ flat

Leaf Shape: (check one)



Leaf Base: (circle one)



Flower, Scape and Pod Detail:

Scape Height Range: _____ to _____ Scape Color: _____ Scape leaves/bracts at maturity? (Y/N)

Bloom Time: start

Date	Code


 peak

Date	Code

 finish

Date	Code


(indicate dates **and** period codes off the chart below)



Is there significant fragrance? (Y/N) Flower Length: _____

Flower Color Patterns: (describe: striping, translucent margins, etc.)

Flower Shape (circle one):



Does it set seed? (Y/N/?)

Is the seed viable? (Y/N/?)

Seed Pod Color: _____

Registration Rec'd:

Registered:

Name Reserved:

Registration or Name Rejected:

Office use only 7/01