

The Registration process is only as good as the people who register their plants, and the quality of the information that they provide. I want to thank all who have taken the time to make this an informative and educational effort. There are 150 new registrations for 2008. There are now a total of 3940 registered hostas. As the comprehensive index has become longer than the yearly registrations we are moving to publish the index every third year. You are reminded that last year's comprehensive index includes all but this year's registrations, we will also maintain a complete index on the Registrar's Web site between hardcopy versions. Under the *International Code of Nomenclature for Cultivated Plants* (ICNCP), registrations are established when printed in a publication that reaches the general public. Thus, although these and other names may appear elsewhere, especially if only found in electronic media, they may not be established. (See also, **Plant Patents, Plant Breeder's Rights and Establishment** below.)

**New Form Attached:** The simplified registration form (included at the end of this publication) was introduced in June of 1998. Part of the simplification at that time was to give registrants the option to place their cultivar in a more general category rather than give the specific dimensions. These categories (miniature, small, med., large, and giant) were somewhat arbitrary and their use was allowed was, but a strong emphasis on actual measurements was encouraged. Since their inclusion greater than 90 percent of the registrations contained actual measurements, and where the registrant used the generic term and the measurements, the generic term was not the correct one based upon those measurements. Thus, as actual measurements provide greater information we are moving back to requiring actual measurements rather than generic terms.

However, the most significant change in the form has been to smooth out the form. In an attempt to encourage registration the 1998 simplification provided that only the required information was required on page 1 and thus one could simply fill out page 1 and that was sufficient, this caused a wide variation in what information was provided and a "hodge podge" of registration information across cultivars. More importantly by breaking up information about the cultivar, e.g., with flower information on page 1 and page 2, leaf information on page 1 and page 2, etc., it also became apparent that there was a breakdown in what went where and also there was an ever increasing amount of discrepant information provided; with the information page 1 often not agreeing with the information provided on page 2. In some cases it was almost like the information being provided was for two entirely different cultivars. Thus, the form has been revised to include a section for general information, followed by sections corresponding with the relevant part of the plant. The required information is in bold-faced print. The form makes it clear that the information requested in the bold-faced areas must

be filled out completely. Completely can include answers such as not applicable for this cultivar, if, and only if, such an answer is appropriate, not just because it is not convenient to collect the required information.

Under parentage information (found within the brackets at the end of each cultivar entry) the category of "parentage unknown" was added in 1997. I strongly request that registrants be more informative in the future especially where the parentage information submitted provides no guidance as to the parentage, such as [seedling × seedling] or [sport of stabilized seedling of unknown parents]. This does not imply anything regarding the validity of information submitted by the registrant, only that the description as registered adds nothing to the genetic, or parentage knowledge base. Parentage information published with registrations is intended to be "known parentage" as opposed to guesses, educated or otherwise. The abbreviation "TC" is used to indicate "tissue culture."

In reviewing this year's submissions, many persons who have listed themselves as the originator, are also indicating that the seedling or sport that was used for measurement purposes to complete the registration was obtained from the originator. Please keep in mind that, if you are the originator you did not obtain the plant from anyone – thus, you are the originator. On the other hand if you have received the sport from TC and the plant being TCed was not yours, then you likely are not the originator. Think this section through when filling out the form, simple logic should help you with the answer. Please, if you have any questions regarding any part of the form do not hesitate to e-mail me with your questions.

In registering hostas, classifying them for Hosta Shows and for those entering and judging them, I am finding that there are several problems with the determination of the margin colors, as well as the base color descriptions, that are submitted by the person registering the hosta, especially if the registrant is looking at yellowish green, greenish yellow, creamy yellow, or other similar compound color descriptions. To elaborate: 1) registrants most often have no reference chart to consult (i.e., what is the difference between greenish yellow and yellowish green) and 2) the margin color may change rather rapidly and it depends at what time they make their observations. If the greenish is very early and lasts only a couple of weeks, then turns to cream, then we should register it as white, if it turns to yellow, then yellow, or if to chartreuse, then green. In an effort to ease this dilemma, we will be providing sometime in the future at the Registrar's Web site a series of sample charts (coming soon), with codes to assess the accuracy of other codes, or of your computer/printer color indicators and to improve your registration information. More detailed RGB or Hex # color charts may be found at various Web sites, or by ordering the Royal Horticultural Society Colour Chart.

**Brief Key to Descriptions: ONIR:** O=originator, N=nominant (namer), I=introducer, R=registrant.

**Flowers:** Another change that we are making in the revised form is to eliminate the use of bloom period codes, as less than 10 percent of the registrants ever used them and in those cases the use was often inconsistent with dates given in the same form, or across forms from the same registrant. Very little useful information has been gained by that part of the form, which also was responsible for the greatest number of questions from prospective registrants, and thus we are eliminating it. However, I strongly encourage exact bloom period dates be given, especially when we know where the plant was grown.

**Forms:** Registration forms are available from the registrar, or may be obtained on the Internet at: <http://www.hosta.org/> at: <http://hostalibrary.org/> or from the Registrar's website [www.hostaregistrar.org](http://www.hostaregistrar.org).

**Plant Patents, Plant Breeder's Rights and Establishment:** Principle 5 of the ICNCP states:

"This *Code* regulates the terminology to be used for distinguishable group of plants in cultivation and the names to be applied to individual distinguishable groups."

"Under some national and international legislation such as that providing for National Listing or Plant Breeders' Rights (Plant Variety Rights), names may be established for distinguishable groups of plants using terminology peculiar to such legislation. This *Code* does not regulate the use of such terminology or the formation of such names but recognizes that, under such legislation, these names take precedence over names formed under the provisions of this *Code*."

Article 28.2 of the *Code*: "the name of a cultivar accepted and published by a statutory plant registration authority, even if using alternative terminology must not be rejected under the provisions of this *Code*."

In keeping with this principle, included on page 22 is a table of hostas that have been processed under one of these pieces of legislation. The table also indicates which have already been registered. Those which have not been registered have been established and thus, those names although, not registered, are not available for use by any other person. Of note, of the 73 cultivars granted these other protections, 62 are already registered. Thus, it is reassuring that most still feel the registration process is as valuable as the legal protections afforded by certain jurisdictions.

**Thanks:** The editing of W. George Schmid, Mark Zilis, C.H. Falstad, III and Warren Pollock is acknowledged and greatly appreciated.



Kevin P. Walek  
International Registrar for the Genus *Hosta*  
9122 John Way  
Fairfax Station, VA 22039-3042  
703-798-5501  
[AHSRegistrar@aol.com](mailto:AHSRegistrar@aol.com)

**Corrections:** 2006 Registration: *H.* 'Gold Rags' This name was registered incorrectly. It should have been registered as *H.* 'Glad Rags'.

***H.* 'Glad Rags'** R. Lysne (ONIR)

**Plant:** 24 in. (61 cm) diameter; 16 in. (40.6 cm) high; mound-like; med. growth rate.

**Leaf:** 6 in. (15.2 cm) long; 4 in. (10.2 cm) wide; 10 to 16 vein pairs; dark green; 1 to 1.5 in. (2.5 to 3.8 cm) wide, flat, golden yellow margin; slightly shiny on top; dull underneath; broadly ovate; cordate base; lightly cupped, moderately corrugated.

**Scape:** 14 to 16 in. (35.6 to 40.6 cm) long; light green.

**Flower:** 1 in. (2.5 cm) long; pale lavender; tubular; Crawford Co., WI; 7/14-7/18-7/24.

**Seed:** does not set seed.

**Clump History:** original seedling; 3 yrs old; Crawford Co., WI.

**Notable Characteristics:** heavy substance, very wide margin, intense gold color phase.

[*H.* 'Sheer Bliss' selfed]

**Seasonal Variation:** margins change from chartreuse to gold to ivory.

**H. 'Abiqua Big Sky'** C. Purtyman (ONI), P. & J. Ruh (R)  
**Plant:** 34 in. (86.4 cm) diameter; 17 in. (43.2 cm) high; open mound-like; medium growth rate.  
**Leaf:** 14.5 in. (36.8 cm) long; 10.5 in. (26.7 cm) wide; 15 vein pairs; intensely blue-green; slightly rippled margin; glaucous bloom on top, dull underneath; ovate, cordate base; lightly wavy, moderately corrugated; glaucous green petiole.  
**Scape:** 20 to 26 in. (50.8 to 66 cm) long, glaucous green.  
**Flower:** 2 in. (5.1 cm) long; near white; light lavender striped; bell; fragrant; Chesterland, OH; 6/21-7/2-7/13.  
**Clump History:** a division 19 yrs old obtained from the originator; Chesterland, OH.  
**Notable Characteristics:** stately size, arched appearance, pointed tip.  
 [parentage unknown]

**H. 'Academy Blue Funnel'** S. Chamberlain (ONIR)  
**Plant:** 46 in. (116.8 cm) diameter; 28 in. (71.1 cm) high; upright; medium growth rate.  
**Leaf:** 11 in., (27.9 cm) long; 8 in. (20.3 cm) wide; 16 vein pairs; medium blue-green; flat; glaucous bloom on top and underneath; cordate base, broadly ovate; moderately cupped, lightly twisted, moderately corrugated; petiole medium green.  
**Scape:** 19 to 26 in., (48.3 to 66 cm) long; medium green.  
**Flower:** 1.88 in., (4.8 cm) long; near white, pale lavender buds; tubular; Manlius, NY; 6/15, 6/25, 7/14.  
**Seed:** sets viable seeds; pod light green.  
**Clump History:** original seedling, 6 yrs old; Manlius, NY.  
**Notable Characteristics:** strongly vase-shaped, medium-sized blue with prominent veins and rugosity.  
 [parentage unknown]

**H. 'Academy Cratered Blue'** S. Chamberlain (ONIR)  
**Plant:** 31 in., (78.7 cm) diameter; 13 in., (33 cm) high; mound-like; slow growth rate.  
**Leaf:** 7.5 in., (19.1 cm) long; 7 in. (17.8 cm) wide; 16 vein pairs; medium blue-green; flat; glaucous bloom on top and underneath; cordate base, nearly round; moderately cupped, moderately corrugated; petiole light blue-green.  
**Scape:** 9 to 13 in., (22.9 to 33 cm) long; medium green.  
**Flower:** 1.5 in., (3.8 cm) long; near white, light lavender striped; tubular; Manlius, NY; 6/26, 7/10, 7/20.  
**Seed:** seed set unknown.  
**Clump History:** original seedling, 6 yrs old; Manlius, NY.  
**Notable Characteristics:** medium-sized, blue-green with nearly circular, cupped leaves; flower scapes that barely protrude.  
 [parentage unknown]

**H. 'Academy Faux Sedge'** S. Chamberlain (ONIR)  
**Plant:** 17 in., (43.2 cm) diameter; 6 in., (15.2 cm) high; rhizomatous; fast growth rate.  
**Leaf:** 4.25 in., (10.8 cm) long; 1.25 in. (3.2 cm) wide; 4 vein pairs; medium green; slightly rippled; dull on top, slightly shiny underneath; tapered base, lance; lightly wavy; petiole medium green.  
**Scape:** 10 to 29 in., (25.4 to 73.7 cm) long; medium green.  
**Flower:** 2 in., (5.1 cm) long; medium lavender, purple striped; tubular; Manlius, NY; 7/15, 8/25, 9/1.  
**Seed:** sets seeds, viability unknown; pod dark purplish green.  
**Clump History:** original seedling, 5 yrs old; Manlius, NY.  
**Notable Characteristics:** vigorous, small, lance-leaved hosta that looks like a sedge, lacks synchronous blooming, extended bloom period.  
 [parentage unknown]

**H. 'Academy Gilded Dawn'** S. Chamberlain (ONIR)  
**Plant:** 50 in., (127 cm) diameter; 21 in., (53.3 cm) high; mound-like; fast growth rate.  
**Leaf:** 11.5 in., (29.2 cm) long; 9.5 in. (24.1 cm) wide; 10 vein pairs; yellow; flat margin slightly shiny on top, very shiny underneath; cordate base, broadly ovate; moderately flat; petiole greenish-yellow.  
**Scape:** 24 to 31 in., (61 to 78.7 cm) long; light purple.  
**Flower:** 1.88 in., (4.8 cm) long; near white, pale lavender striped; tubular; Manlius, NY; 7/11, 7/30, 8/11.  
**Seed:** sets seeds, viability unknown; pod greenish-yellow.  
**Clump History:** original seedling, 4 yrs old; Manlius, NY.  
**Notable Characteristics:** large, mound like yellow hosta, emerges yellow and remains mostly yellow.  
 [H. 'Granary Gold' × unknown]  
**Seasonal Variation:** yellow to slightly greenish-yellow, slightly viridescence.

**H. 'Academy Glowing Embers'** S. Chamberlain (ONIR)  
**Plant:** 53 in., (134.6 cm) diameter; 19 in., (48.3 cm) high; mound-like; fast growth rate.  
**Leaf:** 9 in., (22.9 cm) long; 7 in. (17.8 cm) wide; 10 to 11 vein pairs; greenish-yellow; 1 in., (2.5 cm) wide, flat, golden yellow margin; dull on top and underneath; cordate base, broadly ovate; lightly cupped; petiole light green.  
**Scape:** 24 to 29 in., (61 to 73.7 cm) long; medium green.  
**Flower:** 1.5 in., (3.8 cm) long; pale lavender, medium lavender striped; tubular; Manlius, NY; 7/18, 8/15, 8/20.  
**Seed:** does not set seed; pod light green.  
**Clump History:** original sport, 4 yrs old; Manlius, NY.  
**Notable Characteristics:** new leaves have variegation.  
 [sport of H. 'Academy Fire']  
**Seasonal Variation:** variegation disappears through the season.

**H. 'Academy Grins'** S. Chamberlain (ONIR)  
**Plant:** 18 in., (45.7 cm) diameter; 8 in., (20.3 cm) high; mound-like; medium growth rate.  
**Leaf:** 4.5 in., (11.4 cm) long; 2 in. (5.1 cm) wide; 4 vein pairs; medium blue-green; .25 in., (.6 cm) wide, slightly rippled, yellow to white margin; dull on top, slightly shiny underneath; rounded base, ovate; lightly cupped; petiole medium green center, white edge.  
**Scape:** 23 to 26 in., (58.4 to 66 cm) long; medium green.  
**Flower:** 2.38 in., (6 cm) long; medium lavender, pale purple striped; tubular; Manlius, NY; 7/16, 8/26, 9/10.  
**Seed:** sets seeds, viability unknown; pod dark green.  
**Clump History:** original seedling, 5 yrs old; Manlius, NY.  
**Notable Characteristics:** small mound like hosta with clean yellow edge, extended bloom season.  
 [unregistered streaked seedling × unknown]  
**Seasonal Variation:** margin whitens through season.

**H. 'Academy Smiles'** S. Chamberlain (ONIR)  
**Plant:** 30 in., (76.2 cm) diameter; 12 in., (30.5 cm) high; upright; medium growth rate.  
**Leaf:** 6 in., (15.2 cm) long; 3.75 in. (9.5 cm) wide; vein pairs 6; medium green; .38 to .5 in., (1 to 1.3) wide, slightly rippled, yellow to white margin; dull on top, very shiny underneath; rounded base, ovate; moderately flat; petiole medium green center, white edge.  
**Scape:** 16 to 29 in., (40.6 to 73.7 cm) long; medium green.  
**Flower:** 2.88 in., (7.3 cm) long; medium lavender, pale purple striped; tubular; Manlius, NY; 7/23, 8/11, 8/24.  
**Seed:** sets seeds, viability unknown; pod purple and green striped.

**Clump History:** original seedling, 5 yrs old; Manlius, NY.  
**Notable Characteristics:** small to medium yellow margined, lightening to white during season, showy flowers.  
 [unregistered streaked seedling × unknown]  
**Seasonal Variation:** margin whitens during season.

**H. 'Academy Speckled Caddy Spoons'** S. Chamberlain (ONIR)  
**Plant:** 10.5 in., (26.7 cm) diameter; 4 in., (10.2 cm) high; mound-like; slow growth rate.  
**Leaf:** 2.5 in., (6.4 cm) long; 1.5 in. (3.8 cm) wide; 5 vein pairs; light green with green speckling; slightly rippled margin, dull on top and underneath; rounded base, ovate; lightly cupped, lightly twisted, lightly folded; petiole light green.  
**Scape:** 8 to 14 in., (20.3 to 35.6 cm) long; purple.  
**Flower:** 1.63 in., (4.1 cm) long; medium lavender, dark lavender striped; tubular; Manlius, NY; 7/12, 7/25, 7/30.  
**Seed:** sets seeds, viability unknown; pod brownish purple.  
**Clump History:** original seedling, 5 yrs old; Manlius, NY.  
**Notable Characteristics:** small hosta with folded leaves, grass-clipping stippling and viridescent. Reblooms in August.  
 [H. 'Allegan Fog' × unknown]  
**Seasonal Variation:** speckled variegation is lost as the leaf lightens during the season.

**H. 'Academy Speckled Vase'** S. Chamberlain (ONIR)  
**Plant:** 20 in., (50.8 cm) diameter; 16 in., (40.6 cm) high; upright; medium growth rate.  
**Leaf:** 7.5 in., (19.1 cm) long; 4 in. (10.2 cm) wide; 10 vein pairs; slightly blue-green with stippling; heavily rippled margin, glaucous bloom on top and underneath; rounded base, ovate; lightly cupped, lightly folded, lightly corrugated; petiole medium green glaucous, slightly lighter center.  
**Scape:** 11 to 16 in., (27.9 to 40.6 cm) long; glaucous medium green, branched.  
**Flower:** 1.5 in., (3.8 cm) long; near white, lavender striped; tubular; Manlius, NY; 7/10, 7/15, 7/25.  
**Seed:** does not set seed.  
**Clump History:** original seedling; 6 yrs old; Manlius, NY.  
**Notable Characteristics:** unique stiffly upright blue-green with grass-clipping stippling.  
 [H. 'Allegan Fog' × unknown]  
**Seasonal Variation:** lightens to medium green through season.

**H. 'Ace Bill Wundram'** F. & S. Freeman (ONIR)  
**Plant:** 32 in., (81.3 cm) diameter; 15 in., (38.1 cm) high; mound-like; medium growth rate.  
**Leaf:** 9.75 in., (24.8 cm) long; 7 in. (17.8 cm) wide; 13 vein pairs; dark green; .25 to .75 in., (.6 to 1.9 cm) wide, slightly rippled, butterscotch yellow margin; slightly shiny on top and underneath; cordate base, broadly ovate; lightly cupped.  
**Scape:** 30 to 36 in., (76.2 to 91.4 cm) long; green.  
**Flower:** 1.5 in., (3.8 cm) long; near white, bell; Davenport, IA; 7/1, 7/18, 7/20.  
**Seed:** sets viable seeds; pod green.  
**Clump History:** original seedling, 4 yrs old; Davenport, IA.  
 [parentage unknown]

**H. 'Alakazaam'** R. Livingston (ONR), Walters Gardens, Inc. (I)  
**Plant:** 12 in., (30.5 cm) diameter; 7 in., (17.8 cm) high; mound-like; medium growth rate.  
**Leaf:** 5 in., (12.7 cm) long; .75 in. (1.9 cm) wide; 3 to 4 vein pairs; medium green; .25 in., (.6 cm) wide, heavily rippled, golden-yellow margin; slightly shiny on top and underneath; lance, tapered; deeply folded, intensely wavy.  
**Flower:** medium lavender; tubular; Clawson, MI; 7/15, 8/15.  
**Clump History:** original seedling; 4 yrs old; Clawson, MI.

**Notable Characteristics:** variegated seedling of H. 'Atom Smasher', golden yellow wavy margins, bright green center.  
 [M12A (seedling of H. 'Marble Cream') × H. 'Atom Smasher']  
**Seasonal Variation:** margin turns to a creamy white.

**H. 'Alex'** B. Graves (ONIR)  
**Plant:** 21 in., (53.3 cm) diameter; 11 in., (27.9 cm) high; mound-like.  
**Leaf:** 8 in., (20.3 cm) long; 5 in. (12.7 cm) wide; 12 to 13 vein pairs; medium green; .5 in., (1.3 cm) wide, flat, yellow margin; slightly shiny on top, dull underneath; tapered base, elliptic; lightly cupped.  
**Scape:** 24 to 40 in., (61 to 101.6 cm) long; green.  
**Flower:** 2 in., (5.1 cm) long; pure white, tubular; Sylvania, OH; 7/15, 7/26, 8/7.  
**Seed:** sets viable seeds; pod green.  
**Clump History:** original seedling, 6 yrs old; Sylvania, OH.  
**Notable Characteristics:** color looks good well into October.  
 [H. 'Dorothy Benedict' × H. 'Elatior']

**H. 'American Gothic'** G. Johnson (OIR) R. O'Harra Hosta Society (N)  
**Plant:** 30 in., (76.2 cm) diameter; 16 in., (40.6 cm) high; mound-like; medium growth rate.  
**Leaf:** 9 in., (22.9 cm) long; 4.5 in. (11.4 cm) wide; 9 to 11 vein pairs; medium green; .5 to 1 in., (1.3 to 2.5 cm) wide, flat, medium blue-green margin; glaucous bloom on top and underneath; flat base, broadly ovate; flat; green.  
**Flower:** pale lavender; tubular; Marshalltown, IA; 7/15, 8/15.  
**Seed:** sets seeds, viability unknown; pod green.  
**Clump History:** original sport, 5 yrs old; Marshalltown, IA.  
**Notable Characteristics:** subtle variegation of green and blue.  
 [sport of H. 'Blue Arrow']  
**Seasonal Variation:** brighter in spring.

**H. 'April Clown'** R. Kuenster (ONIR)  
**Plant:** 38 in., (96.5 cm) diameter; 22 in., (55.9 cm) high; upright.  
**Leaf:** 11 in. (27.9 cm) long; 6 in., (15.2 cm) wide; 11 to 13 vein pairs; light to medium green; .5 to 1 in., (1.3 to 2.5 cm) wide, slightly rippled, creamy white margin; slightly shiny on top and underneath; cordate base, ovate; lightly cupped, moderately folded; petiole medium green with creamy edge.  
**Scape:** 28 to 36 in., (71.1 to 91.4 cm) long; green.  
**Flower:** 1.5 in., (3.8 cm) long; near white, tubular; Iowa City, IA; 7/10, 7/20, 8/1.  
**Seed:** sets viable seeds; pod green.  
**Clump History:** original seedling, yrs old; Iowa City, IA.  
**Notable Characteristics:** upright form, leaves point upward.  
 [H. 'Dorset Clown' × H. 'Dorset Clown']

**H. 'Athletic Event'** F. Nyikos (ONIR)  
**Plant:** 24 in., (61 cm) diameter; 14 in., (35.6 cm) high; rhizomatous.  
**Leaf:** 5.5 in., (14 cm) long; 2.5 in. (6.4 cm) wide; vein pairs 6 to 8; medium green; .08 in., (.2 cm) wide, very slightly rippled, white margin; slightly shiny on top, moderately shiny underneath; tapered base, elliptic; moderately folded.  
**Flower:** medium lavender; Unionville, IN; 7/15, 8/15.  
**Clump History:** original sport, 5 yrs old; Unionville, IN.  
**Notable Characteristics:** more robust than its parent.  
 [Sport of H. 'Kiwi Cream Edge']

**H. 'August Fire'** Walters Gardens, Inc. (OI), A. Bergeron (NR)  
**Plant:** 24 in., (61 cm) diameter; 12 in., (30.5 cm) high; mound-like; fast growth rate.  
**Leaf:** 7 in., (17.8 cm) long; 3 in. (7.6 cm) wide; 8 vein pairs;

grayish-green; .25 in., (.6 cm) wide, flat, white margin; dull on top, glaucous bloom underneath; lance, cordate base; lightly wavy.

**Scape:** red.

**Flower:** 2.5 in., (6.4 cm) long; pale purple; tubular; Zeeland, MI; Aug 15 to Oct 1.

**Clump History:** original sport obtained from t.c.; 3 yrs old; Zeeland, MI.

**Notable Characteristics:** white margin mutation of *H.* 'Red October'.

[sport of *H.* 'Red October']

**H. 'Baby Doll'** D. Van Eecheute (ONIR)

**Plant:** 4.3 in., (10.9 cm) diameter; 1.5 in., (3.9 cm) high; mound-like; medium growth rate.

**Leaf:** 2.3 in., (5.8 cm) long; 1.7 in., (4.4 cm) wide; 7 vein pairs; yellow; .4 in., (1.1 cm) wide, flat, intensely blue-green margin; glaucous bloom on top and underneath; broadly ovate, flat base; lightly folded.

**Scape:** 10.2 to 13 in., (26 to 33 cm) long; green.

**Flower:** 1.6 in., (4.1 cm) long; medium lavender; tubular; Deinze, Belgium; 6/12, 6/20, 7/11.

**Seed:** sets seeds viability is unknown; pod light green.

**Clump History:** the original sport; 6 yrs old; Deinze, Belgium.

**Notable Characteristics:** eye catching contrasts, looks like a small *H.* 'June'.

[sport of *H.* 'Blue Cadet']

**H. 'Belle Vernon Pride'** S. & S. Zolock (ONIR)

**Plant:** 42 in., (106.7 cm) diameter; 24 in., (61 cm) high; mound-like; medium growth rate.

**Leaf:** 13 in., (33 cm) long; 7 in. (17.8 cm) wide; 10 to 12 vein pairs; medium blue-green; slightly rippled; slightly shiny, dull with glaucous bloom; flat base, ovate; lightly cupped, lightly corrugated; petiole purple streaking.

**Scape:** 30 to 34 in., (76.2 to 86.4 cm) long; green.

**Flower:** 2.5 in., (6.4 cm) long; medium lavender, dark lavender striping; bell; fragrant; Belle Vernon, PA; Aug 15 to frost.

**Seed:** sets viable seeds; pod dark purple.

**Clump History:** original seedling, 6 yrs old; Belle Vernon, PA.

**Notable Characteristics:** late flowering, thick substance, disease and insect resistant.

[seedling × seedling]

**Seasonal Variation:** starts dark blue-green.

**H. 'Big Stuff'** F. & S. Freeman (ONIR)

**Plant:** 54 in., (137.2 cm) diameter; 36 in., (91.4 cm) high; upright; fast growth rate.

**Leaf:** 11.5 in., (29.2 cm) long; 9 in. (22.9 cm) wide; 14 vein pairs; medium green; slightly rippled margin, slightly shiny on top and underneath; cordate base, broadly ovate; lightly wavy.

**Scape:** 36 to 48 in., (91.4 to 121.9 cm) long.

**Flower:** 2 in., (5.1 cm) long; pure white, tubular; Davenport, IA; 7/1, 7/14, 7/25.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 6 yrs old; Davenport, IA.

**Notable Characteristics:** size, green with white flowers.

[parentage unknown]

**H. 'Blu Dort'** F. & S. Freeman (ONIR)

**Plant:** 48 in., (121.9 cm) diameter; 24 in., (61 cm) high; mound-like; medium growth rate.

**Leaf:** 15 in., (38.1 cm) long; 12.25 in. (31.1 cm) wide; 17 vein pairs; medium blue-green; slightly rippled margin, slightly shiny on top, dull underneath; cordate base, broadly ovate; flat.

**Scape:** 22 to 26 in., (55.9 to 66 cm) long; green.

**Flower:** 1.5 in., (3.8 cm) long; pure white, tubular; Davenport, IA; 7/10, 7/15, 7/22.

**Seed:** sets viable seeds; pod green.

**Clump History:** original sport, 5 yrs old; Davenport, IA.

**Notable Characteristics:** thick leaf.

[sport of *H.* 'Dorothy Benedict']

**H. 'Blue Berry Waffles'** S. Brown (ONIR)

**Plant:** 68 in., (172.7 cm) diameter; 30 in., (76.2 cm) high; mound-like; medium growth rate.

**Leaf:** 15 in., (38.1 cm) long; 12.5 in. (31.8 cm) wide; 18 vein pairs; intensely blue-green; slightly rippled margin, glaucous bloom on top and underneath; cordate base, broadly ovate; intensely corrugated.

**Scape:** 29 in., (73.7 cm) long; green.

**Flower:** 1.75 in., (4.4 cm) long; near white to pale lavender, slight lavender striping; tubular; Grand Rapids, MI; 6/1 7/15.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 6 yrs old; Grand Rapids, MI.

**Notable Characteristics:** intense waffling, heavy wax, color close to blue berries.

[*H.* 'Spilt Milk' × *H.* 'Abiqua Drinking Gourd']

**H. 'Boracay'** J. van den Top (ONI), D. Van Eecheute (R)

**Plant:** 22.6 in., (57.5 cm) diameter; 13.9 in., (35.2 cm) high; mound-like; medium growth rate.

**Leaf:** 7.5 in., (19.1 cm) long; 5.8 in., (14.8 cm) wide; 10 vein pairs; light green; 1.3 in., (3.2 cm) wide, flat, creamy white margin; dull on top, glaucous bloom underneath; broadly ovate, rounded base; lightly corrugated.

**Scape:** 15.4 to 22 in., (39 to 56 cm) long; green.

**Flower:** 1.5 in., (3.8 cm) long; pale lavender; tubular; Deinze, Belgium; 6/28, 7/3, 7/27.

**Seed:** does not set seed.

**Clump History:** original sport; 4 yrs old; Deinze, Belgium

**Notable Characteristics:** unusual complex leaf pattern. Green leaf becomes highly variegated with watermark effect.

[sport of *H.* 'Captain Kirk']

**Seasonal Variation:** Begins with light green color after unfurling watermark effect develops with edge turning white

**H. 'Border Street'** D. Van Eecheute (ONIR)

**Plant:** 40.6 in., (103 cm) diameter; 23.2 in., (59 cm) high; mound-like; medium growth rate.

**Leaf:** 11.3 in., (28.8 cm) long; 8.4 in., (21.4 cm) wide; 11 vein pairs; dark green; .7 in., (1.9 cm) wide, flat, creamy white margin; slightly shiny on top, dull underneath; broadly ovate, cordate base; moderately flat.

**Scape:** 26.8 to 34.3 in., (68 to 87 cm) long; green.

**Flower:** 1.7 in., (4.2 cm) long; pale lavender; tubular; Deinze, Belgium; 6/19, 6/30, 7/17.

**Seed:** sets viable seeds; green pod.

**Clump History:** original seedling; 5 yrs old; Deinze, Belgium.

**Notable Characteristics:** large variegated hosta, stitched effect with wrinkles near the veins on mature leaves.

[open-pollinated *H.* 'Lakeside Roy El' F1 streaked]

**H. 'Breeder's Love'** J. van den Top (ONI), D. Van Eecheute (R)

**Plant:** 33.5 in., (85 cm) diameter; 17.1 in., (43.5 cm) high; mound-like; medium growth rate.

**Leaf:** 10 in., (25.4 cm) long; 7.3 in., (18.5 cm) wide; 13 to 14 vein pairs; intensely blue-green; streaked with golden yellow, pale yellow and light green; flat margin; glaucous bloom on top and underneath; broadly ovate, cordate base; deeply cupped, intensely corrugated; petiole streaked green with greenish white.

**Scape:** 21.2 to 26.8 in., (53.8 to 68 cm) long; streaked green with

greenish white.

**Flower:** 1.8 in., (4.6 cm) long; near white; tubular; Deinze, Belgium; 6/3, 6/14, 6/29.

**Seed:** sets viable seeds; pod streaked green with greenish white.

**Clump History:** original sport; 5 yrs old; Deinze, Belgium.

**Notable Characteristics:** plant has consistently been streaked. [sport of *H.* 'Love Pat']

*H.* 'Broad Avenue Beauty' S. & S. Zolock (ONIR)

**Plant:** 21 in., (53.3 cm) diameter; 6 in., (15.2 cm) high; low mound-like; medium growth rate.

**Leaf:** 6.5 in., (16.5 cm) long; 2 in. (5.1 cm) wide; 4 to 6 vein pairs; yellowish green; slightly rippled; slightly shiny on top, dull underneath; tapered base, lance; lightly wavy, lightly flat; petiole winged petiole.

**Scape:** 24 to 28 in., (61 to 71.1 cm) long; green.

**Flower:** 1.5 in., (3.8 cm) long; medium lavender, dark lavender striping; tubular; Belle Vernon, PA; June 1 to frost.

**Seed:** sets viable seeds; pod brown purple.

**Clump History:** original seedling, 8 yrs old; Belle Vernon, PA.

**Notable Characteristics:** continuous production of flower scapes, long lance leaf, disease and insect resistant, low growing. [seedling × seedling]

**Seasonal Variation:** fall greenish yellow.

*H.* 'Celtic Dancer' D. Dean (ONIR)

**Plant:** 27 in., (68.6 cm) diameter; 16 in., (40.6 cm) high; upright; medium growth rate.

**Leaf:** 6.38 in., (16.2 cm) long; 4.5 in. (11.4 cm) wide; 9 to 10 vein pairs; medium green; heavily rippled; slightly shiny on top, dull underneath; cordate base, broadly ovate; moderately cupped, moderately twisted, moderately folded, deeply wavy, moderately corrugated; petiole slightly red half way up back.

**Scape:** 21 to 25 in., (53.3 to 63.5 cm) long; medium green.

**Flower:** 2 in., (5.1 cm) long; pale lavender, translucent edge, medium lavender inside; tubular; Ramsey, MN; 7/25, 7/30, 8/14.

**Seed:** sets viable seeds; pod medium green.

**Clump History:** original seedling, 4 yrs old; Ramsey, MN.

**Notable Characteristics:** very erect with heavy substanced leaves, piecrusting, twisting and folding.

[*H.* 'Grand Slam' × *H.* 'Party Favor']

*H.* 'Charlie' B. Graves (ONIR)

**Plant:** 36 in., (91.4 cm) diameter; 17 in., (43.2 cm) high; mound-like; medium growth rate.

**Leaf:** 7.5 in., (19.1 cm) long; 5.5 in. (14 cm) wide; 6 vein pairs; light green; 1 in., (2.5 cm) wide, flat, dark green margin; slightly shiny on top, glaucous bloom underneath; flat base, broadly ovate; moderately corrugated.

**Scape:** 18 to 23 in., (45.7 to 58.4) long; green.

**Flower:** 2 in., (5.1 cm) long; near white, slight lavender striped; tubular; Sylvania, OH; 7/1, 7/20, 7/30.

**Seed:** sets viable seeds; pod green.

**Clump History:** original sport, 8 yrs old; Sylvania, OH.

**Notable Characteristics:** larger than parent, wider margin, produces streaked seedlings. [sport of *H.* 'Paul's Glory']

*H.* 'Cherry Tomato' Walters Gardens, Inc. (OI),  
A. Bergeron (NR)

**Plant:** 12 in., (30.5 cm) diameter; 4 in., (10.2 cm) high; upright to mound-like; fast growth rate.

**Leaf:** 3 in., (7.6 cm) long; .75 in. (1.9 cm) wide; 3 vein pairs; white; .25 in., (.6 cm) wide, flat, dark green; slightly shiny on top and underneath; lance, tapered base; flat.

**Scape:** red

**Flower:** deep purple; tubular; Zeeland, MI; July 15 to Aug 15.

**Clump History:** original sport obtained from t.c.; 4 yrs old; Zeeland, MI.

**Notable Characteristics:** miniature form of *H.* 'Cherry Berry'. [sport of *H.* 'Cherry Berry']

**Seasonal Variation:** center changes from creamy white to white.

*H.* 'Chocolate Ripple' R. Kuenster (ONIR)

**Plant:** 36 in., (91.4 cm) diameter; 19 in., (48.3 cm) high; upright.

**Leaf:** 11 in., (27.9 cm) long; 9 in. (22.9 cm) wide; 11 to 13 vein pairs; streaked muted yellow, white, dark green, light green; slightly rippled; slightly shiny on top, dull underneath; cordate base, broadly ovate; lightly cupped, lightly twisted, moderately folded, lightly corrugated; petiole streaked to base.

**Scape:** 30 to 36 in., (76.2 to 91.4 cm) long; streaked.

**Flower:** 1.5 in., (3.8 cm) long; near white, tubular; Iowa City, IA; 6/28, 7/10, 7/25.

**Seed:** sets viable seeds; pod streaked.

**Clump History:** original seedling, 5 yrs old; Iowa City, IA.

**Notable Characteristics:** very upright leaves.

[*H.* 'Fudge Ripple' × *H.* 'Dorothy Benedict']

*H.* 'Civil War' F. & S. Freeman (ONIR)

**Plant:** 55 in., (139.7 cm) diameter; 30 in., (76.2 cm) high; upright; fast growth rate.

**Leaf:** 15 in., (38.1 cm) long; 11 in. (27.9 cm) wide; 15 vein pairs; blue-gray; flat; dull on top and underneath; cordate base, broadly ovate; lightly wavy.

**Scape:** 37 to 39 in., (94 to 99.1 cm) long; blue gray.

**Flower:** 2 in., (5.1 cm) long; pale lavender, bell; Davenport, IA; 6/24, 7/10, 8/10.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 4 yrs old; Davenport, IA.

**Notable Characteristics:** color, leaf size, does well in full sun. [parentage unknown]

*H.* 'Colorful Sister' R. Kuenster (ONIR)

**Plant:** 42 in., (106.7 cm) diameter; 26 in., (66 cm) high.

**Leaf:** 11 in., (27.9 cm) long; 7 in. (17.8 cm) wide; 11 to 13 vein pairs; streaked yellow to gold; flat; very shiny on top, slightly shiny underneath; cordate base, broadly ovate; lightly cupped; petiole very streaked to base.

**Scape:** 36 to 42 in., (91.4 to 106.7 cm) long; green.

**Flower:** 1.75 in., (4.4 cm) long; pale lavender, tubular; Iowa City, IA; 7/4, 7/20, 8/1.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 5 yrs old; Iowa City, IA.

[*H.* 'Pinstripe Sister' × *H.* 'Dorothy Benedict' seedling]

*H.* 'Continental Divide' O. Petryszyn (ONIR),  
M. Groothuis (IR)

**Plant:** 52 in., (132.1 cm) diameter; 26 in., (66 cm) high; mound-like; medium growth rate.

**Leaf:** 14 in., (35.6 cm) long; 10 in. (25.4 cm) wide; 14 vein pairs; light green to chartreuse; 2 to 3 in., (5.1 to 7.6 cm) wide, slightly rippled, dark green margin; dull on top and underneath; cordate base, ovate; moderately wavy; petiole light green with dark green stripes.

**Scape:** 34 to 42 in., (86.4 to 106.7 cm); light green.

**Flower:** 2.5 in., (6.4 cm) long; near white, translucent edge, pale lavender center stripe; tubular; Niles, MI; 6/27, 7/15, 8/1.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 10 yrs old obtained from the originator; Niles, MI.

**Notable Characteristics:** deeply veined gracefully arching mound with 3 distinct colors in the leaves.

[*H.* 'Dorothy Benedict' × (*H.* 'Elatior' × *H.* 'Niagara Falls')]

**Seasonal Variation:** center gets lighter, margin gets darker as season progresses.

*H.* 'Cosmic Baby' R. Kuenster (ONIR)

**Plant:** 42 in., (106.7 cm) diameter; 28 in., (71.1 cm) high.

**Leaf:** 10 in., (25.4 cm) long; 8.5 in. (21.6 cm) wide; 16 to 18 vein pairs; green to yellow streaking; slightly rippled; cordate base, nearly round; lightly cupped, deeply corrugated; petiole very cupped, dark green.

**Scape:** 32 to 40 in., (81.3 to 101.6 cm) long.

**Flower:** 1.75 in., (4.4 cm) long; near white; tubular; Iowa City, IA; 6/15, 6/28, 7/10.

**Seed:** sets viable seeds; pod streaked green.

**Clump History:** original seedling, 6 yrs old; Iowa City, IA.

**Notable Characteristics:** very corrugated streaked pod parent.

[*H.* 'Cosmic Hippie' × *H.* 'Cosmic Sister']

*H.* 'Cosmic Kid' R. Kuenster (ONIR)

**Plant:** 34 in., (86.4 cm) diameter; 21 in., (53.3 cm) high; mound-like; medium growth rate.

**Leaf:** 9 in., (22.9 cm) long; 8 in. (20.3 cm) wide; 16 to 17 vein pairs; dark green with white streaking; slightly rippled margin; slightly shiny, dull; cordate base, nearly round; moderately cupped, moderately corrugated; petiole thick dark green.

**Scape:** 26 to 32 in., (66 to 81.3 cm) long.

**Flower:** 1.5 in., (3.8 cm) long; near white; tubular; Iowa City, IA; 6/20, 7/2, 7/20.

**Seed:** sets viable seeds; pod green streaked.

**Clump History:** original seedling, 6 yrs old; Iowa City, IA.

**Notable Characteristics:** round leaves, and fertile.

[*H.* 'Dorothy Benedict' × *H.* 'Cosmic Hippie']

*H.* 'Cosmic Rainbow' R. Kuenster (ONIR)

**Plant:** 38 in., (96.5 cm) diameter; 18 in., (45.7 cm) high.

**Leaf:** 10 in., (25.4 cm) long; 8 in. (20.3 cm) wide; 15 to 17 vein pairs; dark green streaked with yellow; slightly rippled margin, slightly shiny on top, dull underneath; cordate base, broadly ovate; lightly corrugated; petiole very dark green, cupped.

**Scape:** 28 to 36 in., (71.1 to 91.4 cm) long; green streaked.

**Flower:** 1.5 in., (3.8 cm) long; near white, tubular; Iowa City, IA; 6/15, 6/25, 7/10.

**Seed:** sets viable seeds; pod greenish yellow.

**Clump History:** original seedling, 6 yrs old; Iowa City, IA.

[*H.* 'Cosmic Hippie' × *H.* 'Dorothy Benedict']

*H.* 'Crumb Cake' R. Solberg (ONIR)

**Plant:** 15 in., (35.6 cm) diameter; 5 in., (12.7 cm) high; mound-like; fast growth rate.

**Leaf:** 3 in., (7.6 cm) long; 2.5 in. (6.4 cm) wide; 5 to 6 vein pairs; golden yellow; slightly rippled margin; very shiny on top, slightly shiny underneath; nearly round, cordate base, lightly folded, moderately wavy; reddish.

**Scape:** 18 to 20 in., (45.7 to 50.8 cm) long; chartreuse with purple striping.

**Flower:** 1.5 to 1.75 in.; (3.8 to 4.4 cm) long; medium lavender; tubular; Chapel Hill, NC; 7/1, 7/15, 8/1.

**Clump History:** original seedling; 4 yrs old; Chapel Hill, NC.

**Notable Characteristics:** unique tight mound of wavy round leaves, honey-gold in color with mahogany petals.

[*H.* 'Cinnamon Sticks' × *H.* 'Cracker Crumbs']

**Seasonal Variation:** turns greenish yellow in summer.

*H.* 'Curly Fries' R. Solberg (ONIR)

**Plant:** 16 in., (40.6 cm) diameter; 5 in., (12.7 cm) high; slightly rhizomatous; fast growth rate.

**Leaf:** 5.5 in., (14 cm) long; .75 in. (1.9 cm) wide; 3 to 4 vein pairs; greenish yellow; heavily rippled margin; slightly shiny on top, glaucous bloom underneath; lance; tapered base, lightly twisted, moderately folded, moderately wavy; petiole purple red to leaf back, front of petiole green with white.

**Scape:** 23 to 26 in., (58.4 to 66 cm) long; purple.

**Flower:** 2 in.; (5.1 cm) long; medium lavender; lavender with purple stripes; tubular; Chapel Hill, NC; 7/10, 7/20, 8/10.

**Clump History:** original seedling; 5 yrs old; Chapel Hill, NC.

**Notable Characteristics:** unique highly ruffled narrow lanceolate leaves with very good substance and unique color, chartreuse.

[*H.* 'Pineapple Upsidedown Cake' × unknown]

**Seasonal Variation:** leaves become creamy white or pale yellow in summer.

*H.* 'Dragon's Eye' W. Lefever (O) R. Solberg (NIR)

**Plant:** 36 in., (91.4 cm) diameter; 22 in., (55.9 cm) high; mound-like; medium growth rate.

**Leaf:** 14 in., (35.6 cm) long; 10 in. (25.4 cm) wide; 10 to 11 vein pairs; light green; slightly rippled margin; glaucous bloom on top and underneath; broadly ovate; cordate base, lightly wavy; purple petiole to leaf base.

**Scape:** 32 to 34 in., (81.3 to 86.4 cm) long; green, purple base.

**Flower:** 2 in.; (5.1 cm) long; near white; tubular; Kernersville, NC; 8/1, 8/15, 8/30.

**Seed:** sets viable seeds, pod green.

**Clump History:** original seedling; 5 yrs old; Kernersville, NC.

**Notable Characteristics:** large, purple petiole, light green leaves with glaucous tops and bottoms.

[*H.* 'Riptide' × unknown]

*H.* 'Dylan's Dilly' Walden-West (ONI), C. Purtyman (N), P. & J. Ruh (R)

**Plant:** 12.5 in., (31.8 cm) diameter; 13.25 in., (33.7 cm) high; slow growth rate.

**Leaf:** 8.25 in., (21 cm) long; 5.13 in. (13 cm) wide; 9 vein pairs; light greenish yellow; .25 to .5 in., (.6 to 1.3 cm) wide, slightly rippled, dark green margin; slightly shiny on top, dull underneath; rounded base, ovate; lightly cupped, lightly folded, lightly wavy; petiole variegated edge.

**Scape:** 21.5 to 24.25 in., (54.6 to 61.6 cm) long; blue-green.

**Flower:** 1.5 in., (3.8 cm) long; pale lavender, striped; tubular; Chesterland, OH; 7/23, 8/3, 8/16.

**Seed:** sets viable seeds.

**Clump History:** a division, 7 yrs old obtained from the originator; Chesterland, OH.

**Notable Characteristics:** unusual leaf color.

[*H.* 'Green Mountain' × unknown]

*H.* 'Emerald Isle' E. Smith (ONI), P. & J. Ruh (R)

**Plant:** 13 in., (33 cm) diameter; 6.5 in., (16.5 cm) high; mound-like; slow growth rate.

**Leaf:** 4 in., (10.2 cm) long; 1.38 in. (3.5 cm) wide; 4 vein pairs; light greenish yellow; .06 to .75 in., (.2 to 1.9 cm) wide, flat, white margin; dull on top, slightly shiny underneath; tapered base, lance; lightly cupped, lightly twisted, folded, flat; petiole variegated edge.

**Scape:** 16 in., (40.6 cm) long; light green.

**Flower:** 2 in., (5.1 cm) long; pure white, tubular; Chesterland, OH; 8/19, 8/26, 9/2.

**Clump History:** a division, 5 yrs old obtained from other source; Chesterland, OH.

**Notable Characteristics:** leaf edge color runs up petiole, pure white flower.

[parentage unknown]

**H. 'Empress Wu'** B. & V. Skaggs (ONIR)  
**Plant:** 108 in., (274.3 cm) diameter; 50 in., (127 cm) high; mound-like; fast growth rate.  
**Leaf:** 28 in., (71.1 cm) long; 25 in. (63.5 cm) wide; 17 to 18 vein pairs; dark green; slightly shiny on top, glaucous bloom underneath; broadly ovate, cordate base; moderately flat.  
**Scape:** 46 to 58 in., (116.8 to 147.3 cm) long; green.  
**Flower:** 3 in., (7.6 cm) long; pale lavender; faint veining; tubular; Lowell, IN; June 1 to July 15.  
**Seed:** sets viable seeds, green pod.  
**Clump History:** original seedling; 6 yrs old; Lowell, IN.  
**Notable Characteristics:** huge; less mature plant quite upright, upon maturity center leaves cause outer leaves to sweep the ground.  
 [H. 'Big John' × H. 'Big John']  
**Seasonal Variation:** slightly glaucous coat on top in spring.

**H. 'Eye of the Hurricane'** F. Nyikos (ONIR)  
**Plant:** 48 in., (121.9 cm) diameter; 24 in., (61 cm) high; medium growth rate.  
**Leaf:** 14 in., (35.6 cm) long; 8 in. (20.3 cm) wide; 10 vein pairs; light to medium grey-green; heavily rippled; dull, glaucous bloom; tapered base, ovate; lightly twisted, moderately folded, deeply wavy.  
**Flower:** medium lavender, bell; Unionville, IN; 8/1, 8/30.  
**Clump History:** original seedling, 7 yrs old; Unionville, IN.  
 [H. 'Calamity Jane' × H. *hypoleuca*]

**H. 'Fandango'** B. Kuk (ONIR)  
**Plant:** 34 in., (86.4 cm) diameter; 18 in., (45.7 cm) high; mound-like; medium growth rate.  
**Leaf:** 7 in., (17.8 cm) long; 6 in. (15.2 cm) wide; 11 to 13 vein pairs; medium green; slightly rippled, serrated; slightly shiny on top and underneath; cordate base, nearly round; moderately cupped, moderately wavy, moderately corrugated.  
**Scape:** 33 to 38 in., (83.8 to 96.5 cm) long; medium green with reddish dots.  
**Flower:** 2 in., (5.1 cm) long; pale lavender, tubular; Brecksville, OH; 6/18, 7/4, 7/20.  
**Seed:** sets viable seeds; pod medium green.  
**Clump History:** original seedling, 6 yrs old; Brecksville, OH.  
**Notable Characteristics:** very heavy substance.  
 [H. 'Joseph' × H. 'Bold Ruffles']

**H. 'Final Summation'** R. Solberg (ONIR)  
**Plant:** 60 in., (152.4 cm) diameter; 20 in., (50.8 cm) high; mound-like; medium growth rate.  
**Leaf:** 16 in., (40.6 cm) long; 12 in. (30.5 cm) wide; 12 to 13 vein pairs; golden yellow; slightly rippled, 1.25 in., (3.2 cm) wide, dark green margin; slightly shiny on top, glaucous bloom underneath; nearly round, cordate base, moderately cupped, lightly wavy; petiole dark green.  
**Scape:** 40 to 42 in., (101.6 to 106.7 cm) long; yellow.  
**Flower:** 2.25 in., (5.7 cm) long; pale lavender; tubular; Franklinton, NC; 7/15, 8/1, 8/15.  
**Seed:** sets viable seeds, but very little; yellow green.  
**Clump History:** original sport; 4 yrs old; Franklinton, NC.  
**Notable Characteristics:** dark green margined H. 'Sum and Substance' sport, variable margin up to 1.25".  
 [sport of H. 'Sum and Substance']

**H. 'Finn's Finest'** R. Keller (ONIR), White Oak Nursery (R)  
**Plant:** 21 in., (53.3 cm) diameter; 13 in., (33 cm) high; upright; fast growth rate.  
**Leaf:** 5 in., (12.7 cm) long; 4 in. (10.2 cm) wide; 10 to 12 vein pairs; greenish yellow; 1 to 1.5 in., (2.5 to 3.8 cm) wide, slightly

rippled, medium blue-green margin; dull on top, glaucous bloom underneath; cordate base, broadly ovate; lightly twisted, lightly wavy.  
**Scape:** 19 to 21 in., (48.3 to 53.3 cm) long; green.  
**Flower:** 1 to 1.5 in., (2.5 to 3.8 cm) long; medium lavender, white throat; tubular; Metamore, IL; 6/20, 6/27, 7/4.  
**Seed:** seed set unknown; pod brown.  
**Clump History:** original sport, 3 yrs old; Metamore, IL.  
**Notable Characteristics:** margins much wider than parent.  
 [sport of H. 'Amy Elizabeth']

**H. 'Fire Dancer'** S. Megos (ONIR)  
**Plant:** 24 in., (61 cm) diameter; 16 in., (40.6 cm) high; slow growth rate.  
**Leaf:** 10 in., (25.4 cm) long; 9 in. (22.9 cm) wide; 9 to 10 vein pairs; chartreuse/yellow/white; 2 to 2.5 in., (5.1 to 6.4 cm) wide, flat, blue-green margin; slightly shiny on top, dull underneath; cordate base, nearly round; lightly cupped, tip moderately twisted, moderately corrugated; petiole creamy white center.  
**Scape:** 22 to 25 in., (55.9 to 63.5 cm) long.  
**Flower:** 1.75 in., (4.4 cm) long; pure white, solid white; tubular; Eastford, CT; June 1 to July 15.  
**Seed:** seed set unknown.  
**Clump History:** original sport, 3 yrs old; Eastford, CT.  
**Notable Characteristics:** center pattern.  
 [sport of H. 'Spilt Milk']

**H. 'Flemish Melody'** D. Van Eecheute (ONIR)  
**Plant:** 17.7 in., (45 cm) diameter; 9.6 in., (24.5 cm) high; upright; fast growth rate.  
**Leaf:** 5.6 in., (14.2 cm) long; 2.2 in., (5.5 cm) wide; 5 to 6 vein pairs; medium green; heavily rippled margin; slightly shiny on top, glaucous bloom underneath; lance, tapered base; moderately twisted; red petioles.  
**Scape:** 14.6 to 17.3 in., (37 to 44 cm) long; red.  
**Flower:** 1.5 in., (3.7 cm) long; pale lavender; near white striped; tubular; Deinze, Belgium; 7/9, 7/16, 8/3.  
**Seed:** sets viable seeds; green and red pod.  
**Clump History:** original seedling; 5 yrs old; Deinze, Belgium.  
**Notable Characteristics:** beautifully vase-shaped plant that shows red petioles very well, good substance, red petioles, white backs  
 [H. 'Redneck Heaven' open-pollinated]

**H. 'Flemish Milkshake'** D. Van Eecheute (ONIR)  
**Plant:** 27.8 in., (70.7 cm) diameter; 14.1 in., (35.8 cm) high; mound-like; medium growth rate.  
**Leaf:** 7.2 in., (18.2 cm) long; 5.3 in., (13.4 cm) wide; 10 to 11 vein pairs; slightly blue-green with pale yellow and greenish yellow streaking; flat margin; glaucous bloom on top and underneath; broadly ovate, cordate base; lightly wavy.  
**Scape:** 23.2 to 29.9 in., (59 to 76 cm) long; green and yellow pod.  
**Flower:** 1.7 in., (4.3 cm) long; near white; tubular; Deinze, Belgium; 5/29, 6/14, 7/9.  
**Seed:** seed set unknown; green and yellow pod.  
**Clump History:** original sport; 6 yrs old; Deinze, Belgium.  
**Notable Characteristics:** has maintained streaking, all divisions also hold streaking.  
 [sport of H. 'Spilt Milk']

**H. 'Forest Firefly'** D. Dean (OIR), G. Lindheimer (N)  
**Plant:** 29 in., (73.7 cm) diameter; 11 in., (27.9 cm) high; medium to fast growth rate.  
**Leaf:** 7 in., (17.8 cm) long; 4 in. (10.2 cm) wide; 7 vein pairs; yellow to creamy white; 1 to 1.75 in., (2.5 to 4.4 cm) wide, flat,



medium to dark green margin; slightly shiny on top, slight glaucous bloom underneath; broad tapered base, ovate; moderately cupped; petiole creamy white edged dark green red blush at base.  
**Scape:** 15 to 17 in., (38.1 to 43.2 cm) long; creamy white.

**Flower:** 2 in., (5.1 cm) long; pale lavender, translucent edge; tubular; Ramsey, MN; Aug 15 to Oct 1; 8/20.

**Seed:** sets seeds, viability unknown; pod creamy white with tinge of red.

**Clump History:** original seedling, 5 yrs old; Ramsey, MN.

**Notable Characteristics:** vigorous white, two color center, wide edge gives third, inverted cupped leaves, cupped white scape.

[*H.* 'Neat Splash' × unknown]

**Seasonal Variation:** center turns near white.

***H.* 'Fragrant Queen'** J. van den Top (ONI),  
D. Van Eecheute (R)

**Plant:** 25.1 in., (63.8 cm) diameter; 15.6 in., (39.5 cm) high; mound-like; medium growth rate.

**Leaf:** 8.7 in., (22.1 cm) long; 6.7 in., (16.9 cm) wide; 8 vein pairs; dark green; 1.6 in., (4.1 cm) wide, flat, pure white margin; dull on top and underneath; broadly ovate, rounded base; lightly wavy.

**Scape:** 21.7 to 29.3 in., (55 to 74.5) long; green.

**Flower:** 2.6 in., (6.6 cm) long; near white; fragrant; tubular; Deinze, Belgium; 8/4, 8/11, 9/8.

**Seed:** sets viable seeds; green pod.

**Clump History:** original sport; 4 yrs old; Deinze, Belgium.

**Notable Characteristics:** very thick leaves with eye catching wide, white border, with large white, very fragrant flowers.

[sport of *H.* 'Fragrant King']

**Seasonal Variation:** margin comes up creamy white and changes to pure white.

***H.* 'Framingham Express'** S. & S. Zolock (ONIR)

**Plant:** 40 in., (101.6 cm) diameter; 19 in., (48.3 cm) high; mound-like; fast growth rate.

**Leaf:** 8 in., (20.3 cm) long; 4.5 in. (11.4 cm) wide; 8 to 10 vein pairs; medium green; slightly rippled; slightly shiny on top, dull underneath; flat base, ovate; lightly wavy, flat; petiole green.

**Scape:** 30 to 36 in., (76.2 to 91.4 cm) long; dark purple.

**Flower:** 2 in., (5.1 cm) long; deep purple, dark lavender streaking; bell; fragrant; Belle Vernon, PA; 8/1, 8/15, 8/31.

**Seed:** sets viable seeds; pod deep purple.

**Clump History:** original seedling, 8 yrs old; Belle Vernon, PA.

**Notable Characteristics:** tall dark purple flower scapes, dark purple flower buds, disease and insect resistant, thick substance. [seedling × seedling]

***H.* 'Franc's Fight Nite'** F. & S. Freeman (ONIR)

**Plant:** 30 in., (76.2 cm) diameter; 14 in., (35.6 cm) high; mound-like; medium growth rate.

**Leaf:** 8.25 in., (21 cm) long; 4.25 in. (10.8 cm) wide; 9 vein pairs; dark green; 125 to .5 in., (.3 to 1.3 cm) wide, slightly rippled, pure white margin; slightly shiny on top, dull underneath; cordate base, ovate; cupped.

**Scape:** 15 to 18 in., (38.1 to 45.7 cm) long.

**Flower:** 1.5 in., (3.8 cm) long; pale lavender, bell; Davenport, IA; 7/18, 7/20, 7/31.

**Seed:** does not set seed.

**Clump History:** original sport; 4 yrs old; Davenport, IA.

**Notable Characteristics:** ragged edge.

[sport of *H.* 'Spinners']

***H.* 'Fred Wilson'** B. Kuk (ONIR)

**Plant:** 26 in., (66 cm) diameter; 25 in., (63.5 cm) high; upright.

**Leaf:** 11 in., (27.9 cm) long; 8 in. (20.3 cm) wide; 15 to 17 vein

pairs; medium blue-green; 2.5 in., (6.4 cm) wide, slightly rippled, variable greenish yellow margin with lighter green streaking; glaucous bloom on top and underneath; cordate base, broadly ovate; moderately cupped, lightly twisted, moderately corrugated.

**Scape:** 18 to 23 in., (45.7 to 58.4 cm) long.

**Flower:** 1.5 in., (3.8 cm) long; pale lavender, bell; Brecksville, OH; 6/15, 6/30, 7/10.

**Seed:** sets viable seeds; pod light green.

**Clump History:** original sport; 6 yrs old; Brecksville, OH.

**Notable Characteristics:** striking upright leaves on an upright clump.

[sport of *H.* 'Sea Sapphire']

**Seasonal Variation:** margin changes to yellow.

***H.* 'Fried Guacamole'** P. Laible (ONIR)

**Plant:** 36 in., (91.4 cm) diameter; 22 in., (55.9 cm) high; mound-like; fast growth rate.

**Leaf:** 9 in., (22.9 cm) long; 8 in. (20.3 cm) wide; 12 vein pairs; medium green; .13 to 1 in., (.3 to 2.5 cm) wide, flat, light green margin; slightly shiny, dull glaucous bloom; cordate base, nearly round; moderately corrugated.

**Scape:** 30 to 36 in., (76.2 to 91.4 cm) long.

**Flower:** 3.5 in., (8.9 cm) long; pure white, tubular; fragrant; Villa Park, IL; 8/5, 8/15, 8/30.

**Seed:** sets seeds, viability unknown; pod green.

**Clump History:** original sport, 4 yrs old; Villa Park, IL.

**Notable Characteristics:** reverse coloration of *H.* 'Guacamole'; variegated sport of *H.* 'Fried Bananas'.

[sport of *H.* 'Fried Bananas']

***H.* 'Frog Bog'** J. W. Munson (ONIR)

**Plant:** 36 in., (91.4 cm) diameter; 15 in., (38.1 cm) high; mound-like; medium growth rate.

**Leaf:** 7 in., (17.8 cm) long; 5 in. (12.7 cm) wide; 9 to 10 vein pairs; greenish-yellow; flat margin, dull on top and underneath; cordate base, broadly ovate; moderately flat.

**Scape:** 15 to 20 in., (38.1 to 50.8 cm) long; light green.

**Flower:** 1.5 in., (3.8 cm) long; near white, lavender stripes on petals; tubular; Kalamazoo, MI; 7/21, 8/1, 8/13.

**Seed:** seed set unknown; pod light green.

**Clump History:** original seedling, 6 yrs old; Kalamazoo, MI.

**Notable Characteristics:** holds bright color all season.

[parentage unknown]

***H.* 'Frost Giant'** W. Lefever (O) R. Solberg (NIR)

**Plant:** 66 in., (167.6 cm) diameter; 28 in., (71.1 cm) high; mound-like; medium growth rate.

**Leaf:** 12 in., (30.5 cm) long; 10 in. (25.4 cm) wide; 12 to 13 vein pairs; medium blue-green; slightly rippled, .75 to 1 in., (1.9 to 2.5 cm) wide, yellow margin; glaucous bloom on top and underneath; broadly ovate, cordate base; moderately folded, lightly wavy, lightly corrugated.

**Scape:** 36 to 38 in., (91.4 to 96.5 cm) long; green.

**Flower:** 2 in.; (5.1 cm) long; near white; tubular; Kernersville, NC; 6/10, 6/20, 6/30.

**Clump History:** original seedling; 5 yrs old; Kernersville, NC.

**Notable Characteristics:** very large, yellow margin, not gold or cream, good substance.

[*H.* 'Galaxy' × unknown]

**Seasonal Variation:** margin turns creamy white in late summer.

***H.* 'Frosted Evening'** R. Kuenster (ONIR)

**Plant:** 37 in., (94 cm) diameter; 24 in., (61 cm) high; ; medium growth rate.

**Leaf:** 11 in., (27.9 cm) long; 7 in. (17.8 cm) wide; 14 to 16 vein pairs; medium green; .25 to .5 in., (.6 to 1.3 cm) wide, flat,

creamy white margin; slightly shiny on top, dull underneath; cordate base, broadly ovate; moderately cupped; petiole frosted.

**Scape:** 48 to 55 in., (121.9 to 139.7 cm) long; frosted green.

**Flower:** 2.25 in., (5.7 cm) long; pale lavender; tubular; Iowa City, IA; 7/20, 8/1, 8/18.

**Seed:** sets viable seeds; pod green.

**Clump History:** original sport, 7 yrs old; Iowa City, IA.

**Notable Characteristics:** appears frosty on leaves and petioles. [sport of *H.* 'Frosted Morning']

***H.* 'Frosted Morning'** R. Kuenster (ONIR)

**Plant:** 32 in., (81.3 cm) diameter; 20 in., (50.8 cm) high; medium growth rate.

**Leaf:** 9.5 in., (24.1 cm) long; 6 in. (15.2 cm) wide; 14 to 16 vein pairs; streaked medium green, yellow, white; .25 in., (.6 cm) wide, flat, creamy white margin; slightly shiny on top, dull underneath; cordate base, broadly ovate; moderately cupped; petiole frosted and streaked to base.

**Scape:** 40 to 48 in., (101.6 to 121.9 cm) long.

**Flower:** 2 in., (5.1 cm) long; pale lavender, tubular; Iowa City, IA; 7/15, 8/1, 8/18.

**Seed:** sets viable seeds; pod yellow, white streaked.

**Clump History:** original seedling, 7 yrs old; Iowa City, IA.

**Notable Characteristics:** frosted leaves, very fertile. [parentage unknown]

***H.* 'Georgia Sweetheart'** J. Anderson (ON), B. Silvers (IR)

**Plant:** 22 in., (55.9 cm) diameter; 19 in., (48.3 cm) high; upright.

**Leaf:** 8 in., (20.3 cm) long; 6 in. (15.2 cm) wide; 10 to 11 vein pairs; golden yellow; 2 in., (5.1 cm) wide, flat, medium green margin; dull on top, slightly shiny underneath; rounded base, broadly ovate.

**Flower:** 1.5 to 2 in., (3.8 to 5.1 cm) long; pale lavender, tubular; Conyers, GA; June 1 to July 15.

**Clump History:** original sport, 3 yrs old; Conyers, GA. [sport of *H.* 'American Sweetheart']

**Seasonal Variation:** pale yellow.

***H.* 'Gladys Holly'** G. Holly (ONI), P. & J. Ruh (R)

**Plant:** 26 in., (66 cm) diameter; 14 in., (35.6 cm) high; upright; medium growth rate.

**Leaf:** 9.75 in., (24.8 cm) long; 6.75 in. (17.1 cm) wide; 11 vein pairs; medium green; slightly rippled; glaucous bloom on top, slightly shiny underneath; cordate base, ovate; lightly cupped, lightly folded, lightly wavy, moderately corrugated; petiole lighter center.

**Scape:** 27 in., (68.6 cm) long; light green.

**Flower:** near white, lavender striped; tubular; Chesterland, OH; 7/5, 7/16, 7/23.

**Clump History:** a division; 24 yrs old obtained from other source; Chesterland, OH.

**Notable Characteristics:** arched leaf. [parentage unknown]

***H.* 'Glamour'** D. Van Eecheute (ONIR)

**Plant:** 20.3 in., (51.6 cm) diameter; 10.9 in., (27.7 cm) high; mound-like; fast growth rate.

**Leaf:** 9.5 in., (24.1 cm) long; 2.7 in., (6.8 cm) wide; 7 to 8 vein pairs; white; .5 in., (1.2 cm) wide, flat, dark green mark; slightly shiny on top, dull underneath; lance, rounded base; moderately flat; petiole pink, red at base.

**Scape:** 15.6 to 20.3 in., (39.6 to 51.5 cm) long; creamy white.

**Flower:** 1.2 in., (3.1 cm) long; pale lavender; tubular; Deinze, Belgium; 6/17, 6/26, 7/16.

**Seed:** does not set seed; pod creamy white.

**Clump History:** original seedling; 5 yrs old; Deinze, Belgium.

**Notable Characteristics:** good grower for a creamy white centered plant, elegant form.

[*H.* 'Beatrice' × *H.* 'Hadspen Hawk']

***H.* 'Glen Fetish'** V. Serafin (ONIR)

**Plant:** 36 in., (91.4 cm) diameter; 32 in., (81.3 cm) high; semi-upright; medium growth rate.

**Leaf:** 8 in., (20.3 cm) long; 4.25 in. (10.8 cm) wide; 8 vein pairs; golden yellow; flat margin; dull on top and underneath; tapered base, lightly twisted, lightly wavy.

**Scape:** 48 in., (121.9 cm) long; green.

**Flower:** pale lavender; purple striped; tubular; Fultonville, NY; July 15 to Aug 15.

**Seed:** seed set unknown.

**Clump History:** original seedling; 6 yrs old; Fultonville, NY.

**Notable Characteristics:** leaves layered in profile making a tall vase-shaped mound, outstanding sun tolerance.

[*H.* 'White Triumphator' × unknown]

***H.* 'Glen Triumph'** V. Serafin (ONIR)

**Plant:** 48 in., (121.9 cm) diameter; 32 in., (81.3 cm) high; upright; medium to fast growth rate.

**Leaf:** 11.25 in., (28.6 cm) long; 7.75 in. (19.7 cm) wide; 12 vein pairs; medium blue-green; flat margin; dull on top, glaucous bloom underneath; slightly shiny; broadly ovate, flat base; deeply cupped.

**Scape:** 53 in., (134.6 cm) long; glaucous blue-green.

**Flower:** pale lavender; tubular; Fultonville, NY; 7/15, 8/15.

**Seed:** seed set unknown.

**Clump History:** original seedling; 5 yrs old; Fultonville, NY.

**Notable Characteristics:** pointed, cupped leaves showing white undersides, vigor and sun-tolerance.

[*H.* 'White Triumphator' × unknown]

***H.* 'Glockenspiel'** H. Klose (ONI), P. & J. Ruh (R)

**Plant:** 19 in., (48.3 cm) diameter; 6 in., (15.2 cm) high; mound-like.

**Leaf:** 3.88 in., (9.8 cm) long; 2.88 in. (7.3 cm) wide; 6 vein pairs; medium green; slightly rippled; slightly shiny on top, very shiny underneath; flat base, ovate; lightly wavy, flat.

**Scape:** 23 to 26 in., (58.4 to 66 cm) long; green.

**Flower:** 1.5 in., (3.8 cm) long; pale purple, white striped; tubular; Chesterland, OH; 7/20, 7/27, 8/6.

**Clump History:** a division, 5 yrs old obtained from other source; Chesterland, OH.

**Notable Characteristics:** flat, low growth, tall scapes. [parentage unknown]

***H.* 'Grand One'** R. Kuenster (ONIR)

**Plant:** 30 in., (76.2 cm) diameter; 17 in., (43.2 cm) high; mound-like.

**Leaf:** 10 in., (25.4 cm) long; 7 in. (17.8 cm) wide; 13 to 15 vein pairs; dark green with yellow misting and streaking; slightly serrated; slightly shiny on top, dull underneath; cordate base, broadly ovate; lightly cupped; petiole streaking to base.

**Scape:** 22 to 26 in., (55.9 to 66 cm) long; green streaked.

**Flower:** 1.75 in., (4.4 cm) long; near white, tubular; Iowa City, IA; 6/15, 7/1, 7/15.

**Seed:** sets viable seeds; pod green streaked.

**Clump History:** original seedling, 6 yrs old; Iowa City, IA.

[*H.* 'Grandchild' × *H.* 'Dorothy Benedict']

***H.* 'Green Quarter'** R. Kuenster (ONIR)

**Plant:** 10 in., (25.4 cm) diameter; 4 in., (10.2 cm) high; mound-like; medium growth rate.

**Leaf:** 1.5 in., (3.8 cm) long; 1.25 in. (3.2 cm) wide; 4 to 6 vein

pairs; light green; flat; very shiny on top and underneath; rounded base, nearly round; lightly cupped.

**Scape:** 6 to 8 in., (15.2 to 20.3 cm) long; light green.

**Flower:** .75 in., (1.9 cm) long; pale lavender, tubular; Iowa City, IA; 7/1, 7/15, 7/28.

**Seed:** sets seeds, viability unknown; pod green.

**Clump History:** original seedling, 6 yrs old; Iowa City, IA.

**Notable Characteristics:** very small with rounded leaves.

[*H.* 'Beatrice' × *H.* *venusta*]

*H.* 'Gullivar' S. Brown (ONIR)

**Plant:** 70 in., (177.8 cm) diameter; 35 in., (88.9 cm) high; up-right; fast growth rate.

**Leaf:** 15 in., (38.1 cm) long; 12.5 in. (31.8 cm) wide; 15 vein pairs; medium green; flat; very shiny on top, dull underneath; cordate base, broadly ovate; corrugated; petiole tall, branching.

**Scape:** 70 in., (177.8 cm) long; green.

**Flower:** 2.75 in., (7 cm) long; near white to pale lavender, lavender striping; tubular; Grand Rapids, MI; June 1 to July 15.

**Seed:** seed set unknown.

**Clump History:** original seedling, 6 yrs old; Grand Rapids, MI.

**Notable Characteristics:** large upright clump, branching scapes.

[*H.* 'Sagae' × unknown]

*H.* 'Gus' Japan (O), P. Ruh (NR), G. Krossa (I), J. Ruh (R)

**Plant:** 11 in., (27.9 cm) diameter; 11 in., (27.9 cm) high; mound-like; medium growth rate.

**Leaf:** 3.63 in., (9.2 cm) long; 1.13 in. (2.9 cm) wide; 3 to 4 vein pairs; light green; slightly rippled; dull on top, slightly shiny underneath; tapered base, lance; lightly cupped, lightly twisted, lightly folded; petiole winged, reddish at base, long.

**Scape:** 18 to 25 in., (45.7 to 63.5 cm) long; green.

**Flower:** 1.5 in., (3.8 cm) long; pale purple, heavily striped; tubular; Chesterland, OH; 7/25, 8/4, 8/15.

**Clump History:** a division, 11 yrs old obtained from the originator; Chesterland, OH.

**Notable Characteristics:** green miniature with long petioles.

[parentage unknown]

*H.* 'Hearts on Fire' B. & D. Stegeman (ONIR)

**Plant:** 46 in., (116.8 cm) diameter; 24 in., (61 cm) high; upright; fast growth rate.

**Leaf:** 10.5 in., (26.7 cm) long; 6.75 in., (17.1 cm) wide; 11 to 12 vein pairs; creamy white; 1.5 to 3 in., (3.8 to 7.6 cm) wide, flat, dark green margin with medium green jetting; slightly shiny on top and underneath; broadly ovate, cordate base; lightly folded; petiole creamy white with very fine green stripe along outside edges.

**Scape:** 36 to 40 in., (91.4 to 101.6 cm) long; pale green.

**Flower:** 2.25 in., (5.7 cm) long; medium lavender; tubular; Chesterton, IN; 7/19, 8/6.

**Seed:** sets viable seeds; pod light green.

**Clump History:** a first generation division of an original seedling; 11 yrs old; Chesterton, IN.

**Notable Characteristics:** three distinct colors in the leaf.

[*H.* 'Swoosh' × *H.* 'Elatior']

**Seasonal Variation:** center begins yellow and changes to creamy white.

*H.* 'Her Eyes Were Blue' D. Dean (OIR),  
M. Schwartzbauer (N)

**Plant:** 30 in., (76.2 cm) diameter; 12 in., (30.5 cm) high; mound-like; medium growth rate.

**Leaf:** 7 in., (17.8 cm) long; 6 in. (15.2 cm) wide; 9 to 10 vein pairs; intensely blue-green; heavily rippled, finely and lightly serrated; glaucous bloom on top and underneath; cordate base,

broadly ovate; lightly cupped, lightly folded, deeply wavy, deeply corrugated; petiole glaucous.

**Scape:** 18 to 21 in., (45.7 to 53.3 cm) long; faintly speckled burgundy on green.

**Flower:** 1.63 in., (4.1 cm) long; near white, faint lavender center on inside; somewhat tubular; Ramsey, MN; 7/18, 7/28, 8/9.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 7 yrs old; Ramsey, MN.

**Notable Characteristics:** intense silver-blue, sharp leaf tip twists and curves downward, named for Mary Schwartzbauer's mother.

[*H.* 'Frosted Dimples' × *H.* 'Sea Frolic']

*H.* 'Jigger's Gift' P. Postlewaite (ONIR)

**Plant:** 44 in., (111.8 cm) diameter; 22 in., (55.9 cm) high; up-right; fast growth rate.

**Leaf:** 8 in., (20.3 cm) long; 6.5 in. (16.5 cm) wide; 12 to 13 vein pairs; intensely blue-green; flat; dull on top and underneath; cordate base, broadly ovate; folded.

**Scape:** 15 to 24 in., (38.1 to 61 cm) long; green.

**Flower:** 2.5 in., (6.4 cm) long; medium lavender, bell; Kildeer, IL; Aug 15 to Oct 1.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 8 yrs old; Kildeer, IL.

**Notable Characteristics:** Tardiana type with upright growth habit, intense blue leaves stand up well to sun and holds color well into the fall.

[parentage unknown]

*H.* 'John D. Barnot' S. & S. Zolock (ONIR)

**Plant:** 34 in., (86.4 cm) diameter; 18 in., (45.7 cm) high; upright; medium growth rate.

**Leaf:** 7.25 in., (18.4 cm) long; 4.5 in. (11.4 cm) wide; 7 to 8 vein pairs; medium green; slightly rippled; slightly shiny on top, glaucous bloom underneath; flat base, ovate; flat; petiole purple extends to leaf base.

**Scape:** 28 to 32 in., (71.1 to 81.3); green

**Flower:** medium lavender, darker striping; tubular; Belle Vernon, PA; 7/15, 8/1, 8/30.

**Seed:** sets viable seeds; pod purple brown.

**Clump History:** original seedling, 6 yrs old; Belle Vernon, PA.

**Notable Characteristics:** disease and insect resistant.

[seedling × seedling]

*H.* 'Johnson's Olympic Gold' F. & S. Freeman (ONIR)

**Plant:** 20 in., (50.8 cm) diameter; 9 in., (22.9 cm) high; rhizomatous; slow growth rate.

**Leaf:** 6 in., (15.2 cm) long; 5 in. (12.7 cm) wide; 13 vein pairs; pale yellow, slightly shiny on top, dull underneath; cordate base, broadly ovate; lightly cupped.

**Scape:** 17 to 22 in., (43.2 to 55.9 cm) long; greenish yellow.

**Flower:** 1.5 in., (3.8 cm) long; near white, bell; Davenport, IA; 6/20, 7/10, 7/21

**Seed:** sets viable seeds; pod light green

**Clump History:** original seedling, 8 yrs old; Davenport, IA

**Notable Characteristics:** low growing, thick leaves, pest resistant, takes a lot of sun

[*H.* 'Sea Prize' × unknown]

*H.* 'Kalamazoo' J. Linneman (ONIR)

**Plant:** 19.7 in. (50 cm) diameter; 27.6 in. (70 cm) high; upright to mound-like; medium growth rate.

**Leaf:** 10.2 in. (26 cm) long; 3.1 in. (8 cm) wide; 8 vein pairs; medium green; .2 to .6 in. (.5 to 1.5 cm) wide, slightly rippled, greenish white margin; very shiny on top; glaucous bloom underneath; ovate, tapered base; lightly wavy.

**Scape:** 7.9 to 27.6 in. (20 to 70 cm) long, green.

**Flower:** 1.6 in. (4 cm) long; medium lavender; tubular; Zwolle, Netherlands; July 15 to Aug 15.

**Seed:** dark red pod

**Clump History:** original sport; 6 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** nice wavy margin, glaucous white underneath, margin changes to white through season.

[sport of *H.* 'Valley's Top']

**Seasonal Variation:** greenish white is clear white in summer.

*H.* 'Karamoosh' B. Kuk (ONIR)

**Plant:** 34 in., (86.4 cm) diameter; 20 in., (50.8 cm) high; mound-like; medium growth rate.

**Leaf:** 7.5 in., (19.1 cm) long; 6 in. (15.2 cm) wide; 10 to 11 vein pairs; dark green; 1.5 in., (3.8 cm) wide; slightly rippled, variable white margin which turns to cream; dull on top, glaucous bloom underneath; cordate base, broadly ovate; lightly wavy, lightly corrugated; petiole variegated margined.

**Scape:** 18 to 22 in., (45.7 to 55.9 cm) long; medium green.

**Flower:** 1.5 in., (3.8 cm) long; pale lavender, lavender striping; tubular; Brecksville, OH; 7/8, 7/18, 8/1.

**Seed:** sets viable seeds; pod medium green.

**Clump History:** original seedling, 10 yrs old; Brecksville, OH.

**Notable Characteristics:** striking tri-color variegation.

[*H.* 'Sophistication' × unknown]

**Seasonal Variation:** interior of leaf margin also exhibits greenish grey streaking.

*H.* 'Kasseler Blue' H. Klose (ONI), P. & J. Ruh (R)

**Plant:** 17 in., (43.2 cm) diameter; 11.5 in., (29.2 cm) high; upright; slow growth rate.

**Leaf:** 4.5 in., (11.4 cm) long; 3.75 in. (9.5 cm) wide; 7 vein pairs; dark blue-green; slightly rippled margin, slightly shiny on top and underneath; flat base, ovate; lightly twisted, lightly folded, lightly wavy; thin petiole.

**Scape:** 18 in., (45.7 cm) long; green.

**Flower:** 1.75 in., (4.4 cm) long; medium lavender, striped; bell; Chesterland, OH; 8/5, 8/15, 8/27.

**Clump History:** a division, 17 yrs old obtained from the originator; Chesterland, OH.

**Notable Characteristics:** open growth.

[parentage unknown]

*H.* 'Kathy's Clown' K. Ripperger (ONIR)

**Plant:** 21 in., (53.3 cm) diameter; 25 in., (63.5 cm) high; upright; medium growth rate.

**Leaf:** 8.5 in., (21.6 cm) long; 6.5 in. (16.5 cm) wide; vein pairs 8 to 10; yellow; slightly rippled, 1 to 1.5 in., (2.5 to 3.8 cm) wide, dark green margin with light green inner edge; slightly shiny on top and underneath; rounded base, broadly ovate; lightly wavy, lightly corrugated, some puckering; petiole yellow, green edged.

**Scape:** 34 to 36 in., (86.4 to 91.4 cm) long; light green.

**Flower:** 2.5 in., (6.4 cm) long; pale lavender, whitish throat; tubular; Indianola, IA; 6/18, 7/24.

**Seed:** does not set seed.

**Clump History:** original sport, 4 yrs old; Indianola, IA.

**Notable Characteristics:** large, semi upright, 3 distinct colors. Better than average substance, not prone to slug damage or melting out.

[sport of *H.* 'Undulata Erromena']

*H.* 'L.E.W.' R. Willar (ONIR)

**Plant:** 46 in., (116.8 cm) diameter; 24 in., (61 cm) high; mound-like; slow growth rate.

**Leaf:** 12 in., (30.5 cm) long; 9.5 in. (24.1 cm) wide; 11 to 12 vein pairs; chartreuse yellow; slightly rippled margin, dull on top and underneath; cordate base, broadly ovate; lightly cupped, deeply

corrugated.

**Scape:** 16 to 28 in., (40.6 to 71.1 cm) long; grey-green.

**Flower:** 2 in., (5.1 cm) long; near white, tubular; Omemee, Ont. Canada; 6/17, 7/15, 7/31.

**Seed:** sets viable seeds; pod green.

**Clump History:** original sport, 6 yrs old; Omemee, Ont. Canada.

**Notable Characteristics:** color and substance, slug resistant, a bright light in the garden.

[sport of *H.* 'Olive Bailey Langdon']

**Seasonal Variation:** yellow intensifies with age.

*H.* 'Lean on Me' L. Bisschop (ONIR)

**Plant:** 60 in. (152.4 cm) diameter; 29 in. (73.7 cm) high; mound-like, medium to fast growth rate.

**Leaf:** 16 in. (40.6 cm) long; 12 in. (30.5 cm) wide; 19 to 20 vein pairs.; greenish yellow; 2 to 4 in. (5.1 to 10.2 cm) wide, slightly rippled, dark blue-green margin; glaucous bloom on top; broadly ovate with cordate base; lightly wavy, moderately corrugated.

**Scape:** 29 to 34 in. (73.7 to 86.4 cm) long.

**Flower:** near white; bell; Aylmer, Ont.; 7/9.

**Clump History:** original sport; 3 yrs old; Aylmer, Ont.

[sport of *H.* 'Willy Nilly']

**Seasonal Variation:** lutescent to golden center.

*H.* 'Lettuce Salad' P. Postlewaite (ONIR)

**Plant:** 46 in., (116.8 cm) diameter; 22 in., (55.9 cm) high; mound-like; fast growth rate.

**Leaf:** 9 in., (22.9 cm) long; 9 in. (22.9 cm) wide; 12 to 13 vein pairs; medium green; slightly rippled; slightly shiny on top and underneath; cordate base, nearly round; lightly wavy, lightly corrugated.

**Scape:** 25 to 30 in., (63.5 to 76.2 cm) long; green.

**Flower:** 3 in., (7.6 cm) long; medium lavender, bell; Kildeer, IL; 7/18, 8/1.

**Seed:** sets viable seeds; green seed pods.

**Clump History:** original sport, 4 yrs old; Kildeer, IL.

**Notable Characteristics:** unusual round shaped undulating leaves, heavy substanced, vigorous grower.

[sport of *H.* 'Summer Breeze']

**Seasonal Variation:** emerges light green and gradually change to medium green.

*H.* 'Liam's Luck' R. Keller (ONIR), White Oak Nursery (R)

**Plant:** 11 in., (27.9 cm) diameter; 7 in., (17.8 cm) high; upright; medium growth rate.

**Leaf:** 3.25 in., (8.3 cm) long; 2 in. (5.1 cm) wide; 8 vein pairs; pure white; heavily rippled margin, medium blue-green; slightly shiny on top and underneath; tapered base, ovate; intensely twisted, intensely wavy.

**Scape:** 12 to 14 in., (30.5 to 35.6 cm); light green.

**Flower:** 1.25 in., (3.2 cm) long; pale lavender, tubular; Metamore, IL; 7/15, 7/25, 8/1.

**Seed:** seed set unknown.

**Clump History:** original sport, 3 yrs old; Metamore, IL.

**Notable Characteristics:** old divisions are true to variegation, new divisions emerged splashed but revert to normal variegation. [sport of *H.* 'Brenda's Beauty']

*H.* 'Lime Smoothie' W. Lefever (O) R. Solberg (NIR)

**Plant:** 48 in., (121.9 cm) diameter; 22 in., (55.9 cm) high; mound-like; medium growth rate.

**Leaf:** 10 in., (25.4 cm) long; 7.25 in. (18.4 cm) wide; 11 to 12 vein pairs; medium green; heavily rippled, 1 to 1.5 in., (2.5 to 3.8 cm) wide, greenish yellow margin; dull on top, glaucous bloom underneath; ovate; cordate base; lightly folded, moderately wavy.

**Scape:** 24 to 26 in., (61 to 66 cm) long; green.

**Flower:** 2 in.; (5.1 cm) long; pale lavender; tubular; Kernersville, NC; 7/1, 7/15, 7/30.

**Seed:** sets viable seeds; pod yellow green.

**Clump History:** original seedling; 5 yrs old; Kernersville, NC.

**Notable Characteristics:** unique variegated colors, green center with a greenish yellow edge, large plant.

[*H.* 'Galaxy' × unknown]

**Seasonal Variation:** margin turns greenish white in late summer.

***H.* 'Little Brother'** F. Nyikos (ONIR)

**Plant:** 36 in., (91.4 cm) diameter; 19 in., (48.3 cm) high; mound-like; medium growth rate.

**Leaf:** 10 in., (25.4 cm) long; 5 in. (12.7 cm) wide; 12 to 13 vein pairs; intensely blue; flat; glaucous bloom on top and underneath; tapered base, elliptic; lightly folded; Unionville, IN.

**Clump History:** original seedling, 7 yrs old; Unionville, IN.

**Notable Characteristics:** sibling to *H.* 'Awakening Angel'; a large version of *H.* 'Halcyon'.

[*H.* 'Mikawa-no-yuki' × *H.* 'Uncle John']

***H.* 'Little Miss Sunshine'** A. Scheer (ON), Walters Gardens, Inc. (I), A. Bergeron (R)

**Plant:** 20 in., (50.8 cm) diameter; 10 in., (25.4 cm) high; mound-like.

**Leaf:** 4 in. (10.2 cm) long; 3 in., (7.6 cm) wide; 5 vein pairs; golden yellow; heavily rippled; slightly shiny, glaucous bloom; rounded base, ovate; intensely wavy.

**Scape:** wine

**Flower:** medium lavender; bell; Ridgefield, CT; 7/15, 8/15.

**Seed:** sets viable seeds

**Clump History:** original seedling, 5 yrs old obtained from the originator; Ridgefield, CT

**Notable Characteristics:** small golden yellow, intense waviness on the leaf margin, tolerates most sun, wine color scapes.

[*H.* 'Regal Rhubarb' × *H.* 'Ogon Koba']

**Seasonal Variation:** starts light green turns golden.

***H.* 'Little Town Flirt'** C. Wasitis/Bridgewood Gardens (ONIR)

**Plant:** 28 in., (71.1 cm) diameter; 14 in., (35.6 cm) high; mound-like.

**Leaf:** 5 in., (12.7 cm) long; 2.25 in. (5.7 cm) wide; 6 to 7 vein pairs; medium blue green; flat, .25 to .5 in., (.6 to 1.3 cm) wide, creamy white margin; glaucous bloom, slightly shiny; tapered base, ovate; lightly wavy.

**Flower:** medium lavender; tubular; Warren Co., VA; 7/15, 8/15.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 5 yrs old; Warren Co., VA.

[unknown streaked seedling × unknown]

**Seasonal Variation:** center turns green.

***H.* 'Little Treasure'** J. van den Top (ONI), D. Van Ee Haute (R)

**Plant:** 11 in., (28 cm) diameter; 5.8 in., (14.8 cm) high; mound-like; medium growth rate.

**Leaf:** 4.9 in., (12.4 cm) long; 1.9 in., (4.8 cm) wide; 4 to 5 vein pairs; creamy white; .6 in., (1.4 cm) wide, flat; medium blue-green margin; glaucous bloom on top, dull underneath; lance, tapered base; lightly twisted; petiole variegated creamy white and blue-green.

**Scape:** 10.1 to 13.5 in., (25.6 to 34.2 cm) long; creamy white.

**Flower:** 1.5 in., (3.9) long; medium lavender; tubular; Deinze, Belgium; 6/4, 6/10, 7/8.

**Seed:** does not set seed

**Clump History:** original sport; 5 yrs old; Deinze, Belgium.

**Notable Characteristics:** small variegated hosta with strong contrast between margin and leaf center.

[sport of *H.* 'Little Jay']

***H.* 'Lydia's Buffet'** B. Graves (ONIR)

**Plant:** 6 in., (15.2 cm) diameter; 6 in., (15.2 cm) high; mound-like.

**Leaf:** 3 in., (7.6 cm) long; 1.5 in. (3.8 cm) wide; 5 to 6 vein pairs; medium streaked with creamy white; slightly rippled; slightly shiny on top and underneath; tapered base, elliptic; lightly wavy.

**Scape:** 15 to 18 in., (38.1 to 45.7 cm) long; green.

2 in., (5.1 cm) long; medium lavender, tubular; Sylvania, OH; 7/18, 7/24, 8/3.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 7 yrs old; Sylvania, OH.

**Notable Characteristics:** good growth, produces variegated and streaked seedlings.

[parentage unknown]

***H.* 'Ma Breeder'** R. Kuenster (ONIR)

**Plant:** 40 in., (101.6 cm) diameter; 23 in., (58.4 cm) high; medium growth rate.

**Leaf:** 11.5 in., (29.2 cm) long; 9.75 in. (24.8 cm) wide; 13 to 15 vein pairs; misted and streaked yellow to greenish yellow; flat; slightly shiny on top, dull underneath; cordate base, broadly ovate; lightly cupped, lightly wavy, deeply corrugated; petiole very cupped.

**Scape:** 26 to 32 in., (66 to 81.3 cm) long; green.

**Flower:** 1.75 in., (4.4 cm) long; near white, tubular; Iowa City, IA; 6/20, 7/5, 7/20.

**Seed:** sets viable seeds; pod green streaked.

**Clump History:** original seedling, 5 yrs old; Iowa City, IA.

[*H.* 'Dorothy Benedict' seedling × *H.* 'Dorothy Benedict']

***H.* 'Mary Schwartzbauer'** H. Gowen (O), K. Larsen (NIR)

**Plant:** 40 in., (101.6 cm) diameter; 30 in., (76.2 cm) high; upright; slow growth rate.

**Leaf:** 15 in., (38.1 cm) long; 12 in. (30.5 cm) wide; 14 to 16 vein pairs; light green to greenish white; slightly rippled, .5 to 1.5 in., (1.3 to 3.8 cm) wide, green margin with streaking to center; slight glaucous bloom on top and underneath; cordate base, broadly ovate; very lightly corrugated.

**Scape:** 30 to 36 in., (76.2 to 91.4 cm) long.

**Flower:** W. St. Paul, MN; June 1 to July 15.

**Clump History:** original seedling, 5 yrs old obtained from the originator; W. St. Paul, MN.

**Notable Characteristics:** two color margin.

[*H.* 'Dorothy Benedict' × unknown]

***H.* 'Marýke Lokike'** M. Lokies (ONIR)

**Plant:** 25.6 in., (65 cm) diameter; 15 in., (38 cm) high; mound-like; fast growth rate.

**Leaf:** 4.3 in., (11 cm) long; 1.4 in. (3.5 cm) wide; 9 vein pairs; slightly blue-green; flat; dull on top and underneath; tapered base, lance; lightly folded; petiole light green.

**Scape:** 13.8 to 18.5 in., (35 to 47 cm) long; mauve-grey.

**Flower:** pale lavender; bell; Dorsten, Germany; 6/24, 7/8, 7/30.

**Seed:** does not set seed.

**Clump History:** original seedling, 2 yrs old; Dorsten, Germany.

**Notable Characteristics:** rock garden plant or in a pot, abundant bloom, numerous scapes, pest resistant.

[*H.* 'Halcyon' × unknown]

***H.* 'Mean Joe Green'** S. & S. Zolock (ONIR)

**Plant:** 30 in., (76.2 cm) diameter; 15 in., (38.1 cm) high; upright; medium growth rate.

**Leaf:** 8 in., (20.3 cm) long; 5.25 in. (13.3 cm) wide; 8 to 10 vein pairs; blue-green; heavily rippled; slightly shiny on top, dull underneath; cordate base, broadly ovate; lightly cupped, lightly corrugated; purple streaking half way up petiole.

**Scape:** 24 to 27 in., (61 to 68.6 cm) long; green with purple streaking.

**Flower:** 1.75 in., (4.4 cm) long; pale lavender, dark lavender streaking; tubular; Belle Vernon, PA; 8/1, 8/15, 8/31.

**Seed:** sets viable seeds; pod dark lavender.

**Clump History:** original seedling, 7 yrs old; Belle Vernon, PA.

**Notable Characteristics:** dark lavender flower buds, disease and insect resistant, flower head clustered, thick substance.

[*H.* 'Riptide' × seedling]

**Seasonal Variation:** green in fall.

*H.* 'Miss American Pie' C. Wasitis/Bridgewood Gardens (ONIR)

**Plant:** 42 in., (106.7 cm) diameter; 13 in., (33 cm) high; mound-like; medium growth rate.

**Leaf:** 13 in., (33 cm) long; 6 in. (15.2 cm) wide; 8 to 10 vein pairs; medium green; heavily rippled; slightly shiny on top, glaucous bloom underneath; cordate base, ovate; lightly cupped, lightly folded.

**Flower:** pale lavender, tubular; Warren Co., VA; 8/15, 10/1.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 5 yrs old; Warren Co., VA.

[*H.* 'Uncle Albert' × unknown]

*H.* 'Misty May' R. Kuenster (ONIR)

**Plant:** 24 in., (61 cm) diameter; 15 in., (38.1 cm) high; upright; medium growth rate.

**Leaf:** 8 in., (20.8 cm) long; 1.75 in. (4.4 cm) wide; 7 to 9 vein pairs; streaked misted cream and green; slightly rippled; dull on top and underneath; tapered base, lance; moderately twisted, lightly folded, moderately wavy; petiole streaking to base.

**Scape:** 36 to 39 in., (91.4 to 99.1); green, streaked yellow and white.

**Flower:** 1.5 in., (3.8 cm) long; medium lavender, tubular; Iowa City, IA; 7/15, 8/1, 8/20.

**Seed:** sets viable seeds; pod green streaked yellow and white.

**Clump History:** original seedling, 6 yrs old; Iowa City, IA.

**Notable Characteristics:** fertile plant that passes on twisted leaves and white backs.

[*H.* 'Revolution' × seedling 43]

*H.* 'Mosel' H. Klose (ONI), P. & J. Ruh (R)

**Plant:** 23 in., (58.4 cm) diameter; 14 in., (35.6 cm) high; upright; medium growth rate.

**Leaf:** 6.75 in., (17.1 cm) long; 4.75 in. (12.1 cm) wide; 10 vein pairs; medium green; slightly rippled margin, very shiny on top, dull underneath; flat base, ovate; lightly cupped, lightly wavy, flat.

**Scape:** 7.5 in., (19.1 cm) long; blue-green.

**Flower:** 1.5 in., (3.8 cm) long; near white, vivid purple striped; tubular; Chesterland, OH; 7/24, 8/4, 8/11.

**Clump History:** a division, 4 yrs old obtained from the originator; Chesterland, OH.

**Notable Characteristics:** flower size, and short flower scape. [seedling of Tardiana Group]

*H.* 'Mustang Sally' C. Wasitis/Bridgewood Gardens (ONIR)

**Plant:** 36 in., (91.4 cm) diameter; 15 in., (38.1 cm) high; mound-like; medium growth rate.

**Leaf:** 9 in., (22.9 cm) long; 6 in. (15.2 cm) wide; 9 to 11 vein pairs; dark green; slightly rippled; slightly shiny on top and underneath; cordate base, broadly ovate; lightly wavy.

**Flower:** near white, tubular; Warren Co., VA; Aug 15 to Oct 1.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 5 yrs old; Warren Co., VA.

[*H.* 'Uncle Albert' × *H. plantaginea*]

*H.* 'My Mom' R. Kuenster (ONIR)

**Plant:** 32 in., (81.3 cm) diameter; 18 in., (45.7 cm) high; mound-like; slow growth rate.

**Leaf:** 9 in., (22.9 cm) long; 6.25 in. (15.9 cm) wide; 13 to 15 vein pairs; dark green streaked yellow; slightly rippled; slightly shiny on top, dull underneath; cordate base, broadly ovate; moderately cupped, lightly wavy, moderately corrugated; petiole dark green.

**Scape:** 24 to 30 in., (61 to 76.2 cm) long.

**Flower:** 1.5 in., (3.8 cm) long; near white, tubular; Iowa City, IA; 6/10, 6/25, 7/1.

**Seed:** sets viable seeds; pod green streaked.

**Clump History:** original seedling, 5 yrs old; Iowa City, IA.

**Notable Characteristics:** nice form, fertile breeder.

[*H.* 'Dorothy Benedict' × *H.* 'Fudge Ripple']

*H.* 'North Wind' C. Wilson (ONR), Hallson Gardens (I)

**Plant:** 24 in., (61 cm) diameter; 18 in., (45.7 cm) high; mound-like; medium growth rate.

**Leaf:** 6.5 in., (16.5 cm) long; 5.5 in. (14 cm) wide; 9 to 11 vein pairs; dark green; flat, .5 to .75 in., (1.3 to 1.9 cm) wide, creamy white margin turning to medium to dark green; slightly shiny on top, glaucous bloom underneath; cordate base, broadly ovate; moderately cupped, lightly corrugated.

**Flower:** pale lavender, tubular; Cement City, IA; 7/15, 8/15.

**Clump History:** original sport, 5 yrs old; Cement City, IA.

**Notable Characteristics:** smooth margin is viridescenscent.

[sport of *H.* 'Second Wind']

**Seasonal Variation:** viridescenscent edge.

*H.* 'October Sky' D. Dean (ONIR)

**Plant:** 30 in., (76.2 cm) diameter; 14 in., (35.6 cm) high; semi-upright.

**Leaf:** 8 in., (20.3 cm) long; 4 in. (10.2 cm) wide; 9 to 10 vein pairs; intensely blue-green; slightly rippled; glaucous bloom on top and underneath base, ovate; moderately folded.

**Scape:** 18 to 20 in., (45.7 to 50.8 cm) long; glaucous blue-green.

**Flower:** 1.63 in., (4.1 cm) long; near white, pale lavender center, white to translucent edge; tubular; Ramsey, MN; 8/7, 8/16, 8/26.

**Seed:** sets viable seeds; pod glaucous green.

**Clump History:** original seedling, 6 yrs old; Ramsey, MN.

**Notable Characteristics:** intense powder blue, top and bottom of leaf, slight pucker, creamy green with pink blush bracts.

[*H.* 'Frosted Dimples' × *H.* 'Salute']

*H.* 'OHS Calamari' R. Leask (O), Ontario Hosta Society (NIR)

**Plant:** 20 in., (50.8 cm) diameter; 8 in., (20.3 cm) high; rhizomatous; medium growth rate.

**Leaf:** 2.5 in., (17.8 cm) long; 1 in. (7 cm) wide; creamy white, .13 in., (.3 cm) wide, medium green margin, lance.

**Scape:** 10 to 12 in., (25.4 to 30.5 cm) long; red.

**Flower:** pale purple, Ontario; June 1 to July 15.

**Seed:** sets seeds, viability unknown; pod yellow, red spots.

**Clump History:** original sport obtained from t.c., 3 yrs old obtained from the originator; Ontario.

[sport of *H.* 'Sea Octopus']

*H.* 'OHS Love in the Mist' V. Hildebrandt (O), Ontario Hosta Society (NIR)

**Plant:** medium growth rate.

**Leaf:** 9 in., (22.9 cm) long; 9 in. (22.9 cm) diameter; white misted with blue-green margin.

**Flower:** near white; Ontario; June 1 to July 15.

**Clump History:** original sport obtained from t.c., 2 yrs old obtained from the originator; Ontario.

**Notable Characteristics:** white misted center on blue leaf.

[sport of *H.* 'Love Pat']

**H. 'Okobaji'** C. Tompkins (ONI), P. & J. Ruh (R)  
**Plant:** 19 in., (48.3 cm) diameter; 10.5 in., (26.7 cm) high; mound-like; slow growth rate.  
**Leaf:** 8.25 in., (21 cm) long; 6 in. (15.2 cm) wide; 14 vein pairs; medium blue-green; flat; glaucous bloom on top, dull underneath; cordate base, ovate; lightly cupped, lightly folded, lightly corrugated.  
**Scape:** 13 in., (33 cm) long; light green.  
**Flower:** 1.5 in., (3.8 cm) long; near white, bell; Chesterland, OH; 6/27, 7/3, 7/11.  
**Clump History:** a division, 4 yrs old obtained from other source; Chesterland, OH.  
 [parentage unknown]

**H. 'Olive Branch'** S. Moldovan (ONI), P. & J. Ruh (R)  
**Plant:** 25.75 in., (65.4 cm) diameter; 11.25 in., (28.6 cm) high; mound-like; medium growth rate.  
**Leaf:** 6.25 in., (15.9 cm) long; 4.19 in. (10.6 cm) wide; 10 vein pairs; greenish yellow; slightly rippled, 1.13 to 1.5 in., (2.9 to 3.8 cm) wide, medium green margin; very shiny on top, slightly shiny underneath; cordate base, ovate; lightly wavy, flat; petiole variegated edge.  
**Scape:** 16.5 in., (41.9 cm) long; light green.  
**Flower:** 1.5 in., (3.8 cm) long; pale lavender, tubular; Chesterland, OH; 7/13, 7/23, 7/30.  
**Clump History:** a division, 11 yrs old obtained from the originator; Chesterland, OH.  
**Notable Characteristics:** unusual coloration.  
 [parentage unknown]

**H. 'PAL's First Blue'** P. Lehtola (ONIR)  
**Plant:** 36 in., (91.4 cm) diameter; 18 in., (45.7 cm) high; mound-like; fast growth rate.  
**Leaf:** 8 in., (20.3 cm) long; 4 in. (10.2 cm) wide; vein pairs 7; medium blue; slightly rippled, .25 in., (.6 cm) wide, white margin; slightly shiny on top, dull underneath; flat base, lance; lightly wavy.  
**Scape:** 24 to 34 in., (61 to 86.4 cm) long; pale red mottled.  
**Flower:** 1.5 in., (3.8 cm) long; medium lavender, pale lavender with white stripes; tubular; Bridgewater, MA; 8/15, 9/1, 9/15.  
**Seed:** seed set unknown.  
**Clump History:** original seedling, 7 yrs old; Bridgewater, MA.  
 [parentage unknown]  
**Seasonal Variation:** turns green in August.

**H. 'PAL's Plymouth Rock'** P. Lehtola (OIR), A. Malloy (N)  
**Plant:** 36 in., (91.4 cm) diameter; 16 in., (40.6 cm) high; mound-like; medium growth rate.  
**Leaf:** 7.5 in., (19.1 cm) long; 5.5 in. (14 cm) wide; 11 to 13 vein pairs; golden yellow; slightly shiny on top and underneath; cordate base, broadly ovate; deeply cupped, folded, deeply corrugated; petiole.  
**Scape:** 30 in., (76.2 cm) long; green.  
**Flower:** 1.5 in., (3.8 cm) long; near white, tubular; Bridgewater, MA; 6/20, 7/1, 7/13.  
**Seed:** seed set unknown; pod  
**Clump History:** original sport, 3 yrs old; Bridgewater, MA  
**Notable Characteristics:** very heavy substanced.  
 [sport of *H. 'Abiqua Recluse'*]

**H. 'Prestige and Promise'** Walters Gardens, Inc. (OI), A. Bergeron (NR)  
**Plant:** 20 in., (50.8 cm) diameter; 16 in., (40.6 cm) high; mound-like; slow growth rate.  
**Leaf:** 7 in., (17.8 cm) long; 5 in. (12.7 cm) wide; 10 to 11 vein pairs; golden-yellow; 1.5 in., (3.8 cm) wide, slightly rippled, dark

green margin; dull on top and underneath; broadly ovate, cordate base; lightly corrugated.

**Flower:** near white; tubular; Zeeland, MI; June 1 to July 15.  
**Clump History:** original sport obtained from t.c.; 7 yrs old; Zeeland, MI.  
**Notable Characteristics:** wide margin mutation of *H. 'Cadillac'*. Trials have shown this to be less susceptible to burning.  
 [sport of *H. 'Cadillac'*]

**H. 'Pretty One'** R. Kuenster (ONIR)  
**Plant:** 36 in., (91.4 cm) diameter; 24 in., (61 cm) high; mound-like; medium growth rate.  
**Leaf:** 10 in., (25.4 cm) long; 8 in. (20.3 cm) wide; 15 to 17 vein pairs; yellow to light green streaking; slightly rippled; slightly shiny on top and underneath; cordate base, broadly ovate; lightly folded, lightly wavy; petiole green shades streaked to base.  
**Scape:** 32 to 40 in., (81.3 to 101.6 cm) long; green streaked.  
**Flower:** 1.75 in., (4.4 cm) long; near white; tubular; Iowa City, IA; 6/20, 7/1, 7/20.  
**Seed:** seed set unknown.  
**Clump History:** original seedling, 6 yrs old; Iowa City, IA.  
**Notable Characteristics:** very streaked and striking.  
 [*H. 'Dorothy Benedict'* × *H. 'Dorset Clown'*]

**H. 'Proud Sentry'** D. Dean (ONIR)  
**Plant:** 27 in., (68.6 cm) diameter; 16 in., (40.6 cm) high; upright; fast growth rate.  
**Leaf:** 9 in., (22.9 cm) long; 3.25 in. (8.3 cm) wide; 7 vein pairs; medium green; slightly rippled, .5 to 1 in., (1.3 to 2.5 cm) wide, yellow margin; dull on top, slightly shiny underneath; lance, tapered base, lightly twisted, moderately folded, moderately wavy; petiole purple red to leaf back, front green with white.  
**Scape:** 28 to 33 in., (71.1 to 83.8 cm) long.  
**Flower:** 2 in., (5.1 cm) long; medium lavender, translucent edge; tubular; Ramsey, MN; 8/13, 8/20, 8/28.  
**Seed:** sets seeds, viability unknown; pod medium green.  
**Clump History:** original seedling, 5 yrs old; Ramsey, MN.  
**Notable Characteristics:** erect vase, lanceolate leaves, with purple red petioles.  
 [(*H. 'Swoosh'* seedling × *H. 'Crested Surf'*) × *H. 'Venetian Blue'*]  
**Seasonal Variation:** margin turns creamy white

**H. 'Purple Rain'** C. Wasitis/Bridgewood Gardens (ONIR)  
**Plant:** 35 in., (88.9 cm) diameter; 12 in., (30.5 cm) high; upright; medium growth rate.  
**Leaf:** 9 in., (22.9 cm) long; 5 in. (12.7 cm) wide; 8 to 10 vein pairs; medium blue green; slightly rippled margin, glaucous bloom on top and underneath; cordate base, ovate; moderately cupped, moderately folded, moderately wavy; petiole purple.  
**Flower:** pale lavender, lavender stripes; tubular; Warren Co., VA; Aug 15 to Oct 1.  
**Seed:** sets viable seeds.  
**Clump History:** original seedling, 5 yrs old; Warren Co., VA.  
 [*H. 'Uncle Albert'* × *H. 'Halcyon'*]

**H. 'Quiet Waters'** L. Bisschop (ONIR)  
**Plant:** 26 in., (66 cm) diameter; 13 in., (33 cm) high; slow growth rate.  
**Leaf:** 7 in., (17.8 cm) long; 5 in. (12.7 cm) wide; 11 to 13 vein pairs; medium green; .5 to 1 in., (1.3 to 2.5 cm) wide, pure white, heavily rippled margin; dull on top and underneath; broadly ovate, flat base, moderately cupped, deeply wavy.  
**Clump History:** original seedling, 3 years old; Aylmer, Ont.  
**Notable Characteristics:** unique second margin of medium

green .13 to .38 in. (.3 to 1) wide. Outside green margin and center have celadon streaking.

[*H.* 'Aurora Borealis' × unknown]

***H.* 'Rain Forest Shooting Stars'** W. & J. Owens (ONIR)

**Plant:** 24 in., (61 cm) diameter; 11 in., (27.9 cm) high; mound-like; fast growth rate.

**Leaf:** 5.5 in., (14 cm) long; 5 in. (12.7 cm) wide; 9 vein pairs; golden yellow; flat, .5 to 1 in., (1.3 to 2.5 cm) wide, dark green margin; slightly shiny on top, dull underneath; cordate base, nearly round; deeply cupped, deeply corrugated.

**Scape:** 20 to 24 in., (50.8 to 61 cm) long; greenish white cast.

**Flower:** 2.5 in., (6.4 cm) long; near white, light purple striped; bell; Momence, IL; 7/9, 7/18, 7/22.

**Seed:** sets viable seeds; pod green.

**Clump History:** original sport, 3 yrs old; Momence, IL.

**Notable Characteristics:** great substance.

[sport of *H.* 'Rain Forest Sunrise']

**Seasonal Variation:** golden yellow center changes to all green.

***H.* 'Raucous Ruffles'** D. Dean (ONIR)

**Plant:** 35 in., (88.9 cm) diameter; 13 in., (33 cm) high; mound-like.

**Leaf:** 9.5 in., (24.1 cm) long; 6 in. (15.2 cm) wide; 12 to 13 vein pairs; slightly blue-green; heavily rippled margin, glaucous bloom on top and underneath; cordate base, broadly ovate; moderately cupped, lightly twisted, moderately folded, intensely wavy, intensely corrugated.

**Scape:** 19 to 27 in., (48.3 to 68.6 cm) long; glaucous green.

**Seed:** sets viable seeds; pod medium green.

**Clump History:** original seedling, 6 yrs old; Ramsey, MN.

**Notable Characteristics:** very sun tolerant, requires sun to show characteristics, intense rugosity, sharp tipped leaves.

[(*H.* 'Color Fantasy' × *H.* 'Love Pat') × *H.* 'Fluted Fountain']

***H.* 'Regal Supreme'** J. van den Top (ONI), D. Van Eecheute (R)

**Plant:** 42.8 in., (108.6 cm) diameter; 28.1 in., (71.5 cm) high; upright; medium growth rate.

**Leaf:** 11.7 in., (29.6 cm) long; 6.1 in., (15.5 cm) wide; 8 vein pairs; slightly blue-green; 1.5 in., (3.7 cm) wide, flat, creamy white margin; glaucous bloom on top and underneath; ovate, tapered base; lightly folded.

**Scape:** 34 to 55.7 in., (86.3 to 141.5 cm) long; green.

**Flower:** 1.6 in., (4.1 cm) long; pale lavender; tubular; Deinze, Belgium; 6/21, 7/2, 7/23.

**Seed:** does not set seed.

**Clump History:** original sport; 5 yrs old; Deinze, Belgium.

**Notable Characteristics:** significantly broader margin than other *H.* 'Krossa Regal' sports.

[sport of *H.* 'Krossa Regal']

***H.* 'Ripple Effect'** Walters Gardens, Inc. (OI),

A. Bergeron (R), E. Elenbaas (N)

**Plant:** 15 in., (38.1 cm) diameter; 12 in., (30.5 cm) high; mound-like; medium growth rate.

**Leaf:** 6 in., (15.2 cm) long; 2 in. (5.1 cm) wide; 5 to 6 vein pairs; greenish-yellow; .25 in., (.6 cm) wide, heavily rippled, medium blue-green margin; elliptical, rounded base; wavy.

**Flower:** pale lavender; tubular; Zeeland, MI; July 15 to Aug 15.

**Clump History:** original sport obtained from t.c.; 2 yrs old; Zeeland, MI.

**Notable Characteristics:** mutation of *H.* 'June' with slightly elongated, intensely wavy leaves.

[sport of *H.* 'June']

**Seasonal Variation:** center brightens to gold.

***H.* 'Riviera Sunset'**

D. Dean (ONIR)

**Plant:** 35 in., (88.9 cm) diameter; 16 in., (40.6 cm) high; mound-like; fast growth rate.

**Leaf:** 6.25 in., (15.9 cm) long; 4.25 in. (10.8 cm) wide; vein pairs 7 to 8; medium green; slightly rippled, .5 to .88 in., (1.3 to 2.2 cm) wide, orange yellow margin; dull on top, very shiny underneath; cordate base, broadly ovate; lightly folded, moderately wavy, lightly corrugated; petiole slight edge color down petiole.

**Scape:** 23 to 24 in., (58.4 to 61 cm) long; medium green, speckled burgundy.

**Flower:** 1.63 in., (4.1 cm) long; lavender, pale lavender inside, translucent edge; tubular; Ramsey, MN; 7/10, 7/18, 8/12.

**Seed:** sets seeds, viability unknown; pod dark green sparkled.

**Clump History:** original seedling, 6 yrs old; Ramsey, MN.

**Notable Characteristics:** orange gold edge is irregular, 4 tone leaf with center and edge and two tones overlap.

[*H.* 'Beatrice' × *H.* 'Leather Sheen']

**Seasonal Variation:** edge on some leaves on clump fade to cream-yellow in bright sunny location.

***H.* 'Roberta'**

D. Chopko (ON), B. Kuk (IR)

**Plant:** 25 in., (63.5 cm) diameter; 18 in., (45.7 cm) high; mound-like; medium growth rate.

**Leaf:** 7 in., (17.8 cm) long; 6 in. (15.2 cm) wide; 14 to 15 vein pairs; medium blue-green; slightly rippled, 1.5 in., (3.8 cm) wide, golden yellow margin; dull glaucous bloom on top and underneath; cordate base, broadly ovate; lightly wavy, moderately corrugated.

**Scape:** 16 to 18 in., (40.6 to 45.7 cm) long.

**Flower:** 1.5 in., (3.8 cm) long; near white, bell; Brecksville, OH; 6/18, 6/28, 7/5.

**Seed:** sets viable seeds; pod dull green.

**Clump History:** original sport, 4 yrs old; Brecksville, OH.

**Notable Characteristics:** stable coloration.

[sport of 'Golden Delight']

***H.* 'Roughrider'**

B. Graves (ONIR)

**Plant:** 22 in., (55.9 cm) diameter; 16 in., (40.6 cm) high; mound-like; fast growth rate.

**Leaf:** 8 in., (20.3 cm) long; 4.5 in. (11.4 cm) wide; 8 vein pairs; medium green; slightly rippled, .5 in. (1.3 cm) wide, creamy white margin; slightly shiny on top and underneath; tapered base, ovate; moderately folded, moderately waxy; petiole .

**Scape:** 33 to 35 in., (83.8 to 88.9 cm) long; green.

**Flower:** 2.25 in., (5.7 cm) long; pale lavender, white striped; spider; Sylvania, OH; 7/20, 8/4, 8/20.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 7 yrs old; Sylvania, OH.

**Notable Characteristics:** folded wavy leaves.

[*H.* 'Swoosh' × unknown]

***H.* 'S.S. Geisha'**

Sunrise Greenhouse (O),

W. & J. Owens (NIR)

**Plant:** 36 in., (91.4 cm) diameter; 15 in., (38.1 cm) high; upright; medium growth rate.

**Leaf:** 5 in., (12.7 cm) long; 2.5 in. (6.4 cm) wide; 6 vein pairs; green with gold streaking; slightly rippled margin, slightly shiny on top and underneath; rounded base, ovate; lightly twisted, lightly wavy; petiole light yellow with red purple dots.

**Scape:** 26 to 38 in., (66 to 96.5 cm) long; greenish yellow.

**Flower:** 2 in., (5.1 cm) long; pale lavender, bell; Momence, IL; 8/15, 8/20, 9/15.

**Seed:** seed set unknown; pod greenish yellow.

**Clump History:** original sport obtained from t.c., 5 yrs old; Momence, IL.



**Notable Characteristics:** greenish-yellow leaves streaked with many shades of green.  
[sport of *H.* 'Geisha']

***H.* 'Schwarzer Ritter'** H. Klose (ONI), P. & J. Ruh (R)

**Plant:** 23 in., (58.4 cm) diameter; 10.5 in., (26.7 cm) high; upright.

**Leaf:** 7.75 in., (19.7 cm) long; 5.75 in. (14.6 cm) wide; 8 vein pairs; dark green; slightly rippled margin, very shiny on top and underneath; flat base, ovate; lightly twisted, lighted folded, lightly wavy.

**Scape:** 32 in., (81.3 cm) long; green.

**Flower:** 2.13 in., (5.4 cm) long; deep purple, white striped; bell; Chesterland, OH; 7/16, 7/23, 7/31.

**Clump History:** a division, 5 yrs old obtained from other source; Chesterland, OH.

**Notable Characteristics:** bell shaped, white striped flowers.  
[parentage unknown]

***H.* 'Shirley Wade'** D. & J. Ward (ONIR)

**Plant:** 24 in., (61 cm) diameter; 10 in., (25.4 cm) high; mound-like; medium growth rate.

**Leaf:** 7 in., (17.8 cm) long; 5 in. (12.7 cm) wide; 7 to 9 vein pairs; yellow; slightly rippled margin, slightly shiny on top, dull underneath; cordate base, broadly ovate; lightly wavy.

**Scape:** 25 to 27 in., (63.5 to 68.6 cm) long.

**Flower:** .5 in., (1.3 cm) long; near white; tubular; Bellville, OH; 7/1, 7/7, 7/14.

**Seed:** sets viable seeds; pod green.

**Clump History:** original sport, 4 yrs old; Bellville, OH.

**Notable Characteristics:** very heavy substance.  
[sport of *H.* 'Spellbound']

***H.* 'Shoehorn'** F. & S. Freeman (ONIR)

**Plant:** 30 in., (76.2 cm) diameter; 12 in., (30.5 cm) high; upright; slow growth rate.

**Leaf:** 9.5 in., (24.1 cm) long; 3.5 in. (8.9 cm) wide; 8 vein pairs; medium green; heavily rippled margin, dull on top, slightly shiny underneath; tapered base, lance; deeply wavy.

**Scape:** 38 to 40 in., (96.5 to 101.6 cm) long; green.

**Flower:** 2.5 in., (6.4 cm) long; pale lavender, tubular; Davenport, IA; 6/25, 7/10, 7/20.

**Seed:** sets viable seeds; pod dark green.

**Clump History:** 4 yrs old; Davenport, IA.

**Notable Characteristics:** pointed leaves, cupped, sun tolerant.  
[parentage unknown]

***H.* 'Smoke Signals'** B. & D. Stegeman (ONIR)

**Plant:** 38 in., (96.5 cm) diameter; 20 in., (50.8 cm) high; upright; medium growth rate.

**Leaf:** 9 in., (22.9 cm) long; 5 in., (12.7 cm) wide; 9 to 10 vein pairs; intensely blue-green; flat margin; glaucous bloom on top and underneath; ovate, tapered base; lightly folded, lightly wavy.

**Scape:** 22 to 26 in., (55.9 to 66 cm) long, blue.

**Flower:** near white; pale lavender striping; tubular; Chesterton, IN; 8/10, 9/5.

**Seed:** sets viable seeds.

**Clump History:** original seedling; 8 yrs old; Chesterton, IN.

**Notable Characteristics:** intense, long-lasting blue color and upright form.

[*H.* 'Salute' × *H.* 'Carolina Blue']

***H.* 'Stairway to Heaven'** R. Kuenster (ONIR)

**Plant:** 36 in., (91.4 cm) diameter; 24 in., (61 cm) high; fast growth rate.

**Leaf:** 9.25 in., (23.5 cm) long; 5.75 in. (14.6 cm) wide; 7 to 9

vein pairs; medium green streaked with white; slightly rippled, .25 to .5 in., (.6 to 1.3 cm) white margin; very shiny on top and underneath; rounded base, ovate; lightly twisted, moderately wavy; petiole streaked edge to base.

**Scape:** 34 to 42 in., (86.4 to 106.7 cm) long.

**Flower:** 2.25 in., (5.7 cm) long; pale lavender, tubular; fragrant; Iowa City, IA; 8/12, 8/20, 9/5.

**Seed:** sets viable seeds; pod green with white.

**Clump History:** original seedling, 8 yrs old; Iowa City, IA.

**Notable Characteristics:** stable streaking on an edged plant.  
[*H.* 'Seventh Heaven' × *H.* 'Seventh Heaven']

***H.* 'Steffi'** V. Serafin (ONIR)

**Plant:** 24 in., (61 cm) diameter; 16 in., (40.6 cm) high; medium to fast growth rate.

**Leaf:** 7 in., (17.8 cm) long; 4 in. (10.2 cm) wide; 8 vein pairs; dark green; flat, .5 in., (1.3 cm) wide, pure white margin; slightly shiny on top and underneath; broadly ovate, round base; moderately flat.

**Scape:** 26 in., (66 cm) long; green.

**Flower:** pale lavender; tubular; Fultonville, NY; 7/15, 8/15.

**Seed:** sets seeds viability unknown.

**Clump History:** original sport; 5 yrs old; Fultonville, NY.

**Notable Characteristics:** Dramatic color change over prolonged period, exceptionally dark green final color, holds up well in fall.  
[sport of *H.* 'Saint Elmo's Fire']

**Seasonal Variation:** spring color yellow edge, light green center, color changes through July.

***H.* 'Strawberry Banana Smoothie'** R. Solberg (ONIR)

**Plant:** 26 in., (66 cm) diameter; 12 in., (30.5 cm) high; upright; medium growth rate.

**Leaf:** 6 in., (15.2 cm) long; 3.5 in. (8.9 cm) wide; 5 to 6 vein pairs; yellow; slightly rippled margin; dull, slightly shiny on top and underneath; elliptic, rounded base; moderately wavy; petiole bright red, not purple up to leaf base.

**Scape:** 24 to 26 in., (61 to 66 cm) long; greenish yellow.

**Flower:** 2 in., (5.1 cm) long; medium lavender; tubular; Chapel Hill, NC; 7/20, 7/30, 8/10.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling; 5 yrs old; Chapel Hill, NC.

**Notable Characteristics:** bright yellow leaves with bright red, not purple, petioles, color extends up to leaf base.

[*H.* 'Whiskey Sour' × *H.* 'Whiskey Sour' sibling] Sibling was from the same *H.* 'Ogon Tsushima' × *H.* *yingeri* cross.

**Seasonal Variation:** can bleach to white in sun.

***H.* 'Strawberry Surprise'** D. Dean (ONIR)

**Plant:** 42 in., (106.7 cm) diameter; 16 in., (40.6 cm) high; upright; medium growth rate.

**Leaf:** 10.75 in., (27.3 cm) long; 7.75 in. (19.7 cm) wide; 10 to 11 vein pairs; slightly blue-green; slightly rippled, irregular .63 to 1.25 in., (1.6 to 3.2 cm) wide, golden yellow margin; dull to lightly glaucous bloom, dull; cordate base, broadly ovate; moderately cupped, lightly wavy, moderately corrugated.

**Scape:** 27 to 30 in., (68.6 to 76.2 cm); glaucous burgundy.

**Flower:** 2.38 in., (6 cm) long; pale lavender, slightly darker middle, translucent edge; tubular; Ramsey, MN; July 15 to Aug 15; 7/21, 8/2, 8/12

**Seed:** sets viable seeds; pod dark burgundy green.

**Clump History:** original seedling, 5 yrs old; Ramsey, MN.

**Notable Characteristics:** large leaf with wide margin, 5 colors, red burgundy scapes, striped bracts.

[*H.* 'Liberty Bell' × *H.* 'Noah's Ark']

**Seasonal Variation:** creamy yellow

**H. 'Striped Weasel'** J. van den Top (OI), D. Van Eecheute (NR)  
**Plant:** 25.5 in., (64.8 cm) diameter; 11.1 in., (28.3 cm) high; mound-like; fast growth rate.

**Leaf:** 8.5 in., (21.5 cm) long; 3.9 in., (9.9 cm) wide; 7 to 8 vein pairs; blue-green with creamy white streaks, flat margin; glaucous bloom on top and underneath; lance, tapered base; lightly wavy; petiole streaked green with creamy white.

**Scape:** 18.7 to 23.2 in., (47.6 to 59 cm) long; streaked green with creamy white.

**Flower:** 1.5 in., (3.9 cm) long; pale lavender; tubular; Deinze, Belgium; 6/26, 7/3, 7/18.

**Seed:** does not set seed; pod streaked green with creamy white.

**Clump History:** original sport; 5 yrs old; Deinze, Belgium.

**Notable Characteristics:** very heavily streaked hosta.

[sport of *H. 'Wolverine'*]

**H. 'Sweet and Sour'** J. van den Top (ONI), D. Van Eecheute (R)  
**Plant:** 34.8 in., (88.5 cm) diameter; 18.1 in., (46 cm) high; mound-like; fast growth rate.

**Leaf:** 7.8 in., (19.8 cm) long; 5.9 in., (15.1 cm) wide; 9 to 10 vein pairs; medium green streaked with pale yellow, creamy white and light green; flat margin; dull on top, glaucous bloom underneath; broadly ovate, rounded base; lightly wavy; petiole streaked green with creamy white.

**Scape:** 28 to 40.9 in., (71 to 104 cm) long; streaked green with creamy white.

**Flower:** 2.3 in., (5.8 cm) long; near white; tubular; fragrant; Deinze, Belgium; 8/2, 8/11, 9/13.

**Seed:** sets viable seeds; pod streaked medium green.

**Clump History:** original sport; 5 yrs old; Deinze, Belgium.

**Notable Characteristics:** variegation has been consistent, fragrant.

[sport of *H. 'Fried Green Tomatoes'*]

**Seasonal Variation:** creamy white areas change to pure white.

**H. 'Ten Karat Gold'** M. Zilis (O), P. Ruh (NIR), J. Ruh (R)

**Plant:** 28 in., (71.1 cm) diameter; 13 in., (33 cm) high; mound-like; slow growth rate.

**Leaf:** 8.75 in., (22.2 cm) long; 5.75 in., (14.6 cm) wide; vein pairs 10; golden yellow; slightly rippled margin, dull on top and underneath; cordate base, ovate; lightly wavy, lightly corrugated.

**Scape:** 24 in., (61 cm) long; green.

**Flower:** 2 in., (5.1 cm) long; pure white, tubular; Chesterland, OH; 6/23, 7/5, 7/12.

**Clump History:** original sport obtained from t.c., 23 yrs old; Chesterland, OH.

**Notable Characteristics:** pointed tip.

[*H. sieboldiana* 'Mira' × unknown]

**H. 'Tiny Bubbles'** R. Solberg (ONIR)

**Plant:** 16 in., (40.6 cm) diameter; 8 in., (20.3 cm) high; mound-like; fast growth rate.

**Leaf:** 4.5 in., (11.4 cm) long; 1.5 in., (3.8 cm) wide; 4 vein pairs; yellow; slightly rippled margin; slightly shiny on top and underneath; narrowly ovate, tapered base; lightly twisted, lightly folded, moderately wavy; petiole some red at base.

**Scape:** 21 to 23 in., (53.3 to 58.4 cm) long; greenish yellow.

**Flower:** 1.25 to 1.5 in., (3.2 to 3.8 cm) long; medium lavender with reddish base; closed; Chapel Hill, NC; 7/15, 7/30, 8/15.

**Seed:** does not set seed.

**Clump History:** original seedling; 4 yrs old; Chapel Hill, NC.

**Notable Characteristics:** small yellow narrowly ovate leaves, blooms are closed, lavender with reddish base.

[*H. 'Corkscrew'* × *H. 'Lemon Frost'*]

**Seasonal Variation:** turns greenish yellow in summer.

**H. 'Tongue Twister'** R. Solberg (ONIR)

**Plant:** 18 in., (45.7 cm) diameter; 8 in., (20.3 cm) high; upright; medium growth rate.

**Leaf:** 6 in., (15.2 cm) long; 2.5 in., (6.4 cm) wide; 6 vein pairs; dark green; slightly rippled margin; slightly shiny on top, glaucous bloom underneath; lance, tapered base; intensely twisted, lightly folded, moderately wavy; petiole slightly purple.

**Scape:** 12 to 14 in., (30.5 to 35.6 cm) long; green.

**Flower:** 1.75 in., (4.4 cm) long; pale lavender; tubular; Chapel Hill, NC; 8/20, 9/10, 9/20.

**Seed:** sets viable seeds; pod green with some purple.

**Clump History:** original seedling; 4 yrs old; Chapel Hill, NC.

**Notable Characteristics:** twisted dark green leaves are upright from a flat clump, holds its dark green color into November.

[*H. 'Iwa Soules'* × *H. 'Blue Blush'*] × unknown]

**H. 'Trifecta'** Briggs Nursery (ONIR), A. Birks (R)

**Plant:** 12 in., (30.5 cm) diameter; 8 in., (20.3 cm) high; mound-like; medium growth rate.

**Leaf:** 5 in., (12.7 cm) long; 4 in., (10.2 cm) wide; vein pairs 7 to 8; creamy white, streaked with greenish yellow; flat, 1 to 1.5 in., (2.5 to 3.8 cm) wide, medium green margin; dull on top and underneath; cordate base, ovate; lightly wavy; petiole creamy white bordered by green.

**Scape:** 6 to 10 in., (15.2 to 25.4 cm); petiole purple pink at top yellow at base.

**Flower:** 1.5 in., (3.8 cm) long; pale lavender, bell; Porter, WA; 6/1, 6/15, 7/1.

**Seed:** does not set seed; pod creamy white.

**Clump History:** original sport, 2 yrs old; Porter, WA.

**Notable Characteristics:** has 3 distinct leaf colors, fasciated flowering characteristic.

[sport of *H. 'Little Sunspot'*]

**H. 'Tropical Dancer'**

J. van den Top (ONI),  
D. Van Eecheute (R)

**Plant:** 26.2 in., (66.6 cm) diameter; 14.4 in., (36.5 cm) high; mound-like; medium growth rate.

**Leaf:** 8.8 in., (22.4 cm) long; 5.9 in., (15.1 cm) wide; 8 to 9 vein pairs; medium green; .9 in., (2.4 cm) wide, heavily rippled, creamy white margin; dull on top and underneath; ovate, rounded base; lightly wavy, lightly corrugated.

**Scape:** 18.7 to 26.9 in., (47.6 to 68.3 cm) long; green.

**Flower:** 1.5 in., (3.7 cm) long; pale lavender; tubular; Deinze, Belgium; 6/17, 6/28, 7/13.

**Seed:** does not set seed.

**Clump History:** original sport; 5 yrs old; Deinze, Belgium.

**Notable Characteristics:** eye catching, heavily rippled very wide, near white border.

[*H. 'Spring Fling'*]

**H. 'Uncle Albert'** C. Wasitis/Bridgewood Gardens (ONIR)

**Plant:** 50 in., (127 cm) diameter; 14 in., (35.6 cm) high; mound-like; medium growth rate.

**Leaf:** 14 in., (35.6 cm) long; 9 in., (22.9 cm) wide; vein pairs 8 to 10; light green; slightly rippled margin, slightly shiny, glaucous bloom; cordate base, broadly ovate; cupped, flat; petiole

**Flower:** medium lavender; tubular; Warren Co., VA; 7/15, 10/1.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 5 yrs old; Warren Co., VA.

**Notable Characteristics:** very large flower head on mature plant. [*H. hypoleuca* × *H. kikutii* var. *caput avis*]

**H. 'Uncle Hirsch'**

B. Graves (ONIR)

**Plant:** 21 in., (53.3 cm) diameter; 9 in., (22.9 cm) high; mound-like.

**Leaf:** 5 in., (12.7 cm) long; 1.75 in. (4.4 cm) wide; 6 vein pairs; medium blue-green; slightly rippled, .13 in., (.3 cm) wide, yellow margin; slightly shiny on top, dull underneath; tapered base, lance; moderately wavy.

**Scape:** 10 to 13 in., (25.4 to 33 cm); green.

**Flower:** 1.25 in., (3.2 cm) long; pale lavender, bell; Sylvania, OH; 8/23, 9/15, 10/1.

**Seed:** does not set seed.

**Clump History:** original seedling, 6 yrs old; Sylvania, OH

**Notable Characteristics:** wavy leaves, beautiful clump.

[*H.* 'Halcyon' × *H.* 'Little Jim']

***H.* 'Valley's Blue Buggle'** J. Linneman (ONIR)

**Plant:** 9.8 in. (25 cm) diameter; 7.9 in. (20 cm) high; upright; medium growth rate.

**Leaf:** 4.7 in. (12 cm) long; 1.8 in. (4.5 cm) wide; 6 vein pairs; medium blue-green; flat margin; dull on top and underneath; ovate, rounded base, moderately flat; some purple dots at base of petiole.

**Scape:** 7.9 to 11.8 in. (20 to 30 cm) long; green.

**Flower:** 1.4 in. (3.5 cm) long; pale lavender; tubular; Zwolle, Netherlands, July 15 to Aug 15.

**Seed:** seed set unknown, green pod.

**Clump History:** original seedling; 6 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** small with blue leaves, white back.

[*H.* 'Kifukurin Ubatake' × unknown]

**Seasonal Variation:** blue turns green with season.

***H.* 'Valley's Cathedral'** J. Linneman (ONIR)

**Plant:** 27.6 in. (70 cm) diameter; 35.4 in. (90 cm) high; upright; fast growth rate.

**Leaf:** 11.8 in. (30 cm) long; 7.9 in. (20 cm) wide; 9 vein pairs; dark green; slightly rippled margin; slightly shiny on top, glaucous bloom underneath; broadly ovate, cordate base; moderately wavy, green petiole.

**Scape:** 27.6 to 35.4 in. (70 to 90 cm) long; green.

**Flower:** 2 in. (5 cm) long; pale lavender; tubular; fragrant; Zwolle, Netherlands; July 15 to Aug 15.

**Seed:** does not set seed

**Clump History:** original seedling; 4 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** big dark green leaves, with a wavy edge, white underneath, large flowers

[*H. pycnophylla* × *H.* 'Temple Bells']

***H.* 'Valley's Chute-the-Chute'** J. Linneman (ONIR)

**Plant:** 7.9 in. (20 cm) diameter; 7.9 in. (20 cm) high; rhizomatous; fast growth rate.

**Leaf:** 4.3 in. (11 cm) long; 1.6 in. (4 cm) wide; 5 vein pairs; golden yellow; slightly rippled margin; very shiny on top, slightly shiny underneath; lance, rounded base; lightly wavy; purple dots at the base of petiole.

**Scape:** 3.9 to 7.9 in. (10 to 20 cm) long; green.

**Flower:** .8 in. (2 cm) long; tubular; Zwolle, Netherlands.

**Seed:** seed set unknown; pod green.

**Clump History:** original seedling; 7 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** golden yellow leaves, retains color longer in sunnier locations, wavy and pointy leaves.

[*H.* 'Kifukurin Ubatake' × unknown]

**Seasonal Variation:** color changes to light green.

***H.* 'Valley's Glacier'** J. Linneman (ONIR)

**Plant:** 35.4 in. (90 cm) diameter; 15.7 in. (40 cm) high; mound-like; medium growth rate.

**Leaf:** 7.1 in. (18 cm) long; 5.1 in. (13 cm) wide; 8 to 10 vein pairs; intensely blue-green; 1.4 to 1.8 in. (3.5 to 4.5 cm) wide, flat, yellow margin; glaucous bloom on top and underneath; broadly ovate, cordate base; moderately flat.

**Scape:** 7.9 to 23.6 in. (20 to 60 cm) long; blue.

**Flower:** 2.1 in. (5 cm) long; pale lavender; tubular; fragrant; Zwolle, Netherlands; July 15 to Aug 15.

**Seed:** sets viable seeds; blue-green pod.

**Clump History:** original sport; 4 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** edge changes from yellow to white.

[sport of *H.* 'First Frost']

**Seasonal Variation:** margin turns white later in season.

***H.* 'Valley's Lemon Ice'** J. Linneman (ONIR)

**Plant:** 23.6 in. (60 cm) diameter; 15.7 in. (40 cm) high.

**Leaf:** 5.9 in. (15 cm) long; 4.3 in. (10.9 cm) wide; 10 vein pairs; golden yellow; flat margin; dull on top; slightly shiny underneath; nearly round, cordate base; moderately flat.

**Scape:** 15.7 to 19.7 in. (40 to 50 cm) long; green.

**Flower:** 1.2 in. (3 cm) long; near white; tubular; Zwolle, Netherlands; July 15 to Aug 15.

**Seed:** sets viable seeds; pod green

**Clump History:** original sport; 5 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** thick leaved, yellow *H.* 'Halcyon' type.

[sport of *H.* 'Halcyon']

**Seasonal Variation:** yellow turns medium green.

***H.* 'Valley's Secret Cove'** J. Linneman (ONIR)

**Plant:** 7.9 in. (20 cm) diameter; 3.9 in. (10 cm) high; upright; medium growth rate.

**Leaf:** 2.4 in. (6 cm) long; 1.2 in. (3 cm) wide; 4 vein pairs; white; .4 in. (1 cm) wide, slightly rippled, green, margin; dull on top, slightly shiny underneath; ovate, rounded base.

**Scape:** 5.9 to 7.9 in. (15 to 20 cm) long; green.

**Flower:** .6 in. (1.5 cm) long; pale lavender; tubular; fragrant; Zwolle, Netherlands; June 1 to July 15.

**Seed:** does not set seed.

**Clump History:** original sport; 5 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** small hosta with arrow shaped leaves, slight twisted, white pattern remains throughout the year.

[sport of *H.* 'Hidden Cove']

**Seasonal Variation:** creamy white in spring turns pure white, some green striping.

***H.* 'Valley's Small Change'** J. Linneman (ONIR)

**Plant:** 3.9 in. (10 cm) diameter; 3.1 in. (8 cm) high; rhizomatous; medium growth rate.

**Leaf:** 1 in. (2.5 cm) long; .6 in. (1.5 cm) wide; 4 vein pairs; medium green; slightly rippled margin; very shiny on top; slightly shiny underneath; ovate, rounded base; lightly wavy.

**Scape:** 3.9 to 5.9 in. (10 to 15 cm) long; green.

**Flower:** .8 in. (2 cm) long; pale lavender; tubular; fragrant; Zwolle, Netherlands; July 15 to Aug 15.

**Seed:** sets viable seeds; pod green

**Clump History:** original seedling; 4 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** small with thick leaves, good grower.

[*H. pulchella* × unknown]

***H.* 'Valley's Sushi'** J. Linneman (ONIR)

**Plant:** 11.8 in. (30 cm) diameter; 23.6 in. (60 cm) high; upright, open mound-like; medium growth rate.

**Leaf:** 8.3 in. (21 cm) long; 3.9 in. (10 cm) wide; 5 vein pairs; medium blue-green; .2 to .4 in. (.5 to 1 cm) wide, flat to slightly rippled, white margin; slightly shiny on top, glaucous bloom un-

derneath; ovate, rounded base; lightly wavy; dark purplish red petioles, red bleeds into the leaf blade.

**Scape:** 7.9 to 19.7 in. (20 to 50 cm) long; dark red.

**Flower:** medium lavender; tubular; fragrant; Zwolle, Netherlands; Aug 15 to after Oct 1.

**Seed:** sets viable seeds.

**Clump History:** original sport; 4 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** dark purplish red petioles, red bleeds into the leaf blade, contrasting white margin.

[sport of *H.* 'Red October']

*H.* 'Valley's Vanilla Sticks' J. Linneman (ONIR)

**Plant:** 10.6 in. (27 cm) diameter; 7.9 in. (20 cm) high; upright; extremely fast growth rate.

**Leaf:** 4.3 in. (11 cm) long; 2.8 in. (7.1 cm) wide; 7 vein pairs; intensely blue; flat margin; dull on top and underneath; ovate, cordate base; moderately flat; many purple dots on petiole.

**Scape:** 3.9 to 7.9 in. (10 to 20 cm) long; purple dotted.

**Flower:** 1.2 in. (3 cm) long; pale lavender; tubular; Zwolle, Netherlands; July 15 to Aug 15.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling; 7 yrs old; Zwolle, Netherlands.

**Notable Characteristics:** good grower, strong garden plant, blue leaves with purple dotted petioles; flower bud resembles a Japanese Crane bird.

[*H.* 'Kifukurin Ubatake' × unknown]

**Seasonal Variation:** blue turns green with the season.

*H.* 'White Linen' M. Anderson (ONIR)

**Plant:** 36 in. (91.4 cm) diameter; 18 in. (45.7 cm) high; loosely upright.

**Leaf:** 6 in. (15.2 cm), long; 3 in. (7.6 cm) wide; 7 to 9 vein pairs; medium green; .13 in. (.3 cm) wide, moderately rippled, creamy white margin; slightly shiny on top, dull glaucous bloom underneath; ovate, cordate base; moderately wavy; red to purple speckling on petiole.

**Scape:** 18 in. (45.7 cm) long.

**Flower:** medium lavender; Pella, IA; after Oct 1.

**Seed:** rarely sets seeds, viability unknown; pod green.

**Clump History:** original sport, 3 yrs old; Pella, IA.

**Notable Characteristics:** White margins on *H.* 'Red October'.

[sport of *H.* 'Red October']

**Seasonal Variation:** margin appears as a lighter shade of green then changes to creamy white.

*H.* 'Wright Falling Water' S. & S. Zolock (ONIR)

**Plant:** 40 in., (101.6 cm) diameter; 24 in., (61 cm) high; upright and mound-like; medium growth rate.

**Leaf:** 12 in., (30.5 cm) long; 8 in. (20.3 cm) wide; 13 to 15 vein pairs; yellow; moderately rippled margin; flat base, ovate; moderately corrugated.

**Scape:** 30 to 36 in., (76.2 to 91.4 cm) long.

**Flower:** near white, pale lavender wash; bell; Belle Vernon, PA; 7/1, 7/15, 8/1.

**Seed:** sets viable seeds; pod green.

**Clump History:** original seedling, 6 yrs old; Belle Vernon, PA.

**Notable Characteristics:** deep veins on leaf underside, disease and insect resistant, distinct vein pattern on top of leaf [seedling × seedling]

**Seasonal Variation:** yellowish green summer and fall.

*H.* 'Yarden Yellow Snow' B. White (ONIR)

**Plant:** 24 in., (61 cm) diameter; 12 in., (30.5 cm) high; mound-like; fast growth rate.

**Leaf:** 4.5 in., (11.4 cm) long; 1.5 in. (3.8 cm) wide; 5 vein pairs;

yellow; flat; very shiny on top, slightly shiny underneath; tapered base, ovate; flat

**Flower:** deep purple; Maynardville, TN; July 15 to Aug 15.

**Clump History:** original seedling, 4 yrs old; Maynardville, TN.

**Notable Characteristics:** comes up yellow with red tip and red back down veins.

[*H.* 'Korean Snow' × unknown]

*H.* 'Yellow Comet' B. Graves (ONIR)

**Plant:** 14 in., (35.6 cm) diameter; 12 in., (30.5 cm) high; mound-like; medium growth rate.

**Leaf:** 5.5 in., (14 cm) long; 3.5 in. (8.9 cm) wide; 5 to 7 vein pairs; golden yellow; flat margin; slightly shiny on top, dull underneath; tapered base, elliptic; lightly cupped.

**Scape:** 16 in., (40.6 cm) long; burgundy.

**Flower:** 1.5 in., (3.8 cm) long; pale lavender, light purple striped; tubular; Sylvania, OH; 6/1, 7/30, 8/26.

**Seed:** sets viable seeds; burgundy speckling on green pod.

**Clump History:** original seedling, 6 yrs old; Sylvania, OH.

**Notable Characteristics:** burgundy scapes.

[*H.* 'Grandmaster' × *H.* 'Warwick Comet']

*H.* 'Yellow Prize' R. Kuenster (ONIR)

**Plant:** 18 in., (45.7 cm) diameter; 9 in., (22.9 cm) high; growth rate.

**Leaf:** 5 in., (12.7 cm) long; 3 in. (7.6 cm) wide; 7 to 9 vein pairs; streaked yellow, green and white; slightly rippled, .25 to .5 in. (.6 to 1.3 cm) wide, white margin; slightly shiny on top, dull underneath; rounded base, ovate; lightly wavy.

**Scape:** 24 to 30 in., (61 to 76.2 cm) long.

**Flower:** 1 in., (2.5 cm) long; near white; tubular; Iowa City, IA; 6/20, 7/1, 7/20.

**Seed:** sets seeds, viability unknown; pod green streaked.

**Clump History:** original seedling, 6 yrs old; Iowa City, IA.

[*H.* 'Sea Prize' × *H.* 'Sea Prize']

*H.* 'Zimmerman Thunder' M. Zilis (O), Global Garden (NI), S. Compton (R)

**Plant:** 10 in., (25.4 cm) diameter; 8 in., (20.3 cm) high; mound-like; medium growth rate.

**Leaf:** 6 in., (15.2 cm) long; 3.5 in. (8.9 cm) wide; 7 vein pairs; dark green; heavily rippled margin; very shiny on top, dull underneath; rounded base, ovate; lightly folded, intensely wavy.

**Scape:** 8 to 12 in., (20.3 to 30.5 cm) long; green.

**Flower:** 1.3 in., (3.3 cm) long; near white; bell; Zimmerman, MN; 7/22, 8/14, 8/25.

**Seed:** sets seeds, viability unknown; pod green.

**Clump History:** original sport 1 year old, obtained from the originator; Zimmerman, MN.

**Notable Characteristics:** large leaves on a small plant.

[sport of *H.* 'Lakeside Rocky Top']

**Seasonal Variation:** new leaves appear chartreuse.

## 2008 REGISTRATIONS

This page intentionally left blank

# PLANT PATENTS, PLANT BREEDER'S RIGHTS AND ESTABLISHMENT

Cultivar Name	Legal Protections	
<i>H. 'American Icon'</i>	PP	<i>H. plantaginea</i> Gold Margin ( <i>H. 'Heaven Scent'</i> ) PP
<i>H. 'American Sweetheart'</i>	ECBRAf	<i>H. plantaginea</i> White Margin ( <i>H. 'White Shoulders'</i> ) PP
<i>H. 'Anne'</i>	PP	<i>H. 'Prairie Sky'</i> PP
<i>H. 'Aristocrat'</i>	PP	<i>H. 'Rainbow's End'</i> PP
<i>H. 'Atlantis'</i>	ECBR, PP	<i>H. 'Regal Supreme'</i> PPAF
<i>H. 'Beckoning'</i>	PP	<i>H. 'Remember Me'</i> ECBR
<i>H. 'Blue Circle'</i>	ECBR	<i>H. 'Revolution'</i> ECBR
<i>H. 'Blue Ivory'</i>	PPAF	<i>H. 'Risky Business'</i> ECBRAF
<i>H. 'Boracay'</i>	PPAF	<i>H. 'Royal Standard'</i> PP
<i>H. 'Cathedral Windows'</i>	PP	<i>H. 'Secret Ambition'</i> ECBRAF, PP
<i>H. 'Christmas Candy'</i>	ECBR	<i>H. 'Secret Love'</i> ECBR
<i>H. 'Clifford's Stingray'</i>	PP	<i>H. 'Singing in the Rain'</i> PP
<i>H. 'Dancing In the Rain'</i>	PP	<i>H. 'Solar Flare'</i> PP
<i>H. 'Earth Angel'</i>	ECBRAf	<i>H. 'Stitch in Time'</i> PP
<i>H. 'El Niño'</i>	ECBR, CPBR, PP	<i>H. 'Tattoo'</i> ECBR, PP
<i>H. 'Eskimo Pie'</i>	PP	<i>H. 'Thunderbolt'</i> ECBR, PP
<i>H. 'Eye Declare'</i>	PP	<i>H. 'Time Tunnel'</i> ECBR, PP
<i>H. 'Fireworks'</i>	PP	<i>H. 'Titanic'</i> ECBR, PP
<i>H. 'Forest Fire'</i>	PP	<i>H. 'Touch Of Class'</i> ECBR, PP
<i>H. 'Fragrant Queen'</i>	PP	<i>H. 'Twilight'</i> PP
<i>H. 'Frosted June'</i>	ECBRAf	<i>H. 'Tropical Dancer'</i> PPAF
<i>H. 'Frosted Mouse Ears'</i>	ECBRAf	<i>H. 'Valley's Glacier'</i> ECBRAF
<i>H. 'Golden Meadows'</i>	ECBR	<i>H. 'White Triumphator'</i> PP
<i>H. 'Grand Marquee'</i>	ECBRAf, PP	
<i>H. 'Great Escape'</i>	ECBRAf, PP	
<i>H. 'Hanky Panky'</i>	PP	
<i>H. 'Heat Wave'</i>	ECBRAf	
<i>H. 'High Society'</i>	PP	
<i>H. 'Hollywood Lights'</i>	PP	
<i>H. 'Holy Mouse Ears'</i>	ECBRAf	
<i>H. 'Independence'</i>	PP	
<i>H. 'Journey's End'</i>	PP	
<i>H. 'June Fever'</i>	ECBR, CPBR, PP	
<i>H. 'June'</i>	ECBR, APBR	
<i>H. 'Karin'</i>	PP	
<i>H. 'Lady Guineverre'</i>	PP	
<i>H. 'Liberty'</i>	ECBR, PP	
<i>H. 'Little Jay'</i>	ECBRAf, PPAF	
<i>H. 'Little Treasure'</i>	PPAF	
<i>H. 'Lonesome Dove'</i>	PP	
<i>H. 'Loyalist'</i>	ECBR	
<i>H. 'Magic Fire'</i>	ECBR, PP	
<i>H. 'Moonstruck'</i>	ECBR	
<i>H. 'Morning Light'</i>	ECBR, PPAF	
<i>H. 'Mourning Dove'</i>	PP	
<i>H. 'Old Glory'</i>	ECBR, PP	
<i>H. 'Orange Marmalade'</i>	PP	
<i>H. 'Paradise Joyce'</i>	ECBR, CPBR, PP	
<i>H. 'Paradise Power'</i>	ECBR, CPBR, PP	
<i>H. 'Pineapple Punch'</i>	PP	

APBR = Australian Plant Breeder's Rights granted  
 CPBR = Canadian Plant Breeder's Rights granted  
 CPBRAf = Canadian Plant Breeder's Rights Applied For  
 ECBR = European Community Plant Breeder's Rights granted  
 ECBRAF = European Community Plant Breeder's Rights Applied For  
 PP = Plant Patent granted  
 PPAF = Plant Patent Applied For  
 EBRAF = European Plant Breeder's

*Bold faced cultivar names are also registered. Those not in bold face, have not been registered with the ICRA for the Genus Hosta.*

# INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

The following is the *minimum* required for registration:

- This form with the bold-faced items completed in their entirety.
- One photographic (digital) print or slide of the clump, with leaf detail discernable.
- Written permission from the originator if other than the registrant.

The following is optional but strongly requested:

- Any information requested on the back side of the form now or as soon as available.
- A different photo showing leaf detail.
- A different photo showing flower detail.
- A \$5 registration fee. Check payable to The American Hosta Society (unpaid fees will be paid by The American Hosta Society).

Forms, fee, photos, etc. should be mailed to: Hosta Registrar, **Kevin P. Walek, 9122 John Way, Fairfax Station, VA 22039-3042 or email to: ahsregistrar@aol.com**. Terms used on this form can be found in *The American Hosta Society Glossary of Terms*. Questions can be answered by calling 703-798-5501 (evenings and weekends) or emailing ahsregistrar@aol.com.

**Please note:** Un-established cultivar names submitted for registration do not become established until they are published in *The Hosta Journal* accompanied by their description and thus could become established outside of registration prior to that publishing date. **Feel free to photocopy this form for additional copies and distribution or visit [www.hostaregistrar.org](http://www.hostaregistrar.org)**

**Registrations received by November 1 will be included for that year's registration publication.**

**Cultivar Name:** \_\_\_\_\_ **Originator:** \_\_\_\_\_

**Name of Registrant:** \_\_\_\_\_ **Introducer:** \_\_\_\_\_

**Address/Phone/Email:** \_\_\_\_\_ **Nominant(namer):** \_\_\_\_\_

**General Information: (All bold-faced items are required for registration)**

All measurements provided on the form are: (check one) \_\_\_\_\_ inches \_\_\_\_\_ centimeters

Is the cultivar currently being grown or sold under a different name or number? (detailed explanation): \_\_\_\_\_

Has this cultivar name ever been published? \_\_\_\_\_ Please provide: publication name (catalogs included) and date: \_\_\_\_\_

Is the cultivar a seedling or sport (circle and supply the cultivar name of the parent as requested)?

“Parent” of Sport: \_\_\_\_\_ Seedling Pod Parent: \_\_\_\_\_ Seedling Pollen Parent: \_\_\_\_\_

The clump being described is \_\_\_\_\_ yrs old and is/was/has (circle all that apply): 1) original seedling/original sport/a \_\_\_\_\_ generation division/tissue cultured/an unknown history 2) obtained from the originator/a nursery/other source:

The clump described is growing in (city/state/country):

What diagnostic characteristics make this cultivar unique from other hostas?

**Plant Patent or Breeder's Rights:**

Is/will the a patent, or country's Breeders Rights be applied for, for this cultivar?(Y/N)

If so, please indicate which country \_\_\_\_\_ application # \_\_\_\_\_  
 date(s) \_\_\_/\_\_\_/\_\_\_ Pat. Pend. or Patent # \_\_\_\_\_ Breeder's Rights # \_\_\_\_\_  
 date(s) \_\_\_/\_\_\_/\_\_\_

**Plant: (All bold-faced items are required for registration)**

**Plant Size:** Width \_\_\_\_\_ Height \_\_\_\_\_

Plant Habit: (circle one) upright mound-like rhizomatous

Growth Rate: (circle one) slow med. fast

**INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS**

**Leaf: (All bold-faced items are required for registration)**

Leaf Color (choose from the adjacent list, or supplement as necessary from an recognized color authority such as the Royal Horticultural Society color chart ).

Center (if leaf is one color enter under “Center”): \_\_\_\_\_

Margin color: \_\_\_\_\_ Margin Width: \_\_\_\_\_

Seasonal Color Change/Other (describe, if applicable): \_\_\_\_\_

Is the variegation pattern relatively stable? \_\_\_\_  
(if so, how long has it been “stable”): \_\_\_\_\_

Leaf Size: Width: \_\_\_\_\_ Length: \_\_\_\_\_

Number of vein pairs (range): \_\_\_\_\_

Unique Petiole [leaf stalk] Characteristics (describe): \_\_\_\_\_

Appearance of the margin: (circle one) flat---slightly rippled---heavily rippled--- “serrated”


Leaf Texture: Top Surface (circle one): dull---slightly shiny---very shiny---glaucous bloom  
Bottom Surface (circle one): dull---slightly shiny---very shiny---glaucous bloom

Leaf Appearance: (indicate by placing a modifier in the blank) [L]ightly, [M]oderately, [D]eeply, [I]ntensely  
\_\_ cupped \_\_ twisted \_\_ folded \_\_ wavy \_\_ corrugated \_\_ flat

Leaf Shape: (check one)



Leaf Base: (circle one)



**Flower, Scape and Pod Detail: (All bold-faced items are required for registration)**

**Flower Time** (check one): before 6/1\_\_ 6/1 to 7/15\_\_ 7/15 to 8/15\_\_ 8/15 to 10/1\_\_ after 10/1\_\_

**Flower Color** (circle one): pure white near white pale lavender med. lavender pale purple deep purple other \_\_\_\_\_

Scape Height Range: \_\_\_\_ to \_\_\_\_ Scape Color: \_\_\_\_\_ Scape leaves/bracts at maturity? (Y/N) \_\_\_\_

Bloom Time: start 

Date	Month	day
____	____	____

 peak 

Date	Month	day
____	____	____


 finish 

Date	Month	day
____	____	____

Is there significant fragrance? (Y/N) \_\_\_\_ Flower Length: \_\_\_\_\_

Flower Color Patterns: (describe: striping, translucent margins, etc.)

Flower Shape (circle one):



Does it set seed? (Y/N/?) \_\_\_\_ Is the seed viable? (Y/N/?) \_\_\_\_ Seed Pod Color: \_\_\_\_\_

Registration Rec'd: \_\_\_\_/\_\_\_\_/\_\_\_\_ Registered: \_\_\_\_/\_\_\_\_/\_\_\_\_ Name Reserved: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Registration or Name Rejected: \_\_\_\_/\_\_\_\_/\_\_\_\_ Office use only 1/09

light green
med. green
dark green
slightly blue-green
med. blue-green
intensely blue-green
greenish-yellow
pale yellow
yellow
golden yellow
greenish white
creamy white
pure white
green speckling
white speckling
streaked with (colors above)
mottled with (colors above)